

Network Working Group
Internet Draft
Document: [draft-ietf-idr-bgp-mibagent-survey-02.txt](#)
Expires: April 2005

S. Hares
NextHop
D. Hares
October 2004

BGP-4 MIB Implementation Survey

Status of this Memo

By submitting this Internet-Draft, we certify that any applicable patent or other IPR claims of which we are aware have been disclosed, or will be disclosed, and any of which we become aware will be disclosed, in accordance with [RFC 3668](#).

Internet-Drafts are working documents of the Internet Engineering Task Force (IETF), its areas, and its working groups. Note that other groups may also distribute working documents as Internet-Drafts.

Internet-Drafts are draft documents valid for a maximum of six months and may be updated, replaced, or obsoleted by other documents at any time. It is inappropriate to use Internet-Drafts as reference material or to cite them other than as "work in progress".

The list of current Internet-Drafts can be accessed at <http://www.ietf.org/ietf/lid-abstracts.txt>.

The list of Internet-Draft Shadow Directories can be accessed at <http://www.ietf.org/shadow.html>"

This document may not be modified, and derivative works of it may not be created, except to publish it as an RFC and to translate it into languages other than English.

Abstract

This document provides a survey of BGP-4 [[BGP4](#)] protocol implementing [RFC 1657](#) MIB agents according to the [BGP-v1-MIB] specification.

BGP-4 MIB Implementation Survey

October 2004

Table of Contents

1.	Introduction.....	2
2.	Survey Summary.....	2
	2.1 MIB Agent Object Implementation Summary.....	3
	2.2 MIB Agent Read-Write Object Implementation Summary.....	4
	2.3 MIB Agent Trap Implementation Summary.....	4
	2.4 MIB Agent BGP Peer Reset state.....	5
	2.5 MIB Manager interactions.....	5
3.	Survey Forms.....	6
	3.1 Cisco Systems.....	6
	3.2 NextHop Technologies.....	8
	3.3 Redback Networks.....	11
4.	MIB Walks.....	14
	4.1 Cisco Systems.....	14
	4.2 NextHop Technologies.....	23
	4.3 Redback Networks.....	31
	Security Considerations.....	35
	Normative References.....	35
	Acknowledgments.....	35
	Authors' Addresses.....	35
	Copyright Statement.....	36

1.

Introduction

This document provides a survey of BGP-4 v1 MIB implementations. After a brief summary, each response is listed. The authors make no claim as to the accuracy of the information provided.

The following organizations reported having BGP-4 MIB implementations: Cisco Systems, Redback Networks, and NextHop Technologies.

2.

Survey Summary

This survey asked for information about the implementations of the BGP-4 [[BGP4](#)] that support the BGP-4 v1 MIB [[BGP4-V1-MIB](#)].

Two or more of the implementations of BGP-4 v1 MIB [BGP-V1-MIB] each implement all the objects. None of the implementation that responded to the survey implemented the read-write variables ([section 2.2](#)). The two TRAPs as specified are not implemented by two implementations ([section 2.3](#)). The counters initialized state is zeroed in all implementation, but a reset peer is only reset by the Redback implementation ([section 2.4](#)).

There are 3 agent implementations for the 3 surveyed ([section 2.5](#)). The SNMP managers used to test the implementations are: netsnmp (www.netsnmp.org), mrtg (www.mrtg.org), and internal Cisco manager.

No inter-operability issues related to the Manager specification were found.

2.1

MIB Agent Object Implementation Summary

Cisco	NextHop	Redback	
Y	Y	Y	bgpVersion
Y	Y	Y	bgpLocalAs
Y	Y	Y	bgpPeerIdentifier
Y	Y	Y	bgpPeerState
Y	Y	Y	bgpPeerAdminStatus
Y	Y	Y	bgpPeerNegotiatedVersion
Y	Y	Y	bgpPeerLocalAddr
Y	Y	Y	bgpPeerLocalPort
Y	Y	Y	bgpPeerRemoteAddr
Y	Y	Y	bgpPeerRemotePort
Y	Y	Y	bgpPeerRemoteAs
Y	Y	Y	bgpPeerInUpdates
Y	Y	Y	bgpPeerOutUpdates
Y	Y	Y	bgpPeerInTotalMessages
Y	Y	Y	bgpPeerOutTotalMessages
Y	Y	Y	bgpPeerLastError
Y	Y	Y	bgpPeerFsmEstablishedTransitions
Y	Y	Y	bgpPeerFsmEstablishedTime
Y	Y	Y	bgpPeerConnectRetryInterval

Y	Y	Y	bgpPeerHoldTime
Y	Y	Y	bgpPeerKeepAlive
Y	Y	Y	bgpPeerHoldTimeConfigured
Y	Y	Y	bgpPeerKeepAliveConfigured
Y	Y	Y	bgpPeerMinASOriginationInterval
Y	Y	Y	bgpPeerMinRouteAdvertisementInterval
Y	Y	Y	bgpPeerInUpdateElapsedTime
Y	Y	Y	bgpIdentifier
N	N	N	bgpPathAttrPeer
N	N	N	bgpPathAttrDestNetwork
N	N	N	bgpPathAttrOrigin
N	N	N	bgpPathAttrASPath
N	N	N	bgpPathAttrNextHop
N	N	N	bgpPathAttrInterASMetric
Y	Y	Y	bgp4PathAttrPeer
Y	Y	Y	bgp4PathAttrIpAddrPrefixLen

BGP-4 MIB Implementation Survey

October 2004

Y	Y	Y	bgp4PathAttrIpAddrPrefix
Y	Y	Y	bgp4PathAttrOrigin
Y	Y	Y	bgp4PathAttrASPathSegment
Y	Y	Y	bgp4PathAttrNextHop
Y	Y	Y	bgp4PathAttrMultiExitDisc
Y	Y	Y	bgp4PathAttrLocalPref
Y	Y	Y	bgp4PathAttrAtomicAggregate
Y	Y	Y	bgp4PathAttrAggregatorAS
Y	Y	Y	bgp4PathAttrAggregatorAddr
Y	Y	Y	bgp4PathAttrCalcLocalPref
Y	Y	Y	bgp4PathAttrBest
Y	Y	Y	bgp4PathAttrUnknown

Please note that items bgpPathAttrPeer, bgpPathAttrDestNetwork, bgpPathAttrOrigin, bgpPathAttrASPath, bgpPathAttrNextHop, bgpPathAttrInterASMetric are deprecated. An answer of Y/N is valid for this status.

2.2

MIB Agent Read-Write Object Implementation Summary

Does your implementation allow managers to write to the following read-write objects? Indicate yes or no (Y or N) for each object:

Cisco	NextHop	Redback	
N	N	N	bgpPeerAdminStatus
N	N	N	bgpPeerConnectRetryInterval
N	N	N	bgpPeerHoldTimeConfigured
N	N	N	bgpPeerKeepAliveConfigured
N	N	N	bgpPeerMinASOriginationInterval
N	N	N	bgpPeerMinRouteAdvertisementInterval

None of the implementations surveyed supported the read/write variables.

2.3

MIB Agent Trap Implementation Summary

Does your implementation include each of the following notifications? Indicate yes or no (Y or N) for each notification:

Cisco	NextHop	Redback	
Y	N	N	bgpEstablished
Y	N	Y*1	bgpBackwardTransition

*1 - Redback only supports the transition from Established to Idle.

2.4

MIB Agent BGP Peer Reset state

Two questions were asked about the the bgpPeerInUpdates, bgpPeerOutUpdates, bgpPeerInTotalMessages and bgpPeerOutTotalMessages.

The first was "do you initialize these counters zero", and the second was "Do you reset these counters to zero when a configured peer enters established state".

Cisco	NextHop	Redback	
Y	Y	Y	initialize to zero
N	N	Y	reset to zero when configured peer

Enters established state

2.5

MIB Manager interactions

Managers:

BGP MIB agent:

Cisco	NextHop	Redback	
Y	Y	N	independent implementation
-	-	C	(P or C)public or commercial

Redback code based on SNMP Research EMANATE

SNMP Manager Interaction

Cisco	NextHop	Redback	
cisco	NetSNMP	MRTG SNMP	Managers tested with
-	Y	Y	Manager implemented independently
-	Y	Y	from agent
N	N	N	Read access to BGP4 MIB
-	N	Y	variables.
Y	Y	Y	Write access to BGP4 MIB
Y	N	Y	variables.
			Sending and receiving BGP4 MIB
			notifications.
			Tested using SNMPv1/v2c.
			Tested using SNMPv3.

"-" indicates cisco did not answer these questions.

NextHop SNMP agent support is via SMUX interface.

MRTG SNMP is found at mrtg.org. NetSNMP (UC Davis tools) found at www.netsnmp.org.

SNMP Manager-Agent Inter-operability issues

Cisco	NextHop	Redback	
N	N	N	Inter-operability issues

3.
Survey Forms

3.1
Cisco Systems

Agent Implementation Checklist

This section should be completed by individuals or companies who have implemented [RFC 1657](#) support in an SNMP agent.

Is your BGP4 MIB agent an independent implementation? Or is it based on public domain or commercial code? If it is not independent, what code base was used?

- Cisco's BGP4 MIB agent is implemented on commercial Cisco IOS.

Have you done any interoperability testing with managers that implement the BGP4 MIB? If so, which manager implementations have been used with your agent?

- (this portion was not returned by Cisco)

For each manager with which you have interoperated, which of the following features were tested? Duplicate this section for each manager, and indicate yes or no (Y/N) for each feature:

- (this portion was not returned by Cisco)

Manager Implementation Used: <Name>

Original Manager Code Base (if known): <Name>

(Y/N) Manager implemented independently from your agent?

(Y/N) Read access to BGP4 MIB variables.

(Y/N) Write access to BGP4 MIB variables.

(Y/N) Sending and receiving BGP4 MIB notifications.

(Y/N) Tested using SNMPv1/v2c.

(Y/N) Tested using SNMPv3.

Are there any unresolved interoperability issues between your BGP4 MIB agent and any BGP4 MIB manager that may indicate problems in the specification? If so, please provide technical details.

- (this portion was not returned by cisco)

(Y) Does your agent support SNMPv3?

Does your BGP4 MIB agent implement the following objects? Indicate yes or no (Y or N) for each object:

(Y) bgpVersion
(Y) bgpLocalAs
(Y) bgpPeerIdentifier
(Y) bgpPeerState
(Y) bgpPeerAdminStatus
(Y) bgpPeerNegotiatedVersion
(Y) bgpPeerLocalAddr
(Y) bgpPeerLocalPort
(Y) bgpPeerRemoteAddr
(Y) bgpPeerRemotePort
(Y) bgpPeerRemoteAs
(Y) bgpPeerInUpdates
(Y) bgpPeerOutUpdates
(Y) bgpPeerInTotalMessages
(Y) bgpPeerOutTotalMessages
(Y) bgpPeerLastError
(Y) bgpPeerFsmEstablishedTransitions
(Y) bgpPeerFsmEstablishedTime
(Y) bgpPeerConnectRetryInterval
(Y) bgpPeerHoldTime
(Y) bgpPeerKeepAlive
(Y) bgpPeerHoldTimeConfigured
(Y) bgpPeerKeepAliveConfigured
(Y) bgpPeerMinASOriginationInterval
(Y) bgpPeerMinRouteAdvertisementInterval
(Y) bgpPeerInUpdateElapsedTime
(Y) bgpIdentifier
(N) bgpPathAttrPeer
(N) bgpPathAttrDestNetwork
(N) bgpPathAttrOrigin
(N) bgpPathAttrASPath
(N) bgpPathAttrNextHop
(N) bgpPathAttrInterASMetric
(Y) bgp4PathAttrPeer
(Y) bgp4PathAttrIpAddrPrefixLen
(Y) bgp4PathAttrIpAddrPrefix
(Y) bgp4PathAttrOrigin
(Y) bgp4PathAttrASPathSegment
(Y) bgp4PathAttrNextHop
(Y) bgp4PathAt

trMultiExitDisc

- (Y) bgp4PathAttrLocalPref
- (Y) bgp4PathAttrAtomicAggregate

Hares & Hares

Expires - April 2005

[Page 7]

BGP-4 MIB Implementation Survey

October 2004

- (Y) bgp4PathAttrAggregatorAS
- (Y) bgp4PathAttrAggregatorAddr
- (Y) bgp4PathAttrCalcLocalPref
- (Y) bgp4PathAttrBest
- (Y) bgp4PathAttrUnknown

Does your implementation allow managers to write to the following read-write objects? Indicate yes or no (Y or N) for each object:

- (N) bgpPeerAdminStatus
- (N) bgpPeerConnectRetryInterval
- (N) bgpPeerHoldTimeConfigured
- (N) bgpPeerKeepAliveConfigured
- (N) bgpPeerMinASOriginationInterval
- (N) bgpPeerMinRouteAdvertisementInterval

Does your implementation include each of the following notifications? Indicate yes or no (Y or N) for each notification:

- (Y) bgpEstablished
- (Y) bgpBackwardTransition

Does your implementation initialize bgpPeerInUpdates, bgpPeerOutUpdates, bgpPeerInTotalMessages and bgpPeerOutTotalMessages counters to zero?

Yes.

Does your implementation reset the bgpPeerInUpdates, bgpPeerOutUpdates, bgpPeerInTotalMessages and bgpPeerOutTotalMessages counters to zero when a configured peer enters the established state?

No.

3.2

NextHop Technologies

Agent Implementation Checklist

This section should be completed by individuals or companies who have implemented [RFC 1657](#) support in an SNMP agent.

Is your BGP4 MIB agent an independent implementation? Or is it based on public domain or commercial code? If it is not independent, what code base was used?

Hares & Hares

Expires - April 2005

[Page 8]

BGP-4 MIB Implementation Survey

October 2004

- Independent implementation.

Have you done any interoperability testing with managers that implement the BGP4 MIB? If so, which manager implementations have been used with your agent?

- Yes.

For each manager with which you have interoperated, which of the following features were tested? Duplicate this section for each manager, and indicate yes or no (Y/N) for each feature:

Manager Implementation Used: <Name>

- UCD SNMP Tools (NetSNMP)

Original Manager Code Base (if known): UC Davis SNMP
(Y) Manager implemented independently from your agent?
(Y) Read access to BGP4 MIB variables.
(na) Write access to BGP4 MIB variables.
(na) Sending and receiving BGP4 MIB notifications.
(Y) Tested using SNMPv1/v2c.
(N) Tested using SNMPv3.

Are there any unresolved interoperability issues between your BGP4 MIB agent and any BGP4 MIB manager that may indicate problems in the specification? If so, please provide technical details.

(Y/N) Does your agent support SNMPv3?

- N/A. Access to agent is provided via SMUX.

Does your BGP4 MIB agent implement the following objects? Indicate yes or no (Y or N) for each object:

(Y) bgpVersion
(Y) bgpLocalAs
(Y) bgpPeerIdentifier
(Y) bgpPeerState
(Y) bgpPeerAdminStatus
(Y) bgpPeerNegotiatedVersion
(Y) bgpPeerLocalAddr
(Y) bgpPeerLocalPort
(Y) bgpPeerRemoteAddr
(Y) bgpPeerRemotePort
(Y) bgpPeerRemoteAs

(Y) bgpPeerInUpdates
(Y) bgpPeerOutUpdates
(Y) bgpPeerInTotalMessages
(Y) bgpPeerOutTotalMessages
(Y) bgpPeerLastError
(Y) bgpPeerFsmEstablishedTransitions
(Y) bgpPeerFsmEstablishedTime
(Y) bgpPeerConnectRetryInterval
(Y) bgpPeerHoldTime
(Y) bgpPeerKeepAlive
(Y) bgpPeerHoldTimeConfigured
(Y) bgpPeerKeepAliveConfigured
(Y) bgpPeerMinASOriginationInterval
(Y) bgpPeerMinRouteAdvertisementInterval
(Y) bgpPeerInUpdateElapsedTime
(Y) bgpIdentifier
(N) bgpPathAttrPeer
(N) bgpPathAttrDestNetwork
(N) bgpPathAttrOrigin
(N) bgpPathAttrASPath
(N) bgpPathAttrNextHop
(N) bgpPathAttrInterASMetric
(Y) bgp4PathAttrPeer
(Y) bgp4PathAttrIpAddrPrefixLen

- (Y) bgp4PathAttrIpAddrPrefix
- (Y) bgp4PathAttrOrigin
- (Y) bgp4PathAttrASPathSegment
- (Y) bgp4PathAttrNextHop
- (Y) bgp4PathAttrMultiExitDisc
- (Y) bgp4PathAttrLocalPref
- (Y) bgp4PathAttrAtomicAggregate
- (Y) bgp4PathAttrAggregatorAS
- (Y) bgp4PathAttrAggregatorAddr
- (Y) bgp4PathAttrCalcLocalPref
- (Y) bgp4PathAttrBest
- (Y) bgp4PathAttrUnknown

Does your implementation allow managers to write to the following read-write objects? Indicate yes or no (Y or N) for each object:

- (N) bgpPeerAdminStatus
- (N) bgpPeerConnectRetryInterval
- (N) bgpPeerHoldTimeConfigured
- (N) bgpPeerKeepAliveConfigured
- (N) bgpPeerMinASOriginationInterval
- (N) bgpPeerMinRouteAdvertisementInterval

Does your implementation include each of the following

notifications? Indicate yes or no (Y or N) for each notification:

- (N) bgpEstablished
- (N) bgpBackwardTransition

Does your implementation initialize bgpPeerInUpdates, bgpPeerOutUpdates, bgpPeerInTotalMessages and bgpPeerOutTotalMessages counters to zero?

Yes.

Does your implementation reset the bgpPeerInUpdates, bgpPeerOutUpdates, bgpPeerInTotalMessages and bgpPeerOutTotalMessages counters to zero when a configured peer enters the established state?

No.

3.3

Redback Networks

Agent Implementation Checklist

This section should be completed by individuals or companies who have implemented [RFC 1657](#) support in an SNMP agent.

Is your BGP4 MIB agent an independent implementation? Or is it based on public domain or commercial code? If it is not independent, what code base was used?

- No, it is based on SNMP Research EMANATE

Have you done any interoperability testing with managers that implement the BGP4 MIB? If so, which manager implementations have been used with your agent?

- We have done interoperability testing with SNMP managers from MRTG.

For each manager with which you have interoperated, which of the following features were tested? Duplicate this section for each manager, and indicate yes or no (Y/N) for each feature:

Manager Implementation Used: MRTG (mrtg.org)

Original Manager Code Base (if known):

(Y) Manager implemented independently from your agent?

Hares & Hares

Expires - April 2005

[Page 11]

BGP-4 MIB Implementation Survey

October 2004

- (Y) Read access to BGP4 MIB variables.
- (N) Write access to BGP4 MIB variables.
- (Y) Sending and receiving BGP4 MIB notifications.
- (Y) Tested using SNMPv1/v2c.
- (Y) Tested using SNMPv3.

Are there any unresolved interoperability issues between your

BGP4 MIB agent and any BGP4 MIB manager that may indicate problems in the specification? If so, please provide technical details.

No, there are not any unresolved interoperability issues.

(Y) Does your agent support SNMPv3?

Does your BGP4 MIB agent implement the following objects? Indicate yes or no (Y or N) for each object:

(Y) bgpVersion
(Y) bgpLocalAs
(Y) bgpPeerIdentifier
(Y) bgpPeerState
(Y) bgpPeerAdminStatus
(Y) bgpPeerNegotiatedVersion
(Y) bgpPeerLocalAddr
(Y) bgpPeerLocalPort
(Y) bgpPeerRemoteAddr
(Y) bgpPeerRemotePort
(Y) bgpPeerRemoteAs
(Y) bgpPeerInUpdates
(Y) bgpPeerOutUpdates
(Y) bgpPeerInTotalMessages
(Y) bgpPeerOutTotalMessages
(Y) bgpPeerLastError
(Y) bgpPeerFsmEstablishedTransitions
(Y) bgpPeerFsmEstablishedTime
(Y) bgpPeerConnectRetryInterval
(Y) bgpPeerHoldTime
(Y) bgpPeerKeepAlive
(Y) bgpPeerHoldTimeConfigured
(Y) bgpPeerKeepAliveConfigured
(Y) bgpPeerMinASOriginationInterval
(Y) bgpPeerMinRouteAdvertisementInterval
(Y) bgpPeerInUpdateElapsedTime
(Y) bgpIdentifier

(N) bgpPathAttrPeer

(N) bgpPathAttrDestNetwork

- (N) bgpPathAttrOrigin
- (N) bgpPathAttrASPath
- (N) bgpPathAttrNextHop
- (N) bgpPathAttrInterASMetric

- (Y) bgp4PathAttrPeer
- (Y) bgp4PathAttrIpAddrPrefixLen
- (Y) bgp4PathAttrIpAddrPrefix
- (Y) bgp4PathAttrOrigin
- (Y) bgp4PathAttrASPathSegment
- (Y) bgp4PathAttrNextHop
- (Y) bgp4PathAttrMultiExitDisc
- (Y) bgp4PathAttrLocalPref
- (Y) bgp4PathAttrAtomicAggregate
- (Y) bgp4PathAttrAggregatorAS
- (Y) bgp4PathAttrAggregatorAddr
- (Y) bgp4PathAttrCalcLocalPref
- (Y) bgp4PathAttrBest
- (Y) bgp4PathAttrUnknown

Does your implementation allow managers to write to the following read-write objects? Indicate yes or no (Y or N) for each object:

- (N) bgpPeerAdminStatus
- (N) bgpPeerConnectRetryInterval
- (N) bgpPeerHoldTimeConfigured
- (N) bgpPeerKeepAliveConfigured
- (N) bgpPeerMinASOriginationInterval
- (N) bgpPeerMinRouteAdvertisementInterval

Does your implementation include each of the following notifications? Indicate yes or no (Y or N) for each notification:

- (Y) bgpEstablished
- (Y) bgpBackwardTransition
 - transition from Established to Idle only.

Does your implementation initialize bgpPeerInUpdates, bgpPeerOutUpdates, bgpPeerInTotalMessages and bgpPeerOutTotalMessages counters to zero?

Yes.

Does your implementation reset the bgpPeerInUpdates, bgpPeerOutUpdates, bgpPeerInTotalMessages and bgpPeerOutTotalMessages counters to zero when a configured peer enters the established state?

Yes.

4.

MIB Walks

The following MIB walks were provided by the respondents, as identified.

4.1

Cisco Systems

```
BGP4-MIB::bgpVersion.0
  = Hex-STRING: 10
BGP4-MIB::bgpLocalAs.0
  = INTEGER: 65000
BGP4-MIB::bgpPeerIdentifier.10.10.1.29
  = IPAddress: 10.10.2.229
BGP4-MIB::bgpPeerIdentifier.11.10.128.3
  = IPAddress: 11.10.128.3
BGP4-MIB::bgpPeerState.10.10.1.29
  = INTEGER: established(6)
BGP4-MIB::bgpPeerState.11.10.128.3
  = INTEGER: established(6)
BGP4-MIB::bgpPeerAdminStatus.10.10.1.29
  = INTEGER: start(2)
BGP4-MIB::bgpPeerAdminStatus.11.10.128.3
  = INTEGER: start(2)
BGP4-MIB::bgpPeerNegotiatedVersion.10.10.1.29
  = INTEGER: 4
BGP4-MIB::bgpPeerNegotiatedVersion.11.10.128.3
  = INTEGER: 4
BGP4-MIB::bgpPeerLocalAddr.10.10.1.29
  = IPAddress: 11.10.128.4
BGP4-MIB::bgpPeerLocalAddr.11.10.128.3
  = IPAddress: 11.10.128.4
BGP4-MIB::bgpPeerLocalPort.10.10.1.29
  = INTEGER: 11014
BGP4-MIB::bgpPeerLocalPort.11.10.128.3
  = INTEGER: 11013
BGP4-MIB::bgpPeerRemoteAddr.10.10.1.29
```


= IPAddress: 10.10.1.29
BGP4-MIB::bgpPeerRemoteAddr.11.10.128.3
= IPAddress: 11.10.128.3
BGP4-MIB::bgpPeerRemotePort.10.10.1.29
= INTEGER: 179

BGP-4 MIB Implementation Survey

October 2004

BGP4-MIB::bgpPeerRemotePort.11.10.128.3
= INTEGER: 179
BGP4-MIB::bgpPeerRemoteAs.10.10.1.29
= INTEGER: 2
BGP4-MIB::bgpPeerRemoteAs.11.10.128.3
= INTEGER: 65000
BGP4-MIB::bgpPeerInUpdates.10.10.1.29
= Counter32: 54
BGP4-MIB::bgpPeerInUpdates.11.10.128.3
= Counter32: 5
BGP4-MIB::bgpPeerOutUpdates.10.10.1.29
= Counter32: 3
BGP4-MIB::bgpPeerOutUpdates.11.10.128.3
= Counter32: 54
BGP4-MIB::bgpPeerInTotalMessages.10.10.1.29
= Counter32: 12998
BGP4-MIB::bgpPeerInTotalMessages.11.10.128.3
= Counter32: 12949
BGP4-MIB::bgpPeerOutTotalMessages.10.10.1.29
= Counter32: 12947
BGP4-MIB::bgpPeerOutTotalMessages.11.10.128.3
= Counter32: 12998
BGP4-MIB::bgpPeerLastError.10.10.1.29
= Hex-STRING: 00 00
BGP4-MIB::bgpPeerLastError.11.10.128.3
= Hex-STRING: 00 00
BGP4-MIB::bgpPeerFsmEstablishedTransitions.10.10.1.29
= Counter32: 1
BGP4-MIB::bgpPeerFsmEstablishedTransitions.11.10.128.3
= Counter32: 1
BGP4-MIB::bgpPeerFsmEstablishedTime.10.10.1.29
= Gauge32: 776416
BGP4-MIB::bgpPeerFsmEstablishedTime.11.10.128.3
= Gauge32: 776416
BGP4-MIB::bgpPeerConnectRetryInterval.10.10.1.29
= INTEGER: 60
BGP4-MIB::bgpPeerConnectRetryInterval.11.10.128.3

= INTEGER: 60
BGP4-MIB::bgpPeerHoldTime.10.10.1.29
= INTEGER: 180
BGP4-MIB::bgpPeerHoldTime.11.10.128.3
= INTEGER: 180
BGP4-MIB::bgpPeerKeepAlive.10.10.1.29
= INTEGER: 60
BGP4-MIB::bgpPeerKeepAlive.11.10.128.3
= INTEGER: 60
BGP4-MIB::bgpPeerHoldTimeConfigured.10.10.1.29
= INTEGER: 180
BGP4-MIB::bgpPeerHoldTimeConfigured.11.10.128.3

BGP-4 MIB Implementation Survey

October 2004

= INTEGER: 180
BGP4-MIB::bgpPeerKeepAliveConfigured.10.10.1.29
= INTEGER: 60
BGP4-MIB::bgpPeerKeepAliveConfigured.11.10.128.3
= INTEGER: 60
BGP4-MIB::bgpPeerMinASOriginationInterval.10.10.1.29
= INTEGER: 0

B

GP4-MIB::bgpPeerMinASOriginationInterval.11.10.128.3
= INTEGER: 0
BGP4-MIB::bgpPeerMinRouteAdvertisementInterval.10.10.1.29
= INTEGER: 0
BGP4-MIB::bgpPeerMinRouteAdvertisementInterval.11.10.128.3
= INTEGER: 0
BGP4-MIB::bgpPeerInUpdateElapsedTime.10.10.1.29
= Gauge32: 103451
BGP4-MIB::bgpPeerInUpdateElapsedTime.11.10.128.3
= Gauge32: 776416
BGP4-MIB::bgpIdentifier.0
= IPAddress: 11.10.128.4
BGP4-MIB::bgp4PathAttrPeer.10.10.1.21.32.10.10.1.29
= IPAddress: 10.10.1.29
BGP4-MIB::bgp4PathAttrPeer.10.10.1.22.32.10.10.1.29
= IPAddress: 10.10.1.29
BGP4-MIB::bgp4PathAttrPeer.10.10.1.23.32.10.10.1.29
= IPAddress: 10.10.1.29
BGP4-MIB::bgp4PathAttrPeer.10.10.1.29.32.10.10.1.29
= IPAddress: 10.10.1.29
BGP4-MIB::bgp4PathAttrPeer.10.10.1.32.32.11.10.128.3
= IPAddress: 11.10.128.3

BGP4-MIB::bgp4PathAttrPeer.10.10.1.33.32.11.10.128.3
= IPAddress: 11.10.128.3
BGP4-MIB::bgp4PathAttrPeer.10.10.1.34.32.11.10.128.3
= IPAddress: 11.10.128.3
BGP4-MIB::bgp4PathAttrPeer.10.10.1.61.32.11.10.128.3
= IPAddress: 11.10.128.3
BGP4-MIB::bgp4PathAttrPeer.10.10.1.62.32.11.10.128.3
= IPAddress: 11.10.128.3
BGP4-MIB::bgp4PathAttrPeer.10.10.2.0.24.10.10.1.29
= IPAddress: 10.10.1.29
BGP4-MIB::bgp4PathAttrPeer.10.10.3.0.24.11.10.128.3
= IPAddress: 11.10.128.3
BGP4-MIB::bgp4PathAttrPeer.10.10.6.0.24.11.10.128.3
= IPAddress: 11.10.128.3
BGP4-MIB::bgp4PathAttrIpAddrPrefixLen.10.10.1.21.32.10.10.1.29
= INTEGER: 32
BGP4-MIB::bgp4PathAttrIpAddrPrefixLen.10.10.1.22.32.10.10.1.29
= INTEGER: 32
BGP4-MIB::bgp4PathAttrIpAddrPrefixLen.10.10.1.23.32.10.10.1.29
= INTEGER: 32

BGP4-MIB::bgp4PathAttrIpAddrPrefixLen.10.10.1.29.32.10.10.1.29
= INTEGER: 32
BGP4-MIB::bgp4PathAttrIpAddrPrefixLen.10.10.1.32.32.11.10.128.3
= INTEGER: 32
BGP4-MIB::bgp4PathAttrIpAddrPrefixLen.10.10.1.33.32.11.10.128.3
= INTEGER: 32
BGP4-MIB::bgp4PathAttrIpAddrPrefixLen.10.10.1.34.32.11.10.128.3
= INTEGER: 32
BGP4-MIB::bgp4PathAttrIpAddrPrefixLen.10.10.1.61.32.11.10.128.3
= INTEGER: 32
BGP4-MIB::bgp4PathAttrIpAddrPrefixLen.10.10.1.62.32.11.10.128.3
= INTEGER: 32
BGP4-MIB::bgp4PathAttrIpAddrPrefixLen.10.10.2.0.24.10.10.1.29
= INTEGER: 24
BGP4-MIB::bgp4PathAttrIpAddrPrefixLen.10.10.3.0.24.11.10.128.3
= INTEGER: 24
BGP4-MIB::bgp4PathAttrIpAddrPrefixLen.10.10.6.0.24.11.10.128.3
= INTEGER: 24
BGP4-MIB::bgp4PathAttrIpAddrPrefix.10.10.1.21.32.10.10.1.29
= IPAddress: 10.10.1.21
BGP4-MIB::bgp4PathAttrIpAddrPrefix.10.10.1.22.32.10.10.1.29
= IPAddress: 10.10.1.22

BGP4-MIB::bgp4PathAttrIpAddressPrefix.10.10.1.23.32.10.10.1.29
= IPAddress: 10.10.1.23
BGP4-MIB::bgp4PathAttrIpAddressPrefix.10.10.1.29.32.10.10.1.29
= IPAddress: 10.10.1.29
BGP4-MIB::bgp4PathAttrIpAddressPrefix.10.10.1.32.32.11.10.128.3
= IPAddress: 10.10.1.32
BGP4-MIB::bgp4PathAttrIpAddressPrefix.10.10.1.33.32.11.10.128.3
= IPAddress: 10.10.1.33
BGP4-MIB::bgp4PathAttrIpAddressPrefix.10.10.1.34.32.11.10.128.3
= IPAddress: 10.10.1.34
BGP4-MIB::bgp4PathAttrIpAddressPrefix.10.10.1.61.32.11.10.128.3
= IPAddress: 10.10.1.61
BGP4-MIB::bgp4PathAttrIpAddressPrefix.10.10.1.62.32.11.10.128.3
= IPAddress: 10.10.1.62
BGP4-MIB::bgp4PathAttrIpAddressPrefix.10.10.2.0.24.10.10.1.29
= IPAddress: 10.10.2.0
BGP4-MIB::bgp4PathAttrIpAddressPrefix.10.10.3.0.24.11.10.128.3
= IPAddress: 10.10.3.0
BGP4-MIB::bgp4PathAttrIpAddressPrefix.10.10.6.0.24.11.10.128.3
= IPAddress: 10.10.6.0
BGP4-MIB::bgp4PathAttrOrigin.10.10.1.21.32.10.10.1.29
= INTEGER: igp(1)
BGP4-MIB::bgp4PathAttrOrigin.10.10.1.22.32.10.10.1.29
= INTEGER: igp(1)
BGP4-MIB::bgp4PathAttrOrigin.10.10.1.23.32.10.10.1.29
= INTEGER: igp(1)
BGP4-MIB::bgp4PathAttrOrigin.10.10.1.29.32.10.10.1.29

= INTEGER: igp(1)
BGP4-MIB::bgp4PathAttrOrigin.10.10.1.32.32.11.10.128.3
= INTEGER: igp(1)
BGP4-MIB::bgp4PathAttrOrigin.10.10.1.33.32.11.10.128.3
= INTEGER: igp(1)
BGP4-MIB::bgp4PathAttrOrigin.10.10.1.34.32.11.10.128.3
= INTEGER: igp(1)
BGP4-MIB::bgp4PathAttrOrigin.10.10.1.61.32.11.10.128.3
= INTEGER: igp(1)
BGP4-MIB::bgp4PathAttrOrigin.10.10.1.62.32.11.10.128.3
= INTEGER: igp(1)
BGP4-MIB::bgp4PathAttrOrigin.10.10.2.0.24.10.10.1.29
= INTEGER: igp(1)
BGP4-MIB::bgp4PathAttrOrigin.10.10.3.0.24.11.10.128.3
= INTEGER: igp(1)

BGP4-MIB::bgp4PathAttrOrigin.10.10.6.0.24.11.10.128.3
= INTEGER: igp(1)
BGP4-MIB::bgp4PathAttrASPathSegment.10.10.1.21.32.10.10.1.29
= Hex-STRING: 02 01 00 02
BGP4-MIB::bgp4PathAttrASPathSegment.10.10.1.22.32.10.10.1.29
= Hex-STRING: 02 01 00 02
BGP4-MIB::bgp4PathAttrASPathSegment.10.10.1.23.32.10.10.1.29
= Hex-STRING: 02 01 00 02
BGP4-MIB::bgp4PathAttrASPathSegment.10.10.1.29.32.10.10.1.29
= Hex-STRING: 02 01 00 02
BGP4-MIB::bgp4PathAttrASPathSegment.10.10.1.32.32.11.10.128.3
= Hex-STRING: 02 01 00 03
BGP4-MIB::bgp4PathAttrASPathSegment.10.10.1.33.32.11.10.128.3
= Hex-STRING: 02 01 00 03
BGP4-MIB::bgp4PathAttrASPathSegment.10.10.1.34.32.11.10.128.3
= Hex-STRING: 02 01 00 03
BGP4-MIB::bgp4PathAttrASPathSegment.10.10.1.61.32.11.10.128.3
= Hex-STRING: 02 02 00 03 00 06
BGP4-MIB::bgp4PathAttrASPathSegment.10.10.1.62.32.11.10.128.3
= Hex-STRING: 02 02 00 03 00 06
BGP4-MIB::bgp4PathAttrASPathSegment.10.10.2.0.24.10.10.1.29
= Hex-STRING: 02 01 00 02
BGP4-MIB::bgp4PathAttrASPathSegment.10.10.3.0.24.11.10.128.3
= Hex-STRING: 02 01 00 03
BGP4-MIB::bgp4PathAttrASPathSegment.10.10.6.0.24.11.10.128.3
= Hex-STRING: 02 01 00 03
BGP4-MIB::bgp4PathAttrNextHop.10.10.1.21.32.10.10.1.29
= IPAddress: 10.10.1.29
BGP4-MIB::bgp4PathAttrNextHop.10.10.1.22.32.10.10.1.29
= IPAddress: 10.10.1.29
BGP4-MIB::bgp4PathAttrNextHop.10.10.1.23.32.10.10.1.29
= IPAddress: 10.10.1.29
BGP4-MIB::bgp4PathAttrNextHop.10.10.1.29.32.10.10.1.29
= IPAddress: 10.10.1.29

BGP4-MIB::bgp4PathAttrNextHop.10.10.1.32.32.11.10.128.3
= IPAddress: 11.10.128.3
BGP4-MIB::bgp4PathAttrNextHop.10.10.1.33.32.11.10.128.3
= IPAddress: 11.10.128.3
BGP4-MIB::bgp4PathAttrNextHop.10.10.1.34.32.11.10.128.3
= IPAddress: 11.10.128.3
BGP4-MIB::bgp4PathAttrNextHop.10.10.1.61.32.11.10.128.3
= IPAddress: 11.10.128.3

BGP4-MIB::bgp4PathAttrNextHop.10.10.1.62.32.11.10.128.3
= IPAddress: 11.10.128.3
BGP4-MIB::bgp4PathAttrNextHop.10.10.2.0.24.10.10.1.29
= IPAddress: 10.10.1.29
BGP4-MIB::bgp4PathAttrNextHop.10.10.3.0.24.11.10.128.3
= IPAddress: 11.10.128.3
BGP4-MIB::bgp4PathAttrNextHop.10.10.6.0.24.11.10.128.3
= IPAddress: 11.10.128.3
BGP4-MIB::bgp4PathAttrMultiExitDisc.10.10.1.21.32.10.10.1.29
= INTEGER: -1
BGP4-MIB::bgp4PathAttrMultiExitDisc.10.10.1.22.32.10.10.1.29
= INTEGER: -1
BGP4-MIB::bgp4PathAttrMultiExitDisc.10.10.1.23.32.10.10.1.29
= INTEGER: -1
BGP4-MIB::bgp4PathAttrMultiExitDisc.10.10.1.29.32.10.10.1.29
= INTEGER: 0
BGP4-MIB::bgp4PathAttrMultiExitDisc.10.10.1.32.32.11.10.128.3
= INTE

GER: 0

BGP4-MIB::bgp4PathAttrMultiExitDisc.10.10.1.33.32.11.10.128.3
= INTEGER: 0
BGP4-MIB::bgp4PathAttrMultiExitDisc.10.10.1.34.32.11.10.128.3
= INTEGER: 0
BGP4-MIB::bgp4PathAttrMultiExitDisc.10.10.1.61.32.11.10.128.3
= INTEGER: 0
BGP4-MIB::bgp4PathAttrMultiExitDisc.10.10.1.62.32.11.10.128.3
= INTEGER: 0
BGP4-MIB::bgp4PathAttrMultiExitDisc.10.10.2.0.24.10.10.1.29
= INTEGER: 0
BGP4-MIB::bgp4PathAttrMultiExitDisc.10.10.3.0.24.11.10.128.3
= INTEGER: 0
BGP4-MIB::bgp4PathAttrMultiExitDisc.10.10.6.0.24.11.10.128.3
= INTEGER: 0
BGP4-MIB::bgp4PathAttrLocalPref.10.10.1.21.32.10.10.1.29
= INTEGER: -1
BGP4-MIB::bgp4PathAttrLocalPref.10.10.1.22.32.10.10.1.29
= INTEGER: -1
BGP4-MIB::bgp4PathAttrLocalPref.10.10.1.23.32.10.10.1.29
= INTEGER: -1
BGP4-MIB::bgp4PathAttrLocalPref.10.10.1.29.32.10.10.1.29
= INTEGER: -1
BGP4-MIB::bgp4PathAttrLocalPref.10.10.1.32.32.11.10.128.3

= INTEGER: -1
BGP4-MIB::bgp4PathAttrLocalPref.10.10.1.33.32.11.10.128.3
= INTEGER: -1
BGP4-MIB::bgp4PathAttrLocalPref.10.10.1.34.32.11.10.128.3
= INTEGER: -1
BGP4-MIB::bgp4PathAttrLocalPref.10.10.1.61.32.11.10.128.3
= INTEGER: -1
BGP4-MIB::bgp4PathAttrLocalPref.10.10.1.62.32.11.10.128.3
= INTEGER: -1
BGP4-MIB::bgp4PathAttrLocalPref.10.10.2.0.24.10.10.1.29
= INTEGER: -1
BGP4-MIB::bgp4PathAttrLocalPref.10.10.3.0.24.11.10.128.3
= INTEGER: -1
BGP4-MIB::bgp4PathAttrLocalPref.10.10.6.0.24.11.10.128.3
= INTEGER: -1
BGP4-MIB::bgp4PathAttrAtomicAggregate.10.10.1.21.32.10.10.1.29
= INTEGER: lessSpecificRouteNotSelected(1)
BGP4-MIB::bgp4PathAttrAtomicAggregate.10.10.1.22.32.10.10.1.29
= INTEGER: lessSpecificRouteNotSelected(1)
BGP4-MIB::bgp4PathAttrAtomicAggregate.10.10.1.23.32.10.10.1.29
= INTEGER: lessSpecificRouteNotSelected(1)
BGP4-MIB::bgp4PathAttrAtomicAggregate.10.10.1.29.32.10.10.1.29
= INTEGER: lessSpecificRouteNotSelected(1)
BGP4-MIB::bgp4PathAttrAtomicAggregate.10.10.1.32.32.11.10.128.3
= INTEGER: lessSpecificRouteNotSelected(1)
BGP4-MIB::bgp4PathAttrAtomicAggregate.10.10.1.33.32.11.10.128.3
= INTEGER: lessSpecificRouteNotSelected(1)
BGP4-MIB::bgp4PathAttrAtomicAggregate.10.10.1.34.32.11.10.128.3
= INTEGER: lessSpecificRouteNotSelected(1)
BGP4-MIB::bgp4PathAttrAtomicAggregate.10.10.1.61.32.11.10.128.3
= INTEGER: lessSpecificRouteNotSelected(1)
BGP4-MIB::bgp4PathAttrAtomicAggregate.10.10.1.62.32.11.10.128.3
= INTEGER: lessSpecificRouteNotSelected(1)
BGP4-MIB::bgp4PathAttrAtomicAggregate.10.10.2.0.24.10.10.1.29
= INTEGER: lessSpecificRouteNotSelected(1)
BGP4-MIB::bgp4PathAttrAtomicAggregate.10.10.3.0.24.11.10.128.3
= INTEGER: lessSpecificRouteNotSelected(1)
BGP4-MIB::bgp4PathAttrAtomicAggregate.10.10.6.0.24.11.10.128.3
= INTEGER: lessSpecificRouteNotSelected(1)
BGP4-MIB::bgp4PathAttrAggregatorAS.10.10.1.21.32.10.10.1.29
= INTEGER: 0
BGP4-MIB::bgp4PathAttrAggregatorAS.10.10.1.22.32.10.10.1.29
= INTEGER: 0
BGP4-MIB::bgp4PathAttrAggregatorAS.10.10.1.23.32.10.10.1.29
= INTEGER: 0
BGP4-MIB::bgp4PathAttrAggregatorAS.10.10.1.29.32.10.10.1.29
= INTEGER: 0
BGP4-MIB::bgp4PathAttrAggregatorAS.10.10.1.32.32.11.10.128.3
= INTEGER: 0

BGP-4 MIB Implementation Survey

October 2004

```
BGP4-MIB::bgp4PathAttrAggregatorAS.10.10.1.33.32.11.10.128.3
  = INTEGER: 0
BGP4-MIB::bgp4PathAttrAggregatorAS.10.10.1.34.32.11.10.128.3
  = INTEGER: 0
BGP4-MIB::bgp4PathAttrAggregatorAS.10.10.1.61.32.11.10.128.3
  = INTEGER: 0
BGP4-MIB::bgp4PathAttrAggregatorAS.10.10.1.62.32.11.10.128.3
  = INTEGER: 0
BGP4-MIB::bgp4PathAttrAggregatorAS.10.10.2.0.24.10.10.1.29
  = INTEGER: 0
BGP4-MIB::bgp4PathAttrAggregatorAS.10.10.3.0.24.11.10.128.3
  = INTEGER: 0
BGP4-MIB::bgp4PathAttrAggregatorAS.10.10.6.0.24.11.10.128.3
  = INTEGER: 0
BGP4-MIB::bgp4PathAttrAggregatorAddr.10.10.1.21.32.10.10.1.29
  = IpAddress: 0.0.0.0
BGP4-MIB::bgp4PathAttrAggregatorAddr.10.10.1.22.32.10.10.1.29
  = IpAddress: 0.0.0.0
BGP4-MIB::bgp4PathAttrAggregatorAddr.10.10.1.23.32.10.10.1.29
  = IpAddress: 0.0.0.0
BGP4-MIB::bgp4PathAttrAggregatorAddr.10.10.1.29.32.10.10.1.29
  = IpAddress: 0.0.0.0
BGP4-MIB::bgp4PathAttrAggregatorAddr.10.10.1.32.32.11.10.128.3
  = IpAddress: 0.0.0.0
BGP4-MIB::bgp4PathAttrAggregatorAddr.10.10.1.33.32.11.10.128.3
  = IpAddress: 0.0.0.0
BGP4-MIB::bgp4PathAttrAggregatorAddr.10.10.1.34.32.11.10.128.3
  = IpAddress: 0.0.0.0
BGP4-MIB::bgp4PathAttrAggregatorAddr.10.10.1.61.32.11.10.128.3
  = IpAddress: 0.0.0.0
BGP4-MIB::bgp4PathAttrAggregatorAddr.10.10.1.62.32.11.10.128.3
  = IpAddress: 0.0.0.0
BGP4-MIB::bgp4PathAttrAggregatorAddr.10.10.2.0.24.10.10.1.29
  = IpAddress: 0.0.0.0
BGP4-MIB::bgp4PathAttrAggregatorAddr.10.10.3.0.24.11.10.128.3
  = IpAddress: 0.0.0.0
BGP4-MIB::bgp4PathAttrAggregatorAddr.10.10.6.0.24.11.10.128.3
  = IpAddress: 0.0.0.0
BGP4-MIB::bgp4PathAttrCalcLocalPref.10.10.1.21.32.10.10.1.29
  = INTEGER: 100
BGP4-MIB::bgp4PathAttrCalcLocalPref.10.10.1.22.32.10.10.1.29
  = INTEGER: 100
BGP4-MIB::bgp4PathAttrCalcLocalPref.10.10.1.23.32.10.10.1.29
```


= INTEGER: 100
BGP4-MIB::bgp4PathAttrCalcLocalPref.10.10.1.29.32.10.10.1.29
= INTEGER: 100
BGP4-MIB::bgp4PathAttrCalcLocalPref.10.10.1.32.32.11.10.128.3
= INTEGER: 100
BGP4-MIB::bgp4PathAttrCalcLocalPref.10.10.1.33.32.11.10.128.3

BGP-4 MIB Implementation Survey

October 2004

= INTEGER: 100
BGP4-MIB::bgp4PathAttrCalcLocalPref.10.10.1.34.32.11.10.128.3
= INTEGER: 100
BGP4-MIB::bgp4PathAttrCalcLocalPref.10.10.1.61.32.11.10.128.3
= INTEGER: 100
BGP4-MIB::bgp4PathAttrCalcLocalPref.10.10.1.62.32.11.10.128.3
= INTEGER: 100
BGP4-MIB::bgp4PathAttrCalcLocalPref.10.10.2.0.24.10.10.1.29
= INTEGER: 100
BGP4-MIB::bgp4PathAttrCalcLocalPref.10.10.3.0.24.11.10.128.3
= INTEGER: 100
BGP4-MIB::bgp4PathAttrCalcLocalPref.10.10.6.0.24.11.10.128.3
= INTEGER: 100
BGP4-MIB::bgp4PathAttrBest.10.10.1.21.32.10.10.1.29
= INTEGER: true(2)
BGP4-MIB::bgp4PathAttrBest.10.10.1.22.32.10.10.1.29
= INTEGER: true(2)
BGP4-MIB::bgp4PathAttrBest.10.10.1.23.32.10.10.1.29
= INTEGER: true(2)
BGP4-MIB::bgp4PathAttrBest.10.10.1.29.32.10.10.1.29
= INTEGER: true(2)
BGP4-MIB::bgp4PathAttrBest.10.10.1.32.32.11.10.128.3
= INTEGER: true(2)
BGP4-MIB::bgp4PathAttrBest.10.10.1.33.32.11.10.128.3
= INTEGER: true(2)
BGP4-MIB::bgp4PathAttrBest.10.10.1.34.32.11.10.128.3
= INTEGER: true(2)
BGP4-MIB::bgp4PathAttrBest.10.10.1.61.32.11.10.128.3
= INTEGER: true(2)
BGP4-MIB::bgp4PathAttrBest.10.10.1.62.32.11.10.128.3
= INTEGER: true(2)
BGP4-MIB::bgp4PathAttrBest.10.10.2.0.24.10.10.1.29
= INTEGER: true(2)
BGP4-MIB::bgp4PathAttrBest.10.10.3.0.24.11.10.128.3
= INTEGER: true(2)
BGP4-MIB::bgp4PathAttrBest.10.10.6.0.24.11.10.128.3

```
= INTEGER: true(2)
BGP4-MIB::bgp4PathAttrUnknown.10.10.1.21.32.10.10.1.29
= ""
BGP4-MIB::bgp4PathAttrUnknown.10.10.1.22.32.10.10.1.29
= ""
BGP4-MIB::bgp4PathAttrUnknown.10.10.1.23.32.10.10.1.29
= ""
BGP4-MIB::bgp4PathAttrUnknown.10.10.1.29.32.10.10.1.29
= ""
BGP4-MIB::bgp4PathAttrUnknown.10.10.1.32.32.11.10.128.3
= ""
BGP4-MIB::bgp4PathAttrUnknown.10.10.1.33.32.11.10.128.3
= ""
```

```
BGP4-MIB::bgp4PathAttrUnknown.10.10.1.34.32.11.10.128.3
= ""
BGP4-MIB::bgp4PathAttrUnknown.10.10.1.61.32.11.10.128.3
= ""
BGP4-MIB::bgp4PathAttrUnknown.10.10.1.62.32.11.10.128.3
= ""
BGP4-MIB::bgp4PathAttrUnknown.10.10.2.0.24.10.10.1.29
= ""
BGP4-MIB::bgp4PathAttrUnknown.10.10.3.0.24.11.10.128.3
= ""
BGP4-MIB::bgp4PathAttrUnknown.10.10.6.0.24.11.10.128.3
= ""
```

4.2

NextHop Technologies

```
BGP4-MIB::bgpVersion.0 = Hex-STRING: 10
BGP4-MIB::bgpLocalAs.0 = INTEGER: 201
BGP4-MIB::bgpPeerIdentifier.10.132.10.14 = IPAddress: 10.132.10.14
BGP4-MIB::bgpPeerState.10.132.10.14 = INTEGER: established(6)
BGP4-MIB::bgpPeerAdminStatus.10.132.10.14 = INTEGER: start(2)
BGP4-MIB::bgpPeerNegotiatedVersion.10.132.10.14 = INTEGER: 4
BGP4-MIB::bgpPeerLocalAddr.10.132.10.14 = IPAddress: 10.132.10.12
BGP4-MIB::bgpPeerLocalPort.10.132.10.14 = INTEGER: 1639
BGP4-MIB::bgpPeerRemoteAddr.10.132.10.14 = IPAddress: 10.132.10.14
BGP4-MIB::bgpPeerRemotePort.10.132.10.14 = INTEGER: 179
BGP4-MIB::bgpPeerRemoteAs.10.132.10.14 = INTEGER: 201
BGP4-MIB::bgpPeerInUpdates.10.132.10.14 = Counter32: 1
```

BGP4-MIB::bgpPeerOutUpdates.10.132.10.14 = Counter32: 1
BGP4-MIB::bgpPeerInTotalMessages.10.132.10.14 = Counter32: 16
BGP4-MIB::bgpPeerOutTotalMessages.10.132.10.14 = Counter32: 18
BGP4-MIB::bgpPeerLastError.10.132.10.14 = Hex-STRING: 00 00
BGP4-MIB::bgpPeerFsmEstablishedTransitions.10.132.10.14 = Counter32:1
BGP4-MIB::bgpPeerFsmEstablishedTime.10.132.10.14 = Gauge32: 861
BGP4-MIB::bgpPeerConnectRetryInterval.10.132.10.14 = INTEGER: 4
BGP4-MIB::bgpPeerHoldTime.10.132.10.14 = INTEGER: 180
BGP4-MIB::bgpPeerKeepAlive.10.132.10.14 = INTEGER: 60
BGP4-MIB::bgpPeerHoldTimeConfigured.10.132.10.14 = INTEGER: 180
BGP4-MIB::bgpPeerKeepAliveConfigured.10.132.10.14 = INTEGER: 60
BGP4-MIB::bgpPeerMinASOriginationInterval.10.132.10.14 = INTEGER: 1
BGP4-MIB::bgpPeerMinRouteAdvertisementInterval.10.132.10.14 =
INTEGER: 1
BGP4-MIB::bgpPeerInUpdateElapsedTime.10.132.10.14 = Gauge32: 861
BGP4-MIB::bgpIdentifier.0 = IPAddress: 10.132.10.12
BGP4-MIB::bgp4PathAttrPeer.223.1.0.0.24.10.132.10.14 = IPAddress:
10.132.10.14
BGP4-MIB::bgp4PathAttrPeer.223.2.0.0.24.10.132.10.14 = IPAddress:
10.132.10.14
BGP4-MIB::bgp4PathAttrPeer.223.3.0.0.24.10.132.10.14 = IPAddress:
10.132.10.14

BGP4-MIB::bgp4PathAttrPeer.223.137.137.0.24.10.132.10.14 = IPAddress:
10.132.10.14
BGP4-MIB::bgp4PathAttrPeer.223.137.138.0.24.10.132.10.14 = IPAddress:
10.132.10.14
BGP4-MIB::bgp4PathAttrPeer.223.137.139.0.24.10.132.10.14 = IPAddress:
10.132.10.14
BGP4-MIB::bgp4PathAttrPeer.223.137.140.0.24.10.132.10.14 = IPAddress:
10.132.10.14
BGP4-MIB::bgp4PathAttrPeer.223.137.141.0.24.10.132.10.14 = IPAddress:
10.132.10.14
BGP4-MIB::bgp4PathAttrPeer.223.137.142.0.24.10.132.10.14 = IPAddress:
10.132.10.14
BGP4-MIB::bgp4PathAttrPeer.223.137.143.0.24.10.132.10.14 = IPAddress:
10.132.10.14
BGP4-MIB::bgp4PathAttrPeer.223.137.144.0.24.10.132.10.14 = IPAddress:
10.132.10.14
BGP4-MIB::bgp4PathAttrPeer.223.137.145.0.24.10.132.10.14 = IPAddress:
10.132.10.14
BGP4-MIB::bgp4PathAttrPeer.223.137.146.0.24.10.132.10.14 = IPAddress:
10.132.10.14

BGP4-MIB::bgp4PathAttrIpAddressPrefixLen.223.1.0.0.24.10.132.10.14 =
INTEGER: 24
BGP4-MIB::bgp4PathAttrIpAddressPrefixLen.223.2.0.0.24.10.132.10.14 =
INTEGER: 24
BGP4-MIB::bgp4PathAttrIpAddressPrefixLen.223.3.0.0.24.10.132.10.14 =
INTEGER: 24
BGP4-MIB::bgp4PathAttrIpAddressPrefixLen.223.137.137.0.24.10.132.10.14 =
INTEGER: 24
BGP4-MIB::bgp4PathAttrIpAddressPrefixLen.223.137.138.0.24.10.132.10.14 =
INTEGER: 24
BGP4-MIB::bgp4PathAttrIpAddressPrefixLen.223.137.139.0.24.10.132.10.14 =
INTEGER: 24
BGP4-MIB::bgp4PathAttrIpAddressPrefixLen.223.137.140.0.24.10.132.10.14 =
INTEGER: 24
BGP4-MIB::bgp4PathAttrIpAddressPrefixLen.223.137.141.0.24.10.132.10.14 =
INTEGER: 24
BGP4-MIB::bgp4PathAttrIpAddressPrefixLen.223.137.142.0.24.10.132.10.14 =
INTEGER: 24
BGP4-MIB::bgp4PathAttrIpAddressPrefixLen.223.137.143.0.24.10.132.10.14 =
INTEGER: 24
BGP4-MIB::bgp4PathAttrIpAddressPrefixLen.223.137.144.0.24.10.132.10.14 =
INTEGER: 24
BGP4-MIB::bgp4PathAttrIpAddressPrefixLen.223.137.145.0.24.10.132.10.14 =
INTEGER: 24
BGP4-MIB::bgp4PathAttrIpAddressPrefixLen.223.137.146.0.24.10.132.10.14 =
INTEGER: 24
BGP4-MIB::bgp4PathAttrIpAddressPrefix.223.1.0.0.24.10.132.10.14 =
IpAddress: 223.1.0.0

BGP4-MIB::bgp4PathAttrIpAddressPrefix.223.2.0.0.24.10.132.10.14 =
IpAddress: 223.2.0.0
BGP4-MIB::bgp4PathAttrIpAddressPrefix.223.3.0.0.24.10.132.10.14 =
IpAddress: 223.3.0.0
BGP4-MIB::bgp4PathAttrIpAddressPrefix.223.137.137.0.24.10.132.10.14 =
IpAddress: 223.137.137.0
BGP4-MIB::bgp4PathAttrIpAddressPrefix.223.137.138.0.24.10.132.10.14 =
IpAddress: 223.137.138.0
BGP4-MIB::bgp4PathAttrIpAddressPrefix.223.137.139.0.24.10.132.10.14 =
IpAddress: 223.137.139.0
BGP4-MIB::bgp4PathAttrIpAddressPrefix.223.137.140.0.24.10.132.10.14 =
IpAddress: 223.137.140.0
BGP4-MIB::bgp4PathAttrIpAddressPrefix.223.137.141.0.24.10.132.10.14 =

IpAddress: 223.137.141.0
BGP4-MIB::bgp4PathAttrIpAddrPrefix.223.137.142.0.24.10.132.10.14 =
IpAddress: 223.137.142.0
BGP4-MIB::bgp4PathAttrIpAddrPrefix.223.137.143.0.24.10.132.10.14 =
IpAddress: 223.137.143.0
BGP4-MIB::bgp4PathAttrIpAddrPrefix.223.137.144.0.24.10.132.10.14 =
IpAddress: 223.137.144.0
BGP4-MIB::bgp4PathAttrIpAddrPrefix.223.137.145.0.24.10.132.10.14 =
IpAddress: 223.137.145.0
BGP4-MIB::bgp4PathAttrIpAddrPrefix.223.137.146.0.24.10.132.10.14 =
IpAddress: 223.137.146.0
BGP4-MIB::bgp4PathAttrOrigin.223.1.0.0.24.10.132.10.14 = INTEGER:
incomplete(3)
BGP4-MIB::bgp4PathAttrOrigin.223.2.0.0.24.10.132.10.14 = INTEGER:
incomplete(3)
BGP4-MIB::bgp4PathAttrOrigin.223.3.0.0.24.10.132.10.14 = INTEGER:
incomplete(3)
BGP4-MIB::bgp4PathAttrOrigin.223.137.137.0.24.10.132.10.14 = INTEGER:
incomplete(3)
BGP4-MIB::bgp4PathAttrOrigin.223.137.138.0.24.10.132.10.14 = INTEGER:
incomplete(3)
BGP4-MIB::bgp4PathAttrOrigin.223.137.139.0.24.10.132.10.14 = INTEGER:
incomplete(3)
BGP4-MIB::bgp4PathAttrOrigin.223.137.140.0.24.10.132.10.14 = INTEGER:
incomplete(3)
BGP4-MIB::bgp4PathAttrOrigin.223.137.141.0.24.10.132.10.14 = INTEGER:
incomplete(3)
BGP4-MIB::bgp4PathAttrOrigin.223.137.142.0.24.10.132.10.14 = INTEGER:
incomplete(3)
BGP4-MIB::bgp4PathAttrOrigin.223.137.143.0.24.10.132.10.14 = INTEGER:
incomplete(3)
BGP4-MIB::bgp4PathAttrOrigin.223.137.144.0.24.10.132.10.14 = INTEGER:
incomplete(3)
BGP4-MIB::bgp4PathAttrOrigin.223.137.145.0.24.10.132.10.14 = INTEGER:
incomplete(3)

BGP4-MIB::bgp4PathAttrOrigin.223.137.146.0.24.10.132.10.14 = INTEGER:
incomplete(3)
BGP4-MIB::bgp4PathAttrASPathSegment.223.1.0.0.24.10.132.10.14 = ""
BGP4-MIB::bgp4PathAttrASPathSegment.223.2.0.0.24.10.132.10.14 = ""
BGP4-MIB::bg
p4PathAttrASPathSegment.223.3.0.0.24.10.132.10.14 = ""

BGP4-MIB::bgp4PathAttrASPathSegment.223.137.137.0.24.10.132.10.14 =
""
BGP4-MIB::bgp4PathAttrASPathSegment.223.137.138.0.24.10.132.10.14 =
""
BGP4-MIB::bgp4PathAttrASPathSegment.223.137.139.0.24.10.132.10.14 =
""
BGP4-MIB::bgp4PathAttrASPathSegment.223.137.140.0.24.10.132.10.14 =
""
BGP4-MIB::bgp4PathAttrASPathSegment.223.137.141.0.24.10.132.10.14 =
""
BGP4-MIB::bgp4PathAttrASPathSegment.223.137.142.0.24.10.132.10.14 =
""
BGP4-MIB::bgp4PathAttrASPathSegment.223.137.143.0.24.10.132.10.14 =
""
BGP4-MIB::bgp4PathAttrASPathSegment.223.137.144.0.24.10.132.10.14 =
""
BGP4-MIB::bgp4PathAttrASPathSegment.223.137.145.0.24.10.132.10.14 =
""
BGP4-MIB::bgp4PathAttrASPathSegment.223.137.146.0.24.10.132.10.14 =
""
BGP4-MIB::bgp4PathAttrNextHop.223.1.0.0.24.10.132.10.14 = IPAddress:
10.132.10.242
BGP4-MIB::bgp4PathAttrNextHop.223.2.0.0.24.10.132.10.14 = IPAddress:
10.132.10.242
BGP4-MIB::bgp4PathAttrNextHop.223.3.0.0.24.10.132.10.14 = IPAddress:
10.132.10.242
BGP4-MIB::bgp4PathAttrNextHop.223.137.137.0.24.10.132.10.14 =
IPAddress: 10.132.10.242
BGP4-MIB::bgp4PathAttrNextHop.223.137.138.0.24.10.132.10.14 =
IPAddress: 10.132.10.242
BGP4-MIB::bgp4PathAttrNextHop.223.137.139.0.24.10.132.10.14 =
IPAddress: 10.132.10.242
BGP4-MIB::bgp4PathAttrNextHop.223.137.140.0.24.10.132.10.14 =
IPAddress: 10.132.10.242
BGP4-MIB::bgp4PathAttrNextHop.223.137.141.0.24.10.132.10.14 =
IPAddress: 10.132.10.242
BGP4-MIB::bgp4PathAttrNextHop.223.137.142.0.24.10.132.10.14 =
IPAddress: 10.132.10.242
BGP4-MIB::bgp4PathAttrNextHop.223.137.143.0.24.10.132.10.14 =
IPAddress: 10.132.10.242
BGP4-MIB::bgp4PathAttrNextHop.223.137.144.0.24.10.132.10.14 =
IPAddress: 10.132.10.242
BGP4-MIB::bgp4PathAttrNextHop.223.137.145.0.24.10.132.10.14 =
IPAddress: 10.132.10.242

BGP4-MIB::bgp4PathAttrNextHop.223.137.146.0.24.10.132.10.14 =
IpAddress: 10.132.10.242
BGP4-MIB::bgp4PathAttrMultiExitDisc.223.1.0.0.24.10.132.10.14 =
INTEGER: -1
BGP4-MIB::bgp4PathAttrMultiExitDisc.223.2.0.0.24.10.132.10.14 =
INTEGER: -1
BGP4-MIB::bgp4PathAttrMultiExitDisc.223.3.0.0.24.10.132.10.14 =
INTEGER: -1
BGP4-MIB::bgp4PathAttrMultiExitDisc.223.137.137.0.24.10.132.10.14 =
INTEGER: -1
BGP4-MIB::bgp4PathAttrMultiExitDisc.223.137.138.0.24.10.132.10.14 =
INTEGER: -1
BGP4-MIB::bgp4PathAttrMultiExitDisc.223.137.139.0.24.10.132.10.14 =
INTEGER: -1
BGP4-MIB::bgp4PathAttrMultiExitDisc.223.137.140.0.24.10.132.10.14 =
INTEGER: -1
BGP4-MIB::bgp4PathAttrMultiExitDisc.223.137.141.0.24.10.132.10.14 =
INTEGER: -1
BGP4-MIB::bgp4PathAttrMultiExitDisc.223.137.142.0.24.10.132.10.14 =
INTEGER: -1
BGP4-MIB::bgp4PathAttrMultiExitDisc.223.137.143.0.24.10.132.10.14 =
INTEGER: -1
BGP4-MIB::bgp4PathAttrMultiExitDisc.223.137.144.0.24.10.132.10.14 =
INTEGER: -1
BGP4-MIB::bgp4PathAttrMultiExitDisc.223.137.145.0.24.10.132.10.14 =
INTEGER: -1
BGP4-MIB::bgp4PathAttrMultiExitDisc.223.137.146.0.24.10.132.10.14 =
INTEGER: -1
BGP4-MIB::bgp4PathAttrLocalPref.223.1.0.0.24.10.132.10.14 = INTEGER:
100
BGP4-MIB::bgp4PathAttrLocalPref.223.2.0.0.24.10.132.10.14 = INTEGER:
100
BGP4-MIB::bgp4PathAttrLocalPref.223.3.0.0.24.10.132.10.14 = INTEGER:
100
BGP4-MIB::bgp4PathAttrLocalPref.223.137.137.0.24.10.132.10.14 =
INTEGER: 100
BGP4-MIB::bgp4PathAttrLocalPref.223.137.138.0.24.10.132.10.14 =
INTEGER: 100
BGP4-MIB::bgp4PathAttrLocalPref.223.137.139.0.24.10.132.10.14 =
INTEGER: 100
BGP4-MIB::bgp4PathAttrLocalPref.223.137.140.0.24.10.132.10.14 =
INTEGER: 100
BGP4-MIB::bgp4PathAttrLocalPref.223.137.141.0.24.10.132.10.14 =
INTEGER: 100
BGP4-MIB::bgp4PathAttrLocalPref.223.137.142.0.24.10.132.10.14 =
INTEGER: 100
BGP4-MIB::bgp4PathAttrLocalPref.223.137.143.0.24.10.132.10.14 =
INTEGER: 100

BGP-4 MIB Implementation Survey

October 2004

```
BGP4-MIB::bgp4PathAttrLocalPref.223.137.144.0.24.10.132.10.14 =
INTEGER: 100
BGP4-MIB::bgp4PathAttrLocalPref.223.137.145.0.24.10.132.10.14 =
INTEGER: 100
BGP4-MIB::bgp4PathAttrLocalPref.223.137.146.0.24.10.132.10.14 =
INTEGER: 100
BGP4-MIB::bgp4PathAttrAtomicAggregate.223.1.0.0.24.10.132.10.14 =
INTEGER: lessSpecificRouteNotSelected(1)
BGP4-MIB::bgp4PathAttrAtomicAggregate.223.2.0.0.24.10.132.10.14 =
INTEGER: lessSpecificRouteNotSelected(1)
BGP4-MIB::bgp4PathAttrAtomicAggregate.223.3.0.0.24.10.132.10.14 =
INTEGER: lessSpecificRouteNotSelected(1)
BGP4-MIB::bgp4PathAttrAtomicAggregate.223.137.137.0.24.10.132.10.14 =
INTEGER: lessSpecificRouteNotSelected(1)
BGP4-MIB::bgp4PathAttrAtomicAggregate.223.137.138.0.24.10.132.10.14 =
INTEGER: lessSpecificRouteNotSelected(1)
BGP4-MIB::bgp4PathAttrAtomicAggregate.223.137.139.0.24.10.132.10.14 =
INTEGER: lessSpecificRouteNotSelected(1)
BGP4-MIB::bgp4PathAttrAtomicAggregate.223.137.140.0.24.10.132.10.14 =
INTEGER: lessSpecificRouteNotSelected(1)
BGP4-MIB::bgp4PathAttrAtomicAggregate.223.137.141.0.24.10.132.10.14 =
INTEGER: lessSpecificRouteNotSelected(1)
BGP4-MIB::bgp4PathAttrAtomicAggregate.223.137.142.0.24.10.132.10.14 =
INTEGER: lessSpecificRouteNotSelected(1)
BGP4-MIB::bgp4PathAttrAtomicAggregate.223.137.143.0.24.10.132.10.14 =
INTEGER: lessSpecificRouteNotSelected(1)
BGP4-MIB::bgp4PathAttrAtomicAggregate.223.137.144.0.24.10.132.10.14 =
INTEGER: lessSpecificRouteNotSelected(1)
BGP4-MIB::bgp4PathAttrAtomicAggregate.223.137.145.0.24.10.132.10.14 =
INTEGER: lessSpecificRouteNotSelected(1)
BGP4-MIB::bgp4PathAttrAtomicAggregate.223.137.146.0.24.10.132.10.14 =
INTEGER: lessSpecificRouteNotSelected(1)
BGP4-MIB::bgp4PathAttrAggregatorAS.223.1.0.0.24.10.132.10.14 =
INTEGER: 0
BGP4-MIB::bgp4PathAttrAggregatorAS.223.2.0.0.24.10.132.10.14 =
INTEGER: 0
BGP4-MIB::bgp4PathAttrAggregatorAS.223.3.0.0.24.10.132.10.14 =
INTEGER: 0
BGP4-MIB::bgp4PathAttrAggregatorAS.223.137.137.0.24.10.132.10.14 =
INTEGER: 0
BGP4-MIB::bgp4PathAttrAggregatorAS.223.137.138.0.24.10.132.10.14 =
INTEGER: 0
```


BGP4-MIB::bgp4PathAttrAggregatorAS.223.137.139.0.24.10.132.10.14 =
INTEGER: 0
BGP4-MIB::bgp4PathAttrAggregatorAS.223.137.140.0.24.10.132.10.14 =
INTEGER: 0
BGP4-MIB::bgp4PathAttrAggregatorAS.223.137.141.0.24.10.132.10.14 =
INTEGER: 0

BGP-4 MIB Implementation Survey

October 2004

BGP4-MIB::bgp4PathAttrAggregatorAS.223.137.142.0.24.10.132.10.14 =
INTEGER: 0
BGP4-MIB::bgp4PathAttrAggregatorAS.223.137.143.0.24.10.132.10.14 =
INTEGER: 0
BGP4-MIB::bgp4PathAttrAggregatorAS.223.137.144.0.24.10.132.10.14 =
INTEGER: 0
BGP4-MIB::bgp4PathAttrAggregatorAS.223.137.145.0.24.10.132.10.14 =
INTEGER: 0
BGP4-MIB::bgp4PathAttrAggregatorAS.223.137.146.0.24.10.132.10.14 =
INTEGER: 0
BGP4-MIB::bgp4PathAttrAggregatorAddr.223.1.0.0.24.10.132.10.14 =
IpAddress: 0.0.0.0
BGP4-MIB::bgp4PathAttrAggregatorAddr.223.2.0.0.24.10.132.10.14 =
IpAddress: 0.0.0.0
BGP4-MIB::bgp4PathAttrAggregatorAddr.223.3.0.0.24.10.132.10.14 =
IpAddress: 0.0.0.0
BGP4-MIB::bgp4PathAttrAggregatorAddr.223.137.137.0.24.10.132.10.14 =
IpAddress: 0.0.0.0
BGP4-MIB::bgp4PathAttrAggregatorAddr.223.137.138.0.24.10.132.10.14 =
IpAddress: 0.0.0.0
BGP4-MIB::bgp4PathAttrAggregatorAddr.223.137.139.0.24.10.132.10.14 =
IpAddress: 0.0.0.0
BGP4-MI
B::bgp4PathAttrAggregatorAddr.223.137.140.0.24.10.132.10.14 =
IpAddress: 0.0.0.0
BGP4-MIB::bgp4PathAttrAggregatorAddr.223.137.141.0.24.10.132.10.14 =
IpAddress: 0.0.0.0
BGP4-MIB::bgp4PathAttrAggregatorAddr.223.137.142.0.24.10.132.10.14 =
IpAddress: 0.0.0.0
BGP4-MIB::bgp4PathAttrAggregatorAddr.223.137.143.0.24.10.132.10.14 =
IpAddress: 0.0.0.0
BGP4-MIB::bgp4PathAttrAggregatorAddr.223.137.144.0.24.10.132.10.14 =
IpAddress: 0.0.0.0
BGP4-MIB::bgp4PathAttrAggregatorAddr.223.137.145.0.24.10.132.10.14 =
IpAddress: 0.0.0.0

BGP4-MIB::bgp4PathAttrAggregatorAddr.223.137.146.0.24.10.132.10.14 =
IpAddress: 0.0.0.0
BGP4-MIB::bgp4PathAttrCalcLocalPref.223.1.0.0.24.10.132.10.14 =
INTEGER: 100
BGP4-MIB::bgp4PathAttrCalcLocalPref.223.2.0.0.24.10.132.10.14 =
INTEGER: 100
BGP4-MIB::bgp4PathAttrCalcLocalPref.223.3.0.0.24.10.132.10.14 =
INTEGER: 100
BGP4-MIB::bgp4PathAttrCalcLocalPref.223.137.137.0.24.10.132.10.14 =
INTEGER: 100
BGP4-MIB::bgp4PathAttrCalcLocalPref.223.137.138.0.24.10.132.10.14 =
INTEGER: 100
BGP4-MIB::bgp4PathAttrCalcLocalPref.223.137.139.0.24.10.132.10.14 =
INTEGER: 100

BGP4-MIB::bgp4PathAttrCalcLocalPref.223.137.140.0.24.10.132.10.14 =
INTEGER: 100
BGP4-MIB::bgp4PathAttrCalcLocalPref.223.137.141.0.24.10.132.10.14 =
INTEGER: 100
BGP4-MIB::bgp4PathAttrCalcLocalPref.223.137.142.0.24.10.132.10.14 =
INTEGER: 100
BGP4-MIB::bgp4PathAttrCalcLocalPref.223.137.143.0.24.10.132.10.14 =
INTEGER: 100
BGP4-MIB::bgp4PathAttrCalcLocalPref.223.137.144.0.24.10.132.10.14 =
INTEGER: 100
BGP4-MIB::bgp4PathAttrCalcLocalPref.223.137.145.0.24.10.132.10.14 =
INTEGER: 100
BGP4-MIB::bgp4PathAttrCalcLocalPref.223.137.146.0.24.10.132.10.14 =
INTEGER: 100
BGP4-MIB::bgp4PathAttrBest.223.1.0.0.24.10.132.10.14 = INTEGER:
false(1)
BGP4-MIB::bgp4PathAttrBest.223.2.0.0.24.10.132.10.14 = INTEGER:
false(1)
BGP4-MIB::bgp4PathAttrBest.223.3.0.0.24.10.132.10.14 = INTEGER:
false(1)
BGP4-MIB::bgp4PathAttrBest.223.137.137.0.24.10.132.10.14 = INTEGER:
true(2)
BGP4-MIB::bgp4PathAttrBest.223.137.138.0.24.10.132.10.14 = INTEGER:
true(2)
BGP4-MIB::bgp4PathAttrBest.223.137.139.0.24.10.132.10.14 = INTEGER:
true(2)
BGP4-MIB::bgp4PathAttrBest.223.137.140.0.24.10.132.10.14 = INTEGER:

```
true(2)
BGP4-MIB::bgp4PathAttrBest.223.137.141.0.24.10.132.10.14 = INTEGER:
true(2)
BGP4-MIB::bgp4PathAttrBest.223.137.142.0.24.10.132.10.14 = INTEGER:
true(2)
BGP4-MIB::bgp4PathAttrBest.223.137.143.0.24.10.132.10.14 = INTEGER:
true(2)
BGP4-MIB::bgp4PathAttrBest.223.137.144.0.24.10.132.10.14 = INTEGER:
true(2)
BGP4-MIB::bgp4PathAttrBest.223.137.145.0.24.10.132.10.14 = INTEGER:
true(2)
BGP4-MIB::bgp4PathAttrBest.223.137.146.0.24.10.132.10.14 = INTEGER:
true(2)
BGP4-MIB::bgp4PathAttrUnknown.223.1.0.0.24.10.132.10.14 = ""
BGP4-MIB::bgp4PathAttrUnknown.223.2.0.0.24.10.132.10.14 = ""
BGP4-MIB::bgp4PathAttrUnknown.223.3.0.0.24.10.132.10.14 = ""
BGP4-MIB::bgp4PathAttrUnknown.223.137.137.0.24.10.132.10.14 = ""
BGP4-MIB::bgp4PathAttrUnknown.223.137.138.0.24.10.132.10.14 = ""
BGP4-MIB::bgp4PathAttrUnknown.223.137.139.0.24.10.132.10.14 = ""
BGP4-MIB::bgp4PathAttrUnknown.223.137.140.0.24.10.132.10.14 = ""
BGP4-MIB::bgp4PathAttrUnknown.223.137.141.0.24.10.132.10.14 = ""
BGP4-MIB::bgp4PathAttrUnknown.223.137.142.0.24.10.132.10.14 = ""
```

```
BGP4-MIB::bgp4PathAttrUnknown.223.137.143.0.24.10.132.10.14 = ""
BGP4-MIB::bgp4PathAttrUnknown.223.137.144.0.24.10.132.10.14 = ""
BGP4-MIB::bgp4PathAttrUnknown.223.137.145.0.24.10.132.10.14 = ""
BGP4-MIB::bgp4PathAttrUnknown.223.137.146.0.24.10.132.10.14 = ""
```

4.3

Redback Networks

```
bgpPeerIdentifier.10.12.49.207 = 2.3.4.5
bgpPeerIdentifier.50.1.1.63 = 2.2.2.63
bgpPeerIdentifier.155.53.1.235 = 155.53.1.235
bgpPeerState.10.12.49.207 = established(6)
bgpPeerState.50.1.1.63 = established(6)
bgpPeerState.155.53.1.235 = established(6)
bgpPeerAdminStatus.10.12.49.207 = start(2)
bgpPeerAdminStatus.50.1.1.63 = start(2)
bgpPeerAdminStatus.155.53.1.235 = start(2)
bgpPeerNegotiatedVersion.10.12.49.207 = 4
bgpPeerNegotiatedVersion.50.1.1.63 = 4
bgpPeerNegotiatedVersion.155.53.1.235 = 4
```

bgpPeerLocalAddr.10.12.49.207 = 10.12.49.122
bgpPeerLocalAddr.50.1.1.63 = 50.1.1.122
bgpPeerLocalAddr.155.53.1.235 = 10.12.49.122
bgpPeerLocalPort.10.12.49.207 = 65455
bgpPeerLocalPort.50.1.1.63 = 179
bgpPeerLocalPort.155.53.1.235 = 65456
bgpPeerRemoteAddr.10.12.49.207 = 10.12.49.207
bgpPeerRemoteAddr.50.1.1.63 = 50.1.1.63
bgpPeerRemoteAddr.155.53.1.235 = 155.53.1.235
bgpPeerRemotePort.10.12.49.207 = 179
bgpPeerRemotePort.50.1.1.63 = 65529
bgpPeerRemotePort.155.53.1.235 = 179
bgpPeerRemoteAs.10.12.49.207 = 200
bgpPeerRemoteAs.50.1.1.63 = 200
bgpPeerRemoteAs.155.53.1.235 = 14207
bgpPeerInUpdates.10.12.49.207 = 1
bgpPeerInUpdates.50.1.1.63 = 0
bgpPeerInUpdates.155.53.1.235 = 21176
bgpPeerOutUpdates.10.12.49.207 = 2
bgpPeerOutUpdates.50.1.1.63 = 2
bgpPeerOutUpdates.155.53.1.235 = 2
bgpPeerInTotalMessages.10.12.49.207 = 16
bgpPeerInTotalMessages.50.1.1.63 = 2
bgpPeerInTotalMessages.155.53.1.235 = 21189
bgpPeerOutTotalMessages.10.12.49.207 = 18
bgpPeerOutTotalMessages.50.1.1.63 = 5
bgpPeerOutTotalMessages.155.53.1.235 = 18
bgpPeerLastError.10.12.49.207 = 00 00
bgpPeerLastError.50.1.1.63 = 04 00
bgpPeerLastError.155.53.1.235 = 00 00

bgpPeerFsmEstablishedTransitions.10.12.49.207 = 2
bgpPeerFsmEstablishedTransitions.50.1.1.63 = 2
bgpPeerFsmEstablishedTransitions.155.53.1.235 = 2
bgpPeerFsmEstablishedTime.10.12.49.207 = 669
bgpPeerFsmEstablishedTime.50.1.1.63 = 19
bgpPeerFsmEstablishedTime.155.53.1.235 = 669
bgpPeerConnectRetryInterval.10.12.49.207 = 120
bgpPeerConnectRetryInterval.50.1.1.63 = 120
bgpPeerConnectRetryInterval.155.53.1.235 = 120
bgpPeerHoldTime.10.12.49.207 = 180
bgpPeerHoldTime.50.1.1.63 = 180
bgpPeerHoldTime.155.53.1.235 = 180

```
bgpPeerKeepAlive.10.12.49.207 = 60
bgpPeerKeepAlive.50.1.1.63 = 60
bgpPeerKeepAlive.155.53.1.235 = 60
bgpPeerHoldTimeConfigured.10.12.49.207 = 180
bgpPeerHoldTimeConfigured.50.1.1.63 = 180
bgpPeerHoldTimeConfigured.155.53.1.235 = 180
bgpPeerKeepAliveConfigured.10.12.49.207 = 60
bgpPeerKeepAliveConfigured.50.1.1.63 = 60
bgpPeerKeepAliveConfigured.155.53.1.235 = 60
bgpPeerMinASOriginationInterval.10.12.49.207 = 15
bgpPeerMinASOriginationInterval.50.1.1.63 = 15
bgpPeerMinASOriginationInterval.155.53.1.235 = 15
bgpPeerMinRouteAdvertisementInterval.10.12.49.207 = 30
bgpPeerMinRouteAdvertisementInterval.50.1.1.63 = 30
bgpPeerMinRouteAdvertisementInterval.155.53.1.235 = 30
bgpPeerInUpdateElapsedTime.10.12.49.207 = 9
bgpPeerInUpdateElapsedTime.50.1.1.63 = 19
bgpPeerInUpdateElapsedTime.155.53.1.235 = 3
```

```
=====
```

```
bgpVersion.0 = 08
bgpLocalAs.0 = 300
bgpPeerIdentifier.10.12.49.207 = 2.3.4.5
bgpPeerIdentifier.50.1.1.63 = 0.0.0.0
bgpPeerIdentifier.155.53.1.235 = 155.53.1.235
bgpPeerState.10.12.49.207 = established(6)
bgpPeerState.50.1.1.63 = connect(2)
bgpPeerState.155.53.1.235 = established(6)
bgpPeerAdminStatus.10.12.49.207 = start(2)
bg
pPeerAdminStatus.50.1.1.63 = start(2)
bgpPeerAdminStatus.155.53.1.235 = start(2)
bgpPeerNegotiatedVersion.10.12.49.207 = 4
bgpPeerNegotiatedVersion.50.1.1.63 = 0
bgpPeerNegotiatedVersion.155.53.1.235 = 4
bgpPeerLocalAddr.10.12.49.207 = 10.12.49.122
bgpPeerLocalAddr.50.1.1.63 = 0.0.0.0
bgpPeerLocalAddr.155.53.1.235 = 10.12.49.122
```

```
bgpPeerLocalPort.10.12.49.207 = 65455
bgpPeerLocalPort.50.1.1.63 = 0
bgpPeerLocalPort.155.53.1.235 = 65456
bgpPeerRemoteAddr.10.12.49.207 = 10.12.49.207
```

bgpPeerRemoteAddr.50.1.1.63 = 50.1.1.63
bgpPeerRemoteAddr.155.53.1.235 = 155.53.1.235
bgpPeerRemotePort.10.12.49.207 = 179
bgpPeerRemotePort.50.1.1.63 = 0
bgpPeerRemotePort.155.53.1.235 = 179
bgpPeerRemoteAs.10.12.49.207 = 200
bgpPeerRemoteAs.50.1.1.63 = 200
bgpPeerRemoteAs.155.53.1.235 = 14207
bgpPeerInUpdates.10.12.49.207 = 1
bgpPeerInUpdates.50.1.1.63 = 0
bgpPeerInUpdates.155.53.1.235 = 21164
bgpPeerOutUpdates.10.12.49.207 = 2
bgpPeerOutUpdates.50.1.1.63 = 0
bgpPeerOutUpdates.155.53.1.235 = 2
bgpPeerInTotalMessages.10.12.49.207 = 15
bgpPeerInTotalMessages.50.1.1.63 = 0
bgpPeerInTotalMessages.155.53.1.235 = 21176
bgpPeerOutTotalMessages.10.12.49.207 = 17
bgpPeerOutTotalMessages.50.1.1.63 = 0
bgpPeerOutTotalMessages.155.53.1.235 = 17
bgpPeerLastError.10.12.49.207 = 00 00
bgpPeerLastError.50.1.1.63 = 04 00
bgpPeerLastError.155.53.1.235 = 00 00
bgpPeerFsmEstablishedTransitions.10.12.49.207 = 2
bgpPeerFsmEstablishedTransitions.50.1.1.63 = 1
bgpPeerFsmEstablishedTransitions.155.53.1.235 = 2
bgpPeerFsmEstablishedTime.10.12.49.207 = 643
bgpPeerFsmEstablishedTime.50.1.1.63 = 5326
bgpPeerFsmEstablishedTime.155.53.1.235 = 643
bgpPeerConnectRetryInterval.10.12.49.207 = 120
bgpPeerConnectRetryInterval.50.1.1.63 = 120
bgpPeerConnectRetryInterval.155.53.1.235 = 120
bgpPeerHoldTime.10.12.49.207 = 180
bgpPeerHoldTime.50.1.1.63 = 0
bgpPeerHoldTime.155.53.1.235 = 180
bgpPeerKeepAlive.10.12.49.207 = 60
bgpPeerKeepAlive.50.1.1.63 = 0
bgpPeerKeepAlive.155.53.1.235 = 60
bgpPeerHoldTimeConfigured.10.12.49.207 = 180
bgpPeerHoldTimeConfigured.50.1.1.63 = 180
bgpPeerHoldTimeConfigured.155.53.1.235 = 180
bgpPeerKeepAliveConfigured.10.12.49.207 = 60
bgpPeerKeepAliveConfigured.50.1.1.63 = 60
bgpPeerKeepAliveConfigured.155.53.1.235 = 60
bgpPeerMinASOriginationInterval.10.12.49.207 = 15

```
bgpPeerMinASOriginationInterval.50.1.1.63 = 15
bgpPeerMinASOriginationInterval.155.53.1.235 = 15
bgpPeerMinRouteAdvertisementInterval.10.12.49.207 = 30
bgpPeerMinRouteAdvertisementInterval.50.1.1.63 = 30
bgpPeerMinRouteAdvertisementInterval.155.53.1.235 = 30
bgpPeerInUpdateElapsedTime.10.12.49.207 = 43
bgpPeerInUpdateElapsedTime.50.1.1.63 = 5506
bgpPeerInUpdateElapsedTime.155.53.1.235 = 0
bgpIdentifier.0 = 14.1.1.1
bgp4PathAttrPeer.1.2.3.0.24.10.12.49.207 = 10.12.49.207
bgp4PathAttrPeer.4.4.4.122.32.0.0.0.0 = 0.0.0.0
bgp4PathAttrPeer.6.8.0.0.20.155.53.1.235 = 155.53.1.235
bgp4PathAttrIpAddrPrefixLen.1.2.3.0.24.10.12.49.207 = 24
bgp4PathAttrIpAddrPrefixLen.4.4.4.122.32.0.0.0.0 = 32
bgp4PathAttrIpAddrPrefixLen.6.8.0.0.20.155.53.1.235 = 20
bgp4PathAttrIpAddrPrefix.1.2.3.0.24.10.12.49.207 = 1.2.3.0
bgp4PathAttrIpAddrPrefix.4.4.4.122.32.0.0.0.0 = 4.4.4.122
bgp4PathAttrIpAddrPrefix.6.8.0.0.20.155.53.1.235 = 6.8.0.0
bgp4PathAttrOrigin.1.2.3.0.24.10.12.49.207 = igp(1)
bgp4PathAttrOrigin.4.4.4.122.32.0.0.0.0 = igp(1)
bgp4PathAttrOrigin.6.8.0.0.20.155.53.1.235 = igp(1)
bgp4PathAttrASPathSegment.1.2.3.0.24.10.12.49.207 = 02 01 00 00 00 c8
bgp4PathAttrASPathSegment.4.4.4.122.32.0.0.0.0 =
bgp4PathAttrASPathSegment.6.8.0.0.20.155.53.1.235 =
02 05 00 00 37 7f 00 00 0f 68 00 00 0b 62 00 00
02 9c 00 00 05 af
bgp4PathAttrNextHop.1.2.3.0.24.10.12.49.207 = 10.12.49.207
bgp4PathAttrNextHop.4.4.4.122.32.0.0.0.0 = 0.0.0.0
bgp4PathAttrNextHop.6.8.0.0.20.155.53.1.235 = 155.53.1.235
bgp4PathAttrMultiExitDisc.1.2.3.0.24.10.12.49.207 = 0
bgp4PathAttrMultiExitDisc.4.4.4.122.32.0.0.0.0 = 0
bgp4PathAttrMultiExitDisc.6.8.0.0.20.155.53.1.235 = 0
bgp4PathAttrLocalPref.1.2.3.0.24.10.12.49.207 = 100
bgp4PathAttrLocalPref.4.4.4.122.32.0.0.0.0 = 100
bgp4PathAttrLocalPref.6.8.0.0.20.155.53.1.235 = 100
bgp4PathAttrAtomicAggregate.1.2.3.0.24.10.12.49.207 =
lessSpecificRouteSelected(2)
bgp4PathAttrAtomicAggregate.4.4.4.122.32.0.0.0.0 =
lessSpecificRouteSelected(2)
bgp4PathAttrAtomicAggregate.6.8.0.0.20.155.53.1.235 =
lessSpecificRouteSelected(2)
bgp4PathAttrAggregatorAS.1.2.3.0.24.10.12.49.207 = 0
bgp4PathAttrAggregatorAS.4.4.4.122.32.0.0.0.0 = 0
bgp4PathAttrAggregatorAS.6.8.0.0.20.155.53.1.235 = 0
bgp4PathAttrAggregatorAddr.1.2.3.0.24.10.12.49.207 = 0.0.0.0
bgp4PathAttrAggregatorAddr.4.4.4.122.32.0.0.0.0 = 0.0.0.0
bgp4PathAttrAggregatorAddr.6.8.0.0.20.155.53.1.235 = 0.0.0.0
```

bgp4PathAttrCalcLocalPref.1.2.3.0.24.10.12.49.207 = 100
bgp4PathAttrCalcLocalPref.4.4.4.122.32.0.0.0.0 = 100

BGP-4 MIB Implementation Survey

October 2004

bgp4PathAttrCalcLocalPref.6.8.0.0.20.155.53.1.235 = 100
bgp4PathAttrBest.1.2.3.0.24.10.12.49.207 = true(2)
bgp4PathAttrBest.4.4.4.122.32.0.0.0.0 = true(2)
bgp4PathAttrBest.6.8.0.0.20.155.53.1.235 = true(2)
bgp4PathAttrUnknown.1.2.3.0.24.10.12.49.207 =
bgp4PathAttrUnknown.4.4.4.122.32.0.0.0.0 =
bgp4PathAttrUnknown.6.8.0.0.20.155.53.1.235 =

Security Considerations

This document does not address any security issues.

Normative References

- [BGP4] Rekhter, Y., Li, T., Hares, S., "A Border Gateway Protocol 4 (BGP-4)", [draft-ietf-idr-bgp4-24.txt](#), June 2004
- [BGP-V1-MIB] Haas, J., Hares, S., "Definitions of Managed Objects for the Fourth Version of Border Gateway Protocol (BGP-4)", [draft-ietf-idr-bgp4-mib-14.txt](#), April 2004
- [RFC2119] Bradner, S., "Key words for use in RFCs to Indicate Requirement Levels", [BCP 14](#), March 1997
- [RFC3667] Bradner, S., "IETF Rights in Contributions", [BCP 78](#), February 2004
- [RFC3668] Bradner, S. "Intellectual Property Rights in IETF Technology", [BCP 79](#), February 2004

Acknowledgments

Our thanks to Russ White(Cisco), Sundar Ramachandran(Cisco), Enke Chen(Redback), Jenny (Redback), Sharon Chisolm(Nortel), Jeff Haas(NextHop), Shane Wright (NextHop) for input to the survey and all the questions they answered. Thanks to Jeff Haas for his digging out the reset/initialization issues, and Bert Wijnen for his guidance.

Authors' Addresses

Susan Hares
NextHop Technologies
825 Victors Way, Suite 100
Ann Arbor, MI 48108
Phone: 734-222-1600

Hares & Hares

Expires - April 2005

[Page 35]

BGP v1 MIB Implementation Survey

October 2004

Email: skh@nexthop.com

David Hares
Hickory Hill Consulting
7453 Hickory Hill
Saline, MI
Email: dhares@hickoryhill-consulting.com

Intellectual Property Statement

The IETF takes no position regarding the validity or scope of any Intellectual Property Rights or other rights that might be claimed to pertain to the implementation or use of the technology described in this document or the extent to which any license under such rights might or might not be available; nor does it represent that it has made any independent effort to identify any such rights. Information on the procedures with respect to rights in RFC documents can be found in [BCP 78](#) and [BCP 79](#).

Copies of IPR disclosures made to the IETF Secretariat and any assurances of licenses to be made available, or the result of an attempt made to obtain a general license or permission for the use of such proprietary rights by implementers or users of this specification can be obtained from the IETF on-line IPR repository at <http://www.ietf.org/ipr>.

The IETF invites any interested party to bring to its attention any copyrights, patents or patent applications, or other proprietary rights that may cover technology that may be required to implement this standard. Please address the information to the

IETF at ietf-ipr@ietf.org.

Disclaimer of Validity

This document and the information contained herein are provided on an "AS IS" basis and THE CONTRIBUTOR, THE ORGANIZATION HE/SHE REPRESENTS OR IS SPONSORED BY (IF ANY), THE INTERNET SOCIETY AND THE INTERNET ENGINEERING TASK FORCE DISCLAIM ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY THAT THE USE OF THE INFORMATION HEREIN WILL NOT INFRINGE ANY RIGHTS OR ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

Copyright Statement

Hares & Hares

Expires - December 2004

[Page 36]

BGP v1 MIB Implementation Survey

October 2004

Copyright (C) The Internet Society (2004). This document is subject to the rights, licenses and restrictions contained in [BCP 78](#), and except as set forth therein, the authors retain all their rights.

