Network Working Group Internet-Draft

Intended status: Informational

Expires: March 14, 2017

G. Huston
APNIC
P. Koch
DENIC eG
A. Durand
ICANN
W. Kumari
Google
September 10, 2016

Problem Statement for the Reservation of Special-Use Domain Names using RFC6761

draft-adpkja-dnsop-special-names-problem-06

Abstract

The dominant protocol for name resolution on the Internet is the Domain Name System (DNS). However, other protocols exist that are fundamentally different from the DNS, and may or may not share the same namespace.

When an end-user triggers resolution of a name on a system that supports multiple, different protocols or resolution mechanisms, it is desirable that the protocol used is unambiguous, and that requests intended for one protocol are not inadvertently answered using another protocol.

RFC 6761 introduced a framework by which a particular domain name could be acknowledged as being special. Various challenges have become apparent with this application of the guidance provided in RFC 6761. This document focuses solely on documenting the specific challenges created by RFC 6761 in the form of a problem statement in order to facilitate further discussions of potential solutions. In particular, it refrains from proposing or promoting any solution. Also, the current document does not focus on other general issues related to the use of special use domain names.

Status of This Memo

This Internet-Draft is submitted in full conformance with the provisions of BCP 78 and BCP 79.

Internet-Drafts are working documents of the Internet Engineering Task Force (IETF). Note that other groups may also distribute working documents as Internet-Drafts. The list of current Internet-Drafts is at http://datatracker.ietf.org/drafts/current/.

Internet-Drafts are draft documents valid for a maximum of six months and may be updated, replaced, or obsoleted by other documents at any time. It is inappropriate to use Internet-Drafts as reference material or to cite them other than as "work in progress."

This Internet-Draft will expire on March 14, 2017.

Copyright Notice

Copyright (c) 2016 IETF Trust and the persons identified as the document authors. All rights reserved.

This document is subject to $\underline{\mathsf{BCP}}$ 78 and the IETF Trust's Legal Provisions Relating to IETF Documents

(http://trustee.ietf.org/license-info) in effect on the date of publication of this document. Please review these documents carefully, as they describe your rights and restrictions with respect to this document. Code Components extracted from this document must include Simplified BSD License text as described in Section 4.e of the Trust Legal Provisions and are provided without warranty as described in the Simplified BSD License.

Table of Contents

1.	Introduction: DNS, Name Space or Name Spaces, Name Resolution	
	Protocols	3
<u>2</u> .	IETF <u>RFC6761</u> Special Names	4
<u>3</u> .	Issues with RFC 6761 process	4
<u>4</u> .	Issues with the $\underline{RFC6761}$ registry	5
<u>5</u> .	Issues Around the IETF Evaluation of Candidate Strings	6
<u>6</u> .	Other Issues Related to $\underline{RFC6761}$	6
<u>7</u> .	Security Considerations	<u>6</u>
<u>8</u> .	IANA Considerations	7
<u>9</u> .	Acknowledgements	7
<u>10</u> .	References	7
10	<u>0.1</u> . Normative References	7
10	<u>0.2</u> . Informative References	7
Appe	<u>endix A</u> . Editorial Notes	8
Α.	<u>.1</u> . Venue	8
<u>A</u> .	2. Change History	8
	A.2.1. <u>draft-adpkja-special-names-problem-00</u>	8
Appe	<u>endix B</u> . Change history	8
Auth	nors' Addresses	9

Huston, et al. Expires March 14, 2017 [Page 2]

1. Introduction: DNS, Name Space or Name Spaces, Name Resolution Protocols

For a very long time, "DNS" and "the name space" have been perceived as the same thing. However, this has not always been the case; in the past, other name resolution protocols (such as NIS, NIS+, host files, UUCP addresses, and others) were popular. Most of those have been obsoleted by the DNS in the late 1990s. More information on the history of names and namespaces can be found in [I-D.lewis-domain-names].

More recently, new name resolution protocols have been proposed, each addressing a particular need or a particular community. For example, the DONA handle system [DONA] has been used by parts of the publication industry. The Apple "Bonjour" set of protocols, inspired by what was available on Appletalk networks, was developed to perform automatic name resolution on a local IP network. The TOR project is using the onion system to obfuscate communications, the GNU Name System (GNS) system is using block chains to build a decentralized name system to offer "privacy and censorship resistance". Many more name resolution protocols have been proposed.

These alternate name resolution protocols do not exist in a vacuum. Application developers have expressed a strong desire to build their software to function in any of those universes with minimal changes. In order to do so, the software has to deterministically recognize what kind of name it is dealing with and associate it with the corresponding name resolution protocol. An algorithmic solution frequently chosen by application developers consists simply in using a special tag padded at the end of a name to indicate an alternate name resolution method. For example, if a name ends in .local, the software uses the Apple Bonjour protocol based on multicast DNS; if the name ends in .onion, it uses the TOR protocol; if the name ends in .gnu, it uses the GNS protocol, and so on. One noteworthy exception to this approach is the DONA system that has its own interoperability mechanism with the DNS. Another noteworthy exception is the Frogans technology [FROGANS] which name space uses the character '*' to separate network names from site names and allow any character, including dots on either side of the '*'.

A result of the above is that a number of applications have been developed (and massively distributed) that have encoded their favorite "tag" as a DNS TLD in a free-for-all, beginning their existence by squatting on that DNS space; .local, .gnu, .onion started out like that.

2. IETF RFC6761 Special Names

The IETF used a provision from the IETF/ICANN MoU [RFC2860] section 4.3 that says that "(a) assignments of domain names for technical uses" is to be considered the purview of IETF (outside of the scope of ICANN) in order to create a way to reserve such names in a list of "special names". That process is documented in [RFC6761] (which, however, does not directly refer the IETF/ICANN MoU). The [RFC6761] process was first applied for .local, and the more recently for .onion.

When the [RFC6761] process was put in place, many thought it would only be used a handful of times. However, a large number of applications have since been made to the IETF. The .onion evaluation took almost a year and has started a massive (and often heated) discussion in the IETF.

[RFC6761] has a number of issues. This document groups those issues in several categories.

3. Issues with RFC 6761 process

a. [RFC6761] does not mention if the protocol using the reserved name should be published as an RFC document.

Most applications have, so far, come from outside organizations, and the described protocols that have not been developed by the IETF.

b. [RFC6761] does not provide clear enough directions as to which group of people is responsible for carrying out the evaluation for inclusion in the registry.

There are ambiguities and no formal criteria on how the IETF can (or even whether the IETF should) evaluate the merits of applicants to [RFC6761] reservations.

c. The "seven questions" of [RFC6761] are inadequate for evaluating proposals.

<u>Section 5 of [RFC6761]</u> describes seven questions to be answered by an applicant for [RFC6761] status. However, running this process for the .onion application showed that those seven questions are inadequate for making the determination of whether a particular string qualifies for [RFC6761] treatment.

d. Some organizations may want to experiment with a reserved name.

Huston, et al. Expires March 14, 2017 [Page 4]

They may or may not be ready (or willing) to go through a cumbersome process and find [RFC6761] too difficult to deal with. They would like a much simpler registration process, with limited or no burden to apply.

e. The [RFC6761] process could be abused.

In particular, the process can be abused to reserve a specific string within an existing suffix (or set of suffixes using wildcards) not under the control of IETF.

f. [RFC6761] does not have provision for subsequent management of the registry, such as updates, deletions of entries, etc...

4. Issues with the RFC6761 registry

a. The [RFC6761] registry lacks sufficient documentation supporting a registration.

The registry may point to the RFC creating the reservation, but not to the supporting materials.

b. The [RFC6761] registry lacks clear directions for applications to select which name resolution method to use upon seeing the special name.

In particular, it lists the reserved names but does not include direct guidance, neither in free text form nor in machine-readable instructions, for any of the seven audiences. Instead, the registry relies on a reference for each entry to the document that requested its insertion. Such documents could be difficult to read for many readers; for example, [RFC6762] is a 70-page protocol specification which is not an effective way to set expectations of non-technical end-users.

c. Reserving a string in [RFC6761] does not guarantee queries will not leak in the DNS.

The applicants for [RFC6761] status cannot be guaranteed that leakage will not occur and will need to take this into account in their protocol design.

d. The intended usage or protocol for which the [RFC6761] reservation is made may or may not be successful.

In the case of failure of adoption, the reserved string would be wasted.

5. Issues Around the IETF Evaluation of Candidate Strings

a. The IETF does not have a formal process to evaluate candidate strings for issues such as trademark infringement and name collisions.

This leads to concerns about liability risks incurred by adding a particular string to the [RFC6761] registry.

b. Submitting the application to IETF last call does not guarantee such issues will be always caught.

[RFC7788] describing the "home networking control protocol" was recently published. That document includes text instructing devices to use names terminating by default with the .home suffix. [RFC7788] did not reference [RFC6761] anywhere and had no IANA sections about this reservation. It was published without anyone noticing this during the entire review process. The issue was caught after the publication, and an errata was published.

6. Other Issues Related to RFC6761

[RFC6761] does not include a mechanism to collaborate with ICANN.

The current round of ICANN gTLD (described at [NEW-GTLD]) is, as the time of this writing, closed to new applications. It is, however, not yet completed. Some applications are still under consideration. There is a risk that, without proper collaboration between the IETF and ICANN, a new entry in the [RFC6761] registry could conflict with one of those applications still under review. It should also be noted that discussions have started about forming the next round of ICANN gTLDs, thus this issue will not go away at the conclusion of the current gTLD round.

7. Security Considerations

This document aims to provide a problem statement that will inform future work. While security and privacy are fundamental considerations, this document expects that future work will include such analysis, and hence no attempt is made to do so here. See [SAC-057] for further considerations.

Reserving names has been presented as a way to prevent leakage into the DNS. However, instructing resolvers to not forward the queries (and/or by instructing authoritative servers not to respond) is not a guarantee that such leakage will be prevented. The security (or privacy) of an application MUST NOT rely on names not being exposed to the Internet DNS resolution system.

8. IANA Considerations

This document has no IANA actions.

9. Acknowledgements

Thanks to Paul Hoffman for a large amount of editing.

10. References

10.1. Normative References

[IANA-SPECIAL-USE]

IANA, "Special-Use Domain Names", 2016, https://www.iana.org/assignments/special-use-domain-names>.

- [RFC6761] Cheshire, S. and M. Krochmal, "Special-Use Domain Names", RFC 6761, DOI 10.17487/RFC6761, February 2013, http://www.rfc-editor.org/info/rfc6761.
- [RFC7788] Stenberg, M., Barth, S., and P. Pfister, "Home Networking Control Protocol", <u>RFC 7788</u>, DOI 10.17487/RFC7788, April 2016, http://www.rfc-editor.org/info/rfc7788>.

10.2. Informative References

- [DONA] DONA, "DONA Foundation", June 2016, https://www.dona.net.
- [FROGANS] Frogans Technology, "Frogans Technology", June 2016, https://www.frogans.org.

[GUIDEBOOK]

ICANN, "gTLD Application Guidebook", June 2012,
<https://newgtlds.icann.org/en/applicants/agb/guidebookfull-04jun12-en.pdf>.

[HUSTON] Huston, G., "What's in a Name?", December 2015, http://www.circleid.com/posts/20151222_whats_in_a_name/>.

[I-D.lewis-domain-names]

Lewis, E., "Domain Names", <u>draft-lewis-domain-names-03</u> (work in progress), June 2016.

[NEW-GTLD]

ICANN, "New Generic Top-Level Domains", 2016, https://newgtlds.icann.org/>.

[SAC-057] ICANN Security and Stability Advisory Committee, "SSAC Advisory on Internal Name Certificates", March 2013, https://www.icann.org/en/system/files/files/sac-057-en.pdf>.

Appendix A. Editorial Notes

This section (and sub-sections) to be removed prior to publication.

A.1. Venue

An appropriate forum for discussion of this draft is, for now, the DNSOP WG.

A.2. Change History

A.2.1. draft-adpkja-special-names-problem-00

Initial draft circulated for comment.

<u>Appendix B</u>. Change history

[RFC Editor: Please remove this section before publication] -06 to -05:

- o Clarify the sole focus of this draft is to document problems created by RFC6761, and not the larger issue of NON-DNS TLDs.
- o Split issue lists and rewrite some for clarity.

-05 to -04:

o Added two issues to the issue list: market failure and experimental use.

-04 to -03:

o Minor edits to correct grammar, clarify that the current ICANN gTLD round is closed.

-03 to -02:

o Significant readability changes to focus the discussion.

-01 to -02:

o A very large number of readability / grammar / reference fixes from Paul Hoffman.

-00 to -01:

o Significant readability changes.

-00:

o Initial draft circulated for comment.

Authors' Addresses

Geoff Huston APNIC

Email: gih@apnic.net

Peter Koch DENIC eG Kaiserstrasse 75-77 Frankfurt 60329 Germany

Email: pk@denic.de

Alain Durand ICANN

Email: alain.durand@icann.org

Warren Kumari Google

Email: warren@kumari.net