

CCAMP Working Group  
Internet Draft  
Intended status: Experimental

Zafar Ali  
Manoj Kumar  
Antonello Bonfanti  
Akshaya Nadahalli  
Cisco Systems  
Fatai Zhang  
Huawei Technologies

Expires: April 30, 2017

October 31, 2016

RSVP-TE Extension for Beyond 100G Signal Types in  
G.709 Optical Transport Networks (OTNs)  
draft-ali-ccamp-oducn-signal-type-00.txt

Status of this Memo

This Internet-Draft is submitted in full conformance with the provisions of [BCP 78](#) and [BCP 79](#).

Internet-Drafts are working documents of the Internet Engineering Task Force (IETF). Note that other groups may also distribute working documents as Internet-Drafts. The list of current Internet-Drafts is at <http://datatracker.ietf.org/drafts/current/>.

Internet-Drafts are draft documents valid for a maximum of six months and may be updated, replaced, or obsoleted by other documents at any time. It is inappropriate to use Internet-Drafts as reference material or to cite them other than as "work in progress."

This Internet-Draft will expire on April 30, 2017.

Copyright Notice

Copyright (c) 2016 IETF Trust and the persons identified as the document authors. All rights reserved.

This document is subject to [BCP 78](#) and the IETF Trust's Legal Provisions Relating to IETF Documents (<http://trustee.ietf.org/license-info>) in effect on the date of publication of this document. Please review these documents carefully, as they describe your rights and restrictions with respect to this document. Code Components extracted from this document must include Simplified BSD License text as described in Section 4.e of the [Trust Legal Provisions](#) and are provided without warranty as described in the Simplified BSD License.

Internet-Draft [draft-ali-ccamp-ODUCn-signal-type-00.txt](#)

This document may contain material from IETF Documents or IETF Contributions published or made publicly available before November 10, 2008. The person(s) controlling the copyright in some of this material may not have granted the IETF Trust the right to allow modifications of such material outside the IETF Standards Process. Without obtaining an adequate license from the person(s) controlling the copyright in such materials, this document may not be modified outside the IETF Standards Process, and derivative works of it may not be created outside the IETF Standards Process, except to format it for publication as an RFC or to translate it into languages other than English.

## Abstract

RFCs 4328 and 7139 provide signaling extensions in Resource ReserVation Protocol - Traffic Engineering (RSVP-TE) to control the full set of Optical Transport Network (OTN) features. However, these specifications do not cover the additional Optical channel Data Unit (ODU) containers defined in G.709/Y.1331 for ODUC1, ODUC2, ODUC3, ODUC4, ODUC5, ODUC6, ODUC7, ODUC8 and ODUC9. This document defines new Signal Types for these additional containers.

## Conventions used in this document

The key words "MUST", "MUST NOT", "REQUIRED", "SHALL", "SHALL NOT", "SHOULD", "SHOULD NOT", "RECOMMENDED", "MAY", and "OPTIONAL" in this document are to be interpreted as described in [RFC 2119](#) [[RFC2119](#)].

## Table of Contents

<a href="#">1.</a>	Introduction .....	<a href="#">2</a>
<a href="#">2.</a>	RSVP-TE extension for Beyond 100G Signal Types .....	<a href="#">3</a>
<a href="#">3.</a>	Security Considerations .....	<a href="#">3</a>
<a href="#">4.</a>	IANA Considerations .....	<a href="#">3</a>
<a href="#">5.</a>	References .....	<a href="#">3</a>
<a href="#">5.1.</a>	Normative References .....	<a href="#">3</a>
<a href="#">5.2.</a>	Informative References .....	<a href="#">4</a>

## [1.](#) Introduction

[RFC7139] updates the portions of text related to the Optical channel Data Unit (ODU) described in [[RFC4328](#)] to provide

extensions to Resource ReserVation Protocol - Traffic Engineering (RSVP-TE) to support control for [\[G.709-v3\]](#) in the OTN-TDM SENDER\_TSPEC and OTN-TDM FLOWSPEC objects. However, it does not specify Signal Types for the beyond 100G ODUCn containers defined in [\[G.709/Y.1331\]](#). This document provides RSVP-TE signaling extensions to support ODUC1, ODUC2, ODUC3, ODUC4, ODUC5, ODUC6, ODUC7, ODUC8 and ODUC9 Signal Types.

Expires April 2017

[Page 2]

---

Internet-Draft [draft-ali-ccamp-ODUCn-signal-type-00.txt](#)

## [2.](#) RSVP-TE extension for Beyond 100G Signal Types

[\[RFC7139\]](#) defines the format of Traffic Parameters in OTN-TDM SENDER\_TSPEC and OTN-TDM FLOWSPEC objects. These traffic parameters have a Signal Type field. This document defines the Signal Types for ODUC1, ODUC2, ODUC3, ODUC4, ODUC5, ODUC6, ODUC7, ODUC8 and ODUC9, as defined in the IANA Considerations section. They are allocated via the Specification Required policy added to the subregistry by [\[RFC7892\]](#).

## [3.](#) Security Considerations

This document does not introduce any additional security issues beyond those identified in [\[RFC7139\]](#).

## [4.](#) IANA Considerations

IANA maintains the "Generalized Multi-Protocol Label Switching (GMPLS) Signaling Parameters" registry that contains the "OTN Signal Type" subregistry.

This document request IANA to add the following signal types in the subregistry via the Specification Required policy [\[RFC5226\]](#):

Value	Type
-----	----
TBA1	ODUC1 (100Gbps OTN <a href="#">[G.709/Y.1331]</a> )
TBA2	ODUC2 (200Gbps OTN <a href="#">[G.709/Y.1331]</a> )
TBA3	ODUC3 (300Gbps OTN <a href="#">[G.709/Y.1331]</a> )
TBA4	ODUC4 (400Gbps OTN <a href="#">[G.709/Y.1331]</a> )
TBA5	ODUC5 (500Gbps OTN <a href="#">[G.709/Y.1331]</a> )
TBA6	ODUC6 (600Gbps OTN <a href="#">[G.709/Y.1331]</a> )
TBA7	ODUC7 (700Gbps OTN <a href="#">[G.709/Y.1331]</a> )
TBA8	ODUC8 (800Gbps OTN <a href="#">[G.709/Y.1331]</a> )

These Signal Types are carried in the Traffic Parameters in OTN-TDM SENDER\_TSPEC and OTN-TDM FLOWSPEC objects [[RFC7139](#)].

## [5.](#) References

### [5.1.](#) Normative References

Expires April 2017

[Page 3]

---

Internet-Draft [draft-ali-ccamp-ODUCn-signal-type-00.txt](#)

- [RFC4328] Papadimitriou, D., Ed., "Generalized Multi-Protocol Label Switching (GMPLS) Signaling Extensions for G.709 Optical Transport Networks Control", [RFC 4328](#), DOI 10.17487/RFC4328, January 2006, <<http://www.rfc-editor.org/info/rfc4328>>.
- [RFC7139] Zhang, F., Ed., Zhang, G., Belotti, S., Ceccarelli, D., and K. Pithewan, "GMPLS Signaling Extensions for Control of Evolving G.709 Optical Transport Networks", [RFC 7139](#), DOI 10.17487/RFC7139, March 2014, <<http://www.rfc-editor.org/info/rfc7139>>. [[RFC2119](#)] Bradner, S., "Key words for use in RFCs to Indicate Requirement Levels", [BCP 14](#), [RFC 2119](#), March 1997.
- [RFC7892] Ali, Z., Bonfanti, A., Hartley, M., and F. Zhang, "IANA Allocation Procedures for the GMPLS OTN Signal Type Registry", [RFC 7892](#), DOI 10.17487/RFC7892, May 2016, <<http://www.rfc-editor.org/info/rfc7892>>.

### [5.2.](#) Informative References

- [G.709-v3] ITU-T, "Interfaces for the optical transport network", Recommendation G.709/Y.1331, June 2016.
- [G.709/Y.1331] ITU-T, " Interfaces for the optical transport network", G.709/Y.1331 (06/16).
- [RFC5226] Narten, T. and H. Alvestrand, "Guidelines for Writing an IANA Considerations Section in RFCs", [BCP 26](#), [RFC 5226](#), DOI 10.17487/RFC5226, May 2008, <<http://www.rfc->

[editor.org/info/rfc5226](http://editor.org/info/rfc5226)>. [G.709-v3] ITU-T, "Interface for the Optical Transport Network (OTN)", G.709/Y.1331 Recommendation, February, 2012.

#### Authors' Addresses

Zafar Ali  
Cisco Systems  
Email: [zali@cisco.com](mailto:zali@cisco.com)

Manoj Kumar  
Cisco System  
Email: [manojk2@cisco.com](mailto:manojk2@cisco.com)

Akshaya Nadahalli  
Cisco Systems  
[anadahal@cisco.com](mailto:anadahal@cisco.com)

Antonello Bonfanti  
Cisco Systems  
[abonfant@cisco.com](mailto:abonfant@cisco.com)

Expires April 2017

[Page 4]

---

Internet-Draft [draft-ali-ccamp-ODUCn-signal-type-00.txt](#)

Fatai Zhang  
Huawei Technologies  
Email: [zhangfatai@huawei.com](mailto:zhangfatai@huawei.com)

Expires April 2017

[Page 5]