

APPSAWG
Internet-Draft
Intended status: Informational
Expires: January 08, 2014

R. Alimi
Google
A. Rahman
InterDigital Communications, LLC
D. Kutscher
NEC
Y. Yang
Yale University
H. Song
K. Pentikousis
Huawei Technologies
July 07, 2013

**DECoupled Application Data Enroute (DECADE)
draft-alimi-decade-01**

Abstract

Content distribution applications, such as those those employing peer-to-peer (P2P) technologies, are widely used on the Internet and make up a large portion of the traffic in many networks. Often, however, content distribution applications use network resources in a counter-productive manner. One way to improve efficiency is to introduce storage capabilities within the network and enable cooperation between end-host and in-network content distribution mechanisms. This is the capability provided by a DECADE system, which is introduced in this document. DECADE enables applications to take advantage of in-network storage when distributing data objects as opposed to using solely end-to-end resources. This document presents the underlying principles and key functionalities of such a system and illustrates operation through a set of examples.

Requirements Language

The key words "MUST", "MUST NOT", "REQUIRED", "SHALL", "SHALL NOT", "SHOULD", "SHOULD NOT", "RECOMMENDED", "MAY", and "OPTIONAL" in this document are to be interpreted as described in [RFC 2119](#) [[RFC2119](#)].

Status of This Memo

This Internet-Draft is submitted in full conformance with the provisions of [BCP 78](#) and [BCP 79](#).

Internet-Drafts are working documents of the Internet Engineering Task Force (IETF). Note that other groups may also distribute working documents as Internet-Drafts. The list of current Internet-Drafts is at <http://datatracker.ietf.org/drafts/current/>.

Internet-Drafts are draft documents valid for a maximum of six months and may be updated, replaced, or obsoleted by other documents at any time. It is inappropriate to use Internet-Drafts as reference material or to cite them other than as "work in progress."

This Internet-Draft will expire on January 08, 2014.

Copyright Notice

Copyright (c) 2013 IETF Trust and the persons identified as the document authors. All rights reserved.

This document is subject to [BCP 78](#) and the IETF Trust's Legal Provisions Relating to IETF Documents (<http://trustee.ietf.org/license-info>) in effect on the date of publication of this document. Please review these documents carefully, as they describe your rights and restrictions with respect to this document. Code Components extracted from this document must include Simplified BSD License text as described in Section 4.e of the Trust Legal Provisions and are provided without warranty as described in the Simplified BSD License.

Table of Contents

1.	Terminology	3
2.	Introduction	4
3.	Architectural Principles	6
3.1.	Data and Control Plane Decoupling	6
3.2.	Immutable Data Objects	7
3.3.	Data Object Identifiers	8
3.4.	Explicit Control	9
3.5.	Resource and Data Access Control through Delegation	10
4.	System Components	10
4.1.	Application End-Point	11
4.2.	DECADE Client	12
4.3.	DECADE Server	12
4.4.	Data Sequencing and Naming	13
4.5.	Token-based Authorization and Resource Control	15
4.6.	Discovery	16
5.	DECADE Protocol Considerations	16
5.1.	Naming	16
5.2.	Resource Protocol	17
5.3.	Data Transfer	19
5.4.	Server-to-Server Protocols	20
5.5.	Potential DRP/SDT Candidates	21
6.	In-Network Storage Components Mapping to DECADE	21
7.	Security Considerations	22
7.1.	Threat: System Denial of Service Attacks	22

7.2.	Threat: Authorization Mechanisms Compromised	23
7.3.	Threat: Data Object Spoofing	23
8.	IANA Considerations	24
9.	Acknowledgments	24
10.	Informative References	24
Appendix A.	Evaluation of Candidate Protocols for DECADE DRP/SDT	25
A.1.	HTTP	25
A.2.	CDMI	27
A.3.	OAuth	30
	Authors' Addresses	31

[1.](#) Terminology

This document uses the following terminology:

Application End-Point

A host that includes a DECADE Client along with other application functionalities (e.g. Peer-to-Peer (P2P) client, video streaming client).

Content Distribution Application

A specific type of application that may exist in an Application End-Point. A Content Distribution Application is an application (e.g. P2P) designed for dissemination of a large amounts of content (e.g. files or video streams) to multiple peers. Content Distribution Applications may divide content into smaller blocks for dissemination.

Data Object

A data object is the unit of data stored and retrieved from a DECADE server. The data object is a string of raw bytes. The server maintains metadata associated with each data object, but the metadata is not included in the data object.

DECADE Client

A DECADE client uploads and/or retrieves data from a DECADE server.

DECADE Resource Protocol (DRP)

A logical protocol for communication of access control and resource scheduling policies from a DECADE client to a DECADE server, or between DECADE servers. In practice, the functionality of the DRP may be distributed over one or more actual protocols.

DECADE Server

A DECADE server stores data inside the network for a DECADE client or another DECADE server, and thereafter manages both the stored data and access to that data by other DECADE Clients.

DECADE Storage Provider

A DECADE Storage Provider deploys and/or manages DECADE servers within a network.

DECADE System

An in-network storage system which is composed of DECADE clients and DECADE servers.

In-network Storage

A service inside a network that provides storage to applications. In-network storage may reduce upload/transit/backbone traffic and improve application performance. In-network storage may, for example, be co-located with the border router (network attached storage) or inside a data center. A DECADE System is an example of an In-Network Storage system.

Standard Data Transfer Protocol (SDT)

A logical protocol used to transfer data objects between a DECADE client and DECADE server, or between DECADE servers. The intent is that in practice the SDT should map to an existing, well-known protocol already in use over the Internet.

2. Introduction

Content distribution applications, such as peer-to-peer (P2P) applications, are widely used on the Internet to distribute data objects, and comprise a large portion of the traffic in many networks. Said applications can often introduce performance bottlenecks in otherwise well-provisioned networks. In some cases, operators are forced to invest substantially in infrastructure to accommodate the use of such applications. For instance, in many subscriber networks, it can be expensive to upgrade network equipment in the "last-mile", because it can involve replacing equipment and upgrading wiring and devices at individual homes, businesses, DSLAMs (Digital Subscriber Line Access Multiplexers) and CMTSS (Cable Modem Termination Systems) in remote locations. It may be more practical and economical to upgrade the core infrastructure, instead of the edge part of the network, as this involves fewer components that are shared by many subscribers. See [[RFC6646](#)] and [[RFC6392](#)] for a more complete discussion of the problem domain and general discussions of the capabilities envisioned for a DECADE system.

This document presents mechanisms for providing in-network storage that can be integrated into content distribution applications. The primary focus is P2P-based content distribution, but DECADE may be useful to other applications with similar characteristics and requirements (e.g. Content Distribution Networks (CDNs), or hybrid P2P/CDNs). The approach we adopt in this document is to define the

core functionalities and protocol functions that are needed to support a DECADE system. This document provides illustrative examples so that implementers can understand the main concepts in DECADE, but it is generally assumed that readers are also familiar with the terms and concepts used in [RFC6646] and [RFC6392].

Figure 1 is a schematic of a simple DECADE system with two DECADE clients and two DECADE servers. As illustrated, a client uses the DECADE Resource Protocol (DRP) to convey to a server information related to access control and resource scheduling policies. DRP can also be used between servers for exchanging this type of information. A DECADE system employs standard data transfer (SDT) protocol(s) to transfer data objects to and from a server, as we will explain later.




Figure 1: DECADE Overview

With Figure 1 at hand, assume that Application End-Point B requests a data object from Application End-Point A. In this case, End-Point A will act as the sender and End-Point B as the receiver for said data object. Let $S(A)$ denote the DECADE storage server to which A has access, and where A has previously stored the data object. Figure 2

illustrates the four steps involved in the request, starting with the initial contact between B and A during which the former requests a data object using their native application protocol. Next, A uses DRP to obtain a token corresponding to the data object that was requested by B. There may be several ways for A to obtain such a token, e.g., compute it locally or request one from its DECADE storage server, S(A). Once obtained, A then provides the token to B (again, using their native application protocol). Finally, B provides the received token to S(A) via DRP, and subsequently requests and downloads the data object via SDT.




Figure 2: Download from Storage Server

3. Architectural Principles

This section presents the key principles followed by any DECADE system.

3.1. Data and Control Plane Decoupling

A DECADE system aims to be application-independent and SHOULD support multiple content distribution applications. Typically, a complete content distribution application implements a set of control plane functions including content search, indexing and collection, access control, replication, request routing, and QoS scheduling. Implementers of different content distribution applications may have unique considerations when designing the control plane functions. For example, with respect to the metadata management scheme, traditional file systems provide a standard metadata abstraction: a recursive structure of directories to offer namespace management where each file is an opaque byte stream. Content distribution applications may use different metadata management schemes. For instance, one application might use a sequence of blocks (e.g., for file sharing), while another application might use a sequence of frames (with different sizes) indexed by time.

With respect to resource scheduling algorithms, a major advantage of many successful P2P systems is their substantial expertise in achieving efficient utilization of peer resources. For instance, many streaming P2P systems include optimization algorithms for constructing overlay topologies that can support low-latency, high-bandwidth streaming. The research community as well as implementers of such systems continuously fine-tune existing algorithms and invent new ones. A DECADE system should be able to accommodate and benefit from all new developments.

In short, given the diversity of control plane functions, a DECADE system should allow for as much flexibility as possible to the control plane to implement specific policies. Decoupling the control plane from the data plane is not new, of course. For example, OpenFlow [[OpenFlow](#)] is an implementation of this principle for Internet routing, where the computation of the forwarding table and the application of the forwarding table are separated. The Google File System [[GoogleFileSystem](#)] applies the same principle to file system design by utilizing a Master to handle meta-data management and several Chunk servers to handle data plane functions (i.e., read and write of chunks of data). Finally, NFSv4.1's pNFS extension [[RFC5661](#)] also adheres to this principle.

3.2. Immutable Data Objects

A common property of bulk content to be broadly distributed is that it is immutable -- once content is generated, it is typically not modified. For example, once a movie has been edited and released for distribution it is very uncommon that the corresponding video frames and images need to be modified. The same applies to document distribution, such as RFCs, audio files, such as podcasts, and program patches. Focusing on immutable data can substantially

simplify data plane design, since consistency requirements can be relaxed. It also simplifies data reuse and implementation of deduplication.

Depending on its specific requirements, an application may store immutable data objects in DECADE servers such that each data object is completely self-contained (e.g., a complete, independently decodable video segment). An application may also divide data into data objects that require application level assembly. Many content distribution applications divide bulk content into data objects for multiple reasons, including (a) fetching different data objects from different sources in parallel; and (b) faster recovery and verification as individual data objects might be recovered and verified. Typically, applications use a data object size larger than a single packet in order to reduce control overhead.

A DECADE system SHOULD be agnostic to the nature of the data objects and SHOULD NOT specify a fixed size for them. A protocol specification based on this architecture MAY prescribe requirements on minimum and maximum sizes for compliant implementations.

Note that immutable data objects can still be deleted. Applications can support modification of existing data stored at a DECADE server through a combination of storing new data objects and deleting existing data objects. For example, a meta-data management function of the control plane might associate a name with a sequence of immutable data objects. If one of the data objects is modified, the meta-data management function changes the mapping of the name to a new sequence of immutable data objects.

3.3. Data Object Identifiers

A data object stored in a DECADE server SHALL be accessed by DECADE clients via a data object identifier. Each DECADE client may be able to access more than one storage server. A data object that is replicated across different storage servers managed by a storage provider MAY be accessed through a single identifier. Since data objects are immutable, it SHALL be possible to support persistent identifiers for data objects.

Data object identifiers SHOULD be created by DECADE clients when uploading the corresponding objects to a DECADE server. The scheme for the assignment/derivation of the data object identifier to a data object depends on the data object naming scheme and is out of scope of this document. One possibility is to name data objects using hashes as described in [\[RFC6920\]](#). Note that [\[RFC6920\]](#) describes naming schemes on a semantic level only but specific SDTs and DRPs will use specific representations.

In particular, for some applications it is important that clients and servers are able to validate the name-object binding, i.e., by verifying that a received object really corresponds to the name (identifier) that was used for requesting it (or that was provided by a sender). Data object identifiers can support name-object binding validation by providing message digests or so-called self-certifying naming information -- if a specific application has this requirement.

Different name-object binding validation mechanisms MAY be supported in a single DECADE system. Content distribution applications can decide what mechanism to use, or to not provide name-object validation (e.g., if authenticity and integrity can be ascertained by alternative means). We expect that applications may be able to construct unique names (with high probability) without requiring a registry or other forms of coordination. Names may be self-describing so that a receiving DECADE client understands, for example, which hash function to use for validating name-object binding.

Some content distribution applications will derive the name of a data object from the hash over the data object, which is made possible by the fact that DECADE objects are immutable. But there may be other applications such as live streaming where object names will not be based on hashes but rather on an enumeration scheme. The naming scheme will also enable those applications to construct unique names.

In order to enable the uniqueness, flexibility and self-describing properties, the naming scheme used in a DECADE system SHOULD provide a "type" field that indicates the name-object validation function type (for example, "sha-256") and the cryptographic data (such as an object hash) that corresponds to the type information. Moreover, the naming scheme MAY additionally provide application or publisher information.

The specific format of the name (e.g., encoding, hash algorithms, etc.) is out of scope of this document.

3.4. Explicit Control

To support the functions of an application's control plane, applications SHOULD be able to keep track and coordinate which data is stored at particular servers. Thus, in contrast with traditional caches, applications are given explicit control over the placement (selection of a DECADE server), deletion (or expiration policy), and access control for stored data objects. Consider deletion/expiration policy as a simple example. An application might require that a DECADE server stores data objects for a relatively short period of time (e.g., for live-streaming data). Another application might need

to store data objects for a longer duration (e.g., for video-on-demand), and so on.

3.5. Resource and Data Access Control through Delegation

A DECADE system provides a shared infrastructure to be used by multiple Application End-Points. Thus, it needs to provide both resource and data access control, as discussed in the following subsections.

3.5.1. Resource Allocation

There are two primary interacting entities in a DECADE system. First, storage providers coordinate DECADE server provisioning, including their total available resource. Second, applications coordinate data transfers amongst available DECADE servers and between servers and clients. A form of isolation is required to enable concurrently-running applications to each explicitly manage its own data objects and share of resources at the available servers. Therefore, a storage provider should delegate resource management on a DECADE server to uploading DECADE clients, enabling them to explicitly and independently manage their own share of resources on a server.

3.5.2. User Delegation

DECADE Storage Providers will have the ability to explicitly manage the entities allowed to utilize the resources available on a DECADE server. This is needed for reasons such as capacity-planning and legal considerations in certain deployment scenarios. The DECADE server SHOULD grant a share of the resources to a DECADE client. The client can in turn share the granted resources amongst its (possibly) multiple applications. The share of resources granted by a server is called a User Delegation. As a simple example, a DECADE server operated by an ISP might be configured to grant each ISP subscriber 1.5 Mb/s of network capacity. The ISP subscriber might in turn divide this share of resources amongst a video streaming application and file-sharing application which are running concurrently.

4. System Components

As noted earlier, the primary focus of this document is the architectural principles and the system components that implement them. While specific system components might differ between implementations, this document details the major components and their overall roles in the architecture. To keep the scope narrow, we only discuss the primary components related to protocol development. Particular deployments will require additional components (e.g.,

monitoring and accounting at a server), but they are intentionally omitted from this document.

4.1. Application End-Point

Content distribution applications have many functional components. For example, many P2P applications have components and algorithms to manage overlay topology, rate allocation, piece selection, and so on. In this document, we focus on the components directly engaged in a DECADE system. Figure 3 illustrates the components discussed in this section from the perspective of a single Application End-Point.




Figure 3: Application and DECADE Client Components

A DECADE system is geared towards supporting applications that can distribute content using data objects. To accomplish this, applications can include a component responsible for creating the individual data objects before distribution and then re-assembly of

data objects. We call this component Application Data Assembly. In producing and assembling data objects, two important considerations are sequencing and naming. A DECADE system assumes that applications implement this functionality themselves. See [Section 5.1](#) for further discussion. In addition to DECADE DRP/SDT, applications will most likely also support other, native application protocols (e.g., P2P control and data transfer protocols).


4.2. DECADE Client

The DECADE client provides the local support to an application, and can be implemented standalone, embedded into the application, or integrated in other software entities within network devices (i.e. hosts). In general, applications may have different Resource Sharing Policies and Data Access Policies to control their resource and data in DECADE servers. These policies may be existing policies of applications or custom policies. The specific implementation is decided by the application.

Recall that DECADE decouples the control and the data transfer of applications. A Data Scheduling component schedules data transfers according to network conditions, available servers, and/or available server resources. The Data Index indicates data available at remote servers. The Data Index (or a subset of it) can be advertised to other clients. A common use case for this is to provide the ability to locate data amongst distributed Application End-Points (i.e., a data search mechanism such as a Distributed Hash Table).

4.3. DECADE Server

Figure 4 illustrates the primary components of a DECADE server. Note that the description below does not assume a single-host or centralized implementation: a DECADE server is not necessarily a single physical machine but can also be implemented in a distributed manner on a cluster of machines.






Figure 4: DECADE Server Components

Provided sufficient authorization, a client SHALL be able to access its own data or other client's data in a DECADE server. Clients MAY also authorize other clients to store data. If access is authorized by a client, the server SHOULD provide access. Applications may apply resource sharing policies or use a custom policy. DECADE Servers will then perform resource scheduling according to the resource sharing policies indicated by the client as well as any other previously configured User Delegations. Data from applications will be stored at a DECADE server. Data may be deleted from storage either explicitly or automatically (e.g., after a Time To Live (TTL) expiration).


4.4. Data Sequencing and Naming

The DECADE naming scheme implies no sequencing or grouping of objects, even if this is done at the application layer. To illustrate these properties, this section presents several illustrative examples of use.

4.4.1. Application with Fixed-Size Chunks

Similar to the example in [Section 4.1](#), consider an application in which each individual application-layer segment of data is called a "chunk" and has a name of the form: "CONTENT_ID:SEQUENCE_NUMBER". Furthermore, assume that the application's native protocol uses chunks of size 16 KB. Now, assume that this application wishes to store data in a DECADE server in data objects of size 64 KB. To accomplish this, it can map a sequence of 4 chunks into a single data object, as shown in Figure 5.

Application Chunks






Figure 5: Mapping Application Chunks to DECADE Data Objects

In this example, the application maintains a logical mapping that is able to determine the name of a DECADE data object given the chunks contained within that data object. The name may be conveyed from either the original uploading DECADE client, another End-Point with which the application is communicating, etc. As long as the data contained within each sequence of chunks is globally unique, the corresponding data objects have globally unique names.

[4.4.2.](#) Application with Continuous Streaming Data

Consider an application whose native protocol retrieves a continuous data stream (e.g., an MPEG2 stream) instead of downloading and redistributing chunks of data. Such an application could segment the continuous data stream to produce either fixed-sized or variable-sized data objects. Figure 6 depicts how a video streaming application might produce variable-sized data objects such that each data object contains 10 seconds of video data. Similarly with the previous example, the application may maintain a mapping that is able to determine the name of a data object given the time offset of the video chunk.




Figure 6: Mapping a Continuous Data Stream to DECADE Data Objects

4.5. Token-based Authorization and Resource Control

A key feature of a DECADE system is that an application endpoint can authorize other application endpoints to store or retrieve data objects from its in-network storage via tokens. The peer client then uses the token when sending requests to the DECADE server. Upon receiving a token, the server validates the signature and the operation being performed.

This is a simple scheme, but has some important advantages over an alternative approach, for example, in which a client explicitly manipulates an Access Control List (ACL) associated with each data object. In particular, it has the following advantages when applied to DECADE systems. First, authorization policies are implemented within the application, thus it explicitly controls when tokens are generated and to whom they are distributed and for how long they will be valid. Second, fine-grained access and resource control can be applied to data objects; see [Section 5.2.1](#) for the list of restrictions that can be enforced with a token. Third, there is no messaging between a client and server to manipulate data object permissions. This can simplify, in particular, applications which share data objects with many dynamic peers and need to frequently adjust access control policies attached to data objects. Finally, tokens can provide anonymous access, in which a server does not need to know the identity of each client that accesses it. This enables a client to send tokens to clients belonging to other storage providers, and allow them to read or write data objects from the storage of its own storage provider. In addition to clients applying

access control policies to data objects, the server MAY be configured to apply additional policies based on user, object properties, geographic location, etc. A client might thus be denied access even though it possesses a valid token.

4.6. Discovery

A DECADE system SHOULD include a discovery mechanism through which DECADE clients locate an appropriate DECADE server. A discovery mechanism SHOULD allow a client to determine an IP address or some other identifier that can be resolved to locate the server for which the client will be authorized to generate tokens (via DRP). (The discovery mechanism might also result in an error if no such servers can be located.) After discovering one or more servers, a DECADE client can distribute load and requests across them (subject to resource limitations and policies of the servers themselves) according to the policies of the Application End-Point in which it is embedded. The discovery mechanism outlined here does not provide the ability to locate arbitrary DECADE servers to which a client might obtain tokens from others. To do so will require application-level knowledge, and it is assumed that this functionality is implemented in the content distribution application.

The particular protocol used for discovery is out of scope of this document, but any specification SHOULD re-use standard protocols wherever possible.

5. DECADE Protocol Considerations

This section presents the DRP and the SDT protocol in terms of abstract protocol interactions that are intended to be mapped to specific protocols in an implementation. In general, the DRP/SDT functionality between a DECADE client-server are very similar to the DRP/SDT functionality between server-server. Any differences are highlighted below. DRP is used by a DECADE client to configure the resources and authorization used to satisfy requests (reading, writing, and management operations concerning data objects) at a server. SDT will be used to transport data between a client and a server, as illustrated in Figure 1.

5.1. Naming

A DECADE system SHOULD use [[RFC6920](#)] as the recommended and default naming scheme. Other naming schemes that meet the guidelines in [Section 3.3](#) may alternatively be used. In order to provide a simple and generic interface, the DECADE server will be responsible only for storing and retrieving individual data objects.

The DECADE naming format SHOULD NOT attempt to replace any naming or sequencing of data objects already performed by an Application. Instead, naming is intended to apply only to data objects referenced by DECADE-specific purposes. An application using a DECADE client may use a naming and sequencing scheme independent of DECADE names. The DECADE client SHOULD maintain a mapping from its own data objects and their names to the DECADE-specific data objects and names. Furthermore, the DECADE naming scheme implies no sequencing or grouping of objects, even if this is done at the application layer.

5.2. Resource Protocol

DRP will provide configuration of access control and resource sharing policies on DECADE servers. A content distribution application, e.g., a live P2P streaming session, can have permission to manage data at several servers, for instance, servers belonging to different storage providers. DRP allows one instance of such an application, i.e., an Application End-Point, to apply access control and resource sharing policies on each of them.

On a single DECADE server, the following resources SHOULD be managed: a) communication resources in terms of bandwidth (upload/download) and also in terms of number of active clients (simultaneous connections); and b) storage resources.

5.2.1. Access and Resource Control Token

The tokens SHOULD be generated by an entity trusted by both the DECADE client and the server at the request of a DECADE client. For example, this entity could be the client, a server trusted by the client, or another server managed by a storage provider and trusted by the client. It is important for a server to trust the entity generating the tokens since each token may incur a resource cost on the server when used. Likewise, it is important for a client to trust the entity generating the tokens since the tokens grant access to the data stored at the server.

Upon generating a token, a DECADE client can distribute it to another client (e.g., via their native application protocol). The receiving client can then connect to the server specified in the token and perform any operation permitted by the token. The token SHOULD be sent along with the operation. The server SHOULD validate the token to identify the client that issued it and whether the requested operation is permitted by the contents of the token. If the token is successfully validated, the server SHOULD apply the resource control policies indicated in the token while performing the operation.

Tokens SHOULD include a unique identifier to allow a server to detect when a token is used multiple times and reject the additional usage attempts. Since usage of a token incurs resource costs to a server (e.g., bandwidth and storage) and a uploading DECADE client may have a limited budget (see [Section 3.5](#)), the uploading DECADE client should be able to indicate if a token may be used multiple times.

It SHOULD be possible to revoke tokens after they are generated. This could be accomplished by supplying the server the unique identifiers of the tokens which are to be revoked.

5.2.2. Status Information

DRP SHOULD provide a status request service that clients can use to request status information of a server. Access to such status information SHOULD require client authorization; that is, clients need to be authorized to access the requested status information. This authorization is based on the user delegation concept as described in [Section 3.5](#). The following status information elements SHOULD be obtained: a) list of associated data objects (with properties); and b) resources used/available. In addition, the following information elements MAY be available: c) list of servers to which data objects have been distributed (in a certain time-frame); and d) list of clients to which data objects have been distributed (in a certain time-frame).

For the list of servers/clients to which data objects have been distributed to, the server SHOULD be able to decide on time bounds for which this information is stored and specify the corresponding time frame in the response to such requests. Some of this information may be used for accounting purposes, e.g., the list of clients to which data objects have been distributed.

Access information MAY be provided for accounting purposes, for example, when uploading DECADE clients are interested in access statistics for resources and/or to perform accounting per user. Again, access to such information requires client authorization and SHOULD be based on the delegation concept as described in [Section 3.5](#). The following type of access information elements MAY be requested: a) what data objects have been accessed by whom and for how many times; and b) access tokens that a server has seen for a given data object.

The server SHOULD decide on time bounds for which this information is stored and specify the corresponding time frame in the response to such requests.

5.2.3. Data Object Attributes

Data Objects that are stored on a DECADE server SHOULD have associated attributes (in addition to the object identifier and data object) that relate to the data storage and its management. These attributes may be used by the server (and possibly the underlying storage system) to perform specialized processing or handling for the data object, or to attach related server or storage-layer properties to the data object. These attributes have a scope local to a server. In particular, these attributes SHOULD NOT be applied to a server or client to which a data object is copied.

Depending on authorization, clients SHOULD be permitted to get or set such attributes. This authorization is based on the delegation as per [Section 3.5](#). DECADE does not limit the set of permissible attributes, but rather specifies a set of baseline attributes that SHOULD be supported:

Expiration Time: Time at which the data object can be deleted;

Data Object size: In bytes;

Media type Labelling of type as per [\[RFC6838\]](#);

Access statistics: How often the data object has been accessed (and what tokens have been used).

The data object attributes defined here are distinct from application metadata (see [Section 3.1](#)). Application metadata is custom information that an application might wish to associate with a data object to understand its semantic meaning (e.g., whether it is video and/or audio, its playback length in time, or its index in a stream). If an application wishes to store such metadata persistently, it can be stored within data objects themselves.

5.3. Data Transfer

A DECADE server will provide a data access interface, and SDT will be used to write data objects to a server and to read (download) data objects from a server. Semantically, SDT is a client-server protocol; that is, the server always responds to client requests.

To write a data object, a client first generates the object's name (see [Section 5.1](#)), and then uploads the object to a server and supplies the generated name. The name can be used to access (download) the object later; for example, the client can pass the name as a reference to other clients that can then refer to the object. Data objects can be self-contained objects such as

multimedia resources, files etc., but also chunks, such as chunks of a P2P distribution protocol that can be part of a containing object or a stream. If supported, a server can verify the integrity and other security properties of uploaded objects.

A client can request named data objects from a server. In a corresponding request message, a client specifies the object name and a suitable access and resource control token. The server checks the validity of the received token and its associated resource usage-related properties. If the named data object exists on the server and the token can be validated, the server delivers the requested object in a response message. If the data object cannot be delivered the server provides a corresponding status/reason information in a response message. Specifics regarding error handling, including additional error conditions (e.g., overload), precedence for returned errors and its relation with server policy, are deferred to eventual protocol specification.

5.4. Server-to-Server Protocols

An important feature of a DECADE system is the capability for one server to directly download data objects from another server. This capability allows applications to directly replicate data objects between servers without requiring end-hosts to use uplink capacity to upload data objects to a different server.

DRP and SDT SHOULD support operations directly between servers. Servers are not assumed to trust each other nor are configured to do so. All data operations are performed on behalf of clients via explicit instruction. However, the objects being processed do not necessarily have to originate or terminate at the client (i.e., the data object might be limited to being exchanged between servers even if the instruction is triggered by the client). Clients thus will be able to indicate to a server which remote server(s) to access, what operation is to be performed, or in which the object is to be stored, and the credentials indicating access and resource control to perform the operation at the remote server.

Server-to-server support is focused on reading and writing data objects between servers. The data object referred to at the remote server is the same as the original data object requested by the client. Object attributes (see [Section 5.2.3](#)) might also be specified in the request to the remote server. In this way, a server acts as a proxy for a client, and a client can instantiate requests via that proxy. The operations will be performed as if the original requester had its own client co-located with the server. When a client sends a request to a server with these additional parameters, it is giving the server permission to act (proxy) on its behalf.

Thus, it would be prudent for the supplied token to have narrow privileges (e.g., limited to only the necessary data objects) or validity time (e.g., a small expiration time).

In the case of a retrieval operation, the server is to retrieve the data object from the remote server using the specified credentials, and then optionally return the object to a client. In the case of a storage operation, the server is to store the object to the remote server using the specified credentials. The object might optionally be uploaded from the client or might already exist at the server.

5.5. Potential DRP/SDT Candidates

Having covered the key DRP/SDT functionalities above, it is useful to consider some potential DRP/SDT candidates as guidance for future DECADE protocol implementations. To recap, the DRP is a protocol for communication of access control and resource scheduling policies from a DECADE client to a DECADE server, or between DECADE servers. The SDT is a protocol used to transfer data objects between a DECADE client and DECADE server, or between DECADE servers. An evaluation of existing protocols for their suitability for DRP and SDT is given in [Appendix A](#).

6. In-Network Storage Components Mapping to DECADE

This section evaluates how the basic components of an in-network storage system (see [Section 3 of \[RFC6392\]](#)) map into a DECADE system.

With respect to Data Access Interface, DECADE clients can read and write objects of arbitrary size through the client's Data Controller, making use of standard data transfer (SDT). With respect to Data Management Operations, clients can move or delete previously stored objects via the client's Data Controller, making use of SDT. Clients can enumerate or search contents of servers to find objects matching desired criteria through services provided by the Content Distribution Application (e.g., buffer-map exchanges, a DHT, or peer-exchange). In doing so, Application End-Points might consult their local Data Index in the client's Data Controller (Data Search Capability).

With respect to Access Control Authorization, all methods of access control are supported: public-unrestricted, public-restricted and private. Access Control Policies are generated by a content distribution application and provided to the client's Resource Controller. The server is responsible for implementing the access control checks. Clients can manage the resources (e.g., bandwidth) on the DECADE server that can be used by other Application End-Points (Resource Control Interface). Resource Sharing Policies are

generated by a content distribution application and provided to the client's Resource Controller. The server is responsible for implementing the resource sharing policies.

Although the particular protocol used for discovery is outside the scope of this document, different options and considerations have been discussed in [Section 4.6](#). Finally with respect to the storage mode, DECADE servers provide an object-based storage mode. Immutable data objects might be stored at a server. Applications might consider existing blocks as data objects, or they might adjust block sizes before storing in a server.

[7.](#) Security Considerations

In general, the security considerations mentioned in [[RFC6646](#)] apply to this document as well. A DECADE system provides a distributed storage service for content distribution and similar applications. The system consists of servers and clients that use these servers to upload data objects, to request distribution of data objects, and to download data objects. Such a system is employed in an overall application context -- for example in a P2P application, and it is expected that DECADE clients take part in application-specific communication sessions. The security considerations here focus on threats related to the DECADE system and its communication services, i.e., the DRP/SDT protocols that have been described in an abstract fashion in this document.

[7.1.](#) Threat: System Denial of Service Attacks

A DECADE network might be used to distribute data objects from one client to a set of servers using the server-to-server communication feature that a client can request when uploading an object; see [Section 5.4](#). Multiple clients uploading many objects at different servers at the same time and requesting server-to-server distribution for them could thus mount massive distributed denial of service (DDOS) attacks, overloading a network of servers. This threat is addressed by the server's access control and resource control framework. Servers can require Application End-Points to be authorized to store and to download objects, and Application End-Points can delegate authorization to other Application End-Points using the token mechanism. Of course the effective security of this approach depends on the strength of the token mechanism. See below for a discussion of this and related communication security threats.

Denial of Service Attacks against a single server (directing many requests to that server) might still lead to considerable load for processing requests and invalidating tokens. SDT therefore MUST provide a redirection mechanism.

7.2. Threat: Authorization Mechanisms Compromised

A DECADE system does not require Application End-Points to authenticate in order to access a server for downloading objects, since authorization is not based on End-Point or user identities but on a delegation-based authorization mechanism. Hence, most protocol security threats are related to the authorization scheme. The security of the token mechanism depends on the strength of the token mechanism and on the secrecy of the tokens. A token can represent authorization to store a certain amount of data, to download certain objects, to download a certain amount of data per time etc. If it is possible for an attacker to guess, construct or simply obtain tokens, the integrity of the data maintained by the servers is compromised.

This is a general security threat that applies to authorization delegation schemes. Specifications of existing delegation schemes such as [[RFC6749](#)] discuss these general threats in detail. We can say that the DRP has to specify appropriate algorithms for token generation. Moreover, authorization tokens should have a limited validity period that should be specified by the application. Token confidentiality should be provided by application protocols that carry tokens, and the SDT and DRP should provide secure (confidential) communication modes.

7.3. Threat: Data Object Spoofing

In a DECADE system, an Application End-Point is referring other Application End-Points to servers to download a specified data objects. An attacker could "inject" a faked version of the object into this process, so that the downloading End-Point effectively receives a different object (compared to what the uploading End-Point provided). As result, the downloading End-Point believes that it has received an object that corresponds to the name it was provided earlier, whereas in fact it is a faked object. Corresponding attacks could be mounted against the application protocol (that is used for referring other End-Points to servers), servers themselves (and their storage sub-systems), and the SDT by which the object is uploaded, distributed and downloaded.

A DECADE systems fundamental mechanism against object spoofing is name-object binding validation, i.e., the ability of a receiver to check whether the name he was provided and that he used to request an object, actually corresponds to the bits he received. As described above, this allows for different forms of name-object binding, for example using hashes of data objects, with different hash functions (different algorithms, different digest lengths). For those application scenarios where hashes of data objects are not applicable (for example live-streaming) other forms of name-object binding can

be used (see [Section 5.1](#)). This flexibility also addresses cryptographic algorithm evolution: hash functions might get deprecated, better alternatives might be invented etc., so that applications can choose appropriate mechanisms meeting their security requirements.

DECADE servers MAY perform name-object binding validation on stored objects, but Application End-Points MUST NOT rely on that. In other words, Application End-Points SHOULD perform name-object binding validation on received objects.

8. IANA Considerations

This document does not have any IANA considerations.

9. Acknowledgments

We thank the following people for their contributions to and/or detailed reviews of this or earlier versions of this document: Carsten Bormann, David Bryan, Dave Crocker, Yingjie Gu, David Harrington, Hongqiang (Harry) Liu, David McDysan, Borje Ohlman, Martin Stiemerling, Richard Woundy, and Ning Zong.

10. Informative References

- [RFC2119] Bradner, S., "Key words for use in RFCs to Indicate Requirement Levels", [BCP 14](#), [RFC 2119](#), March 1997.
- [RFC2616] Fielding, R., Gettys, J., Mogul, J., Frystyk, H., Masinter, L., Leach, P., and T. Berners-Lee, "Hypertext Transfer Protocol -- HTTP/1.1", [RFC 2616](#), June 1999.
- [RFC5661] Shepler, S., Eisler, M., and D. Noveck, "Network File System (NFS) Version 4 Minor Version 1 Protocol", [RFC 5661](#), January 2010.
- [RFC6392] Alimi, R., Rahman, A., and Y. Yang, "A Survey of In-Network Storage Systems", [RFC 6392](#), October 2011.
- [RFC6646] Song, H., Zong, N., Yang, Y., and R. Alimi, "DECoupled Application Data Enroute (DECADE) Problem Statement", [RFC 6646](#), July 2012.
- [RFC6749] Hardt, D., "The OAuth 2.0 Authorization Framework", [RFC 6749](#), October 2012.

- [RFC6838] Freed, N., Klensin, J., and T. Hansen, "Media Type Specifications and Registration Procedures", [BCP 13](#), [RFC 6838](#), January 2013.
- [RFC6920] Farrell, S., Kutscher, D., Dannewitz, C., Ohlman, B., Keranen, A., and P. Hallam-Baker, "Naming Things with Hashes", [RFC 6920](#), April 2013.
- [GoogleFileSystem] Ghemawat, S., Gobioff, H., and S. Leung, "The Google File System", SOSP 2003, October 2003.
- [GoogleStorageDevGuide] Google, ., "Google Storage Developer Guide", July 2013, <<https://developers.google.com/storage/docs/concepts-techniques>>.
- [OpenFlow] OpenFlow, ., "OpenFlow Organization", July 2013, <<http://www.openflow.org/>>.
- [CDMI] SNIA, ., "Cloud Data Management Interface (CDMI)", July 2013, <<http://www.snia.org/cdmi>>.

[Appendix A](#). Evaluation of Candidate Protocols for DECADE DRP/SDT

In this section we evaluate how well the abstract protocol interactions specified in this document for DECADE DRP and SDT can be fulfilled by the existing protocols of HTTP, CDMI and OAUTH.

[A.1](#). HTTP

HTTP [[RFC2616](#)] is a key protocol for the Internet in general and especially for the World Wide Web. HTTP is a request-response protocol. A typical transaction involves a client (e.g. web browser) requesting content (resources) from a web server. Another example is when a client stores or deletes content from a server.

[A.1.1](#). HTTP Support for DRP Primitives

DRP provides configuration of access control and resource sharing policies on DECADE servers.

A.1.1.1. Access Control Primitives

Access control requires mechanisms for defining the access policies for the server, and then checking the authorization of a user before it stores or retrieves content. HTTP supports a rudimentary access control via "HTTP Secure" (HTTPS). HTTPS is a combination of HTTP with SSL/TLS. The main use of HTTPS is to authenticate the server and encrypt all traffic between the client and the server. There is also a mode to support client authentication though this is less frequently used.

A.1.1.2. Communication Resource Control Primitives

Communication resources include bandwidth (upload/download) and number of simultaneous connected clients (connections). HTTP supports bandwidth control indirectly through "persistent" HTTP connections. Persistent HTTP connections allows a client to keep open the underlying TCP connection to the server to allow streaming and pipe-lining (multiple simultaneous requests for a given client).

HTTP does not define protocol operation to allow limiting the communication resources to a client. However servers typically perform this function via implementation algorithms.

A.1.1.3. Storage Resource Control Primitives

Storage resources include amount of memory and lifetime of storage. HTTP does not allow direct control of storage at the server end point. However HTTP supports caching at intermediate points such as a web proxy. For this purpose, HTTP defines cache control mechanisms that define how long and in what situations the intermediate point may store and use the content.

A.1.2. HTTP Support for SDT Primitives

SDT is used to write objects and read (download) objects from a DECADE server. The object can be either a self-contained object such as a multimedia file or a chunk from a P2P system.

A.1.2.1. Writing Primitives

Writing involves uploading objects to the server. HTTP supports two methods of writing called PUT and POST. In HTTP the object is called a resource and is identified by a URI. PUT uploads a resource to a specific location on the server. POST, on the other hand, submits the object to the server and the server decides whether to update an existing resource or to create a new resource.

For DECADE, the choice of whether to use PUT or POST will be influenced by which entity is responsible for the naming. If the client performs the naming, then PUT is appropriate. If the server performs the naming, then POST should be used (to allow the server to define the URI).

[A.1.2.2.](#) Downloading Primitives

Downloading involves fetching of an object from the server. HTTP supports downloading through the GET and HEAD methods. GET fetches a specific resource as identified by the URL. HEAD is similar but only fetches the metadata ("header") associated with the resource but not the resource itself.

[A.1.3.](#) Traffic De-duplication Primitives

To challenge a remote entity for an object, the DECADE server should provide a seed number, which is generated by the server randomly, and ask the remote entity to return a hash calculated from the seed number and the content of the object. The server may also specify the hash function which the remote entity should use. HTTP supports the challenge message through the GET methods. The message type ("challenge"), the seed number and the hash function name are put in URL. In the reply, the hash is sent in an ETAG header.

[A.1.4.](#) Other Operations

HTTP supports deleting of content on the server through the DELETE method.

[A.1.5.](#) Conclusions

HTTP can provide a rudimentary DRP and SDT for some aspects of DECADE, but will not be able to satisfy all the DECADE requirements. For example, HTTP does not provide a complete access control mechanism, nor does it support storage resource controls at the end point server.

It is possible, however, to envision combining HTTP with a custom suite of other protocols to fulfill most of the DECADE requirements for DRP and SDT. For example, Google Storage for Developers is built using HTTP (with extensive proprietary extensions such as custom HTTP headers). Google Storage also uses OAUTH [[RFC6749](#)] (for access control) in combination with HTTP [[GoogleStorageDevGuide](#)]. An example of using OAUTH for DRP is given in [Appendix A.3](#).

[A.2.](#) CDMI

The Cloud Data Management Interface (CDMI) specification defines a functional interface through which applications can store and manage data objects in a cloud storage environment. The CDMI interface for reading/writing data is based on standard HTTP requests, with CDMI-specific encodings using JavaScript Object Notation (JSON). CDMI is specified by the Storage Networking Industry Association (SNIA) [[CDMI](#)].

[A.2.1.](#) CDMI Support for DRP Primitives

DRP provides configuration of access control and resource sharing policies on DECADE servers.

[A.2.1.1.](#) Access Control Primitives

Access control includes mechanisms for defining the access policies for the server, and then checking the authorization of a user before it stores or retrieves content. CDMI defines an Access Control List (ACL) per data object, and thus supports access control (read and/or write) at the data object granularity. An ACL contains a set of Access Control Entries (ACEs), where each ACE specifies a principal (i.e. user or group of users) and a set of privileges that are granted to that principal.

CDMI requires that an HTTP authentication mechanism be available for the server to validate the identity of a principal (client). Specifically, CDMI requires that either HTTP Basic Authentication or HTTP Digest Authentication be supported. CDMI recommends that HTTP over TLS (HTTPS) is supported to encrypt the data sent over the network.

[A.2.1.2.](#) Communication Resource Control Primitives

Communication resources include bandwidth (upload/download) and number of simultaneous connected clients (connections). CDMI supports two key data attributes which provide control over the communication resources to a client: "cdmi_max_throughput" and "cdmi_max_latency". These attributes are defined in the metadata for data objects and indicate the desired bandwidth or delay for transmission of the data object from the cloud server to the client.

[A.2.1.3.](#) Storage Resource Control Primitives

Storage resources include amount of quantity and lifetime of storage. CDMI defines metadata for individual data objects and general storage system configuration which can be used for storage resource control. In particular, CDMI defines the following metadata fields:

- cdmi_data_redundancy: desired number of copies to be maintained;
- cdmi_geographic_placement region where object is permitted to be stored;
- cdmi_retention_period time interval object is to be retained;
- cdmi_retention_autodelete whether object should be auto deleted after retention period.

[A.2.2.](#) CDMI Support for SDT Primitives

SDT is used to write objects and read (download) objects from a DECADE server. The object can be either a self-contained object such as a multimedia file or a chunk from a P2P system.

[A.2.2.1.](#) Writing Primitives

Writing involves uploading objects to the server. CDMI supports standard HTTP methods for PUT and POST as described in [Appendix A.1.2.1](#).

[A.2.2.2.](#) Downloading Primitives

Downloading involves fetching of an object from the server. CDMI supports the standard HTTP GET method as described in [Appendix A.1.2.2](#).

[A.2.3.](#) Other Operations

CDMI supports DELETE as described in [Appendix A.1.4](#). CDMI also supports COPY and MOVE operations.

CDMI supports the concept of containers of data objects to support joint operations on related objects. For example, GET may be done on a single data object or on an entire container.

CDMI supports a global naming scheme. Every object stored within a CDMI system will have a globally unique object string identifier (ObjectID) assigned at creation time.

[A.2.4.](#) Conclusions

CDMI has a rich array of features that can provide a good base for DRP and SDT for DECADE. An initial analysis finds that the following CDMI features may be useful for DECADE:

- access control

- storage resource control
- communication resource control
- COPY/MOVE operations
- data containers
- naming scheme

[A.3.](#) OAUTH

As mentioned in [Appendix A.1](#), OAuth [[RFC6749](#)] may be used as part of the access and resource control of a DECADE system. In this section, we provide an example of how to configure OAuth requests and responses for DRP.

An OAuth request to access DECADE data objects should include the following fields:

Response_type: Value should be set to "token".

Client_id: The client_id indicates either the application that is using the DECADE service or the end user who is using the DECADE service from a DECADE storage service provider. DECADE storage service providers should provide the ID distribution and management function.

Scope: Data object names that are requested.

An OAuth response should include the following information:

Token_type: "Bearer"

Expires_in: The lifetime in seconds of the access token.

Access_token: A token denotes the following information.

Service URI: The server address or URI which is providing the service;

Permitted operations (e.g., read, write) and objects (e.g., names of data objects that might be read or written);

Priority: Value should be set to be either "Urgent", "High", "Normal" or "Low".

Bandwidth: Given to requested operation, a weight value used in a weighted bandwidth sharing scheme, or a integer in number of bps;

Amount: Data size in number of bytes that might be read or written.

Token_signature: The signature of the access token.

Authors' Addresses

Richard Alimi
Google

Email: ralimi@google.com

Akbar Rahman
InterDigital Communications, LLC

Email: akbar.rahman@interdigital.com

Dirk Kutscher
NEC

Email: dirk.kutscher@neclab.eu

Y. Richard Yang
Yale University

Email: yry@cs.yale.edu

Haibin Song
Huawei Technologies

Email: haibin.song@huawei.com

Kostas Pentikousis
Huawei Technologies

Email: k.pentikousis@huawei.com

