

Delay-Tolerant Networking  
Internet-Draft  
Intended status: Experimental  
Expires: September 12, 2019

E. Birrane  
E. DiPietro  
D. Linko  
Johns Hopkins Applied Physics Laboratory  
March 11, 2019

**Asynchronous Management Protocol Agent Application Data Model**  
**draft-birrane-dtn-adm-agent-05**

**Abstract**

This document describes an Application Data Model (ADM) for an Asynchronous Management Protocol (AMP) Agent. The AMP Agent represents a managed device in the Asynchronous Management Architecture. This document is in compliance with the template provided by [[I-D.birrane-dtn-adm](#)].

**Status of This Memo**

This Internet-Draft is submitted in full conformance with the provisions of [BCP 78](#) and [BCP 79](#).

Internet-Drafts are working documents of the Internet Engineering Task Force (IETF). Note that other groups may also distribute working documents as Internet-Drafts. The list of current Internet-Drafts is at <https://datatracker.ietf.org/drafts/current/>.

Internet-Drafts are draft documents valid for a maximum of six months and may be updated, replaced, or obsoleted by other documents at any time. It is inappropriate to use Internet-Drafts as reference material or to cite them other than as "work in progress."

This Internet-Draft will expire on September 12, 2019.

**Copyright Notice**

Copyright (c) 2019 IETF Trust and the persons identified as the document authors. All rights reserved.

This document is subject to [BCP 78](#) and the IETF Trust's Legal Provisions Relating to IETF Documents (<https://trustee.ietf.org/license-info>) in effect on the date of publication of this document. Please review these documents carefully, as they describe your rights and restrictions with respect to this document. Code Components extracted from this document must include Simplified BSD License text as described in [Section 4.e](#) of

the Trust Legal Provisions and are provided without warranty as described in the Simplified BSD License.

## Table of Contents

<a href="#">1. Introduction</a> . . . . .	<a href="#">2</a>
<a href="#">1.1. Technical Notes</a> . . . . .	<a href="#">2</a>
<a href="#">1.2. Scope</a> . . . . .	<a href="#">3</a>
<a href="#">1.3. Requirements Language</a> . . . . .	<a href="#">3</a>
<a href="#">2. Structure and Design of this ADM</a> . . . . .	<a href="#">3</a>
<a href="#">3. Naming and Identification</a> . . . . .	<a href="#">4</a>
<a href="#">3.1. Namespace and Nicknames</a> . . . . .	<a href="#">4</a>
<a href="#">4. AMP Agent ADM JSON Encoding</a> . . . . .	<a href="#">5</a>
<a href="#">5. IANA Considerations</a> . . . . .	<a href="#">23</a>
<a href="#">6. References</a> . . . . .	<a href="#">23</a>
<a href="#">6.1. Informative References</a> . . . . .	<a href="#">23</a>
<a href="#">6.2. Normative References</a> . . . . .	<a href="#">23</a>
<a href="#">Authors' Addresses</a> . . . . .	<a href="#">24</a>

## [1. Introduction](#)

An Application Data Model (ADM) provides a guaranteed interface for the management of an application or protocol in accordance with the Asynchronous Management Architecture (AMA) defined in [[I-D.birrane-dtn-ama](#)]. The ADM described in this document complies with the ADM Template provided in [[I-D.birrane-dtn-adm](#)] as encoded using the JSON syntax.

The AMP Agent ADM provides the set of information necessary to remotely manage agents in accordance with the Asynchronous Management Protocol (AMP) defined in [[I-D.birrane-dtn-amp](#)]. AMP provides a compact binary encoding of ADM objects and specifies a protocol for the exchange of those objects.

### [1.1. Technical Notes](#)

- o This document describes Version 3.0 of the Agent ADM.
- o The namespace associated with this ADM has not been finalized and, therefore, any namespace references and associated encodings are subject to change until the moderated namespace for this ADM has been published.
- o Agent applications MAY choose to ignore the name, description, or other annotative information associated with the component definitions within this ADM where such items are only used to provide human-readable information or are otherwise not necessary to manage a device.

Birrane, et al.

Expires September 12, 2019

[Page 2]

## **1.2. Scope**

This ADM specifies those components of the Asynchronous Management Model (AMM) common to the management of any instance of any AMP Agent.

Any Manager software implementing this ADM MUST perform the responsibilities of an AMA Manager as outlined in [[I-D.birrane-dtn-adm](#)] as they relate to the objects included in this document.

Any Agent software implementing this ADM MUST perform the responsibilities of an AMA Agent as outlined in [[I-D.birrane-dtn-adm](#)] as they relate to the objects included in this document.

## **1.3. Requirements Language**

The key words "MUST", "MUST NOT", "REQUIRED", "SHALL", "SHALL NOT", "SHOULD", "SHOULD NOT", "RECOMMENDED", "MAY", and "OPTIONAL" in this document are to be interpreted as described in [RFC 2119](#) [[RFC2119](#)].

## **2. Structure and Design of this ADM**

The AMP Agent ADM's structure is in accordance to [[I-D.birrane-dtn-adm](#)]. This ADM contains metadata, table templates, and controls, variables, report templates, macros, edd, and operators. The contents of this ADM are derived from the main functions and data that an agent needs to run AMP [[I-D.birrane-dtn-amp](#)].

The Metadata that is present in this document is common to all ADMs. All ADMs have metadata that includes the name, namespace, and version of the ADM as well as the name of the organization that is issuing that particular ADM. This is important for identification purposes of the ADMs and to ensure version control.

Because there are calculations done in various ADM objects that are needed for AMP, the operators that were chosen were ones that were the most common. For each of the most common operators, the only ones that were expressed in the document were ones that had the same input types and result types. This is to prevent a long list of operators that may never be used. The additional information provided in this ADM dealt with the number of known variables, macros, rules, controls and constants as well as the number of those instances that were running.

Birrane, et al.

Expires September 12, 2019

[Page 3]

### 3. Naming and Identification

This section outlines the namespaces used to uniquely identify ADM objects in this specification.

#### **3.1. Namespace and Nicknames**

In accordance with [[I-D.birrane-dtn-adm](#)], every ADM is assigned a moderated Namespace. In accordance with [[I-D.birrane-dtn-amp](#)], these namespaces may be enumerated for compactness. The namespace and ADM identification for these objects is defined as follows.

Identifier	Value
Namespace	Amp/Agent
ADM Enumeration	1

Table 1: Namespace Information

Given the above ADM enumeration, in accordance with [[I-D.birrane-dtn-amp](#)], the following AMP nicknames are defined.



Nickname	Collection
20	Amp/Agent/Const
21	Amp/Agent/Ctrl
22	Amp/Agent/Edd
23	Amp/Agent/Mac
24	Amp/Agent/Oper
25	Amp/Agent/Rptt
27	Amp/Agent/Tblt
29	Amp/Agent/Var
30	Amp/Agent/Mdat
31-49	Amp/Agent/Reserved

Table 2: Agent ADM Nicknames

#### 4. AMP Agent ADM JSON Encoding

```
{
  "Mdat": [
    {
      "name": "name",
      "type": "STR",
      "value": "amp_agent",
      "description": "The human-readable name of the ADM."
    },
    {
      "name": "namespace",
      "type": "STR",
      "value": "Amp/Agent",
      "description": "The namespace of the ADM."
    },
    {
      "name": "version",
      "type": "STR",
      "value": "v3.1",
      "description": "The version of the ADM."
    }
  ]
}
```

Birrane, et al.

Expires September 12, 2019

[Page 5]

```
        "name": "organization",
        "type": "STR",
        "value": "JHUAPL",
        "description": "The name of the issuing organization of the
                        ADM."
    }
],

"Edd": [
    {
        "name": "num_rpt_tpls",
        "type": "UINT",
        "description": "This is the number of report templates known to
                        the Agent."
    },
    {
        "name": "num_tbl_tpls",
        "type": "UINT",
        "description": "This is the number of table templates known to
                        the Agent."
    },
    {
        "name": "sent_reports",
        "type": "UINT",
        "description": "This is the number of reports sent by the
                        Agent."
    },
    {
        "name": "num_tbr",
        "type": "UINT",
        "description": "This is the number of time-based rules running
                        on the Agent."
    },
    {
        "name": "run_tbr",
        "type": "UINT",
        "description": "This is the number of time-based rules run by
                        the Agent since the last reset."
    },
    {
        "name": "num_sbr",
        "type": "UINT",
        "description": "This is the number of state-based rules running
                        on the Agent."
    },
    {
        "name": "run_sbr",
        "type": "UINT",
        "description": "This is the number of state-based rules run by
```

Birrane, et al.

Expires September 12, 2019

[Page 6]

```
        the agent since the last reset."
},
{
  "name": "num_const",
  "type": "UINT",
  "description": "This is the number of constants known by the
                  Agent."
},
{
  "name": "num_var",
  "type": "UINT",
  "description": "This is the number of variables known by the
                  Agent."
},
{
  "name": "num_macros",
  "type": "UINT",
  "description": "This is the number of macros known by the
                  Agent."
},
{
  "name": "run_macros",
  "type": "UINT",
  "description": "This is the number of macros run by the agent
                  since the last reset."
},
{
  "name": "num_controls",
  "type": "UINT",
  "description": "This is the number of controls known by the
                  Agent."
},
{
  "name": "run_controls",
  "type": "UINT",
  "description": "This is the number of controls run by the Agent
                  since the last reset."
},
{
  "name": "cur_time",
  "type": "TV",
  "description": "This is the current system time."
}
],
"var": [{  
  "name": "num_rules",
  "type": "UINT",
```

Birrane, et al.

Expires September 12, 2019

[Page 7]

```
"initializer": {
    "type": "UINT",
    "postfix-expr": [
        {"ns": "Amp/Agent",
         "nm": "edd.num_tbr"
        },
        {"ns": "Amp/Agent",
         "nm": "edd.num_sbr"
        },
        {"ns": "Amp/Agent",
         "nm": "oper.plusUINT"
        }
    ],
    "description": "This is the number of rules known to the Agent
                    (#TBR + #SBR)."
},
"Tblt": [
{
    "name": "adms",
    "columns": [
        {
            "type": "STR",
            "name": "adm_name"
        }
    ],
    "description": "This table lists all the ADMs that are supported
                    by the Agent."
},
{
    "name": "variables",
    "columns": [
        {
            "type": "ARI",
            "name": "ids"
        }
    ],
    "description": "This table lists the ARI for every variable that
                    is known to the agent."
},
{
    "name": "rptts",
    "columns": [
        {
            "type": "ARI",
            "name": "ids"
        }
    ],
    "description": "This table lists the ARI for every report
                    template that is known to the agent."
},
{
    "name": "macros",
    "columns": [

```

Birrane, et al.

Expires September 12, 2019

[Page 8]

```
        "type": "ARI",
        "name": "ids"
    }],
    "description": "This table lists the ARI for every macro that is
                    known to the agent."
},
{
    "name": "rules",
    "columns": [
        {
            "type": "ARI",
            "name": "ids"
        }],
    "description": "This table lists the ARI for every rule that is
                    known to the agent."
},
{
    "name": "tblts",
    "columns": [
        {
            "type": "ARI",
            "name": "ids"
        }],
    "description": "This table lists the ARI for every table template
                    that is known to the agent."
}
],
"Rptt": [
    {
        "name": "full_report",
        "definition": [
            {
                "ns": "Amp/Agent",
                "nm": "mdat.name"
            },
            {
                "ns": "Amp/Agent",
                "nm": "mdat.version"
            },
            {
                "ns": "Amp/Agent",
                "nm": "edd.num_rpt_tpls"
            },
            {
                "ns": "Amp/Agent",
                "nm": "edd.num_tbl_tpls"
            },
            {
                "ns": "Amp/Agent",
                "nm": "edd.sent_reports"
            }
        ]
    }
]
```

Birrane, et al.

Expires September 12, 2019

[Page 9]

```
},
{
  "ns": "Amp/Agent",
  "nm": "edd.num_tbr"
},
{
  "ns": "Amp/Agent",
  "nm": "edd.run_tbr"
},
{
  "ns": "Amp/Agent",
  "nm": "edd.num_sbr"
},
{
  "ns": "Amp/Agent",
  "nm": "edd.run_sbr"
},
{
  "ns": "Amp/Agent",
  "nm": "edd.num_const"
},
{
  "ns": "Amp/Agent",
  "nm": "edd.num_var"
},
{
  "ns": "Amp/Agent",
  "nm": "edd.num_macros"
},
{
  "ns": "Amp/Agent",
  "nm": "edd.run_macros"
},
{
  "ns": "Amp/Agent",
  "nm": "edd.num_controls"
},
{
  "ns": "Amp/Agent",
  "nm": "edd.run_controls"
},
{
  "ns": "Amp/Agent",
  "nm": "var.num_rules"
}
],
"description": "This is all known meta-data, EDD, and VAR values
known by the Agent."
```

Birrane, et al.

Expires September 12, 2019

[Page 10]

```
}],  
  
"Ctrl": [  
  {  
    "name": "add_var",  
    "parmspec": [{  
      "type": "ARI",  
      "name": "id"  
    },  
    {  
      "type": "EXPR",  
      "name": "def"  
    },  
    {  
      "type": "BYTE",  
      "name": "type"  
    }  
  ],  
  "description": "This control configures a new variable  
                 definition on the Agent."  
},  
{  
  "name": "del_var",  
  "parmspec": [{  
    "type": "AC",  
    "name": "ids"  
}],  
  "description": "This control removes one or more variable  
                 definitions from the Agent."  
},  
{  
  "name": "add_rptt",  
  "parmspec": [{  
    "type": "ARI",  
    "name": "id"  
  },  
  {  
    "type": "AC",  
    "name": "template"  
  }  
],  
  "description": "This control configures a new report template  
                 definition on the Agent."  
},  
{  
  "name": "del_rptt",  
  "parmspec": [{  
    "type": "AC",  
  }]
```

Birrane, et al.

Expires September 12, 2019

[Page 11]

```
        "name": "ids"
    }],
    "description": "This control removes one or more report template
                    definitions from the Agent."
},
{

    "name": "desc_rptt",
    "parmspec": [
        {
            "type": "AC",
            "name": "ids"
        }],
    "description": "This control produces a detailed description of
                    one or more report template identifier(ARI)
                    known to the Agent."
},
{
    "name": "gen_rpts",
    "parmspec": [
        {
            "type": "AC",
            "name": "ids"
        },
        {
            "type": "TNVC",
            "name": "rxmgrs"
        }
    ],
    "description": "This control causes the Agent to produce a
                    report entry for each identified report
                    templates and send them to one or more
                    identified managers(ARIs)."
},
{
    "name": "gen_tbls",
    "parmspec": [
        {
            "type": "AC",
            "name": "ids"
        },
        {
            "type": "TNVC",
            "name": "rxmgrs"
        }
    ],
    "description": "This control causes the Agent to produce a
                    table for each identified table templates and
                    send them to one or more identified managers."
},
{
```

Birrane, et al.

Expires September 12, 2019

[Page 12]

```
"name": "add_macro",
"parmspec": [{  
    "type": "STR",  
    "name": "name"  
},  
{  
    "type": "ARI",  
    "name": "id"  
},  
{  
    "type": "AC",  
    "name": "def"  
}  
],  
"description": "This control configures a new macro definition  
on the Agent."  
,  
{  
    "name": "del_macro",  
    "parmspec": [{  
        "type": "AC",  
        "name": "ids"  
}],  
    "description": "This control removes one or more macro  
definitions from the Agent."  
,  
{  
    "name": "desc_macro",  
    "parmspec": [{  
        "type": "AC",  
        "name": "ids"  
}],  
    "description": "This control produces a detailed description of  
one or more macro identifier(ARI) known to the  
Agent."  
,  
{  
    "name": "add_tbr",  
    "parmspec": [{  
        "type": "ARI",  
        "name": "id"  
},  
{  
        "type": "TV",  
        "name": "start"  
},  
{  
        "type": "TV",  
        "name": "end"  
},  
    ]  
},  
"description": "This control adds a new temporary block record  
to the Agent's temporary block table."}
```

Birrane, et al.

Expires September 12, 2019

[Page 13]

```
        "name": "period"
    },
    {
        "type": "UVAST",
        "name": "count"
    },
    {
        "type": "AC",
        "name": "action"
    },
    {
        "type": "STR",
        "name": "description"
    }

],
"description": "This control configures a new time-based
rule (TBR) definition on the Agent."
},
{
    "name": "add_sbr",
    "parmspec": [{
        "type": "ARI",
        "name": "id"
    },
    {
        "type": "TV",
        "name": "start"
    },
    {
        "type": "EXPR",
        "name": "state"
    },
    {
        "type": "UVAST",
        "name": "max_eval"
    },
    {
        "type": "UVAST",
        "name": "count"
    },
    {
        "type": "AC",
        "name": "action"
    },
    {
        "type": "STR",
        "name": "description"
    }
```

Birrane, et al.

Expires September 12, 2019

[Page 14]

```
        },  
        ],  
        "description": "This control configures a new state-based  
                      rule (SBR) definition on the Agent."  
    },  
    {  
        "name": "del_rule",  
        "parmspec": [{  
            "type": "AC",  
            "name": "ids"  
        }],  
        "description": "This control removes one or more rule  
                      definitions from the Agent."  
    },  
    {  
        "name": "desc_rule",  
        "parmspec": [{  
            "type": "AC",  
            "name": "ids"  
        }],  
        "description": "This control produces a detailed description  
                      of one or more rules known to the Agent."  
    },  
    {  
        "name": "store_var",  
        "parmspec": [{  
            "type": "ARI",  
            "name": "id"  
        },  
        {  
            "type": "EXPR",  
            "name": "value"  
        }],  
        "description": "This control stores variables."  
    },  
    {  
        "name": "reset_counts",  
        "description": "This control resets all Agent ADM statistics  
                      reported in the Agent ADM report."  
    },  
    ],  
  
    "Const": [{  
        "name": "amp_epoch",  
        "type": "TS",  
        "value": "1504915200",  
        "description": "This constant is the time epoch for the Agent."  
    }]
```

Birrane, et al.

Expires September 12, 2019

[Page 15]

```
}],  
  
"Mac": [{  
    "name": "user_desc",  
    "parmspec": [{  
        "type": "AC",  
        "name": "RPTTs"  
    },  
    {  
        "type": "AC",  
        "name": "Rules"  
    }],  
  
    "definition": [{  
        "ns": "Amp/Agent",  
        "nm": "ctrl.desc_rptt",  
        "ap": [{  
            "type": "ParmName",  
            "value": "RPTTs"  
        }]  
    },  
    {  
        "ns": "Amp/Agent",  
        "nm": "ctrl.desc_rule",  
        "ap": [{  
            "type": "ParmName",  
            "value": "Rules"  
        }]  
    }  
],  
    "description": "This macro lists all of the user defined data."  
},  
  
"Oper": [{  
    "name": "plusINT",  
    "result-type": "INT",  
    "in-type": ["INT", "INT"],  
    "description": "Int32 addition"  
},  
    {  
        "name": "plusUINT",  
        "result-type": "UINT",  
        "in-type": ["UINT", "UINT"],  
        "description": "Unsigned Int32 addition"  
},  
    {  
        "name": "plusVAST",  
        "result-type": "VAST",  
    }]
```

Birrane, et al.

Expires September 12, 2019

[Page 16]

```
"in-type": ["VAST", "VAST"],
"description": "Int64 addition"
},
{
  "name": "plusUVAST",
  "result-type": "UVAST",
  "in-type": ["UVAST", "UVAST"],
  "description": "Unsigned Int64 addition"
},
{
  "name": "plusREAL32",
  "result-type": "REAL32",
  "in-type": ["REAL32", "REAL32"],
  "description": "Real32 addition"
},
{
  "name": "plusREAL64",
  "result-type": "REAL64",
  "in-type": ["REAL64", "REAL64"],
  "description": "Real64 addition"
},
{
  "name": "minusINT",
  "result-type": "INT",
  "in-type": ["INT", "INT"],
  "description": "Int32 subtraction"
},
{
  "name": "minusUINT",
  "result-type": "UINT",
  "in-type": ["UINT", "UINT"],
  "description": "Unsigned Int32 subtraction"
},
{
  "name": "minusVAST",
  "result-type": "VAST",
  "in-type": ["VAST", "VAST"],
  "description": "Int64 subtraction"
},
{
  "name": "minusUVAST",
  "result-type": "UVAST",
  "in-type": ["UVAST", "UVAST"],
  "description": "Unsigned Int64 subtraction"
},
{
  "name": "minusREAL32",
  "result-type": "REAL32",
```

Birrane, et al.

Expires September 12, 2019

[Page 17]

```
"in-type": ["REAL32", "REAL32"],
"description": "Real32 subtraction"
},
{
  "name": "minusREAL64",
  "result-type": "REAL64",
  "in-type": ["REAL64", "REAL64"],
  "description": "Real64 subtraction"
},
{
  "name": "multINT",
  "result-type": "INT",
  "in-type": ["INT", "INT"],
  "description": "Int32 multiplication"
},
{
  "name": "multUINT",
  "result-type": "UINT",
  "in-type": ["UINT", "UINT"],
  "description": "Unsigned Int32 multiplication"
},
{
  "name": "multVAST",
  "result-type": "VAST",
  "in-type": ["VAST", "VAST"],
  "description": "Int64 multiplication"
},
{
  "name": "multUVAST",
  "result-type": "UVAST",
  "in-type": ["UVAST", "UVAST"],
  "description": "Unsigned Int64 multiplication"
},
{
  "name": "multREAL32",
  "result-type": "REAL32",
  "in-type": ["REAL32", "REAL32"],
  "description": "Real32 multiplication"
},
{
  "name": "multREAL64",
  "result-type": "REAL64",
  "in-type": ["REAL64", "REAL64"],
  "description": "Real64 multiplication"
},
{
  "name": "divINT",
  "result-type": "INT",
```

Birrane, et al.

Expires September 12, 2019

[Page 18]

```
"in-type": ["INT", "INT"],
"description": "Int32 division"
},
{
  "name": "divUINT",
  "result-type": "UINT",
  "in-type": ["UINT", "UINT"],
  "description": "Unsigned Int32 division"
},
{
  "name": "divVAST",
  "result-type": "VAST",
  "in-type": ["VAST", "VAST"],
  "description": "Int64 division"
},
{
  "name": "divUVAST",
  "result-type": "UVAST",
  "in-type": ["UVAST", "UVAST"],
  "description": "Unsigned Int64 division"
},
{
  "name": "divREAL32",
  "result-type": "REAL32",
  "in-type": ["REAL32", "REAL32"],
  "description": "Real32 division"
},
{
  "name": "divREAL64",
  "result-type": "REAL64",
  "in-type": ["REAL64", "REAL64"],
  "description": "Real64 division"
},
{
  "name": "modINT",
  "result-type": "INT",
  "in-type": ["INT", "INT"],
  "description": "Int32 modulus division"
},
{
  "name": "modUINT",
  "result-type": "UINT",
  "in-type": ["UINT", "UINT"],
  "description": "Unsigned Int32 modulus division"
},
{
  "name": "modVAST",
  "result-type": "VAST",
```

Birrane, et al.

Expires September 12, 2019

[Page 19]

```
"in-type": ["VAST", "VAST"],
"description": "Int64 modulus division"
},
{
  "name": "modUVAST",
  "result-type": "UVAST",
  "in-type": ["UVAST", "UVAST"],
  "description": "Unsigned Int64 modulus division"
},
{
  "name": "modREAL32",
  "result-type": "REAL32",
  "in-type": ["REAL32", "REAL32"],
  "description": "Real32 modulus division"
},
{
  "name": "modREAL64",
  "result-type": "REAL64",
  "in-type": ["REAL64", "REAL64"],
  "description": "Real64 modulus division"
},
{
  "name": "expINT",
  "result-type": "INT",
  "in-type": ["INT", "INT"],
  "description": "Int32 exponentiation"
},
{
  "name": "expUINT",
  "result-type": "UINT",
  "in-type": ["UINT", "UINT"],
  "description": "Unsigned int32 exponentiation"
},
{
  "name": "expVAST",
  "result-type": "VAST",
  "in-type": ["VAST", "VAST"],
  "description": "Int64 exponentiation"
},
{
  "name": "expUVAST",
  "result-type": "UVAST",
  "in-type": ["UVAST", "UVAST"],
  "description": "Unsigned Int64 exponentiation"
},
{
  "name": "expREAL32",
  "result-type": "REAL32",
```

Birrane, et al.

Expires September 12, 2019

[Page 20]

```
"in-type": ["REAL32", "REAL32"],  
"description": "Real32 exponentiation"  
},  
{  
  "name": "expREAL64",  
  "result-type": "REAL64",  
  "in-type": ["REAL64", "REAL64"],  
  "description": "Real64 exponentiation"  
},  
{  
  "name": "bitAND",  
  "result-type": "UVAST",  
  "in-type": ["UVAST", "UVAST"],  
  "description": "Bitwise and"  
},  
{  
  "name": "bitOR",  
  "result-type": "UVAST",  
  "in-type": ["UVAST", "UVAST"],  
  "description": "Bitwise or"  
},  
{  
  "name": "bitXOR",  
  "result-type": "UVAST",  
  "in-type": ["UVAST", "UVAST"],  
  "description": "Bitwise xor"  
},  
{  
  "name": "bitNOT",  
  "result-type": "UVAST",  
  "in-type": ["UVAST"],  
  "description": "Bitwise not"  
},  
{  
  "name": "logAND",  
  "result-type": "BOOL",  
  "in-type": ["BOOL", "BOOL"],  
  "description": "Logical and"  
},  
{  
  "name": "logOR",  
  "result-type": "BOOL",  
  "in-type": ["BOOL", "BOOL"],  
  "description": "Logical or"  
},  
{  
  "name": "logNOT",  
  "result-type": "BOOL",  
  "description": "Logical not"  
}
```

Birrane, et al.

Expires September 12, 2019

[Page 21]

```
"in-type": ["BOOL"],
"description": "Logical not"
},
{
  "name": "abs",
  "result-type": "UVAST",
  "in-type": ["VAST"],
  "description": "absolute value"
},
{
  "name": "lessThan",
  "result-type": "BOOL",
  "in-type": ["UNK", "UNK"],
  "description": "<"
},
{
  "name": "greaterThan",
  "result-type": "BOOL",
  "in-type": ["UNK", "UNK"],
  "description": ">"
},
{
  "name": "lessEqual",
  "result-type": "BOOL",
  "in-type": ["UNK", "UNK"],
  "description": "<="
},
{
  "name": "greaterEqual",
  "result-type": "BOOL",
  "in-type": ["UNK", "UNK"],
  "description": ">="
},
{
  "name": "notEqual",
  "result-type": "BOOL",
  "in-type": ["UNK", "UNK"],
  "description": "!="
},
{
  "name": "Equal",
  "result-type": "BOOL",
  "in-type": ["UNK", "UNK"],
  "description": "=="
},
{
  "name": "bitShiftLeft",
  "result-type": "UVAST",
```

Birrane, et al.

Expires September 12, 2019

[Page 22]

```
"in-type": ["UVAST", "UVAST"],  
"description": "<<"  
},  
{  
    "name": "bitShiftRight",  
    "result-type": "UVAST",  
    "in-type": ["UVAST", "UVAST"],  
    "description": ">>"  
},  
{  
    "name": "STOR",  
    "result-type": "UNK",  
    "in-type": ["UNK", "UNK"],  
    "description": "Store value of parm 2 in parm 1"  
}  
]  
}
```

## 5. IANA Considerations

This document defines a moderated Namespace: "Amp/Agent" with the ADM enumeration of 0.

## 6. References

### 6.1. Informative References

[I-D.birrane-dtn-ama]  
Birrane, E., "Asynchronous Management Architecture",  
[draft-birrane-dtn-ama-07](#) (work in progress), June 2018.

### 6.2. Normative References

[I-D.birrane-dtn-adm]  
Birrane, E., DiPietro, E., and D. Linko, "AMA Application  
Data Model", [draft-birrane-dtn-adm-02](#) (work in progress),  
June 2018.

[I-D.birrane-dtn-amp]  
Birrane, E., "Asynchronous Management Protocol", [draft-](#)  
[birrane-dtn-amp-04](#) (work in progress), June 2018.

[RFC2119] Bradner, S., "Key words for use in RFCs to Indicate  
Requirement Levels", [BCP 14](#), [RFC 2119](#),  
DOI 10.17487/RFC2119, March 1997,  
[<https://www.rfc-editor.org/info/rfc2119>](https://www.rfc-editor.org/info/rfc2119).



Authors' Addresses

Edward J. Birrane  
Johns Hopkins Applied Physics Laboratory

Email: Edward.Birrane@jhuapl.edu

Evana DiPietro  
Johns Hopkins Applied Physics Laboratory

Email: Evana.DiPietro@jhuapl.edu

David Linko  
Johns Hopkins Applied Physics Laboratory

Email: David.Linko@jhuapl.edu

