

netmod
Internet-Draft
Intended status: Standards Track
Expires: April 22, 2019

M. Boucadair
Orange
October 19, 2018

A Tunnel Extension to the Interface Management YANG Module
draft-boucadair-netmod-softwire-iftunnel-00

Abstract

This document specifies an extension the Interface Management YANG module.

Editorial Note (To be removed by RFC Editor)

Please update these statements in the document with the RFC number to be assigned to this document:

- o "This version of this YANG module is part of RFC XXXX;"
- o "RFC XXXX: A Tunnel Extension to the Interface Management YANG Module";
- o "reference: RFC XXXX"

Please update the "revision" date of the YANG module.

Status of This Memo

This Internet-Draft is submitted in full conformance with the provisions of [BCP 78](#) and [BCP 79](#).

Internet-Drafts are working documents of the Internet Engineering Task Force (IETF). Note that other groups may also distribute working documents as Internet-Drafts. The list of current Internet-Drafts is at <https://datatracker.ietf.org/drafts/current/>.

Internet-Drafts are draft documents valid for a maximum of six months and may be updated, replaced, or obsoleted by other documents at any time. It is inappropriate to use Internet-Drafts as reference material or to cite them other than as "work in progress."

This Internet-Draft will expire on April 22, 2019.

Internet-Draft Tunnel Extension to the Interface Module October 2018

Copyright Notice

Copyright (c) 2018 IETF Trust and the persons identified as the document authors. All rights reserved.

This document is subject to [BCP 78](#) and the IETF Trust's Legal Provisions Relating to IETF Documents (<https://trustee.ietf.org/license-info>) in effect on the date of publication of this document. Please review these documents carefully, as they describe your rights and restrictions with respect to this document. Code Components extracted from this document must include Simplified BSD License text as described in Section 4.e of the Trust Legal Provisions and are provided without warranty as described in the Simplified BSD License.

Table of Contents

1.	Introduction	2
2.	IANA Tunnel Type YANG Module	3
3.	Tunnel Extension to the Interface YANG Module	6
4.	Security Considerations	7
5.	IANA Considerations	8
6.	Acknowledgements	9
7.	References	9
7.1.	Normative References	9
7.2.	Informative References	10
Appendix A.	Example	11
	Author's Address	13

[1.](#) Introduction

This document specifies the initial version of an IANA-maintained module to identify a collection of tunnel types assigned by IANA ([Section 2](#)). Furthermore, the document augments the Interface YANG module [[RFC8343](#)] with a new parameter which is meant to indicate the type of a given tunnel ([Section 3](#)). The tree structure of this extension is shown below:

```
module: ietf-interface-tunnel
  augment /if:interfaces/if:interface:
    +--rw tunnel-type?  identityref
```

Tunnel-specific extensions may be added to the Interface module as a

function of the tunnel type. A sample example is provided in [Appendix A](#). It is not the intent of this document to define tunnel-specific extension for every tunnel encapsulation technology; those are discussed in dedicated document such as [\[I-D.ietf-softwire-yang\]](#).

Internet-Draft Tunnel Extension to the Interface Module October 2018

This document uses the common YANG types defined in [\[RFC6991\]](#) and adopts the Network Management Datastore Architecture (NMDA).

The terminology for describing YANG modules is defined in [\[RFC7950\]](#). The meaning of the symbols in tree diagrams is defined in [\[RFC8340\]](#).

[2.](#) IANA Tunnel Type YANG Module

<CODE BEGINS> file "iana-tunnel-type@2018-10-19.yang"

```
module iana-tunnel-type {
  yang-version 1.1;
  namespace "urn:ietf:params:xml:ns:yang:iana-tunnel-type";
  prefix iana-tunnel-type;

  import iana-if-type {
    prefix ift;
    reference
      "RFC 7224: IANA Interface Type YANG Module";
  }

  organization
    "IANA";
  contact
    "Internet Assigned Numbers Authority

  Postal: ICANN
         12025 Waterfront Drive, Suite 300
         Los Angeles, CA 90094-2536
         United States of America
  Tel:   +1 310 301 5800
  <mailto:iana@iana.org>";

  description
    "This module contains a collection of YANG data types defined
    by IANA and used for tunnel types."
```

Copyright (c) 2018 IETF Trust and the persons identified as authors of the code. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, is permitted pursuant to, and subject to the license terms contained in, the Simplified BSD License set forth in [Section 4.c](#) of the IETF Trust's Legal Provisions Relating to IETF Documents (<http://trustee.ietf.org/license-info>).

This version of this YANG module is part of RFC XXXX; see

the RFC itself for full legal notices.";

```
revision 2018-10-19 {
  description
    "Initial revision.";
  reference
    "RFC XXXX: A Tunnel Extension to the Interface
      Management YANG Module";
}

identity other {
  base ift:tunnel;
  description
    "None of the following values.";
}

identity direct {
  base ift:tunnel;
  description
    "No intermediate header.";
}

identity gre {
  base ift:tunnel;
  description
    "GRE encapsulation.";
}

identity minimal {
  base ift:tunnel;
  description
    "Minimal encapsulation.";
```

```

}
identity l2tp {
    base ift:tunnel;
    description
        "L2TP encapsulation.";
}
identity pptp {
    base ift:tunnel;
    description
        "PPTP encapsulation.";
}
identity l2f {
    base ift:tunnel;
    description
        "L2F encapsulation.";
}
identity udp {
    base ift:tunnel;
    description

```

```

        "UDP encapsulation.";
}
identity atmp {
    base ift:tunnel;
    description
        "ATMP encapsulation.";
}
identity msdp {
    base ift:tunnel;
    description
        "MSDP encapsulation.";
}
identity sixtofour {
    base ift:tunnel;
    description
        "6to4 encapsulation.";
}
identity sixoverfour {
    base ift:tunnel;
    description
        "6over4 encapsulation.";
}
}

```

```

identity isatap {
    base ift:tunnel;
    description
        "ISATAP encapsulation.";
}
identity teredo {
    base ift:tunnel;
    description
        "Teredo encapsulation.";
}
identity iphttps {
    base ift:tunnel;
    description
        "IP over HTTPS.";
}
identity softwiremesh {
    base ift:tunnel;
    description
        "softwire mesh tunnel.";
}
identity dslite {
    base ift:tunnel;
    description
        "DS-Lite tunnel.";
}
}

```

<CODE ENDS>

[3.](#) Tunnel Extension to the Interface YANG Module

The `ietf-interface-tunnel` module imports the modules defined in [\[RFC7224\]](#) and [\[RFC8343\]](#).

<CODE BEGINS> file "ietf-interface-tunnel@2018-10-19.yang"

```

module ietf-interface-tunnel {
    yang-version 1.1;

    namespace "urn:ietf:params:xml:ns:yang:ietf-interface-tunnel";
    prefix ietf-interface-tunnel;

```

```

import ietf-interfaces {
  prefix if;
  reference
    "RFC 8343: A YANG Data Model for Interface Management";
}

import iana-if-type {
  prefix ift;
  reference
    "RFC 7224: IANA Interface Type YANG Module";
}

organization "IETF xxx Working Group";

contact

  "WG Web:  <https://datatracker.ietf.org/wg/xxxx/>
  WG List:  <mailto:xxxx@ietf.org>

  Editor:   Mohamed Boucadair
            <mailto:mohamed.boucadair@orange.com>";

description
  "This module is a YANG module for associating a tunnel type with
  tunnel interfaces.

  Copyright (c) 2018 IETF Trust and the persons identified as
  authors of the code.  All rights reserved.

  Redistribution and use in source and binary forms, with or
  without modification, is permitted pursuant to, and subject
  to the license terms contained in, the Simplified BSD License
  set forth in Section 4.c of the IETF Trust's Legal Provisions

```

Relating to IETF Documents
(<http://trustee.ietf.org/license-info>).

This version of this YANG module is part of RFC XXXX; see
the RFC itself for full legal notices.";

```

revision 2018-10-19 {
  description

```

```

    "Initial revision.";
reference
    "RFC XXXX: A Tunnel Extension to the Interface
        Management YANG Module";
}

augment "/if:interfaces/if:interface" {
    when 'derived-from(if:type, "ift:tunnel")';
    description
        "Augments Interface module with tunnel-specific parameters.

        IANA interface types are maintained at this registry:
https://www.iana.org/assignments/ianaiftype-mib/ianaiftype-mib.

        tunnel (131),          -- Encapsulation interface";

    leaf tunnel-type {
        type identityref {
            base ift:tunnel;
        }
        description
            "Indicates the type of the tunnel. It corresponds
            to the IANA tunnelType.

            IANA tunnel types are maintained at this registry:
https://www.iana.org/assignments/ianaiftype-mib/ianaiftype-mib.";
    }
}
}
<CODE ENDS>

```

4. Security Considerations

The YANG module defined in this document is designed to be accessed via network management protocols such as NETCONF [RFC6241] or RESTCONF [RFC8040]. The lowest NETCONF layer is the secure transport layer, and the mandatory-to-implement secure transport is Secure Shell (SSH) [RFC6242]. The lowest RESTCONF layer is HTTPS, and the mandatory-to-implement secure transport is TLS [RFC8446].

restrict access for particular NETCONF or RESTCONF users to a preconfigured subset of all available NETCONF or RESTCONF protocol operations and content.

All data nodes defined in the YANG module which can be created, modified and deleted (i.e., config true, which is the default) are considered sensitive. Write operations (e.g., edit-config) applied to these data nodes without proper protection can negatively affect network operations.

5. IANA Considerations

This document requests IANA to register the following URIs in the "IETF XML Registry" [[RFC3688](#)]:

URI: urn:ietf:params:xml:ns:yang:ietf-interface-tunnel
Registrant Contact: The IESG.
XML: N/A; the requested URI is an XML namespace.

URI: urn:ietf:params:xml:ns:yang:iana-tunnel-type
Registrant Contact: IANA.
XML: N/A; the requested URI is an XML namespace.

This document requests IANA to register the following YANG modules in the "YANG Module Names" registry [[RFC7950](#)].

name: ietf-interface-tunnel
namespace: urn:ietf:params:xml:ns:yang:ietf-interface-tunnel
prefix: ietf-interface-tunnel
reference: RFC XXXX

name: iana-tunnel-type
namespace: urn:ietf:params:xml:ns:yang:iana-tunnel-type
prefix: iana-tunnel-type
reference: RFC XXXX

This document defines the initial version of the IANA-maintained iana-tunnel-type YANG module. IANA is requested to add this note:

Tunnel type values must not be directly added to the iana-tunnel-type YANG module. They must instead be respectively added to the "tunnelType" sub-registry (under "ifType definitions" registry).

When an tunnel type is added to the "tunnelType" registry, a new "identity" statement must be added to the iana-tunnel-type YANG module. The name of the "identity" is the same as the corresponding

enumeration in the IANAifType-MIB. The following substatements to the "identity" statement should be defined:

"base": Contains the value of the tunnel type in lowercase.

"description": Replicate the description from the registry.

"reference": Replicate the reference from the registry and add the title of the document.

Unassigned or reserved values are not present in the module.

When the iana-tunnel-type YANG module is updated, a new "revision" statement must be added in front of the existing revision statements.

IANA is requested to add this note to "tunnelType" registry:

When this registry is modified, the YANG module iana-tunnel-type must be updated as defined in [RFCXXXX].

6. Acknowledgements

Many thanks to Tom Petch.

7. References

7.1. Normative References

- [RFC2119] Bradner, S., "Key words for use in RFCs to Indicate Requirement Levels", [BCP 14](#), [RFC 2119](#), DOI 10.17487/RFC2119, March 1997, <<https://www.rfc-editor.org/info/rfc2119>>.
- [RFC3688] Mealling, M., "The IETF XML Registry", [BCP 81](#), [RFC 3688](#), DOI 10.17487/RFC3688, January 2004, <<https://www.rfc-editor.org/info/rfc3688>>.
- [RFC6241] Enns, R., Ed., Bjorklund, M., Ed., Schoenwaelder, J., Ed., and A. Bierman, Ed., "Network Configuration Protocol (NETCONF)", [RFC 6241](#), DOI 10.17487/RFC6241, June 2011, <<https://www.rfc-editor.org/info/rfc6241>>.
- [RFC6242] Wasserman, M., "Using the NETCONF Protocol over Secure Shell (SSH)", [RFC 6242](#), DOI 10.17487/RFC6242, June 2011, <<https://www.rfc-editor.org/info/rfc6242>>.

Internet-Draft Tunnel Extension to the Interface Module October 2018

- [RFC6991] Schoenwaelder, J., Ed., "Common YANG Data Types", [RFC 6991](#), DOI 10.17487/RFC6991, July 2013, <<https://www.rfc-editor.org/info/rfc6991>>.
- [RFC7224] Bjorklund, M., "IANA Interface Type YANG Module", [RFC 7224](#), DOI 10.17487/RFC7224, May 2014, <<https://www.rfc-editor.org/info/rfc7224>>.
- [RFC7950] Bjorklund, M., Ed., "The YANG 1.1 Data Modeling Language", [RFC 7950](#), DOI 10.17487/RFC7950, August 2016, <<https://www.rfc-editor.org/info/rfc7950>>.
- [RFC8040] Bierman, A., Bjorklund, M., and K. Watsen, "RESTCONF Protocol", [RFC 8040](#), DOI 10.17487/RFC8040, January 2017, <<https://www.rfc-editor.org/info/rfc8040>>.
- [RFC8174] Leiba, B., "Ambiguity of Uppercase vs Lowercase in [RFC 2119](#) Key Words", [BCP 14](#), [RFC 8174](#), DOI 10.17487/RFC8174, May 2017, <<https://www.rfc-editor.org/info/rfc8174>>.
- [RFC8341] Bierman, A. and M. Bjorklund, "Network Configuration Access Control Model", STD 91, [RFC 8341](#), DOI 10.17487/RFC8341, March 2018, <<https://www.rfc-editor.org/info/rfc8341>>.
- [RFC8343] Bjorklund, M., "A YANG Data Model for Interface Management", [RFC 8343](#), DOI 10.17487/RFC8343, March 2018, <<https://www.rfc-editor.org/info/rfc8343>>.
- [RFC8446] Rescorla, E., "The Transport Layer Security (TLS) Protocol Version 1.3", [RFC 8446](#), DOI 10.17487/RFC8446, August 2018, <<https://www.rfc-editor.org/info/rfc8446>>.

[7.2.](#) Informative References

- [I-D.ietf-softwire-yang]
Cui, Y., Farrer, I., Boucadair, M., Sun, Q., Sun, L., Zechlin, S., and R. Asati, "YANG Modules for IPv4-in-IPv6 Address plus Port Softwires", [draft-ietf-softwire-yang-06](#)

(work in progress), June 2018.

[RFC8340] Bjorklund, M. and L. Berger, Ed., "YANG Tree Diagrams", [BCP 215](#), [RFC 8340](#), DOI 10.17487/RFC8340, March 2018, <<https://www.rfc-editor.org/info/rfc8340>>.

Internet-Draft Tunnel Extension to the Interface Module October 2018

[Appendix A](#). Example

The following example illustrate how the interface YANG module can be augmented with tunnel-specific paramters. In this example, the module is augmented with 'remote-endpoint' of the tunnel. A tree structure is also provided below:

```
module: ietf-extension-example
  augment /if:interfaces/if:interface:
    +--rw remote-endpoint?  inet:ipv6-address
```

The 'extension-example' module imports the modules defined in [[RFC6991](#)] and [[RFC8343](#)] in addition to the those defined in this document.

<CODE BEGINS> file "ietf-extension-example@2018-10-19.yang"

```
module ietf-extension-example {
  yang-version 1.1;

  namespace "urn:ietf:params:xml:ns:yang:ietf-extension-example";
  prefix example;

  import ietf-inet-types {
    prefix inet;
    reference
      "Section 4 of RFC 6991";
  }

  import ietf-interfaces {
    prefix if;
    reference
```

```

    "RFC 8343: A YANG Data Model for Interface Management";
}

import iana-tunnel-type {
    prefix iana-tunnel-type;
    reference
        "RFC XXXX: A Tunnel Extension to the Interface Management
        YANG Module";
}

import ietf-interface-tunnel {
    prefix ift;
    reference
        "RFC XXXX: A Tunnel Extension to the Interface Management
        YANG Module";
}

```

Boucadair

Expires April 22, 2019

[Page 11]

Internet-Draft Tunnel Extension to the Interface Module

October 2018

organization "IETF xxxx Working Group";

contact

"WG Web: <<https://datatracker.ietf.org/wg/xxx/>>

WG List: <<mailto:xxx@ietf.org>>

Editor: Mohamed Boucadair

<<mailto:mohamed.boucadair@orange.com>>;

description

"This is an example YANG module.

Copyright (c) 2018 IETF Trust and the persons identified as authors of the code. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, is permitted pursuant to, and subject to the license terms contained in, the Simplified BSD License set forth in [Section 4.c](#) of the IETF Trust's Legal Provisions Relating to IETF Documents (<http://trustee.ietf.org/license-info>).

This version of this YANG module is part of RFC XXXX; see the RFC itself for full legal notices.";

```

revision 2018-10-19 {
  description
    "Initial revision.";
  reference
    "RFC XXXX: A Tunnel Extension to the Interface Management
      YANG Module";
}

augment "/if:interfaces/if:interface" {
  when "derived-from(ift:tunnel-type, 'iana-tunnel-type:gre')";
  description
    "Augments Interface module with specific tunnel parameters.";

  leaf remote-endpoint {
    type inet:ipv6-address;
    description
      "IPv6 address of the local GRE endpoint.";
  }
}
}
<CODE ENDS>

```

Author's Address

Mohamed Boucadair
 Orange
 Rennes 35000
 France

Email: mohamed.boucadair@orange.com

