Internet-Draft

Intended status: Informational

Expires: January 30, 2012

B. Campbell, Ed. Ping Identity Corp. H. Tschofenig Nokia Siemens Networks July 29, 2011

An IETF URN Sub-Namespace for OAuth draft-campbell-oauth-urn-sub-ns-00

Abstract

This document creates and registers an IETF URN Sub-namespace for use with OAuth related specifications.

Status of this Memo

This Internet-Draft is submitted in full conformance with the provisions of BCP 78 and BCP 79.

Internet-Drafts are working documents of the Internet Engineering Task Force (IETF). Note that other groups may also distribute working documents as Internet-Drafts. The list of current Internet-Drafts is at http://datatracker.ietf.org/drafts/current/.

Internet-Drafts are draft documents valid for a maximum of six months and may be updated, replaced, or obsoleted by other documents at any time. It is inappropriate to use Internet-Drafts as reference material or to cite them other than as "work in progress."

This Internet-Draft will expire on January 30, 2012.

Copyright Notice

Copyright (c) 2011 IETF Trust and the persons identified as the document authors. All rights reserved.

This document is subject to BCP 78 and the IETF Trust's Legal Provisions Relating to IETF Documents (http://trustee.ietf.org/license-info) in effect on the date of publication of this document. Please review these documents carefully, as they describe your rights and restrictions with respect to this document. Code Components extracted from this document must include Simplified BSD License text as described in Section 4.e of

the Trust Legal Provisions and are provided without warranty as

described in the Simplified BSD License.

Internet-Draft	An IETF	URN	Sub-Namespace	for	0Auth
----------------	---------	-----	---------------	-----	-------

July 2011

Table of Contents

<u>1</u> .	Introduction	3
<u>2</u> .	Notational Conventions	3
3.	Registration Template for Sub-Namspace Registration of	
	urn:ietf:params:oauth	3
<u>4</u> .	Security Considerations	4
<u>5</u> .	IANA Considerations	4
5.	1. IETF URN Sub-namespace Registration	
	urn:ietf:params:oauth	<u>4</u>
Appe	<u>endix A</u> . Document History	4
<u>6</u> .	References	4
<u>6</u> .	<u>1</u> . Normative References	<u>4</u>
<u>6</u> .	2. Informative References	<u>5</u>
Auth	nors' Addresses	5

1. Introduction

Various extensions and companion specifications to The OAuth 2.0 Authorization Protocol [I-D.ietf.oauth-v2] utilize URIs to identify the extension in use or other relevant context. This document creates and registers an IETF URN Sub-namespace, as documented in RFC 3553 [RFC3553], for use with such specifications. The new 'oauth' sub-namespace look like urn:ietf:params:oauth and OAuth relevant parameters will be established underneath it.

2. Notational Conventions

The key words "MUST", "MUST NOT", "REQUIRED", "SHALL", "SHALL NOT", "SHOULD", "SHOULD NOT", "RECOMMENDED", "MAY", and "OPTIONAL" in this document are to be interpreted as described in RFC 2119 [RFC2119].

3. Registration Template for Sub-Namspace Registration of urn:ietf:params:oauth

If the registrant wishes to have a URI assigned, then a URN of the form urn:ietf:params:oauth:<class>:<id> will be assigned where <class> is the category of the parameters being registered and <id> is a unique id generated by the IANA based on any means the IANA deems necessary to maintain uniqueness and persistence. NOTE: in order for a URN of this type to be assigned, the item being registered MUST be documented in a RFC. The RFC 3553 [RFC3553] URN registration template is found in the IANA consideration section of this document.

The registration procedure for new entries to the requires a request in the form of the following template:

URN:

The token URI that identifies the registered component. If the registrant is requesting that the IANA assign a URI then this field should be specified as "please assign".

Common Name:

The name by which the functionality being registered is generally referred.

Registrant Contact:

The individual/organization that is the registration contact for the component being registered. Ideally, this will be the name and pertinent physical and network contact information. In the case of IETF developed standards, the Registrant will be the IESG. Description:

Information about the registered functionality.

4. Security Considerations

None not already inherent to using URNs as discussed in $\overline{\text{RFC 3553}}$ [$\overline{\text{RFC3553}}$].

5. IANA Considerations

5.1. IETF URN Sub-namespace Registration urn:ietf:params:oauth

Per <u>RFC 3553</u> [<u>RFC3553</u>], IANA is requested to establish the following registry. New entries to the registry are Specification Required.

- o Registry name: urn:ietf:params:oauth
- o Specification: <u>Section 3</u> of this document contains the registry specification.
- o Repository: To be assigned according to the guidelines found above.
- o Index value: The class name

Appendix A. Document History

[[to be removed by RFC editor before publication as an RFC]]

draft-campbell-oauth-urn-sub-ns-00

o initial draft based on http://www.ietf.org/mail-archive/web/oauth/current/msg06949.html

6. References

6.1. Normative References

- [RFC2119] Bradner, S., "Key words for use in RFCs to Indicate Requirement Levels", <u>BCP 14</u>, <u>RFC 2119</u>, March 1997.
- [RFC3553] Mealling, M., Masinter, L., Hardie, T., and G. Klyne, "An IETF URN Sub-namespace for Registered Protocol Parameters", BCP 73, RFC 3553, June 2003.

July 2011

6.2. Informative References

Authors' Addresses

Brian Campbell (editor) Ping Identity Corp.

Email: brian.d.campbell@gmail.com

Hannes Tschofenig Nokia Siemens Networks

Email: hannes.tschofenig@gmx.net