

Internet Engineering Task Force
Internet-Draft
Intended status: Standards Track
Expires: January 18, 2018

B. Campbell
Ping Identity
July 17, 2017

**HTTPS Token Binding with TLS Terminating Reverse Proxies
draft-campbell-tokbind-ttrp-01**

Abstract

This document defines common HTTP header fields that enable a TLS terminating reverse proxy to convey information about the validated Token Binding Message sent by the client to a backend server, which enables that backend server to bind, or verify the binding of, cookies and other security tokens to the client's Token Binding key.

Status of This Memo

This Internet-Draft is submitted in full conformance with the provisions of [BCP 78](#) and [BCP 79](#).

Internet-Drafts are working documents of the Internet Engineering Task Force (IETF). Note that other groups may also distribute working documents as Internet-Drafts. The list of current Internet-Drafts is at <http://datatracker.ietf.org/drafts/current/>.

Internet-Drafts are draft documents valid for a maximum of six months and may be updated, replaced, or obsoleted by other documents at any time. It is inappropriate to use Internet-Drafts as reference material or to cite them other than as "work in progress."

This Internet-Draft will expire on January 18, 2018.

Copyright Notice

Copyright (c) 2017 IETF Trust and the persons identified as the document authors. All rights reserved.

This document is subject to [BCP 78](#) and the IETF Trust's Legal Provisions Relating to IETF Documents (<http://trustee.ietf.org/license-info>) in effect on the date of publication of this document. Please review these documents carefully, as they describe your rights and restrictions with respect to this document. Code Components extracted from this document must include Simplified BSD License text as described in Section 4.e of the Trust Legal Provisions and are provided without warranty as described in the Simplified BSD License.

Table of Contents

1.	Introduction	2
1.1.	Requirements Notation and Conventions	3
2.	HTTP Header Fields and Processing Rules	3
2.1.	Token Binding ID HTTP Header Fields	3
2.2.	Processing Rules	4
2.3.	Examples	5
2.3.1.	Provided Token Binding ID	5
2.3.2.	Provided and Referred Token Binding IDs	6
3.	Security Considerations	6
4.	IANA Considerations	7
4.1.	HTTP Message Header Field Names Registration	7
5.	References	8
5.1.	Normative References	8
5.2.	Informative References	9
Appendix A.	Acknowledgements	9
Appendix B.	Open Issues	9
Appendix C.	Document History	10
	Author's Address	10

1. Introduction

Token Binding over HTTP [[I-D.ietf-tokbind-https](#)] provides a mechanism that enables HTTP servers to cryptographically bind cookies and other security tokens to a key held by the browser or other HTTP client, possession of which is proven on the TLS [[RFC5246](#)] connections over which the tokens are used. When Token Binding is negotiated in the TLS handshake [[I-D.ietf-tokbind-negotiation](#)] the client sends an encoded Token Binding Message [[I-D.ietf-tokbind-protocol](#)] as a header in each HTTP request, which proves possession of one or more private keys held by the client. The public portion of the keys are represented in the Token Binding IDs of the Token Binding Message and for each one there is a signature over some data, which includes the exported keying material [[RFC5705](#)] of the TLS connection. An HTTP server issuing cookies or other security tokens can associate them with the Token Binding ID, which ensures those tokens cannot be used successfully over a different TLS connection or by a different client than the one to which they were issued.

A fairly common deployment architecture for HTTPS applications is to have the backend HTTP application servers sit behind a reverse proxy that terminates TLS. The proxy is accessible to the internet and dispatches client requests to the appropriate backend server within a private or protected network. The backend servers are not directly accessible outside the private network and are only reachable through the reverse proxy. The details of such deployments are typically opaque to clients who make requests to the proxy server and see

Campbell

Expires January 18, 2018

[Page 2]

responses as though they originated from the proxy server itself. TLS connections for HTTPS are established between each client and the reverse proxy server.

Token Binding facilitates a binding of security tokens to a key held by the client by way of the TLS connection between that client and the server. In a deployment where TLS is terminated by a reverse proxy, however, the TLS connection is between the client and the proxy while the backend server is likely the system that will issue cookies or other security tokens. Additional steps are therefore needed to enable the use of Token Binding in such deployment architectures. In the absence of a standardized approach, different implementations will address it differently, which will make interoperability between implementation difficult or impossible without complex configurations or custom integrations.

This document standardizes HTTP header field names that a TLS terminating reverse proxy (TTRP) adds to requests that it sends to the backend servers. The headers contain the information from the validated Token Binding Message sent by the client to the proxy with the "Sec-Token-Binding" header, thus enabling the backend server to bind, or verify the binding of, cookies and other security tokens to the client's Token Binding key. The usage of the headers, both the reverse proxy adding it and the application server using them to bind cookies or other tokens, are to be configuration options of the respective systems as they will not always be applicable.

1.1. Requirements Notation and Conventions

The key words "MUST", "MUST NOT", "REQUIRED", "SHALL", "SHALL NOT", "SHOULD", "SHOULD NOT", "RECOMMENDED", "NOT RECOMMENDED", "MAY", and "OPTIONAL" in this document are to be interpreted as described in [RFC 2119](#) [[RFC2119](#)].

2. HTTP Header Fields and Processing Rules

2.1. Token Binding ID HTTP Header Fields

The Token Binding Protocol [[I-D.ietf-tokbind-protocol](#)] recommends that implementations make Token Binding IDs available to the application as opaque byte sequences, enabling those applications to use the Token Binding IDs when generating and verifying bound tokens. In the context of a TLS terminating reverse proxy (TTRP) deployment, the provided and referred Token Binding IDs are made available to the backend application as the "Provided-Token-Binding-ID" and "Referred-Token-Binding-ID" HTTP headers respectively. The value of both headers is an "EncodedTokenBindingID", for which the ABNF [[RFC5234](#)] syntax is shown in Figure 1 below. "EncodedTokenBindingID" is a

single HTTP header field-value as defined in [Section 3.2 of \[RFC7230\]](#), which MUST NOT have a list of values or occur multiple times in a request. An "EncodedTokenBindingID" is only for use in HTTP requests and MUST NOT to be used in HTTP responses.

```
EncodedTokenBindingID = *( DIGIT / ALPHA / "-" / "_" )  
  
DIGIT = <Defined in Section B.1 of [RFC5234]>  
ALPHA = <Defined in Section B.1 of [RFC5234]>
```

Figure 1: Encoded Token Binding ID Header ABNF

The value of an "EncodedTokenBindingID" is a base64url encoding of the TokenBindingID byte sequence (see section 3 of [\[I-D.ietf-tokbind-protocol\]](#)) using the URL and filename safe alphabet described in [Section 5 of \[RFC4648\]](#), with all trailing pad characters '=' omitted and without the inclusion of any line breaks, whitespace, or other additional characters.

2.2. Processing Rules

This section defines the applicable processing rules for a TLS terminating reverse proxy (TTRP) and backend server(s) to provide server side support of Token Binding over HTTP [\[I-D.ietf-tokbind-https\]](#) using the HTTP headers described in [Section 2.1](#). Use of the technique is to be a configuration or deployments option and the processing rules described herein are for servers operating with that option enabled.

A TTRP negotiates the use of Token Binding with the client per [\[I-D.ietf-tokbind-negotiation\]](#) and validates the Token Binding Message as defined in The Token Binding Protocol [\[I-D.ietf-tokbind-protocol\]](#) and Token Binding over HTTP [\[I-D.ietf-tokbind-https\]](#) for each HTTP request on the underlying TLS connection. Requests with a valid Token Binding Message (and meeting any other authorization or policy requirements of the TTRP) are dispatched to the backend server with the following modifications.

1. The "Sec-Token-Binding" header in the original incoming request MUST be removed from the request that is dispatched to the backend server.
2. The Token Binding ID of the provided Token Binding of the Token Binding Message MUST be placed in the "Provided-Token-Binding-ID" header field of the dispatched request using the format defined in [Section 2.1](#).

3. If the Token Binding Message contains a referred Token Binding, the referred Token Binding ID MUST be placed in the "Referred-Token-Binding-ID" header field of the dispatched request using the format defined in [Section 2.1](#). Otherwise, the "Referred-Token-Binding-ID" header field MUST NOT be present in the dispatched request.
4. Any occurrence of the "Provided-Token-Binding-ID" or "Referred-Token-Binding-ID" header in the original incoming request MUST be removed or overwritten before forwarding the request.

Requests made over a TLS connection where the use of Token Binding was not negotiated MUST be sanitized by removing any occurrences of the "Provided-Token-Binding-ID" and "Referred-Token-Binding-ID" header fields prior to dispatching the request to the backend server.

Forward proxies and other intermediaries MUST NOT add the "Provided-Token-Binding-ID" or "Referred-Token-Binding-ID" header to requests.

[2.3](#). Examples

Extra line breaks and whitespace have been added to the following examples for display and formatting purposes only.

[2.3.1](#). Provided Token Binding ID

The following "Sec-Token-Binding" header is from an HTTP request made over a TLS connection between the client and the TTRP where the use of Token Binding has been negotiated (The base64url-encoded representation of the exported keying material, which can be used to validate the Token Binding Message, for that connection is "AYVUayPTP9RmELNpGjF16Ykm2CUX7pUMxe35yb11dgU"). The encoded Token Binding Message has the provided Token Binding the client uses with the server.

```
Sec-Token-Binding: AIkAAgBBQkzyIrmcY_YcTHVoSHBut69vrGfFdy1_YKTZfFJv
  6BjrZsKD9b9FRzSBxDs1twTqnAS71M1RBumuihhI9xqxXKkAQEtxe4jeUJU0Wezx1Q
  XWVSBFeHxFMdXRBIH_LKOSAUSM0J0XEw1Q8DE248qk0iRKzw3KdSNYukYEPm021bQi
  3YYAAA
```

Figure 2: Header in HTTP Request to TTRP

After validating the Token Binding Message, the TTRP removes the "Sec-Token-Binding" header and adds the following "Provided-Token-Binding-ID" header with the provided Token Binding ID to the request that is dispatched to the backend server.


```

Provided-Token-Binding-ID: AgBBQKzyIrmcY_YCtHVoSHBut69vrGfFdy1_YKTZ
fFJv6BjrZsKD9b9FRzSBxDs1twTqnAS71M1RBumuihhI9xqxXKk

```

Figure 3: Header in HTTP Request to Backend Server

2.3.2. Provided and Referred Token Binding IDs

The following "Sec-Token-Binding" header is from an HTTP request made over a TLS connection between the client and the TTRP where the use of Token Binding has been negotiated (The base64url-encoded representation of the exported keying material, which can be used to validate the Token Binding Message, for that connection is "wEWWCP1KPxfq-QL4NxYII_P4ti_9YYqrTpGs28BZEqE"). The encoded Token Binding Message has the provided Token Binding the client uses with the server as well as the referred Token Binding that it uses with a different server.

```

Sec-Token-Binding: ARIAAgBBQCfsI1D1sTq5mVT_2H_dihNIvuHJCHGjHPJchPav
NbGrOo26-2JgT_IsbvZd4daDFbirYBIwJ-TK1rh8FzrC-psAQMyYIqXj7djGPev1dk
jV9XxLYGCyq0rBVEtBHRMUCeo22ymLg30iFcl_fmOPxJbjxI6lKcF0lyfy-dSQmPIe
zQ0AAAECAEFARPIiuZxj9gK0dWhIcG63r2-sZ8V3LX9gpNl8Um_oG0tmwoP1v0VHNI
HE0zW3B0qcBLvUzVEG6a6KGEj3GrFcqQBAHQm0pzigUTXKLRamuKE1pmmP9I3UBVpoe
1DBCe9H2l1VPpsImakUa6crAqZ-0CGBmji7bYzQogpKcyxTTFk5zdwAA

```

Figure 4: Header in HTTP Request to TTRP

After validating the Token Binding Message, the TTRP removes the "Sec-Token-Binding" header and adds the following "Provided-Token-Binding-ID" and "Referred-Token-Binding-ID" headers, with the provided and referred Token Binding IDs respectively, to the request that is dispatched to the backend server.

```

Provided-Token-Binding-ID: AgBBQCfsI1D1sTq5mVT_2H_dihNIvuHJCHGjHPJc
hPavNbGrOo26-2JgT_IsbvZd4daDFbirYBIwJ-TK1rh8FzrC-ps
Referred-Token-Binding-ID: AgBBQKzyIrmcY_YCtHVoSHBut69vrGfFdy1_YKTZ
fFJv6BjrZsKD9b9FRzSBxDs1twTqnAS71M1RBumuihhI9xqxXKk

```

Figure 5: Headers in HTTP Request to Backend Server

3. Security Considerations

The headers described herein enable a reverse proxy and backend server to function together as though they are single logical server side deployment of HTTPS Token Binding. Use of the headers outside that intended use case, however, may undermine the protections afforded by Token Binding. Therefore steps MUST be taken to prevent unintended use, both in sending the headers and in relying on their value.

Producing and consuming the headers SHOULD be a configurable option, respectively, in a reverse proxy and backend server (or individual application in that server). The default configuration for both should be to not use the headers thus requiring an "opt-in" to the functionality.

Reverse proxies SHOULD only add the headers to requests that are forwarded to trusted backend servers.

Backend servers MUST only accept the headers from trusted reverse proxies. And reverse proxies MUST sanitize the incoming request before forwarding it on by removing or overwriting any existing instances of the headers. Otherwise arbitrary clients can control the header values as seen and used by the backend server.

The communication between a reverse proxy and backend server needs to be secured against eavesdropping and modification by unintended parties.

The configuration options and request sanitization are necessarily functionally of the respective servers. The other requirements can be met in a number of ways, which will vary based on specific deployments. The communication between a reverse proxy and backend server, for example, might be over a mutually authenticated TLS with the insertion and consumption headers occurring only on that connection. Alternatively the network topology might dictate a private network such that the backend application is only able to accept requests from the reverse proxy and the proxy can only make requests to that server. Other deployments that meet the requirements set forth herein are also possible.

4. IANA Considerations

4.1. HTTP Message Header Field Names Registration

This document specifies the following new HTTP header fields, registration of which is requested in the "Permanent Message Header Field Names" registry defined in [[RFC3864](#)].

- o Header Field Name: "Provided-Token-Binding-ID"
- o Applicable protocol: HTTP
- o Status: standard
- o Author/change Controller: IETF
- o Specification Document(s): [[this specification]]

- o Header Field Name: "Referred-Token-Binding-ID"
- o Applicable protocol: HTTP
- o Status: standard

- o Author/change Controller: IETF
- o Specification Document(s): [[this specification]]

5. References

5.1. Normative References

- [I-D.ietf-tokbind-https]
Popov, A., Nystrom, M., Balfanz, D., Langley, A., and J. Hodges, "Token Binding over HTTP", [draft-ietf-tokbind-https-09](#) (work in progress), April 2017.
- [I-D.ietf-tokbind-negotiation]
Popov, A., Nystrom, M., Balfanz, D., and A. Langley, "Transport Layer Security (TLS) Extension for Token Binding Protocol Negotiation", [draft-ietf-tokbind-negotiation-08](#) (work in progress), April 2017.
- [I-D.ietf-tokbind-protocol]
Popov, A., Nystrom, M., Balfanz, D., Langley, A., and J. Hodges, "The Token Binding Protocol Version 1.0", [draft-ietf-tokbind-protocol-14](#) (work in progress), April 2017.
- [RFC2119] Bradner, S., "Key words for use in RFCs to Indicate Requirement Levels", [BCP 14](#), [RFC 2119](#), DOI 10.17487/RFC2119, March 1997, <<http://www.rfc-editor.org/info/rfc2119>>.
- [RFC4648] Josefsson, S., "The Base16, Base32, and Base64 Data Encodings", [RFC 4648](#), DOI 10.17487/RFC4648, October 2006, <<http://www.rfc-editor.org/info/rfc4648>>.
- [RFC5234] Crocker, D., Ed. and P. Overell, "Augmented BNF for Syntax Specifications: ABNF", STD 68, [RFC 5234](#), DOI 10.17487/RFC5234, January 2008, <<http://www.rfc-editor.org/info/rfc5234>>.
- [RFC5246] Dierks, T. and E. Rescorla, "The Transport Layer Security (TLS) Protocol Version 1.2", [RFC 5246](#), DOI 10.17487/RFC5246, August 2008, <<http://www.rfc-editor.org/info/rfc5246>>.
- [RFC5705] Rescorla, E., "Keying Material Exporters for Transport Layer Security (TLS)", [RFC 5705](#), DOI 10.17487/RFC5705, March 2010, <<http://www.rfc-editor.org/info/rfc5705>>.

[RFC7230] Fielding, R., Ed. and J. Reschke, Ed., "Hypertext Transfer Protocol (HTTP/1.1): Message Syntax and Routing", [RFC 7230](#), DOI 10.17487/RFC7230, June 2014, <<http://www.rfc-editor.org/info/rfc7230>>.

5.2. Informative References

[RFC3864] Klyne, G., Nottingham, M., and J. Mogul, "Registration Procedures for Message Header Fields", [BCP 90](#), [RFC 3864](#), DOI 10.17487/RFC3864, September 2004, <<http://www.rfc-editor.org/info/rfc3864>>.

Appendix A. Acknowledgements

The author would like to thank the following people for their various contributions to the specification: Vinod Anupam, Dirk Balfanz, John Bradley, Jeff Hodges, Subodh Iyengar, Leif Johansson, Yoav Nir, Andrei Popov, Eric Rescorla, Piotr Sikora, Martin Thomson, Hans Zandbelt and others (please let me know, if you've contributed and I've forgotten you).

Appendix B. Open Issues

- o During discussions at a side meeting in Chicago (IETF 98) there seemed to be general support for having the TTRP rename the "Sec-Token-Binding" header to something else and pass the full original EncodedTokenBindingMessage to the backend server via a different header (maybe "TTRP-Token-Binding" or something) in addition to the "Provided-Token-Binding-ID" and if applicable the "Referred-Token-Binding-ID" headers defined herein. The idea was largely that the backend server "might need it for something" so pass the whole thing along just in case. However, as I sat down to write this draft, I couldn't bring myself to add it in the main text. On thinking about it more, it feels inefficient/duplicative and rather inelegant. And without the EKM, much of the data not already made available via the Token Binding IDs is meaningless (e.g. the signature value). Data in TokenBinding.extensions, if extensions are present, might be useful to the backend server. But might also only be useful/meaningful at the TTRP where the initial TLS connection is terminated. I really don't know. Perhaps any extensions, if present, should be passed to the backend via different header(s)? Or maybe it would be more appropriate to not attempt to cover TokenBinding.extensions in this document and defer to the definition of individual extensions to say how/if they are to be handled in a TTRP type deployment?

Appendix C. Document History

[[to be removed by the RFC Editor before publication as an RFC]]

[draft-campbell-tokbind-ttrp-01](#)

- o Minor editorial fixes.
- o Add to the Acknowledgements.

[draft-campbell-tokbind-ttrp-00](#)

- o Initial draft based on 'consensus to work on the problem' from the Seoul meeting [1][2] and reflecting the consensus approach from discussions at the Chicago meeting [3].

[1] <https://www.ietf.org/proceedings/97/minutes/minutes-97-tokbind-01.txt> (minutes from Seoul)

[2] <https://www.ietf.org/proceedings/97/slides/slides-97-tokbind-reverse-proxies-00.pdf> (slides from Seoul)

[3] https://mailarchive.ietf.org/arch/msg/unbearable/_ZHI8y2Vs5WMP8VMRr7zroo_sNU (summary of discussion)

Author's Address

Brian Campbell
Ping Identity

Email: brian.d.campbell@gmail.com

