

Network Working Group
Internet-Draft
Expires: October 18, 2004

C. Daboo
Cyrusoft International, Inc.
April 19, 2004

IMAP ANNOTATEMORE Extension
draft-daboo-imap-annotatemore-05

Status of this Memo

This document is an Internet-Draft and is in full conformance with all provisions of [Section 10 of RFC2026](#).

Internet-Drafts are working documents of the Internet Engineering Task Force (IETF), its areas, and its working groups. Note that other groups may also distribute working documents as Internet-Drafts.

Internet-Drafts are draft documents valid for a maximum of six months and may be updated, replaced, or obsoleted by other documents at any time. It is inappropriate to use Internet-Drafts as reference material or to cite them other than as "work in progress."

The list of current Internet-Drafts can be accessed at <http://www.ietf.org/ietf/lid-abstracts.txt>.

The list of Internet-Draft Shadow Directories can be accessed at <http://www.ietf.org/shadow.html>.

This Internet-Draft will expire on October 18, 2004.

Copyright Notice

Copyright (C) The Internet Society (2004). All Rights Reserved.

Abstract

The ANNOTATEMORE extension to the Internet Message Access Protocol permits clients and servers to maintain "metadata" on IMAP4 servers. It is possible to store data on a per-mailbox basis or on the server as a whole.

Change History (to be removed prior to publication as an RFC)

Changes from -04 to -05:

1. Fix for valid IMAP state of commands.
2. Fix formatting, ID nits etc.

Changes from -03 to -04:

Internet-Draft

IMAP ANNOTATEMORE Extension

April 2004

1. Allow retrieval of shared annotations for READ-ONLY mailbox.
2. Clarification of annotation loss on implicit removal of \Noselect mailboxes.
3. Now requires roll-back of all changes to matching mailboxes if there is a partial failure in SETANNOTATION.

Changes from -02 to -03:

1. Reworked entry naming scheme to split out mailbox name and use empty string for server items.

Changes from -01 to -02:

1. SETANNOTATION lists use (..).
2. Explicitly state behaviour of unsolicited responses.
3. Adding SHOULD behaviour for rename/delete of mailboxes.
4. Added statement about supporting annotations on \Noselect mailboxes.
5. Cleaned up formal syntax to use IMAP string type for entry and attributes, with requirements on how the string is formatted.
6. Use of ACAP vendor subtree registry for vendor tokens.

Changes from -00 to -01:

1. Multiple entry-att responses are now simply delimited by spaces in line with ANNOTATE spec. Adjusted examples to match.
2. Fixed entry-list formal syntax item to account for unsolicited parenthesised list of entries.
3. Removed setentries formal syntax item for simplicity since its only used once.
4. Removed reference to 'message annotation' in [section 5.1](#).
5. Changed formal syntax to restrict top level entries to /server and /mailbox/{...} only. Re-arranged entry names section to account for this change.
6. Added comment and example for ANNOTATION response to allow servers to return separate responses for each entry if desired.

Internet-Draft

IMAP ANNOTATEMORE Extension

April 2004

Table of Contents

1.	Introduction and Overview	4
2.	Data Model	4
2.1	Overview	4
2.2	Namespace of entries and attributes	5
2.2.1	Entry Names	5
2.2.2	Attribute Names	6
2.3	Private versus Shared and Access Control	7
3.	IMAP Protocol Changes	8
3.1	General Considerations	8
3.2	GETANNOTATION Command	8
3.3	SETANNOTATION Command	10
3.4	ANNOTATION Response	12
3.4.1	ANNOTATION response with attributes and values	13
3.4.2	Unsolicited ANNOTATION response without attributes and values	14
4.	Formal Syntax	15
5.	IANA Considerations	16
5.1	Entry and Attribute Registration Template	17
6.	Security Considerations	17
	Normative References	17
	Informative References	18
	Author's Address	18
A.	Acknowledgments	18
	Intellectual Property and Copyright Statements	19

1. Introduction and Overview

The ANNOTATEMORE extension is present in any IMAP4 [[RFC3501](#)] implementation which returns "ANNOTATEMORE" as one of the supported capabilities in the CAPABILITY command response.

The goal of ANNOTATEMORE is to provide a means for clients to store and retrieve "metadata" on an IMAP4 server. The metadata can be associated with specific mailboxes or the server as a whole.

The ANNOTATEMORE extension adds two new commands and one new untagged response to the IMAP4 base protocol.

This extension makes the following changes to the IMAP4 protocol:

- adds a new SETANNOTATION command
- adds a new GETANNOTATION command
- adds a new ANNOTATION untagged response
- adds a new ANNOTATEMORE response code

The data model used in ANNOTATEMORE is exactly the same as that used in the ANNOTATE [[ANNOTATE](#)] extension to IMAP4. This is modeled after that of the Application Configuration Access Protocol [[RFC2244](#)] with the exception of inheritance which is not deemed necessary here.

The rest of this document describes the data model and protocol changes more rigorously.

[2. Data Model](#)

[2.1 Overview](#)

The data model used in ANNOTATEMORE is one of a uniquely named entry with a set of uniquely named attributes, each of which has a value. Annotations can be added to mailboxes when a mailbox name is provided as the first argument to the new commands, or to the server as a whole when the empty string is provided as the first argument to the new commands.

An annotation can contain multiple named entries. For example, a general comment being added to a mailbox may have an entry name of `"/comment"`. This entry could include named attributes such as `"value"`, `"modifiedsince"`, `"acl"` etc to represent properties and data associated with the entry.

The protocol changes to IMAP described below allow a client to access or change the values of any attributes in any entries in an annotation, assuming it has sufficient access rights to do so.

[2.2 Namespace of entries and attributes](#)

Each annotation is made up of a set of entries. Each entry has a hierarchical name in UTF-8, with each component of the name separated by a slash (`"/"`).

Each entry is made up of a set of attributes. Each attribute has a hierarchical name in UTF-8, with each component of the name separated by a period (`"."`).

The value of an attribute is NIL (has no value), or a string of zero or more octets.

Entry and attribute names are not permitted to contain asterisk (`"*"`) or percent (`"%"`) characters and MUST be valid UTF-8 strings which do not contain NUL. Invalid entry or attribute names result in a BAD response in any IMAP commands where they are used.

Use of non-visible UTF-8 characters in entry and attribute names is discouraged.

This specification defines an initial set of entry and attribute names available for use with mailbox and server annotations. In addition an extension mechanism is described to allow additional names to be added for extensibility.

[2.2.1](#) Entry Names

Entry names MUST be specified in a standards track or IESG approved experimental RFC, or fall under the vendor namespace. See [Section 5.1](#) for the registration template. This specification only allows two top-level entry types for servers and mailboxes.

[2.2.1.1](#) Server Entries

These entries are used when the mailbox name argument to the new commands is the empty string.

`/comment`

Defines a comment or note associated with the server.

`/motd`

Defines a "message of the day" for the server. This entry is always read-only - clients cannot change it.

`/admin`

Indicates a method for contacting the server administrator. This may be a URI (e.g. a mailto URL) or other contact information,

such as a telephone number. This entry is always read-only - clients cannot change it.

`/vendor/<vendor-token>`

Defines the top-level of entries associated with the server as created by a particular product of some vendor. This entry can be used by vendors to provide server or client specific attributes. The vendor-token MUST be registered with IANA, using the ACAP [[RFC2244](#)] vendor subtree registry.

[2.2.1.2](#) Mailbox Entries

These entries are used when the mailbox name argument to the new commands is not the empty string.

`/comment`

Defines a comment or note associated with a mailbox.

`/sort`

Defines the default sort criteria [[SORT](#)] to use when first displaying the mailbox contents to the user, or NIL if sorting is not required.

`/thread`

Defines the default thread criteria [[SORT](#)] to use when first displaying the mailbox contents to the user, or NIL if threading is not required. If both sort and thread are not NIL, then threading should take precedence over sorting.

`/check`

Boolean value "true" or "false" that indicates whether this mailbox should be checked at regular intervals by the client. The interval in minutes is specified by the `/checkperiod` entry.

`/checkperiod`

Numeric value indicating a period of minutes to use for checking a mailbox that has the `/check` entry set to "true".

`/vendor/<vendor-token>`

Defines the top-level of entries associated with a specific mailbox as created by a particular product of some vendor. This entry can be used by vendors to provide client specific attributes. The vendor-token MUST be registered with IANA, using the ACAP [[RFC2244](#)] vendor subtree registry.

[2.2.2](#) Attribute Names

Attribute names MUST be specified in a standards track or IESG

approved experimental RFC, or fall under the vendor namespace. See [Section 5.1](#) for the registration template.

All attribute names implicitly have a ".priv" and a ".shared" suffix which maps to private and shared versions of the entry. Searching or fetching without using either suffix includes both. The client MUST specify either a ".priv" or ".shared" suffix when storing an

annotation.

value

The data value of the attribute.

size

The size of the value, in octets. Set automatically by the server, read-only to clients.

modifiedsince

An opaque value set by the server when this entry is modified. It can be used by the client to request notification of which entries have changed since a particular point in time and is useful for disconnected/synchronisation operations.

content-type

A MIME [[RFC2046](#)] content type and subtype that describes the nature of the content of the "value" attribute.

vendor.<vendor-token>

Defines an attribute associated with a particular product of some vendor. This attribute can be used by vendors to provide client specific attributes. The vendor-token MUST be registered with IANA, using the ACAP [[RFC2244](#)] vendor subtree registry.

[2.3](#) Private versus Shared and Access Control

As discussed in the ANNOTATE [[ANNOTATE](#)] extension there is a need to support both private and shared annotations. This document adopts the scheme used in [[ANNOTATE](#)] that adds two standard suffixes for all attributes: ".shared" and ".priv". A GETANNOTATION command which specifies neither uses both. SETANNOTATION commands MUST explicitly use .priv or .shared suffixes.

A user can only store and retrieve private annotations on a mailbox which is returned to them via a LIST or LSUB command. A user can only store and retrieve shared annotations on a mailbox that they can SELECT and which opens READ-WRITE. A user can only retrieve shared annotations on a mailbox that they can SELECT and which opens READ-ONLY. If a client attempts to store a shared annotation on a READ-ONLY mailbox, the server MUST respond with a NO response.

[3. IMAP Protocol Changes](#)

[3.1 General Considerations](#)

The new commands and response each have a mailbox name argument, indicating that the annotations being referred to are attached to the specified mailbox. An empty string can be used for the mailbox name to signify server annotations.

Both "*" and "%" list wildcard characters MAY be used in the mailbox name argument to commands to match all possible occurrences of a mailbox name pattern. However, "*" or "%" by themselves MUST NOT match the empty string (server) entries. Server entries can only be accessed by explicitly using the empty string as the mailbox name.

Servers SHOULD ensure that mailbox annotations are automatically moved when the mailbox they refer to is renamed, i.e. the annotations follow the mailbox. Servers SHOULD delete annotations for a mailbox when the mailbox is deleted, so that a mailbox created with the same name as a previously existing mailbox does not inherit the old mailbox annotations. Servers SHOULD allow annotations on all 'types' of mailbox, including ones reporting \Noselect for their LIST response. Servers can implicitly remove \Noselect mailboxes when all child mailboxes are removed, and as such any annotations associated with the \Noselect mailbox SHOULD be removed.

The server is allowed to impose limitations on the size of any one annotation or the total number of annotations for a single mailbox or for the server as a whole. However, the server MUST accept a minimum annotation data size of at least 1024 bytes, and a minimum annotation count per server or mailbox of at least 10.

[3.2 GETANNOTATION Command](#)

This extension adds the GETANNOTATION command. This allows clients to retrieve annotations.

This command is only available in authenticated or selected state [[RFC3501](#)].

Arguments: mailbox-name
 entry-specifier
 attribute-specifier

Responses: required ANNOTATION response

Result: OK - command completed
 NO - command failure: can't access annotations on that mailbox

Internet-Draft

IMAP ANNOTATEMORE Extension

April 2004

BAD - command unknown or arguments invalid

The mailbox-name argument MUST be a valid mailbox name or the empty string. In the later case, the annotations being referred to are the ones for the server as a whole.

Example:

```
C: a GETANNOTATION "" "/comment" "value.priv"
S: * ANNOTATION "" "/comment" ("value.priv" "My comment")
S: a OK GETANNOTATION complete
```

In the above example, the contents of the "value" attribute for the "/comment" server entry is requested by the client and returned by the server.

"*" and "%" wildcard characters can be used in either specifier to match one or more characters at that position, with the exception that "%" does not match the hierarchy delimiter for the specifier it appears in (i.e. "/" for an entry specifier or "." for an attribute specifier). Thus an entry specifier of "/"% would match entries such as "/comment" and "/version", but not "/comment/note".

Example:

```
C: a GETANNOTATION "" "/*" "value.priv"
S: * ANNOTATION "" "/comment" ("value.priv" "My comment")
      "/version" ("value.priv" "1.1")
      "/motd/today" ("value.priv" "Closed at 1 pm")
S: a OK GETANNOTATION complete
```

In the above example, the contents of the "value" attributes for any server entries are requested by the client and returned by the server.

Example:

```
C: a GETANNOTATION "" "/"% "value"
S: * ANNOTATION "/comment" ("value.priv" "My comment")
      ("value.shared" "Your comment")
      "/motd" ("value.priv" "Its sunny outside!"
      ("value.shared" "Today is a Holiday")
S: a OK GETANNOTATION complete
```

In the above example, the contents of the "value" attributes for server entries at the top level of the entry hierarchy only, are requested by the client and returned by the server. Both the .priv and .shared values are returned, as neither were explicitly

requested.

Entry and attribute specifiers can be lists of atomic specifiers, so that multiple items of each type may be returned in a single GETANNOTATION command.

Example:

```
C: a GETANNOTATION "" ("/comment" "/motd") "value.priv"
S: * ANNOTATION "" "/comment" ("value.priv" "My comment")
      "/motd" ("value.priv" "Its sunny outside!")
S: a OK GETANNOTATION complete
```

In the above example, the contents of the "value" attributes for the two server entries "/comment" and "/motd" are requested by the client and returned by the server.

Example:

```
C: a GETANNOTATION "" "/comment" ("value.priv" "modifiedsince.priv")
S: * ANNOTATION "" "/comment" ("value.priv" "My comment"
      "modifiedsince.priv" "19990203205432")
S: a OK GETANNOTATION complete
```

In the above example, the contents of the "value" and "modifiedsince" attributes for the "/comment" server entry are requested by the client and returned by the server.

[3.3](#) SETANNOTATION Command

This extension adds the SETANNOTATION command. This allows clients to set annotations.

This command is only available in authenticated or selected state [[RFC3501](#)].

Arguments: mailbox-name
entry
attribute-value
list of entry, attribute-values

Responses: no specific responses for this command

Result: OK - command completed
NO - command failure: can't set annotations,
or annotation too big or too many
BAD - command unknown or arguments invalid

Daboo

Expires October 18, 2004

[Page 10]

Internet-Draft

IMAP ANNOTATEMORE Extension

April 2004

Sets the specified list of entries by adding or replacing the specified attributes with the values provided. Clients can use NIL for values of attributes it wants to remove from entries. The server MAY return an unsolicited ANNOTATION response containing the updated annotation data. The server SHOULD send such responses for any changes to the server annotations, and SHOULD send such responses for mailbox annotations only for the currently selected mailbox. Clients MUST NOT assume that an unsolicited ANNOTATION response will be sent, and MUST assume that if the command succeeds then the annotation has been changed.

If the server is unable to store an annotation because the size of its value is too large, the server MUST return a tagged NO response with a "[ANNOTATEMORE TOOBIG]" response code.

If the server is unable to store a new annotation because the maximum number of allowed annotations has already been reached, the server MUST return a tagged NO response with a "[ANNOTATEMORE TOOMANY]" response code.

If the server is unable to store the annotations for one or more mailboxes matching the mailbox-name pattern, then the SETANNOTATION command MUST fail and there MUST NOT be any changes to any of the matching mailboxes, even those for which annotations could have been changed successfully.

Example:

```
C: a SETANNOTATION "INBOX" "/comment" ("value.priv" "My new comment"
```

S: a OK SETANNOTATION complete

In the above example, the entry `"/comment"` for the mailbox `"INBOX"` is created (if not already present) and the private attribute `"value"` with data set to `"My new comment"` is created if not already present, or replaced if it previously exists.

Example:

```
C: a SETANNOTATION "INBOX" "/comment" ("value.priv" NIL)
S: a OK SETANNOTATION complete
```

In the above example, the private `"value"` attribute of the entry `"/comment"` is removed from the mailbox `"INBOX"`.

Multiple entries can be set in a single SETANNOTATION command by listing entry-attribute-value pairs in the list.

Example:

Daboo

Expires October 18, 2004

[Page 11]

Internet-Draft

IMAP ANNOTATEMORE Extension

April 2004

```
C: a SETANNOTATION "INBOX.%" "/comment" ("value.priv" "My new comment")
S: a OK SETANNOTATION complete
```

In the above example, the entry `"/comment"` for all mailboxes at the top-level of the `"INBOX"` hierarchy are created (if not already present) and the private and shared attributes `"value"` are created respectively for each entry if not already present, or replaced if they previously existed.

Multiple attributes can be set in a single SETANNOTATION command by listing multiple attribute-value pairs in the entry list.

Example:

```
C: a SETANNOTATION "INBOX" "/comment"
    ("value.priv" "My new comment"
     "vendor.foobar.bloop.priv" "foo's bar")
S: a OK SETANNOTATION complete
```

In the above example, the entry `"/comment"` for the mailbox `"INBOX"` is created (if not already present) and the private attributes `"value"` and `"vendor.foobar.bloop"` are created if not already

present, or replaced if they previously existed.

Example:

```
C: a SETANNOTATION "INBOX" "/comment" ("value.priv" "My new comment"  
S: a NO [ANNOTATEMORE TOOMANY] SETANNOTATION failed
```

In the above example, the server is unable to store the requested (new) annotation as it has reached the limit on the number of annotations it can support on the specified mailbox.

[3.4](#) ANNOTATION Response

The ANNOTATION response displays results of a GETANNOTATION command, or can be returned as a unsolicited response at anytime by the server in response to a change in an annotation.

Servers SHOULD send unsolicited ANNOTATION responses if changed by a third-party, allowing servers to keep clients updated with changes to annotations by other clients. Unsolicited mailbox entries MUST only be returned for the currently selected mailbox. In this case, only the entries are returned in the ANNOTATION response, not the attributes and values. If the client wants to update any cached values it must explicitly retrieve those using a GETANNOTATION command.

Daboo

Expires October 18, 2004

[Page 12]

Internet-Draft

IMAP ANNOTATEMORE Extension

April 2004

Separate ANNOTATION responses MUST be used when more than one mailbox matches the mailbox name argument pattern to the command.

The ANNOTATION response can contain multiple entries in a single response, but the server is free to return multiple responses for each entry or group of entries if it desires.

This response is only available in authenticated state [[RFC3501](#)].

[3.4.1](#) ANNOTATION response with attributes and values

The response consists of a list of entries each of which has a list of attribute-value pairs.

Example:

```
C: a GETANNOTATION "" "/comment" "value.priv"
S: * ANNOTATION "" "/comment" ("value.priv" "My comment")
S: a OK GETANNOTATION complete
```

In the above example, a single entry with a single attribute-value pair is returned by the server.

Example:

```
C: a GETANNOTATION "" ("/comment" "/motd") "value.priv"
S: * ANNOTATION "" "/comment" ("value.priv" "My comment")
      "/motd" ("value.priv" "Its sunny outside!")
S: a OK GETANNOTATION complete
```

In the above example, two entries each with a single attribute-value pair is returned by the server.

Example:

```
C: a GETANNOTATION "" ("/comment" "/motd") "value.priv"
S: * ANNOTATION "" "/comment" ("value.priv" "My comment")
S: * ANNOTATION "" "/motd" ("value.priv" "Its sunny outside!")
S: a OK GETANNOTATION complete
```

In the above example, the server returns two separate responses for each of the two entries requested.

Example:

```
C: a GETANNOTATION "" "/comment" ("value.priv" "modifiedsince.priv")
S: * ANNOTATION "" "/comment" ("value.priv" "My comment"
      "modifiedsince.priv" "19990203205432")
```

```
S: a OK GETANNOTATION complete
```

In the above example, a single entry with two attribute-value pairs is returned by the server.

Example:

```
C: a GETANNOTATION "INBOX.%" "/comment" "value.priv"
```

```
S: * ANNOTATION "INBOX.1" "/comment" ("value.priv" "My comment for 1
S: * ANNOTATION "INBOX.2" "/comment" ("value.priv" "My comment for 2
S: * ANNOTATION "INBOX.3" "/comment" ("value.priv" "My comment for 3
S: a OK GETANNOTATION complete
```

In the above example, separate responses are returned for each matching mailbox, each containing a single entry with a single attribute-value pair.

[3.4.2](#) Unsolicited ANNOTATION response without attributes and values

The response consists of a parenthesised list of entries, each of which have changed on the server.

Example:

```
C: a NOOP
S: * ANNOTATION "" ("/comment")
S: a OK NOOP complete
```

In the above example, the server indicates that the "/comment" server entry has been changed.

Example:

```
C: a NOOP
S: * ANNOTATION "" ("/comment" "/motd")
S: a OK NOOP complete
```

In the above example, the server indicates a change to two server entries.

Example:

```
C: a NOOP
S: * ANNOTATION "" ("/motd")
S: * ANNOTATION "INBOX" ("/comment")
S: a OK NOOP complete
```

In the above example, the server indicates a change to a server

entry, and to the an entry for the currently selected mailbox.

4. Formal Syntax

The following syntax specification uses the Augmented Backus-Naur Form (ABNF) notation as specified in [\[RFC2234\]](#).

Non-terminals referenced but not defined below are as defined by [\[RFC3501\]](#).

Except as noted otherwise, all alphabetic characters are case-insensitive. The use of upper or lower case characters to define token strings is for editorial clarity only. Implementations MUST accept these strings in a case-insensitive fashion.

```
annotate-data      = "ANNOTATION" SP mailbox SP entry-list
                    ; empty string for mailbox implies
                    ; server annotation.

att-value          = attrib SP value

attrib             = string
                    ; dot-separated attribute name
                    ; MUST NOT contain "*" or "%"

attrib-match      = string
                    ; dot-separated attribute name
                    ; MAY contain "*" or "%" for use as wildcards

attribs           = attrib-match / "(" attrib-match *(SP attrib-match) ")"
                    ; attribute specifiers that can include wildcards

command-auth      /= setannotation / getannotation
                    ; adds to original IMAP4 command

entries           = entry-match / "(" entry-match *(SP entry-match) ")"
                    ; entry specifiers that can include wildcards

entry             = string
                    ; slash-separated path to entry
                    ; MUST NOT contain "*" or "%"

entry-att         = entry SP "(" att-value *(SP att-value) ")"

entry-list        = entry-att *(SP entry-att) /
                    "(" entry *(SP entry) ")"
                    ; entry attribute-value pairs list for
                    ; GETANNOTATION response, or
```

```
    ; parenthesised entry list for unsolicited
    ; notification of annotation changes

entry-match      = string
                  ; slash-separated path to entry
                  ; MAY contain "*" or "%" for use as wildcards

getannotation    = "GETANNOTATION" SP list-mailbox SP entries SP attrib
                  ; empty string for list-mailbox implies
                  ; server annotation.

response-data    /= "*" SP annotate-data CRLF
                  ; adds to original IMAP4 data responses

resp-text-code   =/ "ANNOTATEMORE" SP "TOOBIG" /
                  "ANNOTATEMORE" SP "TOOMANY"
                  ; new response codes for SETANNOTATION failures

setannotation    = "SETANNOTATION" SP list-mailbox SP setentryatt
                  ; empty string for list-mailbox implies
                  ; server annotation.

setentryatt      = entry-att / "(" entry-att *(SP entry-att) ")"

value            = nstring
```

[5.](#) IANA Considerations

Both entry names and attribute names **MUST** be specified in a standards track or IESG approved experimental RFC, or fall under the vendor namespace.

Internet-Draft

IMAP ANNOTATEMORE Extension

April 2004

[5.1](#) Entry and Attribute Registration Template

To: iana@iana.org
Subject: IMAP ANNOTATEMORE Registration

Please register the following IMAP ANNOTATEMORE item:

Entry Attribute
 Mailbox Server

Name: _____

Description: _____

Contact person: _____

email: _____

[6.](#) Security Considerations

The ANNOTATEMORE extension does not raise any security considerations that are not present in the base [[RFC3501](#)] protocol, and these issues are discussed in [[RFC3501](#)].

Care must be taken to ensure that annotations whose values are intended to remain private are not stored in mailboxes which are accessible to other users. This includes mailboxes owned by the user by whose ACLs permit access by others as well as any shared mailboxes.

Normative References

[RFC2046] Freed, N. and N. Borenstein, "Multipurpose Internet Mail

Extensions (MIME) Part Two: Media Types", [RFC 2046](#), November 1996.

[RFC2119] Bradner, S., "Key words for use in RFCs to Indicate Requirement Levels", [BCP 14](#), [RFC 2119](#), March 1997.

[RFC2234] Crocker, D. and P. Overell, "Augmented BNF for Syntax Specifications: ABNF", [RFC 2234](#), November 1997.

Daboo

Expires October 18, 2004

[Page 17]

Internet-Draft

IMAP ANNOTATEMORE Extension

April 2004

[RFC2244] Newman, C. and J. Myers, "ACAP -- Application Configuration Access Protocol", [RFC 2244](#), November 1997.

[RFC3501] Crispin, M., "INTERNET MESSAGE ACCESS PROTOCOL - VERSION 4rev1", [RFC 3501](#), March 2003.

[SORT] Crispin, M. and K. Murchison, "Internet Message Access Protocol - Sort and Thread Extension", [draft-ietf-impext-sort-15.txt](#), April 2004.

Informative References

[ANNOTATE]

Daboo, C. and R. Gellens, "IMAP ANNOTATE Extension", [draft-ietf-impext-annotate-09.txt](#), April 2004.

Author's Address

Cyrus Daboo
Cyrusoft International, Inc.
5001 Baum Blvd.
Suite 650
Pittsburgh, PA 15213
US

E-Mail: daboo@cyrusoft.com

[Appendix A](#). Acknowledgments

The ideas expressed in this document are based on the message annotation document that was co-authored by Randall Gellens.

Intellectual Property Statement

The IETF takes no position regarding the validity or scope of any intellectual property or other rights that might be claimed to pertain to the implementation or use of the technology described in this document or the extent to which any license under such rights might or might not be available; neither does it represent that it has made any effort to identify any such rights. Information on the IETF's procedures with respect to rights in standards-track and standards-related documentation can be found in [BCP-11](#). Copies of claims of rights made available for publication and any assurances of licenses to be made available, or the result of an attempt made to obtain a general license or permission for the use of such proprietary rights by implementors or users of this specification can be obtained from the IETF Secretariat.

The IETF invites any interested party to bring to its attention any copyrights, patents or patent applications, or other proprietary rights which may cover technology that may be required to practice this standard. Please address the information to the IETF Executive Director.

Full Copyright Statement

Copyright (C) The Internet Society (2004). All Rights Reserved.

This document and translations of it may be copied and furnished to others, and derivative works that comment on or otherwise explain it or assist in its implementation may be prepared, copied, published and distributed, in whole or in part, without restriction of any kind, provided that the above copyright notice and this paragraph are included on all such copies and derivative works. However, this document itself may not be modified in any way, such as by removing the copyright notice or references to the Internet Society or other Internet organizations, except as needed for the purpose of developing Internet standards in which case the procedures for copyrights defined in the Internet Standards process must be followed, or as required to translate it into languages other than English.

The limited permissions granted above are perpetual and will not be revoked by the Internet Society or its successors or assignees.

This document and the information contained herein is provided on an "AS IS" basis and THE INTERNET SOCIETY AND THE INTERNET ENGINEERING TASK FORCE DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY THAT THE USE OF THE INFORMATION

Daboo

Expires October 18, 2004

[Page 19]

Internet-Draft

IMAP ANNOTATEMORE Extension

April 2004

HEREIN WILL NOT INFRINGE ANY RIGHTS OR ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

Acknowledgment

Funding for the RFC Editor function is currently provided by the Internet Society.

Daboo

Expires October 18, 2004

[Page 20]