

Network Working Group  
Internet Draft  
Expires in six months  
Obsoletes: RFC [1911](#)

Greg Vaudreuil  
Lucent Technologies  
Glenn Parsons  
Northern Telecom  
November 21, 1997

**VPIM Voice Message  
MIME Sub-type Registration**

<[draft-ema-vpim-vmsg-02.txt](#)>

Status of this Memo

This document is an Internet Draft. Internet Drafts are working documents of the Internet Engineering Task Force (IETF), its Areas, and its Working Groups. Note that other groups may also distribute working documents as Internet Drafts.

Internet Drafts are valid for a maximum of six months and may be updated, replaced, or obsoleted by other documents at any time. It is inappropriate to use Internet Drafts as reference material or to cite them other than as a "work in progress".

To learn the current status of any Internet-Draft, please check the "lid-abstracts.txt" listing contained in the Internet-Drafts Shadow Directories on ftp.is.co.za (Africa), nic.nordu.net (Europe), munnari.oz.au (Pacific Rim), ds.internic.net (US East Coast), or ftp.isi.edu (US West Coast).

Copyright Notice

Copyright (C) The Internet Society (1997). All Rights Reserved.

Overview

This document describes the registration of the MIME sub-type multipart/voice-message for use with the Voice Profile for Internet Mail (VPIM). A full description of usage can be found in the VPIM v2 specification.

Internet Draft                      multipart/voice-message                      November 21, 1997

1. Abstract

This document describes the registration of the MIME sub-type multipart/voice-message for use with the Voice Profile for Internet

Mail (VPIM). A full description of usage can be found in the VPIM v2 specification [[VPIM2](#)]. This document revises an earlier sub-type registration in [RFC 1911](#) [[VPIM1](#)].

## 2. VPIM Scope

The VPIM specification defines a restricted profile of the Internet multimedia messaging protocols for use between voice processing platforms. These platforms have historically been special-purpose computers and often do not have the same facilities normally associated with a traditional Internet Email-capable computer. As a result, VPIM also specifies additional functionality as it is needed. The profile is intended to specify the minimum common set of features to allow interworking between compliant systems.

## 3. Voice Message Interchange

### 3.1 multipart/voice-message

The MIME sub-type multipart/voice-message is defined to hold specific media contents that are interchanged in messages between voice messaging systems described in [[VPIM2](#)]. Essentially, the sub-type provides a simple wrapper that easily identifies the entire content as being the components of a single voice message. The sub-type is identical in semantics and syntax to multipart/mixed, as defined in [[MIME2](#)]. As such, it may be safely interpreted as a multipart/mixed by systems that do not understand the sub-type (only the identification as a voice message would be lost).

This mechanism allows the insertion of an explanatory preamble (e.g. VPIM voice message attached) for recipients who read the message with pre-MIME software, since the preamble will be ignored by MIME-compliant software.

In addition to the MIME required boundary parameter, a version parameter is also required for this sub-type. This is to distinguish, this refinement of the sub-type from the previous definition in [[VPIM1](#)]. The value of the version parameter is "2.0" if the content conforms to the requirements of [[VPIM2](#)]. Should there be further revisions of this content type, there MUST be backwards compatibility (i.e. systems implementing version n can read version 2, and systems implementing version 2 can read version 2 contents within a version n). The default version value (when the parameter is missing) is 1, indicating the content conforms to the requirements of [[VPIM1](#)].

[VPIM2] describes the restriction that only specific media types, applicable to voice messaging, are valid 'next-level' contents of this sub-type (when version=2.0). They are: audio/\*, image/\*, message/rfc822 and application/directory. The multipart provides for the packaging of as many of these contents as is necessary.

### 3.2 VPIM v2 Usage

The multipart/voice-message sub-type is a primary component of the VPIM specification [[VPIM2](#)]. All VPIM Messages MUST contain this sub-type to identify the wrapping of a voice message. The contents of this wrapper can vary from only one audio/32KADPCM content to a complex set of related and nested contents.

Typically, if more than one audio segment is present, the first is the spoken name of the originator, the second is the spoken subject, and the third is the voice message itself. This order, however, MUST NOT be assumed in any case. Further, the order that the contents appear SHOULD be the order in which they are presented to the user.

The spoken name segment, if available, shall contain the name of the message sender in the voice of the sender. The length of the spoken name segment must not exceed 12 seconds.

The spoken subject segment, if available, shall contain the subject of the message sender in the voice of the sender. The length of the spoken subject segment must not exceed 20 seconds.

The directory information part, if present, will contain information specific to the originator of the voice message.

Refer to the VPIM v2 Specification for details on proper usage.

### 4. IANA Registration

To: ietf-types@iana.org  
Subject: Registration of MIME media type multipart/voice-  
message

MIME media type name: multipart

MIME subtype name: voice-message

Required parameters: boundary, version

The use of boundary is defined in [[MIME2](#)]

The version parameter that contains the value "2.0" if enclosed content conforms to [[VPIM2](#)]. The absence of this parameter indicates conformance to the previous version defined in [RFC 1911](#) [[VPIM1](#)].

Optional parameters: none

Encoding considerations: 7bit, 8bit or Binary

Security considerations:

This definition introduces the enforcement of explicitly identifying the content as being a voice message. In some environments (though likely not the majority), the loss of the anonymity of the content may be a security issue.

Interoperability considerations:

Systems developed to conform with [[VPIM1](#)] may not conform to this registration. Specifically, the required version will likely be absent, in this case the recipient system should still be able to accept the message and will be able to handle the content. The VPIM v1 positional identification, however, would likely be lost.

Published specification:

This document

[[VPIM2](#)]

Applications which use this media type: primarily voice  
messaging

Additional information:

Magic number(s): ?

File extension(s): .VPM

Macintosh File Type Code(s): VPIM

Person & email address to contact for further information:

Glenn W. Parsons  
Glenn.Parsons@Nortel.ca

Gregory M. Vaudreuil  
Greg.Vaudreuil@Octel.Com

Intended usage: COMMON

Author/Change controller:

Glenn W. Parsons & Gregory M. Vaudreuil

Vaudreuil, Parsons

Expires 05/21/98

[Page 4]

## 5. Authors' Addresses

Glenn W. Parsons  
Northern Telecom  
P.O. Box 3511, Station C  
Ottawa, ON K1Y 4H7  
Canada  
Phone: +1-613-763-7582  
Fax: +1-613-763-4461  
Glenn.Parsons@Nortel.ca

Gregory M. Vaudreuil  
Lucent Technologies  
Octel Messaging Division  
17080 Dallas Parkway  
Dallas, TX 75248-1905  
United States  
Phone/Fax: +1-972-733-2722  
GregV@Lucent.Com

## 6. References

- [MIME2] N. Freed and N. Borenstein, "Multipurpose Internet Mail Extensions (MIME) Part Two: Media Types ", [RFC 2046](#), Innosoft, First Virtual, Nov 1996.
- [MIME4] N. Freed and N. Borenstein, "Multipurpose Internet Mail Extensions (MIME) Part Four: Registration Procedures", [RFC 2048](#), Innosoft, First Virtual, Nov 1996.
- [VPIM1] Vaudreuil, Greg, "Voice Profile for Internet Mail", [RFC 1911](#), Feb 1996.
- [VPIM2] Greg Vaudreuil and Glenn Parsons, "Voice Profile for Internet Mail - version 2", Work in Progress, <[draft-ema.vpim-07.txt](#)> November 1997.

## 7. Full Copyright Statement

Copyright (C) The Internet Society (1997). All Rights Reserved.

This document and translations of it may be copied and furnished to others, and derivative works that comment on or otherwise explain it or assist in its implementation may be prepared, copied, published and distributed, in whole or in part, without restriction of any kind, provided that the above copyright notice and this paragraph are included on all such copies and derivative works. However, this document itself may not be modified in any way, such as by removing

the copyright notice or references to the Internet Society or other Internet organizations, except as needed for the purpose of developing Internet standards in which case the procedures for copyrights defined in the Internet Standards process must be followed, or as required to translate it into languages other than English.



The limited permissions granted above are perpetual and will not be revoked by the Internet Society or its successors or assigns.

This document and the information contained herein is provided on an "AS IS" basis and THE INTERNET SOCIETY AND THE INTERNET ENGINEERING TASK FORCE DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY THAT THE USE OF THE INFORMATION HEREIN WILL NOT INFRINGE ANY RIGHTS OR ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE."

Vaudreuil, Parsons

Expires 05/21/98

[Page 6]