

Network Working Group	N. Freed	
Internet-Draft	Sun Microsystems	
Expires: July 20, 2009	January 16, 2009	

Sieve Email Filtering: Delivery Status Notifications Extension draft-freed-sieve-notary-04

Status of this Memo

This Internet-Draft is submitted to IETF in full conformance with the provisions of BCP 78 and BCP 79.

Internet-Drafts are working documents of the Internet Engineering Task Force (IETF), its areas, and its working groups. Note that other groups may also distribute working documents as Internet-Drafts.

Internet-Drafts are draft documents valid for a maximum of six months and may be updated, replaced, or obsoleted by other documents at any time. It is inappropriate to use Internet-Drafts as reference material or to cite them other than as "work in progress."

The list of current Internet-Drafts can be accessed at <http://www.ietf.org/ietf/1id-abstracts.txt>.

The list of Internet-Draft Shadow Directories can be accessed at <http://www.ietf.org/shadow.html>.

This Internet-Draft will expire on July 20, 2009.

Copyright Notice

Copyright (c) 2009 IETF Trust and the persons identified as the document authors. All rights reserved.

This document is subject to BCP 78 and the IETF Trust's Legal Provisions Relating to IETF Documents in effect on the date of publication of this document (<http://trustee.ietf.org/license-info>). Please review these documents carefully, as they describe your rights and restrictions with respect to this document.

Abstract

This document describes the "envelope-dsn" and "redirect-dsn" extensions to the Sieve email filtering language. The "envelope-dsn" extension provides access to additional envelope information provided by the delivery status notification extension to SMTP defined in RFC 3461. The "redirect-dsn" extension extends Sieve's redirect action to provide control over delivery status notification parameters.

Change History (to be removed prior to publication as an RFC)

Fixed several typos.

Changed name of extension from notary to envelope-dsn.
Added the redirect-dsn extension.
Updated references.
Added a note about the use of ADDRESS-PART arguments with the new envelope-part strings defined by the envelope-dsn extension.
Fleshed out the redirect-dsn extension.
Changed document title to agree with new extension names.
Added some examples.
Fixed more typos.
Changed dsn-envelope and dsn-redirect to envelope-dsn and redirect-dsn, respectively.
Added a redirect-dsn example.

1. Introduction

Sieve [\[RFC5228\] \(Guenther, P. and T. Showalter, "Sieve: An Email Filtering Language," January 2008.\)](#) is a language for filtering email messages at or around the time of final delivery. It is designed to be implementable on either a mail client or mail server. It is suitable for running on a mail server where users may not be allowed to execute arbitrary programs, such as on black box Internet Message Access Protocol [\[RFC3501\] \(Crispin, M., "INTERNET MESSAGE ACCESS PROTOCOL - VERSION 4rev1," March 2003.\)](#) servers, as it has no user-controlled loops or the ability to run external programs.

The base sieve specification defines the envelope extension and test to access information in the message envelope. Only information available in regular SMTP is provided; additional information added to the SMTP envelope by SMTP extensions cannot be accessed. The "envelope-dsn" extension extends the envelope test to allow access to the additional envelope fields defined by the SMTP extension for delivery status notification specified in [RFC 3461 \(Moore, K., "Simple Mail Transfer Protocol \(SMTP\) Service Extension for Delivery Status Notifications \(DSNs\)," January 2003.\)](#) [RFC3461].

The base sieve specification also defines the redirect action which sends the message to a different address. Redirect only allows specification of the new recipient address. The "redirect-dsn" extension extends redirect to allow specification of some fields defined by the delivery status notification SMTP extension.

2. Conventions used in this document

The key words "MUST", "MUST NOT", "REQUIRED", "SHALL", "SHALL NOT", "SHOULD", "SHOULD NOT", "RECOMMENDED", "MAY", and "OPTIONAL" in this document are to be interpreted as described in [\[RFC2119\] \(Bradner, S.,](#)

["Key words for use in RFCs to Indicate Requirement Levels," March 1997.\)](#).

The terms used to describe the various components of the Sieve language are taken from Section 1.1 of [\[RFC5228\] \(Guenther, P. and T. Showalter, "Sieve: An Email Filtering Language," January 2008.\)](#).

This document uses the ABNF notation specified in [\[RFC5234\] \(Crocker, D. and P. Overell, "Augmented BNF for Syntax Specifications: ABNF," January 2008.\)](#) and refers to the ABNF production notify-esmtp-value defined in Section 4.1 of [\[RFC3461\] \(Moore, K., "Simple Mail Transfer Protocol \(SMTP\) Service Extension for Delivery Status Notifications \(DSNs\)," January 2003.\)](#).

3. Capability Identifier

The capability strings associated with the extensions defined in this document are "envelope-dsn" and "redirect-dsn".

4. envelope-dsn extension

The "envelope-dsn" extension does not define any new tests or actions, rather, it adds four values to the list of possible (case-insensitive) envelope-part strings defined in Section 5.4 of [\[RFC5228\] \(Guenther, P. and T. Showalter, "Sieve: An Email Filtering Language," January 2008.\)](#):

notify Match the list of notification conditions, or NOTIFY values, associated with TO address used in the SMTP RCPT TO command that resulted in this message getting delivered to this user. More than one notification condition can be in effect at once; each condition that is in effect is tested separately and any match causes the text to succeed. The syntax and semantics of the NOTIFY parameter are defined in [RFC 3461 \(Moore, K., "Simple Mail Transfer Protocol \(SMTP\) Service Extension for Delivery Status Notifications \(DSNs\)," January 2003.\)](#) [RFC3461] section 4.1. Currently the possible notification condition values are "NEVER", "SUCCESS", "FAILURE" and "DELAY". Note that the value "NEVER" cannot be combined with any other value.

orcpt Match the original recipient, or ORCPT, value in decoded form associated with the TO address used in the SMTP RCPT TO command that resulted in this message getting delivered to this user. The syntax and semantics of the ORCPT parameter are defined in Section 2.2 of [RFC 3461 \(Moore, K., "Simple Mail Transfer Protocol \(SMTP\) Service Extension for Delivery Status Notifications \(DSNs\)," January 2003.\)](#) [RFC3461].

ret

Match the return of content, or RET, value given in the SMTP MAIL FROM command. The syntax and semantics of the RET parameter are defined in [RFC 3461 \(Moore, K., "Simple Mail Transfer Protocol \(SMTP\) Service Extension for Delivery Status Notifications \(DSNs\)," January 2003.\)](#) [RFC3461] section 4.3. Currently the possible return of content values are "FULL" and "HDRS".

envid Match the envelope identifier, or ENVID, value in decoded form given in the SMTP MAIL FROM command. The syntax and semantics of the ENVID parameter are defined in Section 4.4 of [RFC 3461 \(Moore, K., "Simple Mail Transfer Protocol \(SMTP\) Service Extension for Delivery Status Notifications \(DSNs\)," January 2003.\)](#) [RFC3461].

All of these tests fail unconditionally if the specified envelope parameter does not exist for the current message or recipient. The envelope test's ADDRESS-PART argument assumes the string being tested has the syntax of an email address. None of the new envelope parts defined here have address syntax, accordingly, it is an error to specify an ADDRESS-PART argument in conjunction with these new envelope parts.

The "relational" extension [\[RFC5231\] \(Segmuller, W. and B. Leiba, "Sieve Email Filtering: Relational Extension," January 2008.\)](#) adds a match type called ":count". The count of an envelope test with an envelope-part of "orcpt", "ret", and "envid" is 1 if the corresponding SMTP parameter is present and 0 otherwise. The count of an envelope test with an envelope-part of "notify" is equal to the number of notification conditions specified and 0 if the NOTIFY parameter is not present.

4.1. Examples

The fact that the NOTIFY envelope parameter is multivalued and the notify envelope-part turns this into list of values makes it easy to check to see if a given value is present without having to worry about other values:

```

require ["envelope", "envelope-dsn"];

# Check whether SUCCESS notifications were requested,
# irrespective of any other requests that were made
if envelope "notify" "SUCCESS"
{
    # do whatever
}

```

Checking to see if a given request is the only one present is a little trickier, however:

```

require ["envelope", "envelope-dsn", "relational",
        "comparator-i;ascii-numeric"];

# Check whether only FAILURE notifications were requested
if allof ( envelope "notify" "FAILURE",
           envelope :comparator "i;ascii-numeric"
                   :count "eq" "notify" "1"
         )
{
    # do whatever
}

```

The orcpt envelope-part always contains an address type indicator prefix in addition to an address, which must be taken into account in any tests:

```

require ["envelope", "envelope-dsn"];

# See if the orcpt is an RFC822 address in the example.com
# domain
if envelope :matches "orcpt" "rfc822;*@example.com"
{
    # do whatever
}

```

5. redirect-dsn extension

The "redirect-dsn" extension does not define any new tests or actions, rather, it adds two new arguments, NOTIFY and RET, to the redirect action defined in Section 4.2 of [\[RFC5228\] \(Guenther, P. and T. Showalter, "Sieve: An Email Filtering Language," January 2008.\)](#). This updates the usage description for redirect to:

```
[
Usage:  redirect [:notify "value"] [:ret "FULL"|"HDRS"]
        <address: string>
```

The syntax for the NOTIFY and RET arguments are:

```
NOTIFY = ":notify" notify-value
notify-value = DQUOTE notify-esmtp-value DQUOTE

RET = ":ret" ret-value
ret-value = DQUOTE ("FULL" / "HDRS") DQUOTE
```

The notify-esmtp-value production is defined in Section 4.1 of [\[RFC3461\] \(Moore, K., "Simple Mail Transfer Protocol \(SMTP\) Service Extension for Delivery Status Notifications \(DSNs\)," January 2003.\)](#). When these arguments are specified, they set the corresponding NOTIFY ESMTP RCPT TO and RET ESMTP MAIL FROM parameters, respectively. These parameters are only available when the delivery status notification (DSN) ESMTP extension is available. When the DSN extension is not available, the parameters MUST be ignored and MUST NOT cause an error.

5.1. Example

One possible use of :notify on redirect is to combine the copy extension [\[RFC3894\] \(Degener, J., "Sieve Extension: Copying Without Side Effects," October 2004.\)](#) with the ability to suppress nondelivery notifications to generate a private copy of selected messages with no side effects or error notifications:

```
require ["copy", "redirect-dsn"];

# Make a private copy of messages from user@example.com
if address "from" "user@example.com"
{
    redirect :copy :notify "NEVER" "elsewhere@example.com";
}
```

6. Security Considerations

The envelope-dsn extension provides access to additional message envelope information. This is not believed to raise any additional security issues beyond those for the Sieve "envelope" test.

The redirect-dsn extension allows specification of the delivery status notification's NOTIFY parameter which can cause the generation of notification messages that might otherwise not be generated, especially if notification in the event of successful delivery is required. Sites which limit the ability to request success notifications will also need to restrict the ability to request them using the redirect-dsn extension.

All of the security considerations given in the base Sieve specification also apply to this extension.

7. IANA Considerations

The following template specifies the IANA registration of the Sieve extension specified in this document:

To: iana@iana.org
Subject: Registration of new Sieve extensions

Capability name: envelope-dsn
Description: The "envelope-dsn" extension extends the envelope test to allow checking of information associated with the DSN ESMTP extension defined in RFC 3461.
RFC number: RFC XXXX
Contact address: Sieve discussion list <ietf-mta-filters@imc.org>

Capability name: redirect-dsn
Description: The "redirect-dsn" extension extends the redirect action to allow specification of the NOTIFY and RET ESMTP parameters associated with the DSN SMTP extension defined in RFC 3461.
RFC number: RFC XXXX
Contact address: Sieve discussion list <ietf-mta-filters@imc.org>

This information should be added to the list of sieve extensions given on <http://www.iana.org/assignments/sieve-extensions>.

8. References

8.1. Normative references

[RFC2119]	Bradner, S. , " Key words for use in RFCs to Indicate Requirement Levels ," BCP 14, RFC 2119, March 1997 (TXT , HTML , XML).
[RFC3461]	Moore, K., " Simple Mail Transfer Protocol (SMTP) Service Extension for Delivery Status Notifications (DSNs) ," RFC 3461, January 2003 (TXT).
[RFC5228]	Guenther, P. and T. Showalter, " Sieve: An Email Filtering Language ," RFC 5228, January 2008 (TXT).
[RFC5231]	Segmuller, W. and B. Leiba, " Sieve Email Filtering: Relational Extension ," RFC 5231, January 2008 (TXT).
[RFC5234]	Crocker, D. and P. Overell, " Augmented BNF for Syntax Specifications: ABNF ," STD 68, RFC 5234, January 2008 (TXT).

8.2. Informative references

[RFC3501]	Crispin, M., " INTERNET MESSAGE ACCESS PROTOCOL - VERSION 4rev1 ," RFC 3501, March 2003 (TXT).
[RFC3894]	Degener, J., " Sieve Extension: Copying Without Side Effects ," RFC 3894, October 2004 (TXT).

Appendix A. Acknowledgements

Cyrus Daboo, Derek Diget, Philip Guenther, Arnt Gulbrandsen, Alexey Melnikov, Aaron Stone, and Alexandros Vellis provided helpful suggestions and corrections.

Author's Address

	Ned Freed
	Sun Microsystems
	800 Royal Oaks
	Monrovia, CA 91016-6347
	USA
Phone:	+1 909 457 4293
Email:	ned.freed@mrochek.com