

Network Working Group
Internet-Draft
Obsoletes: [3188](#) (if approved)
Intended status: Informational
Expires: December 16, 2018

J. Hakala
The National Library of Finland
June 14, 2018

Using National Bibliography Numbers as Uniform Resource Names
draft-hakala-urn-nbn-rfc3188bis-02

Abstract

National Bibliography Numbers (NBNs) are used by the national libraries and other organizations in order to identify resources in their collections. NBNs are usually applied to resources that are not catered for by established (standard) identifier systems such as ISBN.

A URN (Uniform Resource Names) namespace for NBNs was established in 2001 in [RFC 3188](#). Since then, a number of European national libraries have implemented URN:NBN-based systems.

This document replaces [RFC 3188](#) and defines how NBNs can be supported within the updated URN framework. A revised namespace registration (version 4) compliant to [RFC 8141](#) is included.

Status of This Memo

This Internet-Draft is submitted in full conformance with the provisions of [BCP 78](#) and [BCP 79](#).

Internet-Drafts are working documents of the Internet Engineering Task Force (IETF). Note that other groups may also distribute working documents as Internet-Drafts. The list of current Internet-Drafts is at <https://datatracker.ietf.org/drafts/current/>.

Internet-Drafts are draft documents valid for a maximum of six months and may be updated, replaced, or obsoleted by other documents at any time. It is inappropriate to use Internet-Drafts as reference material or to cite them other than as "work in progress."

This Internet-Draft will expire on December 16, 2018.

Copyright Notice

Copyright (c) 2018 IETF Trust and the persons identified as the document authors. All rights reserved.

Internet-Draft

NBN URNs

June 2018

This document is subject to [BCP 78](#) and the IETF Trust's Legal Provisions Relating to IETF Documents (<https://trustee.ietf.org/license-info>) in effect on the date of publication of this document. Please review these documents carefully, as they describe your rights and restrictions with respect to this document. Code Components extracted from this document must include Simplified BSD License text as described in Section 4.e of the Trust Legal Provisions and are provided without warranty as described in the Simplified BSD License.

Table of Contents

| | | |
|-----------------------------|---|--------------------|
| 1. | Introduction | 3 |
| 1.1. | Discussion list | 5 |
| 2. | Conventions used in this document | 5 |
| 3. | Fundamental Namespace and Community Considerations for NBN . | 5 |
| 3.1. | The URN:NBN Namespace | 5 |
| 3.2. | Community Considerations for NBNs | 6 |
| 4. | National Bibliography Number URNs | 7 |
| 4.1. | Assignment | 7 |
| 4.2. | Syntax | 8 |
| 4.2.1. | Usage of r-component and q-component | 10 |
| 4.2.2. | Usage of f-component | 10 |
| 4.3. | Encoding Considerations and Lexical Equivalence | 10 |
| 4.4. | Resolution and Persistence of NBN-based URNs | 11 |
| 4.5. | Additional considerations | 13 |
| 5. | URN Namespace ID (NID) Registration for the National Bibliography Number (NBN) | 13 |
| 6. | IANA Considerations | 14 |
| 7. | Security Considerations | 14 |
| 8. | Acknowledgements | 15 |
| 9. | Contributors | 15 |
| 10. | References | 15 |
| 10.1. | Normative References | 15 |
| 10.2. | Informative References | 16 |
| Appendix A. | Significant Changes from RFC 3188 | 18 |
| Appendix B. | Change Log | 18 |
| B.1. | draft-hakala-rfc3188bis-nbn-urn-00 to draft-ietf-urnbis-*00 | 18 |
| B.2. | draft-ietf-urnbis-rfc3188bis-nbn-urn-00 to -01 | 19 |
| B.3. | draft-ietf-urnbis-rfc3188bis-nbn-urn-01 to -02 | 19 |
| B.4. | draft-ietf-urnbis-rfc3188bis-nbn-urn-02 to -03 | 20 |
| B.5. | draft-ietf-urnbis-rfc3188bis-nbn-urn-03 to -04 | 20 |

| | | |
|------------------|---|--------------------|
| B.6. | draft-ietf-urnbis-rfc3188bis-nbn-urn-04 (2012-10-22) to draft-hakala-urn-nbn-rfc3188bis-00 | 20 |
| B.7. | draft-hakala-urn-nbn-rfc3188bis-00 (2018-06-02) to draft- hakala-urn-nbn-rfc3188bis-01 | 21 |
| Author's Address | | 21 |

[1.](#) Introduction

One of the basic permanent URI schemes (cf. [RFC 3986](#) [[RFC3986](#)], [[IANA-URI](#)]) is 'URN' (Uniform Resource Name). URNs were originally defined in [RFC 2141](#) [[RFC2141](#)]. In 2017, a revision was adopted with new definitions and registration procedures [[RFC8141](#)]. Any traditional identifier, when used within the URN system, must have a namespace of its own, registered with IANA [[IANA-URN](#)]. National Bibliography Number (NBN) is one such namespace, specified in 2001 in [RFC 3188](#) [[RFC3188](#)].

This document describes the syntax and usage of NBN URNs, and updates the registration of the associated URN namespace. This document additionally describes certain policy assumptions about how National Libraries and their partner organizations partition, delegate, and manage the namespace. Violation of those assumptions could impact the utility of the NBN URN namespace.

URN:NBNs are in production use in several European countries including (in alphabetical order) Austria, Finland, Germany, Hungary, Italy, the Netherlands, Norway, Sweden, and Switzerland. The URN:NBN namespace is collectively managed by these national libraries. URN:NBNs have been applied to diverse content including Web archives, digitized materials, research data, and doctoral dissertations. They can be used by the national libraries and organizations co-operating with them.

As a part of the initial development of the URN system in the late 1990s, the IETF URN working group agreed that it was important to demonstrate that the URN syntax can accommodate existing identifier systems. [RFC 2288](#) [[RFC2288](#)] investigated the feasibility of using ISBN, ISSN, and SICI (for further discussion of how these systems have evolved as URNs, see the discussion in [RFC 8254](#) [[RFC8254](#)]) as URNs, with positive results; however, it did not formally register corresponding URN namespaces. This was in part due to the still evolving process to formalize criteria for namespace definition

documents and registration, consolidated later in the IETF, first into [RFC 2611](#) [[RFC2611](#)], then into [RFC 3406](#) [[RFC3406](#)], and now given by [RFC 8141](#) [[RFC8141](#)].

URN Namespaces have been registered for NBN (National Bibliography Number), ISBN (International Standard Book Number), and ISSN (International Serial Standard Number) in RFCs 3188 [[RFC3188](#)], 3187 [[RFC3187](#)], and 3044 [[RFC3044](#)], respectively. ISBN and ISSN namespaces were made compliant with [RFC 8141](#) [[RFC8141](#)] in 2017 by publishing revised ISSN [[ISSN-namespace](#)] and ISBN [[ISBN-namespace](#)] namespace registrations.

The term "National Bibliography Number" encompasses persistent local identifier systems that the national libraries and their partner organizations use in addition to the more formally (and internationally) established identifiers. These partner organizations include universities and their libraries and other subsidiaries, other research institutions, plus governmental and public organizations. Some national libraries maintain a significant number of these liaison relationships; for instance, the German National Library had almost 400 by early 2018 [[NBN-Resolving](#)].

In practice, NBN differs from standard identifier systems such as ISBN and ISSN because it is not a single identifier system with standard-specified scope and syntax. Each NBN implementer creates its own system with its own syntax and assignment rules. Each user organization is also obliged to keep track of how NBNs are being used; however, within the generic framework set in this document, local NBN assignment policies may vary considerably.

Historically, NBNs have been applied in the national bibliographies to identify the resources catalogued into them. Prior to the emergence of bibliographic standard identifiers in the early 1970s, national libraries assigned NBNs to all catalogued publications.

Since the late 1990s, the NBN scope has been extended to cover a vast range of resources, both originally digital and digitized. Only a small subset of these resources is cataloged in the national bibliographies or other bibliographic databases. Digitized resources and their component parts (such as still images in books or journal articles) are examples of resources that may get NBNs.

It is possible to extend the scope of the NBN much further. The National Library of Finland is using them in the Finnish National Ontology Service Finto to identify corporate names (see <http://finto.fi/cn/en/>). Using NBNs to identify metadata elements provides a stable basis for creation of linked data.

Simple guidelines for using NBNs as URNs and the original namespace registration were published in [RFC 3188](#) [[RFC3188](#)]. The RFC at hand replaces [RFC 3188](#); sections discussing the methods by which URN:NBNs should be resolved have been updated, unused features have been eliminated, and the text is compliant with the stipulations of the revised URN specification [[RFC8141](#)].

The key words "MUST", "MUST NOT", "REQUIRED", "SHALL", "SHALL NOT", "SHOULD", "SHOULD NOT", "RECOMMENDED", "MAY", and "OPTIONAL" in this document are to be interpreted as described in [RFC 2119](#) [[RFC2119](#)].

[1.1.](#) Discussion list

Comments are welcome and should be directed to the urn@ietf.org mailing list or to the author.

[[CREF1: RFC-Editor: this subsection to be deleted before RFC publication.]]

[2.](#) Conventions used in this document

"NBN" refers to any National Bibliography Number identifier system used by the national libraries (or equivalent organizations) and other institutions, which use these identifiers with national libraries' support and permission.

In this memo, "URN:NBN" is used as a shorthand for "NBN-based URN".

[3.](#) Fundamental Namespace and Community Considerations for NBN

[3.1.](#) The URN:NBN Namespace

NBNs are widely used to identify both hand-held and digital resources

in the collections of national libraries and other institutions that are responsible for preserving the cultural heritage of their constituents. Resources in these collections are usually preserved for a long time (i.e., for centuries). While the preferred methods for digital preservation may vary over time and depend on the content, the favorite one has been migration. Whenever necessary, a resource in outdated file format is migrated into a more modern file format. To the extent possible, all old versions of the resource are also kept, in order to alleviate the negative effects of partially successful migrations and gradual loss of original look and feel that may accompany even fully successful migrations. When NBN is used to identify manifestations and there are many of them for a single work, local policy can require that each manifestation ought to have its own NBN.

NBNs are typically used to identify objects for which standard identifiers such as ISBN are not applicable. However, NBNs can be used for component resources even when the resource as a whole qualifies for a standard identifier. For instance, if a digitized book has an ISBN, JPEG image files of its pages might be assigned NBNs. These URN:NBNs can be used as persistent links to the pages.

The scope of standard identifier systems such as ISBN and ISSN is limited; they are applicable only to certain kinds of resources. One of the roles of the NBN is to fill in the gaps left by the standard identifiers. Collectively, these identifiers and NBNs cover all

resources the national libraries and their partners need to include in their collections.

[Section 4](#) below, and particularly [Section 4.1](#), present a more detailed overview of the structure of the NBN namespace, related institutions, and the identifier assignment principles used.

[3.2](#). Community Considerations for NBNs

National libraries are the key organizations providing persistent URN resolution services for resources identified with NBNs, independent of their form. As co-ordinators of NBN usage, national libraries have allowed other organizations such as university libraries or governmental organizations to assign NBNs to the resources these organizations preserve for the long term. In such case, the national

library co-ordinates the use of NBNs at the national level. National libraries can also provide URN resolution services and technical services to other NBN users. These organizations are expected to either establish their own URN resolution services or use the technical infrastructure provided by the national library. URN:NBNs are expected to be resolvable and support one or more resolution services.

Although NBNs can be used to identify component resources, the NBN Namespace does not specify a generic, intrinsic syntax for doing that. However, there are at least two different ways in which component resources can be taken into account within the NBN namespace.

The simplest and probably the most common approach is to assign a separate NBN for each component resource such as a file containing a digitized page of a book, and make no provisions to make such NBNs discernible in a systematical way from others.

Second, if the stipulations of the URI Generic Syntax [[RFC3986](#)] and the Internet media type specification [[RFC2046](#)] are met, in accordance with the provisions in [RFC 8141](#), the URN f-component can be attached to URN:NBNs in order to indicate the desired location within the resource supplied by URN resolution.

From the library community point of view it is important that the f-component is not a part of the NSS and therefore f-component attachment does not mean that the relevant component part is identified. Moreover, the resolution process still retrieves the entire resource even if there is an f-component. The component part selection is applied by the resolution client (e.g., browser) to the resource returned by the resolution process. In other words, in this latter case the component parts are just logical and physical parts

of the identified resource whereas in the former cases they are independently named entities.

Resources identified by NBNs are not always available in the Internet. If one is not, the URN:NBN can resolve to a surrogate such as a metadata record describing the identified resource.

[Section 4](#) below, and particularly its [Section 4.4](#), presents a

detailed overview of the application of the URN:NBNS Namespace as well as the principles of, and systems used for, the resolution of NBNS-based URNs.

[4.](#) National Bibliography Number URNs

[4.1.](#) Assignment

National Bibliography Number (NBN) is a generic term referring to a group of identifier systems administered by national libraries and institutions authorized by them. The NBN assignment is typically performed by the organization hosting the resource. National libraries are committed to permanent preservation of their deposit collections.

Assignment of NBNS-based URNs is controlled on national level by the national library (or national libraries, if there is more than one). National guidelines can differ, but the identified resources themselves are usually persistent.

Different national URN:NBNS assignment policies have resulted in varying levels of control of the assignment process. Manual URN:NBNS assignment by the library personnel provides the tightest control, especially if the URN:NBNS cover only resources catalogued into the national bibliography. In most national libraries, the scope of URN:NBNS is already much broader than this. Usage rules can vary within one country, from one URN:NBNS sub-namespace to the next.

Each national library uses NBNS independently of other national libraries; apart from this document, there are no guidelines which specify or control NBNS usage. NBNS as such are unique only on the national level. When used as URNs, base NBNS strings MUST be augmented with a controlled prefix, which is the particular nation's ISO 3166-1 alpha-2 two-letter country code (referred to as "ISO country code" below) [[ISO3166-1](#)]. These prefixes guarantee uniqueness of the URN:NBNS at the global scale [[Iso3166MA](#)].

National libraries using URN:NBNS usually specify local assignment policies for themselves. Such policy can limit the URN:NBNS usage to e.g. the resources stored in the national library's digital

collections or databases. Although this specification does not

specify principles for URN:NBW assignment policies that can be applied, NBWs assigned to short-lived resources should not be made URN:NBWs unless such policy can be justified.

URN:NBW assignment policy can clarify for instance the local policy concerning identifier assignment to component parts of resources, and specify with sufficient detail the syntax of local component identifiers (if there is one as a discernible part of the NBWs). The policy can also cover any employed extensions to the default NBW scope.

NBWs as such are locally but not globally unique; two national libraries can assign the same NBW to different resources. A prefix, based on the ISO country code as described above, guarantees the global uniqueness of URN:NBWs. An NBW, once it has been assigned to a resource, MUST be persistent, and therefore URN:NBWs are persistent as well.

A URN:NBW, once it has been generated from a NBW, MUST NOT be re-used for another resource.

Users of the URN:NBW namespace MUST ensure that they do not assign the same URN:NBW twice. Different policies can be applied to guarantee this. For instance, NBWs and corresponding URN:NBWs can be assigned sequentially by programs in order to avoid human mistakes. It is also possible to use printable representations of checksums such as SHA-1 [[RFC6234](#)] as NBWs.

[4.2.](#) Syntax

The namespace-specific string (NSS) will consist of three parts:

- o a prefix, consisting of an ISO 3166-1 alpha-2 country code and optional sub-namespace code(s) separated by colon(s),
- o a hyphen (-) as the delimiting character, and
- o an NBW string assigned by the national library or sub-delegated authority.

The following formal definition uses ABNF [[RFC5234](#)].

```
nbn_nss      = prefix "-" nbn_string

prefix       = iso_cc *( ":" subspc )
              ; the entire prefix is case-insensitive

iso_cc       = 2ALPHA
              ; alpha-2 country code as assigned by ISO 3166, part 1
              ; (identifies the national library to which the branch
              ; is delegated)

subspc       = 1*(ALPHA / DIGIT)
              ; as assigned by the respective national library

nbn_string   = path-rootless
              ; the "path-rootless" rule is defined in RFC 3986.
              ; syntax requirements specified in RFC 8141 MUST be
              ; taken into account.
```

Colon SHOULD be used within the prefix only as a delimiting character between the ISO 3166-1 country code and sub-namespace code(s), which split the national namespace into smaller parts.

The structure (if any) of the nbn_string is determined by the authority for the prefix. Whereas the prefix is regarded as case-insensitive, NBN strings can be case-sensitive at the preference of the assigning authority; parsers therefore MUST treat these as case-sensitive; any case mapping needed to introduce case-insensitivity is the responsibility of the relevant resolution system.

Hyphen SHOULD be used as the delimiting character between the prefix and the NBN string. Within the NBN string, hyphen MAY be used for separating different sections of the identifier from one another.

All two-letter codes are reserved by the ISO 3166 Maintenance Agency for either existing and possible future ISO country codes (or for private use).

Sub-namespace identifiers MUST be registered on the national level by the national library that assigned the identifier. The list of such identifiers can be made publicly available via the Web.

Note: Because case mapping for ASCII letters is completely reversible and does not lose information, the case used in case-insensitive matching is a local matter; implementations can convert to lower or upper case as they see fit; they only need to do it consistently.

[4.2.1.](#) Usage of r-component and q-component

URN:NBN resolvers do not currently support the use of either r-component or q-component.

Resolution services based on r-component can be implemented in the future when the r-component syntax and semantics has been specified.

[4.2.2.](#) Usage of f-component

If URN:NBN resolves to the identified resource and the media type of the resource supports f-component usage, it can be used to indicate a location within the identified resource. Persistence is achieved if the URN:NBN is assigned to one and only one version of a resource, such as PDF/A version of a book.

The URN:NBN Namespace does not impose any restrictions of its own on f-component usage.

[4.3.](#) Encoding Considerations and Lexical Equivalence

Expressing NBNs as URNs is usually straightforward, as normally only ASCII characters are used in NBN strings. If this is not the case, non-ASCII characters in NBNs MUST be translated into canonical form as specified in [RFC 8141](#). If a national library uses NBNs that can contain percent-encoded characters higher than U+007F, the library needs to carefully define the canonical transformation from these NBNs into URNs, including normalization forms.

When an NBN is used as a URN, the namespace-specific string (NSS) MUST consist of three parts:

- o a prefix, structured as a primary prefix, which is a two-letter ISO 3166-1 country code of the library's country, and zero or more secondary prefixes, each indicated by a delimiting colon character (:) and a sub-namespace identifier,
- o a hyphen (-) as a delimiting character, and

- o the NBN string.

Different delimiting characters are not semantically equivalent.

The syntax and roles of the three parts listed above are described in [Section 4.2](#).

If there are several national libraries in one country, these libraries MUST agree on how to divide the national namespace between

themselves using this method before the URN:NBN assignment begins in any of these libraries.

A national library MAY also assign URN:NBN sub-namespaces to trusted organizations such as universities or government institutions. The sub-namespace MAY be further divided by the partner organization. All sub-namespace identifiers used within a country-code-based namespace MUST be registered on the national level by the national library that assigned the code. The national register of these codes SHOULD be made available online.

Being part of the prefix, sub-namespace identifier strings are case-insensitive. They MUST NOT contain any colons or hyphens.

Formally, two URN:NBNs are lexically equivalent if they are octet-by-octet equal after the following (conceptional) preprocessing:

1. convert all characters in the leading "urn:nbn:" token to a single case;
2. convert all characters in the prefix (country code and its optional sub-divisions) to a single case;
3. convert all characters embedded in any percent-encodings to a single case;

Models (indicated linebreak inserted for readability):

URN:NBN:<ISO 3166 alpha-2 country code>-<assigned NBN string>

URN:NBN:<ISO 3166 alpha-2 country code>:<sub-namespace code>-\<assigned NBN string>

Examples:

URN:NBN:fi-fe201003181510

urn:nbn:ch:bel-9039

urn:nbn:se:uu:diva-3475

urn:nbn:hu-3006

[4.4.](#) Resolution and Persistence of NBN-based URNs

Eventually, URNs might be resolved with the help of a global resolver discovery service (GRDS), and URN:NBN syntax makes it possible to locate the relevant resolver. Since no GRDS system has been

Hakala

Expires December 16, 2018

[Page 11]

Internet-Draft

NBN URNs

June 2018

installed yet in the Internet, URN:NBNs are embedded in HTTP URIs in order to make them actionable in the present Internet. In these HTTP URIs, the authority part must point to the appropriate URN resolution service. For instance, in Finland, the address of the national URN resolver is <http://urn.fi>. Thus the HTTP URI for the Finnish URN in the example above is <http://urn.fi/URN:NBN:fi-fe201003181510>.

The country code-based prefix part of the URN:NBN namespace-specific string will provide a hint needed to find the correct resolution service for URN:NBNs from the GRDS when it is established.

There are three inter-related aspects of persistence that need to be discussed: persistence of the objects itself, persistence of the identifier, and persistence of the URN resolvers.

NBNs have traditionally been assigned to printed resources, which tend to be persistent. In contrast, digital resources require frequent migrations to guarantee accessibility. Although it is impossible to estimate how often migrations are needed, hardware and software upgrades take place frequently, and a life time exceeding 10-20 years can be considered as long.

However, it is a common practice to keep also the original and previously migrated versions of resources. Therefore even outdated versions of resources can be available in digital archives, no matter

how old or difficult to use they have become.

If all versions of a resource are kept, a user who requires authenticity can retrieve the original version of the resource, whereas a user to whom the ease of use is a priority is likely to be satisfied with the latest version. In order to enable the users to find the best match, a national library can link all manifestations of a resource to each other so as to make a user aware of them.

Thus, even if specific versions of digital resources are not normally persistent, persistent identifiers such as URN:NBNs support information architectures that enable persistent access to any version of the resource, including ones which can only be utilized by using digital archeology tools such as custom made applications to render the resource.

Persistence of URN resolvers themselves is mainly an organizational issue, related to the persistence of organizations maintaining them. As URN:NBN resolution services will be supplied (primarily) by the national libraries, these services are likely to be long-lived.

[4.5.](#) Additional considerations

It is a good idea to apply URN:NBNs (or other persistent identifiers) to all resources that have been prioritized in the organization's digital preservation plan.

Assignment of URN:NBNs to resources that are known to not be persistent should be considered carefully. URN:NBNs can however be applied to resources that have a low-level preservation priority and will not be migrated to more modern file formats or preserved via emulation.

If the identified version of a resource has disappeared, the resolution process can supply a surrogate if one exists. A surrogate can be for instance a more modern digital version of the original electronic resource.

[5.](#) URN Namespace ID (NID) Registration for the National Bibliography

Number (NBN)

This URN Namespace registration describes how National Bibliography Numbers (NBNs) can be supported within the URN framework; it uses the updated IANA template specified in [RFC 8141](#).

Namespace Identifier: NBN

This Namespace ID was formally assigned to the National Bibliography Number in October 2001 when the namespace was registered officially [[RFC3188](#)]. Utilization of URN:NBNs had started in demo systems already in 1998. Since 2001, tens of millions of URN:NBNs have been assigned. The number of users of the namespace has grown in two ways: new national libraries have started using NBNs, and many national libraries using the system have formed new liaisons.

Version: 4

Date: 2018-04-09

Registrant:

Name: Juha Hakala

Affiliation: Senior Adviser, The National Library of Finland

Email: juha.hakala@helsinki.fi

Postal: P.O.Box 15, 00014 Helsinki University, Finland

Web URL: <http://www.nationallibrary.fi/>

The National Library of Finland registered the namespace on behalf of the Conference of the European National Librarians (CENL) and Conference of Directors of National Libraries (CDNL). The NBN

Hakala

Expires December 16, 2018

[Page 13]

Internet-Draft

NBN URNs

June 2018

namespace is available for free for the national libraries. They can allow other organizations to assign URN:NBNs and use the resolution services established by the library for free or for a fee. The fees, if collected, can be based on, e.g., the maintenance costs of the system.

Purpose: See [Section 3](#) of RFC XXXX

Syntax: See [Section 4.2](#) of RFC XXXX

Assignment: See [Section 4.1](#) of RFC XXXX

Security and Privacy: See [Section 7](#) of RFC XXXX

Interoperability:

National libraries and their partners usually apply URN:NBNs if a standard identifier such as ISBN is not applicable for the resource to be identified. Some overlap with other URN namespaces is possible.

URN:NBNs may contain characters which must be percent-encoded, but usually they consist of printable ASCII characters only.

Resolution: See [Section 4.4](#) of RFC XXXX

Documentation: RFC XXXX

Revision Information:

This version of the URN:NBN namespace registration has been updated to use the revised definition of URN syntax from [RFC 8141](#), although usage of r-components is not specified yet. In addition, non-ISO 3166 (country code) based NBNs have been deleted due to lack of deployment. The entire NBN prefix is now specified to be case-insensitive in accordance with established practice. This version also includes numerous clarifications based on actual usage of UR:NBNs.

[6.](#) IANA Considerations

IANA is asked to update the existing registration of the Formal URN Namespace 'NBN' using the template given above in [Section 5](#).

[7.](#) Security Considerations

This document defines means of encoding NBNs as URNs. A URN resolution service for NBN-based URNs is depicted, but only at a generic level; thus, questions of secure or authenticated resolution

mechanisms and authentication of users are out of scope of this document.

Although no validation mechanisms are specified on the global level

(beyond a routine check of those characters that require special encoding when employed in URIs), NBNs assigned by any given authority can have a well-specified and rich syntax (including, e.g., fixed length and checksum). In such cases, it is possible to validate the correctness of NBNs programmatically.

Issues regarding intellectual property rights associated with objects identified by the URN:NBNs are beyond the scope of this document, as are questions about rights to the databases that might be used to construct resolution services.

Beyond the generic security considerations laid out in the underlying documents listed in the Normative References ([Section 10.1](#)), no specific security threats have been identified for NBN-based URNs.

[8.](#) Acknowledgements

Revision of [RFC 3188](#) started during the project PersID. [[PERSID](#)] Later the revision was included in the charter of the URNbis working group and worked on in that group in parallel with what became [RFC 8141](#) and [RFC 8254](#). The author wishes to thank his colleagues in the PersID project and the URNbis participants for their support and review comments.

Tommi Jauhiainen has provided feedback on an early version of this draft. The author wishes to thank Tommi Jauhiainen, Bengt Neiss, and Lars Svensson for the comments they have provided to various versions of this draft.

John Klensin provided significant editorial and advisory support for later versions of the draft.

[9.](#) Contributors

This document would not have been possible without contributions by Alfred Hoenes.

[10.](#) References

[10.1.](#) Normative References

- [RFC2119] Bradner, S., "Key words for use in RFCs to Indicate Requirement Levels", [BCP 14](#), [RFC 2119](#), DOI 10.17487/RFC2119, March 1997, <<https://www.rfc-editor.org/info/rfc2119>>.
- [RFC3986] Berners-Lee, T., Fielding, R., and L. Masinter, "Uniform Resource Identifier (URI): Generic Syntax", STD 66, [RFC 3986](#), DOI 10.17487/RFC3986, January 2005, <<https://www.rfc-editor.org/info/rfc3986>>.
- [RFC5234] Crocker, D., Ed. and P. Overell, "Augmented BNF for Syntax Specifications: ABNF", STD 68, [RFC 5234](#), DOI 10.17487/RFC5234, January 2008, <<https://www.rfc-editor.org/info/rfc5234>>.
- [RFC8141] Saint-Andre, P. and J. Klensin, "Uniform Resource Names (URNs)", [RFC 8141](#), DOI 10.17487/RFC8141, April 2017, <<https://www.rfc-editor.org/info/rfc8141>>.

10.2. Informative References

- [IANA-URI]
IANA, "URI Schemes Registry", <<http://www.iana.org/assignments/uri-schemes>>.
- [IANA-URN]
IANA, "URN Namespace Registry", <<http://www.iana.org/assignments/urn-namespaces>>.
- [ISBN-namespace]
Griffiths, S., "Namespace Registration for International Standard Book Number (ISBN) ISO 2108:2017", <<https://www.iana.org/assignments/urn-formal/isbn>>.
- [ISO3166-1]
ISO, "Codes for the representation of names of countries and their subdivisions -- Part 1: Country codes", ISO 3166-1:2013, 2013, <<https://www.iso.org/standard/63545.html>>.
- [Iso3166MA]
ISO, "ISO Maintenance agency for ISO 3166 country codes", 2006, <http://www.iso.org/iso/country_codes.htm>.

Internet-Draft

NBN URNs

June 2018

[ISSN-namespace]

Bequet, G., "Namespace Registration for International Standard Serial Number (ISSN) and Linking ISSN (ISSN-L) based on ISO 3297:2007",
<<https://www.iana.org/assignments/urn-formal/issn>>.

[NBN-Resolving]

Deutsche Nationalbibliothek, "URN:NBN Resolver fuer Deutschland und Schweiz: Information ueber Partner Institutionen", Captured 2018-04-09,
<<https://nbn-resolving.org/institutions>>.

[PERSID] PersID initiative, 2009-2011, "persid: Building a persistent identifier infrastructure",
Captured 2018-04-09, <<http://www.persid.org>>.

[RFC1321] Rivest, R., "The MD5 Message-Digest Algorithm", [RFC 1321](#), DOI 10.17487/RFC1321, April 1992,
<<https://www.rfc-editor.org/info/rfc1321>>.

[RFC2046] Freed, N. and N. Borenstein, "Multipurpose Internet Mail Extensions (MIME) Part Two: Media Types", [RFC 2046](#), DOI 10.17487/RFC2046, November 1996,
<<https://www.rfc-editor.org/info/rfc2046>>.

[RFC2141] Moats, R., "URN Syntax", [RFC 2141](#), DOI 10.17487/RFC2141, May 1997, <<https://www.rfc-editor.org/info/rfc2141>>.

[RFC2288] Lynch, C., Preston, C., and R. Daniel, "Using Existing Bibliographic Identifiers as Uniform Resource Names", [RFC 2288](#), DOI 10.17487/RFC2288, February 1998,
<<https://www.rfc-editor.org/info/rfc2288>>.

[RFC2611] Daigle, L., van Gulik, D., Iannella, R., and P. Faltstrom, "URN Namespace Definition Mechanisms", [BCP 33](#), [RFC 2611](#), DOI 10.17487/RFC2611, June 1999,
<<https://www.rfc-editor.org/info/rfc2611>>.

[RFC3044] Rozenfeld, S., "Using The ISSN (International Serial Standard Number) as URN (Uniform Resource Names) within an

ISSN-URN Namespace", [RFC 3044](#), DOI 10.17487/RFC3044, January 2001, <<https://www.rfc-editor.org/info/rfc3044>>.

- [RFC3187] Hakala, J. and H. Walravens, "Using International Standard Book Numbers as Uniform Resource Names", [RFC 3187](#), DOI 10.17487/RFC3187, October 2001, <<https://www.rfc-editor.org/info/rfc3187>>.

Hakala

Expires December 16, 2018

[Page 17]

Internet-Draft

NBN URNs

June 2018

- [RFC3188] Hakala, J., "Using National Bibliography Numbers as Uniform Resource Names", [RFC 3188](#), DOI 10.17487/RFC3188, October 2001, <<https://www.rfc-editor.org/info/rfc3188>>.
- [RFC3406] Daigle, L., van Gulik, D., Iannella, R., and P. Faltstrom, "Uniform Resource Names (URN) Namespace Definition Mechanisms", [RFC 3406](#), DOI 10.17487/RFC3406, October 2002, <<https://www.rfc-editor.org/info/rfc3406>>.
- [RFC6234] Eastlake 3rd, D. and T. Hansen, "US Secure Hash Algorithms (SHA and SHA-based HMAC and HKDF)", [RFC 6234](#), DOI 10.17487/RFC6234, May 2011, <<https://www.rfc-editor.org/info/rfc6234>>.
- [RFC8254] Klensin, J. and J. Hakala, "Uniform Resource Name (URN) Namespace Registration Transition", [RFC 8254](#), DOI 10.17487/RFC8254, October 2017, <<https://www.rfc-editor.org/info/rfc8254>>.

[Appendix A](#). Significant Changes from [RFC 3188](#)

Numerous clarifications based on a decade of experience with [RFC 3188](#).

Non-ISO 3166 (country code) based NBNs have been removed due to lack of usage.

In accordance with established practice, the whole NBN prefix is now declared case-insensitive.

The document is based on the new URN Syntax specification, [RFC 8141](#).

Use of query components and fragment components with this Namespace

is now specified, in accordance with [RFC 8141](#).

[Appendix B](#). Change Log

[[CREF2: RFC-Editor: Please delete this whole section before RFC publication.]]

[B.1](#). [draft-hakala-rfc3188bis-nbn-urn-00](#) to [draft-ietf-urnbis](#)-*-00

- o formal updates for a WG draft; no more "Updates: 2288";
- o introduced references to other URNbis WG documents;
- o changes based on review by Tommi Jauhiainen;

Hakala

Expires December 16, 2018

[Page 18]

Internet-Draft

NBN URNs

June 2018

- o Sect. 3 restructured into namespace and community considerations;
- o old Sect. 7 incorporated in new Sect. 3.1;
- o Security Considerations: old [Section 4.5](#) merged into [Section 5](#);
- o added guidelines for when two manifestations of the same work should get different URN:NBNs;
- o clarified role of ISO 3166/MA for ISO 3166-1 country codes;
- o clarified role of non-ISO prefix registry maintained by the LoC;
- o resolved inconsistency in lexical equivalence rules: as already specified for ISO alpha-2 country-codes, and in accordance with established practice, the whole NBN prefix is now declared case-insensitive;
- o registration template adapted to [rfc3406bis](#)[-00];
- o numerous editorial fixes and enhancements.

[B.2](#). [draft-ietf-urnbis-rfc3188bis-nbn-urn-00](#) to -01

- o Numerous changes to accommodate the outcome of the discussions on the urn list;

- o three different ways of identifying fragments specified;
- o removed some redundant/irrelevant paragraphs/subsections;
- o the "one manifestation, one URN" principle strengthened;
- o introduced the idea of interlinking manifestations;
- o extended the scope of the NBN explicitly to works;
- o added reference to S4.2 in namespace registration;
- o numerous editorial fixes and enhancements.

B.3. [draft-ietf-urnbis-rfc3188bis-nbn-urn-01](#) to -02

- o Removed the possibility of using prefixes not based on country codes;
- o replaced all instances of the word object with resources;

Hakala

Expires December 16, 2018

[Page 19]

Internet-Draft

NBN URNs

June 2018

- o removed some redundant/irrelevant paragraphs/subsections;
- o allowed the possibility for identifying data elements with NBNs;
- o a few editorial fixes and enhancements.

B.4. [draft-ietf-urnbis-rfc3188bis-nbn-urn-02](#) to -03

- o improved text related to "prefix" in NSS;
- o addressed issues with text related to case-sensitivity of NSS strings;
- o addressed comments and open details on requirements language;
- o switched language to talk about "resource" instead of "object";
- o several more editorial fixes and enhancements.

B.5. [draft-ietf-urnbis-rfc3188bis-nbn-urn-03](#) to -04

- o specification of how to use URN query and fragment part based on the revised versions of rfc2141bis and rfc3406bis;
- o various textual improvements and clarifications, including:
- o textual alignments with rfc3187bis draft vers. -03;
- o multiple editorial fixes and improvements.

B.6. [draft-ietf-urnbis-rfc3188bis-nbn-urn-04](#) (2012-10-22) to [draft-hakala-urn-nbn-rfc3188bis-00](#)

- o Conversion of document to XML2RFC format, change of name (not a WG task).
- o Adjusted for changes to 2141bis, consolidation of RFC 3406bis, creation of transition document.
- o Made a number of changes to reflect publication of [RFC 8141](#) (previously 2141bis and 3406bis) and update terminology, references, and current status to early 2018.

Hakala

Expires December 16, 2018

[Page 20]

Internet-Draft

NBN URNs

June 2018

B.7. [draft-hakala-urn-nbn-rfc3188bis-00](#) (2018-06-02) to [draft-hakala-urn-nbn-rfc3188bis-01](#)

- o Adjusted on the basis of feedback from IESG.
- o Theoretical discussion on the usage of r- and q-components has been deleted.
- o Out-of-date sections of the text have been updated.

Author's Address

Juha Hakala
The National Library of Finland
P.O. Box 15, Helsinki University
Helsinki, MA FIN-00014
Finland

Email: juha.hakala@helsinki.fi