

Network Working Group
Internet-Draft
Intended status: Standards Track
Expires: October 05, 2012

T. Hansen
AT&T Laboratories
April 05, 2012

Additional Media Type Structured Syntax Suffixes **draft-hansen-media-type-suffix-regs-00**

Abstract

This document defines several Structured Syntax Suffixes for use with media type registrations. In particular, it defines and registers the "+json", "+der", "+fastinfoset" and "+wbxml" Structured Syntax Suffixes.

Status of this Memo

This Internet-Draft is submitted in full conformance with the provisions of [BCP 78](#) and [BCP 79](#).

Internet-Drafts are working documents of the Internet Engineering Task Force (IETF). Note that other groups may also distribute working documents as Internet-Drafts. The list of current Internet-Drafts is at <http://datatracker.ietf.org/drafts/current/>.

Internet-Drafts are draft documents valid for a maximum of six months and may be updated, replaced, or obsoleted by other documents at any time. It is inappropriate to use Internet-Drafts as reference material or to cite them other than as "work in progress."

This Internet-Draft will expire on October 05, 2012.

Copyright Notice

Copyright (c) 2012 IETF Trust and the persons identified as the document authors. All rights reserved.

This document is subject to [BCP 78](#) and the IETF Trust's Legal Provisions Relating to IETF Documents (<http://trustee.ietf.org/license-info>) in effect on the date of publication of this document. Please review these documents carefully, as they describe your rights and restrictions with respect to this document. Code Components extracted from this document must include Simplified BSD License text as described in Section 4.e of the [Trust Legal Provisions](#) and are provided without warranty as described in the Simplified BSD License.

Table of Contents

1.	Introduction	2
2.	When to Use these Structured Syntax Suffixes	2
3.	The +json Structured Syntax Suffix	2
4.	The +der Structured Syntax Suffix	3

5.	The +fastinfoset Structured Syntax Suffix	3
6.	The +wbxml Structured Syntax Suffix	3
7.	IANA Considerations	4
8.	Security Considerations	4
9.	References	4
9.1.	Normative References	4
9.2.	Informative References	5
	Author's Address	5

[1.](#) Introduction

[RFC3023] created the +xml suffix convention that may be used by media types whose representation uses XML underneath, that is, they could have been successfully parsed as if the media type had been application/xml in addition to their being parsed as their media type that is using the +xml suffix. [I-D.ietf-appsawg-media-type-regs] defines a registry to be used for future Structured Syntax Suffixes.

A variety of Structured Syntax Suffixes have already been used in some Media Type registration, in particular "+json", "+der", "+fastinfoset" and "+wbxml". This document defines and registers these four Structured Syntax Suffixes in the Structured Syntax Suffix registry.

Discussion of this document should occur in the Apps Area Working Group (apps-discuss@ietf.org).

[2.](#) When to Use these Structured Syntax Suffixes

Each of the Structured Syntax Suffixes defined in this document are appropriate for use when the media type identifies the semantics of the protocol payload. That is, knowing the semantics of the specific media type provides for more specific processing of the content than that afforded by generic processing of the underlying representation.

At the same time, using the suffix provides receivers of the media types to do generic processing of the underlying representation in cases where they do not need to handle specially the specific semantics of the exact media type.

[3.](#) The +json Structured Syntax Suffix

[RFC4627] defines the "application/json" media type. The suffix "+json" may be used with any media type whose representation follows that established for "application/json". The Structured Syntax Suffix registration form follows:

Name	JavaScript Object Notation (JSON)
+suffix	+json
References	[RFC4627]

Encoding considerations Per [[RFC4627](#)], JSON may be represented using UTF-8, UTF-16, or UTF-32. When JSON is written in UTF-8, JSON is 8bit compatible. When JSON is written in UTF-16 or UTF-32, JSON is binary.

Interoperability considerations n/a

Security considerations See [[RFC4627](#)]

Contact Apps Area Working Group (apps-discuss@ietf.org)
Author/Change controller The Apps Area Working Group has change
 control over this registration.

4. The +der Structured Syntax Suffix

The CCITT defined the Distinguished Encoding Rules (DER) message transfer syntax in [CCITT.X690.2002]. The suffix "+der" may be used with any media type whose representation follows the DER message transfer syntax. The Structured Syntax Suffix registration form follows:

Name	Distinguished Encoding Rules (DER) message transfer syntax
+suffix	+der
References	[CCITT.X690.2002]
Encoding considerations	DER is a binary encoding.
Interoperability considerations	n/a
Security considerations	There are no security considerations inherent in DER. Each individual media type registered with a +der suffix may have additional security considerations.
Contact	Apps Area Working Group (apps-discuss@ietf.org)
Author/Change controller	The Apps Area Working Group has change control over this registration.

5. The +fastinfoset Structured Syntax Suffix

The ITU-T and ISO have defined the Fast Infoset document format as a binary representation of the XML Information Set in [ITU.X891.2005] and [ISO.IEC.24824-1.2007]. These documents further define the "application/fastinfoset" media type. The suffix "+fastinfoset" may be used with any media type whose representation follows that established for "application/fastinfoset". The Structured Syntax Suffix registration form follows:

Name	Fast Infoset document format
+suffix	+infoset
References	[ITU.X891.2005] and [ISO.IEC.24824-1.2007]
Encoding considerations	Fast Infoset is a binary encoding. The binary, quoted-printable and base64 content-transfer-encodings are suitable for use with Fast Infoset.
Interoperability considerations	n/a
Security considerations	There are no security considerations inherent in Fast Infoset. Each individual media type registered with a +der suffix may have additional security considerations.
Contact	Apps Area Working Group (apps-discuss@ietf.org)

Author/Change controller The Apps Area Working Group has change
control over this registration.

6. The +wbxml Structured Syntax Suffix

Hansen

Expires October 05, 2012

[Page 3]

The WAP Forum has defined the WAP Binary XML (WBXML) document format as a binary representation of XML in [WBXML]. This document further defines the "application/vnd.wap.wbxml" media type. The suffix "+wbxml" may be used with any media type whose representation follows that established for "application/vnd.wap.wbxml". The Structured Syntax Suffix registration form follows:

Name	WAP Binary XML (WBXML) document format
+suffix	+wbxml
References	[WBXML]
Encoding considerations	WBXML is a binary encoding.
Interoperability considerations	n/a
Security considerations	There are no security considerations inherent in WBXML. Each individual media type registered with a +der suffix may have additional security considerations.
Contact	Apps Area Working Group (apps-discuss@ietf.org)
Author/Change controller	The Apps Area Working Group has change control over this registration.

7. IANA Considerations

See the Structured Syntax Suffix registration forms in sections [2-5](#).

8. Security Considerations

See the Security considerations sections found in the Structured Syntax Suffix registration forms from sections [2-5](#).

9. References

9.1. Normative References

- [1] Crockford, D., "The application/json Media Type for JavaScript Object Notation (JSON)", [RFC 4627](#), July 2006.
- [2] International International Telephone and Telegraph Consultative Committee, "AASN.1 encoding rules: Specification of basic encoding Rules (BER), Canonical encoding rules (CER) and Distinguished encoding rules (DER)", CCITT Recommendation X.680, July 2002.
- [3] International Telecommunications Union, "Information Technology - Generic applications of ASN.1: Fast infoset", ITU-T Recommendation X.891, May 2005.
- [4] International Organization for Standardization, "Information Technology - Generic applications of ASN.1: Fast infoset", ISO Standard 24824-1, May 2007.

[5] Open Mobile Alliance, "Binary XML Content Format Specification", OMA Wireless Access Protocol WAP-192-WBXML-20010725-a, July 2001.

Hansen

Expires October 05, 2012

[Page 4]

9.2. Informative References

- [1] Murata, M., St. Laurent, S. and D. Kohn, "XML Media Types", [RFC 3023](#), January 2001.
- [2] Freed, N., Klensin, J. and T. Hansen, "Media Type Specifications and Registration Procedures", Internet-Draft [draft-ietf-appsawg-media-type-regs-04](#), April 2012.

Author's Address

Tony Hansen
AT&T Laboratories
200 Laurel Ave. South
Middletown, NJ 07748
USA

Email: tony+sss@maillennium.att.com

