Network Working Group

Internet-Draft

Intended status: Standards Track

Expires: November 3, 2017

# Running DNS in Existing QUIC Connections draft-hoffman-dns-in-existing-quic-01

#### Abstract

This draft is now a tombstone. The -00 version of this document has a likely-bad suggestion of how to run DNS service over existing QUIC connections, such as those being used for HTTP for basic web service. The author no longer recommends to do this.

#### Status of This Memo

This Internet-Draft is submitted in full conformance with the provisions of  $\underline{BCP}$  78 and  $\underline{BCP}$  79.

Internet-Drafts are working documents of the Internet Engineering Task Force (IETF). Note that other groups may also distribute working documents as Internet-Drafts. The list of current Internet-Drafts is at <a href="http://datatracker.ietf.org/drafts/current/">http://datatracker.ietf.org/drafts/current/</a>.

Internet-Drafts are draft documents valid for a maximum of six months and may be updated, replaced, or obsoleted by other documents at any time. It is inappropriate to use Internet-Drafts as reference material or to cite them other than as "work in progress."

This Internet-Draft will expire on November 3, 2017.

## Copyright Notice

Copyright (c) 2017 IETF Trust and the persons identified as the document authors. All rights reserved.

This document is subject to <u>BCP 78</u> and the IETF Trust's Legal Provisions Relating to IETF Documents

(<a href="http://trustee.ietf.org/license-info">http://trustee.ietf.org/license-info</a>) in effect on the date of publication of this document. Please review these documents carefully, as they describe your rights and restrictions with respect to this document. Code Components extracted from this document must include Simplified BSD License text as described in Section 4.e of the Trust Legal Provisions and are provided without warranty as described in the Simplified BSD License.

P. Hoffman

May 2, 2017

TCANN

## Table of Contents

<u>1</u> .	Introduct	tion															2
<u>2</u> .	Security	Cons	ide	era	ıti	Lor	าร										2
Auth	nor's Addı	ress															2

## Introduction

This draft is now a tombstone. The -00 version of this document has a likely-bad suggestion of how to run DNS service over existing QUIC connections, such as those being used for HTTP for basic web service. The author no longer recommends to do this.

# Security Considerations

None, because this is a tombstone draft.

Author's Address

Paul Hoffman ICANN

Email: paul.hoffman@icann.org