

Network Working Group  
Internet-Draft  
Updates: [4568](#),4585 (if approved)  
Intended status: Standards Track  
Expires: July 27, 2017

A. Hutton  
Unify  
R. Jesske  
Deutsche Telekom  
A. Johnston  
Unaffiliated  
G. Salgueiro  
Cisco  
B. Aboba  
Microsoft  
January 23, 2017

Negotiating SRTP and RTCP Feedback using the RTP/AVP Profile  
draft-hutton-mmusic-opportunistic-negotiation-00

Abstract

This document describes how the use of the Secure Real-time transport protocol (SRTP) [[RFC3711](#)]. can be negotiated using the AVP (Audio Video Profile) defined in [[RFC3551](#)]. Such a mechanism is used to provide a means for encrypted media to be used in environments where support for encryption is not known in advance, and not required. The same mechanism is also applied to negotiation of the Extended RTP Profile for Real-time Transport Control Protocol Based Feedback (RTP/AVPF) [[RFC4585](#)].

Status of This Memo

This Internet-Draft is submitted in full conformance with the provisions of [BCP 78](#) and [BCP 79](#).

Internet-Drafts are working documents of the Internet Engineering Task Force (IETF). Note that other groups may also distribute working documents as Internet-Drafts. The list of current Internet-Drafts is at <http://datatracker.ietf.org/drafts/current/>.

Internet-Drafts are draft documents valid for a maximum of six months and may be updated, replaced, or obsoleted by other documents at any time. It is inappropriate to use Internet-Drafts as reference material or to cite them other than as "work in progress."

This Internet-Draft will expire on July 27, 2017.

Internet-Draft

Negotiating RTP Profiles

January 2017

## Copyright Notice

Copyright (c) 2017 IETF Trust and the persons identified as the document authors. All rights reserved.

This document is subject to [BCP 78](#) and the IETF Trust's Legal Provisions Relating to IETF Documents (<http://trustee.ietf.org/license-info>) in effect on the date of publication of this document. Please review these documents carefully, as they describe your rights and restrictions with respect to this document. Code Components extracted from this document must include Simplified BSD License text as described in Section 4.e of the Trust Legal Provisions and are provided without warranty as described in the Simplified BSD License.

## Table of Contents

<a href="#">1.</a>	Introduction . . . . .	<a href="#">2</a>
<a href="#">2.</a>	Normative Language . . . . .	<a href="#">3</a>
<a href="#">3.</a>	Motivation . . . . .	<a href="#">3</a>
<a href="#">4.</a>	Use of RTP/AVP profile with SRTP . . . . .	<a href="#">3</a>
<a href="#">5.</a>	Use of RTP/AVP profile with RTCP Feedback . . . . .	<a href="#">4</a>
<a href="#">6.</a>	IANA Considerations . . . . .	<a href="#">4</a>
<a href="#">7.</a>	Security Considerations . . . . .	<a href="#">4</a>
<a href="#">8.</a>	Acknowledgements . . . . .	<a href="#">4</a>
<a href="#">9.</a>	References . . . . .	<a href="#">4</a>
<a href="#">9.1.</a>	Normative References . . . . .	<a href="#">4</a>
<a href="#">9.2.</a>	Informative References . . . . .	<a href="#">5</a>
	Authors' Addresses . . . . .	<a href="#">6</a>

[1.](#) Introduction

Opportunistic Security [[RFC7435](#)] is an approach to security that defines a third mode for security between "cleartext" and "comprehensive protection" that allows encryption and authentication to be used if supported but will not result in failures if it is not supported. In terms of secure media, cleartext is RTP [[RFC3550](#)] media which is negotiated with the AVP (Audio Video Profile) profile defined [[RFC3551](#)]. Comprehensive protection is Secure RTP [[RFC3711](#)], negotiated with a secure profile, such as SAVP or SAVPF [[RFC5124](#)].

[I-D.ietf-sipbrandy-osrtp] describes how Secure Real-time transport protocol (SRTP) can be negotiated opportunistically.

[RFC4568] however requires that SRTP is only negotiated using the RTP/SAVP profile [[RFC3711](#)] or the RTP/SAVPF profile [[RFC5124](#)]. This document relaxes this rule by allowing SRTP to be used with the RTP/AVP profile when negotiated opportunistically.

Similarly [[RFC4585](#)] requires that the RTCP extended reports are only used in media sessions for which the "AVPF" profile is specified. This document therefore also relaxes this rule allowing RTCP based feedback to be used with the RTP/AVP profile.

## [2.](#) Normative Language

The key words "MUST", "MUST NOT", "REQUIRED", "SHALL", "SHALL NOT", "SHOULD", "SHOULD NOT", "RECOMMENDED", "MAY", and "OPTIONAL" in this document are to be interpreted as described in [BCP 14](#), [RFC 2119](#) [[RFC2119](#)].

## [3.](#) Motivation

In theory SDP [[RFC4566](#)] allows different RTP profiles such as SAVP, AVPF, and AVP to be offered as separate m-lines, and allows the answerer to reject profiles it does not support or does not wish to use. However the use of multiple m-lines for such a negotiation is not well defined and implementations receiving such an offer are likely to reject the SDP Offer rather than use the profile they support. This negotiation failure has been observed when negotiating the secure profile (SAVP) and also when negotiating RTCP based feedback messages [[RFC4585](#)] (RTP/AVPF) or both (RTP/SAVPF).

To avoid using multiple m-lines to negotiate RTP profiles this draft recognized that existing implementation of SRTP, and RTCP feedback, make use of the relevant SDP attributes to indicate such capabilities. The approach therefore taken in this draft uses the "a=" lines in SDP to negotiate these capabilities in a single offer/answer exchange, by offering the AVP profile but indicating the supported functionality in a=lines.

## [4.](#) Use of RTP/AVP profile with SRTP

To negotiate SRTP in an opportunistic way such as that described in [[I-D.ietf-sipbrandy-osrtp](#)] requires a fallback to unencrypted media

to occur if the remote endpoint does not support SRTP.

Therefore when negotiating SRTP opportunistically the SDP offerer MUST use the AVP profile [[RFC3551](#)]. This is independent of the key exchange mechanism used.

The SDP answerer will use the AVP profile if it does not encrypt the media and may use the AVP if it encrypts the media. The exact negotiation mechanism is however outside the scope of this document, an example mechanism can be found in [[I-D.ietf-sipbrandy-osrtp](#)].

Therefore when negotiating SRTP opportunistically the SDP offerer MUST use the AVP profile [[RFC3551](#)]. This is independent of the key exchange mechanism used.

#### [5.](#) Use of RTP/AVP profile with RTCP Feedback

Negotiating the use of the Extended RTP Profile for RTCP Based Feedback (RTP/AVPF) [[RFC4585](#)] opportunistically also requires the offerer to use the AVP profile otherwise the offer is likely to be rejected by an answerer who does not support AVPF.

Therefore when negotiating RTCP Based Feedback opportunistically the SDP offerer MUST use the AVP profile [[RFC3551](#)] and include the "a=rtcp-fb" SDP attribute as described in [[RFC4585](#)]. This is an update to [[RFC4585](#)] which requires that the "a=rtcp-fb" attribute is only used with the AVPF profile. All other [[RFC4585](#)] procedures remain unchanged.

#### [6.](#) IANA Considerations

None

#### [7.](#) Security Considerations

The security considerations of [[RFC7435](#)] apply to any opportunistic approach to SRTP.

It is important to note that negotiating SRTP in an opportunistic way makes no changes, and has no effect on media sessions in which the

offer contains a secure profile of RTP, such as SAVP or SAVPF. As discussed in [[RFC7435](#)] this is the "comprehensive protection" for media mode.

## [8.](#) Acknowledgements

This document is dedicated to our friend and colleague Francois Audet who is greatly missed in our community. His work on improving security in SIP and RTP provided the foundation for this work.

## [9.](#) References

### [9.1.](#) Normative References

- [RFC2119] Bradner, S., "Key words for use in RFCs to Indicate Requirement Levels", [BCP 14](#), [RFC 2119](#), DOI 10.17487/RFC2119, March 1997, <<http://www.rfc-editor.org/info/rfc2119>>.

Hutton, et al.

Expires July 27, 2017

[Page 4]

---

Internet-Draft

Negotiating RTP Profiles

January 2017

### [9.2.](#) Informative References

- [I-D.ietf-sipbrandy-osrtp]  
Johnston, A., Aboba, B., Hutton, A., Jesske, R., and T. Stach, "An Opportunistic Approach for Secure Real-time Transport Protocol (OSRTP)", [draft-ietf-sipbrandy-osrtp-01](#) (work in progress), October 2016.
- [RFC3550] Schulzrinne, H., Casner, S., Frederick, R., and V. Jacobson, "RTP: A Transport Protocol for Real-Time Applications", STD 64, [RFC 3550](#), DOI 10.17487/RFC3550, July 2003, <<http://www.rfc-editor.org/info/rfc3550>>.
- [RFC3551] Schulzrinne, H. and S. Casner, "RTP Profile for Audio and Video Conferences with Minimal Control", STD 65, [RFC 3551](#), DOI 10.17487/RFC3551, July 2003, <<http://www.rfc-editor.org/info/rfc3551>>.
- [RFC3711] Baugher, M., McGrew, D., Naslund, M., Carrara, E., and K. Norrman, "The Secure Real-time Transport Protocol (SRTP)", [RFC 3711](#), DOI 10.17487/RFC3711, March 2004, <<http://www.rfc-editor.org/info/rfc3711>>.

- [RFC4566] Handley, M., Jacobson, V., and C. Perkins, "SDP: Session Description Protocol", [RFC 4566](#), DOI 10.17487/RFC4566, July 2006, <<http://www.rfc-editor.org/info/rfc4566>>.
- [RFC4568] Andreasen, F., Baugher, M., and D. Wing, "Session Description Protocol (SDP) Security Descriptions for Media Streams", [RFC 4568](#), DOI 10.17487/RFC4568, July 2006, <<http://www.rfc-editor.org/info/rfc4568>>.
- [RFC4585] Ott, J., Wenger, S., Sato, N., Burmeister, C., and J. Rey, "Extended RTP Profile for Real-time Transport Control Protocol (RTCP)-Based Feedback (RTP/AVPF)", [RFC 4585](#), DOI 10.17487/RFC4585, July 2006, <<http://www.rfc-editor.org/info/rfc4585>>.
- [RFC5124] Ott, J. and E. Carrara, "Extended Secure RTP Profile for Real-time Transport Control Protocol (RTCP)-Based Feedback (RTP/SAVPF)", [RFC 5124](#), DOI 10.17487/RFC5124, February 2008, <<http://www.rfc-editor.org/info/rfc5124>>.
- [RFC7435] Dukhovni, V., "Opportunistic Security: Some Protection Most of the Time", [RFC 7435](#), DOI 10.17487/RFC7435, December 2014, <<http://www.rfc-editor.org/info/rfc7435>>.

#### Authors' Addresses

Andrew Hutton  
Unify  
Brickhill Street  
Milton Keynes MK15 0DJ  
UK

Email: [andrew.hutton@unify.com](mailto:andrew.hutton@unify.com)

Roland Jesske  
Deutsche Telekom  
Heinrich-Hertz-Strasse 3-7  
Darmstadt 64295

Germany

Email: R.Jesske@telekom.de

Alan Johnston  
Unaffiliated  
Bellevue, WA  
USA

Email: alan.b.johnston@gmail.com

Gonzalo Salgueiro  
Cisco  
7200-12 Kit Creek Road  
RTP, NC 27709  
USA

Email: gsalguei@cisco.com

Bernard Aboba  
Microsoft  
One Microsoft Way  
Redmond, WA 98052  
USA

Email: bernard.aboba@gmail.com