

Internet Architecture Board
Internet-Draft
Intended status: Informational
Expires: December 23, 2016

H. Flanagan
RFC Editor
June 21, 2016

RFC Format Framework
draft-iab-rfc-framework-05

Abstract

The canonical format for the RFC Series has been plain-text, ASCII-encoded for several decades. After extensive community discussion and debate, the RFC Editor will be transitioning to XML as the canonical format using the XML2RFC version 3 vocabulary. Different publication formats will be rendered from that base document. These changes are intended to increase the usability of the RFC Series by offering documents that match the needs of a wider variety of stakeholders. With these changes, however, comes an increase in complexity for authors, consumers, and the publisher of RFCs. This document serves as the framework that describes the problems being solved and summarizes the many documents that capture the specific requirements for each aspect of the change in format.

Editorial Note (To be removed by RFC Editor)

Discussion of this draft takes place on the rfc-interest mailing list (rfc-interest@rfc-editor.org), which has its home page at <https://www.rfc-editor.org/mailman/listinfo/rfc-interest>.

Status of This Memo

This Internet-Draft is submitted in full conformance with the provisions of [BCP 78](#) and [BCP 79](#).

Internet-Drafts are working documents of the Internet Engineering Task Force (IETF). Note that other groups may also distribute working documents as Internet-Drafts. The list of current Internet-Drafts is at <http://datatracker.ietf.org/drafts/current/>.

Internet-Drafts are draft documents valid for a maximum of six months and may be updated, replaced, or obsoleted by other documents at any time. It is inappropriate to use Internet-Drafts as reference material or to cite them other than as "work in progress."

This Internet-Draft will expire on December 23, 2016.

Copyright Notice

Copyright (c) 2016 IETF Trust and the persons identified as the document authors. All rights reserved.

This document is subject to [BCP 78](#) and the IETF Trust's Legal Provisions Relating to IETF Documents (<http://trustee.ietf.org/license-info>) in effect on the date of publication of this document. Please review these documents carefully, as they describe your rights and restrictions with respect to this document. Code Components extracted from this document must include Simplified BSD License text as described in Section 4.e of the Trust Legal Provisions and are provided without warranty as described in the Simplified BSD License.

Table of Contents

1.	Introduction	3
2.	Problem Statement	3
3.	Terminology	4
4.	Overview of the Decision Making Process	4
5.	Key Changes	6
6.	Canonical Format Documents	6
6.1.	XML for RFCs	6
7.	Publication Format Documents	8
7.1.	HTML	8
7.2.	PDF	8
7.3.	Plain Text	9
7.4.	Potential Future Publication Formats	9
7.4.1.	EPUB	9
8.	Figures and Artwork	9
8.1.	SVG	9
9.	Content and Page Layout	10
9.1.	Non-ASCII Characters	10
9.2.	Style Guide	10
9.3.	CSS Requirements	10
10.	Transition Plan	10
10.1.	Statement of Work and RFP for Tool Development	10
10.2.	Testing and Transition	10
10.3.	Completion	12
11.	IANA Considerations	12
12.	Security Considerations	12
13.	Acknowledgements	12
14.	Appendix - Change log	12
14.1.	draft-iab-rfc-framework-04 to -05	13
14.2.	draft-iab-rfc-framework-03 to -04	13
14.3.	draft-iab-rfc-framework-02 to -03	13
14.4.	draft-iab-rfc-framework-01 to -02	13

Flanagan

Expires December 23, 2016

[Page 2]

14.5. <u>draft-iab-rfc-framework-00</u> to -01	13
15. References	13
15.1. Normative References	13
15.2. Informative References	14
Author's Address	16

[1. Introduction](#)

"RFC Series Format Requirements and Future Development" discussed the need for additional features within RFCs such as non-ASCII characters to respect author names, more advanced artwork than ASCII art, and documents that could display properly on a wide variety of devices [[RFC6949](#)]. Based on the discussions with the IETF community as well as other communities of interest, the RFC Series Editor decided to explore a change to the format of the Series [[XML-ANNOUNCE](#)]. This document serves as the framework that describes the problems being solved and summarizes the documents created to-date that capture the specific requirements for each aspect of the change in format.

Key changes to the publication of RFCs are highlighted, and a transition plan that will take the Series from a plain-text, ASCII-only format to the new formats is described on the rfc-interest mailing list [[RFC-INTEREST](#)].

This document is concerned with the production of RFCs, focusing on the published formats. It does not address any changes to the processes each stream uses to develop and review their submissions (specifically, how Internet-Drafts will be developed). While I-Ds have a similar set of issues and concerns, directly addressing those issues for I-Ds will be discussed within each document stream.

The details described in this document are expected to change based on experience gained in implementing the RFC Production Center's toolset. Revised documents will be published capturing those changes as the toolset is completed. Other implementers must not expect those changes to remain backwards-compatible with the details described in this document.

[2. Problem Statement](#)

There are nearly three billion people connected to the Internet, and individuals from 45 countries or more regularly attending IETF meetings over the last five years [[ISTATS](#)]. The Internet is now global, and while the world has changed from when the first RFCs were published, the Series remains critical to defining protocols, standards, best practices, and more for this global network that continues to grow. In order to make RFCs easily viewable to the largest number of people possible, across a wide array of devices,

and to respect the diversity of authors and reference materials while still recognizing the archival aspects of the Series, it is time to update the tightly prescribed format of the RFC Series.

All changes to the format of the RFC Series must consider the requirements of a wide set of communities, over an extended length of time. For example, existing authors and implementers, lawyers that argue Intellectual Property Rights (IPR), educators, managers, and policy-makers that need to know what to list in potential RFPs for their organizations, all have preferences and requirements for their specific needs. The immediate needs of today's communities must be balanced with the needs for long-term archival storage.

3. Terminology

The following terminology is used as described in [RFC 6949](#):

ASCII: Coded Character Set - 7-bit American Standard Code for Information Interchange, ANSI X3.4-1986

Canonical format: the authorized, recognized, accepted, and archived version of the document

Metadata: information associated with a document so as to provide, for example, definitions of its structure, or of elements within the document such as its topic or author

Publication format: display and distribution format as it may be read or printed after the publication process has completed

Reflowable text: text that automatically wraps to the next line in a document as the user moves the margins of the text, either by resizing the window or changing the font size

Revisable format: the format that will provide the information for conversion into a Publication format; it is used or created by the RFC Editor

Submission format: the format submitted to the RFC Editor for editorial revision and publication

4. Overview of the Decision Making Process

Requirements, use cases, concerns, and suggestions were collected from the communities of interest at every stage of the RFC format update project. Input was received through the rfc-interest mailing list, as well as in several face-to-face sessions at IETF meetings. Regular conversations were held with the IETF, IRTF, IAB, and IAOC

chairs, and the Independent Stream Editor, to discuss high-level stream requirements. Updates regarding the status of the project were provided to the IETF community during the IETF Technical Plenary as well as Format BoFs or IAB sessions at IETF 84, IETF 85, IETF 88, IETF 89, and IETF 90 [[IETF84](#)] [[IETF85](#)] [[IETF88](#)] [[IETF89](#)] [[IETF90](#)].

The first document published, [RFC 6949](#), provided the first solid documentation on what the requirements were for the Series and in effect was the output from the first year of discussion on the topic of RFC format. That RFC, as with all of the RFCs that informed the format update work, was published as an IAB stream document, thus following the process described in [RFC 4845](#), "Process for Publication of IAB RFCs" [[RFC4845](#)].

After the high-level requirements were published, the RFC Series Editor (RSE) brought together an RFC Format Design Team to start working out the necessary details to develop the code needed to create new and changed formats. The design team discussed moving away from the existing xml2rfc vocabulary, but with such a strong existing support base within the community and no clear value with other XML vocabularies or schemas, the decision was made to work with the XML2RFC version 2 (xml2rfc v2) model and use it as the base for the new format world [[RFC7749](#)]. Part of this discussion included a decision to stop using an XML document type definition (DTD) in favor of a Regular Language for XML Next General (Relax NG) model using a defined vocabulary. While the bi-weekly calls for this team were limited to Design Team members, review of the decisions as documented in the drafts produced by this team were done publicly through requests for feedback on the rfc-interest mailing list. Several of the drafts produced by the Design Team, including the xml2rfc v2 and v3 drafts and the SVG profile drafts, were sent through an early GenART review before starting the process to be accepted as an IAB stream draft [[GEN-ART](#)] [[I-D.iab-xml2rfc](#)].

While the IETF community provided the majority of input on the process, additional outreach opportunities were sought to gain input from an even broader audience. Informal discussions were held with participants at several International Association of Scientific, Technical, and Medical Publisher events, and presentations made at technical conferences such as the TERENA Networking Conference 2014 and NORDUnet 2014 [[TNC2014](#)] [[NDN2014](#)].

In order to respond to concerns regarding responses to subpoenas and to understand the requirements for lawyers, advice was requested from the IETF Trust legal team regarding what format or formats would be considered reasonable when responding to a subpoena request for an RFC.

Given that several other standards development organizations (SDOs) do not offer plain-text documents, and in fact may offer more than one format for their standards, informal input was sought from them regarding their experience with supporting one or more non-plain-text formats for their standards.

Finally, the entire process was reviewed regularly with the RFC Series Oversight Committee and regular updates provided to the IAB and IESG [[RSOC](#)]. They have offered support and input throughout the process.

Where consensus was not reached during the process, the RSE made any necessary final decisions, as per the guidance in [RFC 6635](#), "RFC Editor Model (Version 2)" [[RFC6635](#)].

5. Key Changes

At the highest level, the changes being made to the RFC Format involve breaking away from a pure-ASCII plain text and moving to canonical format that includes all the information required for rendering a document into a wide variety of publication formats. The RFC Editor will become responsible for more than just the plain-text file and the PDF-from-text format created at time of publication; they will be creating several different formats in order to meet the diverse requirements of the community.

The final XML file produced by the RFC Editor will be considered the canonical format for RFCs; it is the lowest common denominator that holds all the information intended for an RFC. PDF/A-3 will be the publication format offered in response to subpoenas for RFCs published through this new process, and will be developed with an eye towards long-term archival storage. HTML will be the focus of providing the most flexible set of features for an RFC, including JavaScript to provide pointers to errata and other metadata. Plain-text will continue to be offered in order to support existing tool chains where practicable and the individuals who prefer to read RFCs in this format.

6. Canonical Format Documents

6.1. XML for RFCs

Key points regarding the XML format:

- o The canonical format for RFCs is XML using the XML2RFC version 3 (xml2rfc v3) vocabulary. This file must contain all information necessary to render a variety of formats; any question about what was intended in the publication will be answered from this format.

- o Authors may submit drafts in xml2rfc v2 vocabulary, but the final publication will convert that to xml2rfc v3 vocabulary.
- o SVG is supported and will be embedded in the final XML file.
- o There will be automatically generated identifiers for sections, paragraphs, figures, and tables in the final XML file.
- o The XML file will not contain any xml2rfc v3 vocabulary elements or attributes that have been marked deprecated.
- o A Document Type Definition (DTD) will no longer be used. The grammar will be defined using RelaxNG.
- o The final XML file will contain, verbatim, the appropriate boilerplate as applicable at time of publication specified by [RFC 5741](#) or its successors [[RFC5741](#)].
- o The final XML will be self-contained with all the information known at publication time. For instance, all features that reference externally-defined input will be expanded. This includes all uses of xinclude, src attributes (such as in <artwork> or <sourcecode> elements), include-like processing instructions, and externally defined entities.
- o The final XML will not contain comments or processing instructions.
- o The final XML will not contain src attributes for <artwork> or <sourcecode> elements.

[RFC7749] Describes the xml2rfc v2 vocabulary. While in wide use today, this vocabulary had not been formally documented. In order to understand what needed to change in the vocabulary to allow for a more simple experience and additional features for authors, the current vocabulary needed to be fully described. This document, when published, will be obsoleted by the RFC published from [draft-iab-xml2rfc](#).

[I-D.iab-xml2rfc] Describes the xml2rfc v3 vocabulary. The design goals in this vocabulary were to make the vocabulary more intuitive for authors, and to expand the features to support the changes being made in the publication process. This draft, when published, will obsolete the [RFC 7749](#).

7. Publication Format Documents

7.1. HTML

[I-D.iab-html-rfc] - Describes the semantic HTML that will be produced by the RFC Editor from the xml2rfc v3 files.

Key points regarding the HTML output:

- o The HTML will be rendered from the XML file; it will not be derived from the plain-text publication format.
- o The body of the document will use a subset of HTML. The documents will include CSS for default visual presentation; it can be overwritten by a local CSS file.
- o SVG is supported and will be included in the HTML file.
- o Text will be reflowable.
- o JavaScript will be supported on a limited basis. It will not be permitted to overwrite or change any text present in the rendered html. It may, on a limited basis, add additional text that provides post-publication metadata or pointers if warranted. All such text will be clearly marked as additional.

7.2. PDF

[I-D.iab-rfc-use-of-pdf] - Describes the tags and profiles that will be used to create the new PDF format, including both the internal structure and the visible layout of the file. A review of the different versions of PDF is offered, with a recommendation of what PDF standard should apply to RFCs.

Key points regarding the PDF output:

- o The PDF file will be rendered from the XML file; it will not be derived from the plain-text publication format.
- o The PDF publication format will conform to the PDF/A-3 standard and will embed the canonical XML source.
- o The PDF will look more like the HTML publication format than the plain-text publication format.
- o The PDF will include a rich set of tags and metadata within the document

- o SVG is supported and will be included in the PDF file.

7.3. Plain Text

[I-D.iab-rfc-plaintext] - Describes the details of the plain text format, focusing in particular on what is changing from the existing plain-text output.

Key points regarding the plain-text output:

- o The plain-text document will no longer be the canonical version of an RFC.
- o The plain-text format will be UTF-8 encoded; non-ASCII characters will be allowed.
- o A Byte Order Mark (BOM) will be added at the start of each file.
- o Widow and orphan control for the plain-text publication format will not have priority for the developers creating the rendering code [[TYPOGRAPHY](#)].
- o Authors may choose to have pointers to line art in other publication formats in place of ASCII art in the .txt file.
- o Both a paginated and an unpaginated plain-text file will be created.
- o Running headers and footers will not be used.

7.4. Potential Future Publication Formats

7.4.1. EPUB

This format is intended for use by ebook readers and will be available for RFCs after the requirements have been defined. No draft is currently available.

8. Figures and Artwork

8.1. SVG

[I-D.iab-svg-rfc] Describes the profile for SVG line art. SVG is an XML-based vocabulary for creating line drawings; SVG information will be embedded within the canonical XML at time of publication.

9. Content and Page Layout

9.1. Non-ASCII Characters

There are security and readability implications to moving outside the ASCII range of characters. [[I-D.iab-rfc-nonascii](#)] focuses on exactly where and how non-ASCII characters may be used in an RFC, with an eye towards keeping the documents as secure and readable as possible given the information that needs to be expressed.

9.2. Style Guide

The RFC Style Guide [[RFC7322](#)] was revised to remove as much page formatting information as possible, focusing instead on grammar, structure, and content of RFCs. Some of the changes recommended, however, informed the XML v3 vocabulary.

9.3. CSS Requirements

[I-D.iab-rfc-css] describe how the CSS classes mentioned in the HTML format draft, "HyperText Markup Language Request for Comments Format", should be used to create an accessible and responsive design for the HTML format.

10. Transition Plan

10.1. Statement of Work and RFP for Tool Development

Existing tools for the creation of RFCs will need to be updated, and new tools created, to implement the updated format. As the requirements gathering effort, described in the various documents described earlier in this draft, finishes the bulk of the work, the Tools Development Team of the IETF will work with the RSE to develop Statements of Work (SoWs). Those SoWs will first be reviewed within the Tools Development Team, the Tools Management Committee, and go out for a public comment period. After public review, the SoWs will be attached to a Request for Proposal (RFP) and posted as per the IASA bid process [[IASA-RFP](#)].

Once bids have been received, reviewed, and awarded, coding will begin.

10.2. Testing and Transition

During the I-D review and approval process, authors and stream-approving bodies will select drafts to run through the proposed new publication process. While the final RFCs published during this time will continue as plain-text and immutable once published, the

feedback process is necessary to bootstrap initial testing. These early tests will target finding issues with the proposed xml2rfc v3 vocabulary that result in poorly formed publication formats as well as issues that prevent proper review of submitted drafts.

Feedback will result in regular iteration of the basic code and XML vocabulary. In order to limit the amount of time the RFC Production Center (RPC) spends on testing and QA, their priority will be to edit and publish documents; therefore, community assistance will be necessary to help move this stage along. A mailing list and experimental source directory on the RFC Editor website will be created for community members willing to assist in the detailed review of the XML and publication formats. Editorial checks of the publication formats by the community are out of scope; the focus will be the QA of each available output, checking for inconsistencies across formats.

The purpose of testing phase is to work with the community to identify and fix bugs in the process and the code, before producing canonical, immutable XML, and to collect additional feedback on the usability of the new publication formats.

Any modifications to the draft review process, up to and including AUTH48, will happen with the community and the stream approving bodies as we learn more about the features and outputs of the new publication tools. Defining those processes is out of scope for this document.

Success will be measured by the closure of all bugs which had been identified by the RPC and the Tools Development team as fatal and consensus on the readiness of the XML vocabulary and final XML files for publication. The actual rendering engine can go through further review and iteration, as the publication formats may be republished as needed.

Authors are not required to submit their approved drafts in an XML format, though they are strongly encouraged to do so; plain-text will also remain an option for the foreseeable future. However, documents submitted as plain-text cannot include such features as SVG artwork. The RPC will generate an XML file if necessary for basic processing and subsequent rendering into the approved output formats.

A known risk at this point of the transition is the difficulty in quantifying the resources required from the RPC. This phase will require more work on the part of the RPC to support both old and new publication processes for at least six months. There is potential for confusion as consumers of RFCs find some documents published at this time with a full set of outputs, while other documents only have

plain text. There may be a delay in publication as new bugs are found that must be fixed before the files can be converted into the canonical format and associated publication formats.

Final success of the transition will be measured by the closure of all bugs which had been identified by the RPC and the Tools Development team as major or critical. There must also be rough consensus from the community regarding the utility of the new formats.

10.3. Completion

Authors may submit XML (preferred) or plain text. The XML drafts submitted for publication will be converted to canonical XML format and published with all available publication formats. All authors will be expected to review the final documents as consistent with the evolving procedures for reviewing drafts.

Success for this phase will be measured by a solid understanding by the RSE and the IAOC of the necessary costs and resources required for long-term support of the new format model.

11. IANA Considerations

This document has no actions for IANA.

12. Security Considerations

Changing the format for RFCs involves modifying a great number of components to publication. Understanding those changes and the implications for the entire tool chain is critical so as to avoid unintended bugs that would allow unintended changes to text. Unintended changes to text could in turn corrupt a standard, practice or critical piece of information about a protocol.

13. Acknowledgements

With many thanks to the RFC Format Design Team for their efforts in making this transition successful: Nevil Brownlee (ISE), Tony Hansen, Joe Hildebrand, Paul Hoffman, Ted Lemon, Julian Reschke, Adam Roach, Alice Russo, Robert Sparks (Tools Team liaison), and Dave Thaler.

14. Appendix - Change log

To be removed by RFC Editor

14.1. [draft-iab-rfc-framework-04](#) to -05

Introduction: minor clarifications

Updated references

14.2. [draft-iab-rfc-framework-03](#) to -04

Introduction: editorial changes

Clarified that submitted plain text will be converted to XML by the RPC; the XML will be used to render all output formats.

14.3. [draft-iab-rfc-framework-02](#) to -03

HTML output: clarified expectations around use of JavaScript.

14.4. [draft-iab-rfc-framework-01](#) to -02

Introduction: Removed some unnecessary history.

14.5. [draft-iab-rfc-framework-00](#) to -01

Decision Making Process: noted taht other XML schemas and vocabularies were considered by the design team

XML for RFCs: "boilerplate at time of publication"

HTML: clarified that JavaScript should not impact readability of the document as it looked at time of publication

15. References

15.1. Normative References

- [RFC6949] Flanagan, H. and N. Brownlee, "RFC Series Format Requirements and Future Development", [RFC 6949](#), DOI 10.17487/RFC6949, May 2013, <<http://www.rfc-editor.org/info/rfc6949>>.
- [RFC7749] Reschke, J., "The "xml2rfc" Version 2 Vocabulary", [RFC 7749](#), DOI 10.17487/RFC7749, February 2016, <<http://www.rfc-editor.org/info/rfc7749>>.
- [I-D.iab-xml2rfc] Hoffman, P., "The "xml2rfc" version 3 Vocabulary", [draft-iab-xml2rfc-03](#) (work in progress), February 2016.

[I-D.iab-svg-rfc]

Brownlee, N., "SVG Drawings for RFCs: SVG 1.2 RFC", [draft-iab-svg-rfc-02](#) (work in progress), February 2016.

[I-D.iab-html-rfc]

Hildebrand, J. and P. Hoffman, "HyperText Markup Language Request For Comments Format", [draft-iab-html-rfc-02](#) (work in progress), February 2016.

[I-D.iab-rfc-use-of-pdf]

Hansen, T., Masinter, L., and M. Hardy, "PDF for an RFC Series Output Document Format", [draft-iab-rfc-use-of-pdf-02](#) (work in progress), May 2016.

[I-D.iab-rfc-plaintext]

Flanagan, H., "Requirements for Plain-Text RFCs", [draft-iab-rfc-plaintext-03](#) (work in progress), May 2016.

[I-D.iab-rfc-nonascii]

Flanagan, H., "The Use of Non-ASCII Characters in RFCs", [draft-iab-rfc-nonascii-02](#) (work in progress), April 2016.

[I-D.iab-rfc-css]

Flanagan, H., "CSS Requirements for RFCs", [draft-iab-rfc-css-00](#) (work in progress), January 2016.

15.2. Informative References

- [RFC4845] Daigle, L., Ed. and Internet Architecture Board, "Process for Publication of IAB RFCs", [RFC 4845](#), DOI 10.17487/RFC4845, July 2007, <<http://www.rfc-editor.org/info/rfc4845>>.
- [RFC5741] Daigle, L., Ed., Kolkman, O., Ed., and IAB, "RFC Streams, Headers, and Boilerplates", [RFC 5741](#), DOI 10.17487/RFC5741, December 2009, <<http://www.rfc-editor.org/info/rfc5741>>.
- [RFC6635] Kolkman, O., Ed., Halpern, J., Ed., and IAB, "RFC Editor Model (Version 2)", [RFC 6635](#), DOI 10.17487/RFC6635, June 2012, <<http://www.rfc-editor.org/info/rfc6635>>.
- [RFC7322] Flanagan, H. and S. Ginoza, "RFC Style Guide", [RFC 7322](#), DOI 10.17487/RFC7322, September 2014, <<http://www.rfc-editor.org/info/rfc7322>>.
- [GEN-ART] IETF, "General Area Review Team (Gen-ART)", n.d., <<http://www.ietf.org/iesg/directorate/gen-art.html>>.

[IASA-RFP]

IETF Administrative Support Activity, "RFPs and RFIs", n.d., <<http://iaoc.ietf.org/rfps-rfis.html>>.

[IETF84] Flanagan, H., "IETF 84 Proceedings: RFC Format (rfcform)", n.d., <<http://www.ietf.org/proceedings/84/rfcform.html>>.

[IETF85] Flanagan, H., "IETF 85 Proceedings: RFC Format (rfcform)", n.d., <<http://www.ietf.org/proceedings/85/rfcform.html>>.

[IETF88] Flanagan, H., "IETF 88 Proceedings: RFC Format (rfcform)", n.d., <<http://www.ietf.org/proceedings/88/rfcform.html>>.

[IETF89] Flanagan, H., "IETF 89 Proceedings: RFC Format (rfcform)", n.d., <<http://www.ietf.org/proceedings/89/rfcform.html>>.

[IETF90] Flanagan, H., "IETF 90 Proceedings: RFC Format (rfcform)", n.d., <<http://www.ietf.org/proceedings/90/rfcform.html>>.

[ISTATS] "Internet Live Stats", n.d., <<http://www.internetlivestats.com/internet-users/>>.

[NDN2014] "28th NORDUnet Conference 2014", 2014, <<https://events.nordu.net/display/NORDU2014/BoF%27s+and+side+meetings>>.

[RFC-INTEREST]

RFC Editor, "rfc-interest -- A list for discussion of the RFC series and RFC Editor functions.", n.d., <<https://www.rfc-editor.org/mailman/listinfo/rfc-interest>>.

[RSOC] IAB, "RFC Editor Program: The RSOC", n.d., <<http://www.iab.org/activities/programs/rfc-editor-program/>>.

[TNC2014] Flanagan, H., "IETF Update - 'What's Hot?' - RFC Update", n.d., <<https://tnc2014.terena.org/core/presentation/84>>.

[TYPOGRAPHY]

Butterick, M., "Butterick's Practical Typography", n.d., <<http://practicaltypography.com/widow-and-orphan-control.html>>.

[XML-ANNOUNCE]

"Subject: [rfc-i] Direction of the RFC Format Development effort", n.d., <<http://www.rfc-editor.org/pipermail/rfc-interest/2013-May/005584.html>>.

Author's Address

Heather Flanagan
RFC Editor

Email: rse@rfc-editor.org

URI: <http://orcid.org/0000-0002-2647-2220>