

Username/Password Authentication for SOCKS V5
INTERNET-DRAFT
Expires: In Six Months
<[draft-ietf-aft-username-password-00.txt](#)>

M. Leech

Username/Password Authentication for SOCKS V5

Status of this Memo

This document is an Internet-Draft. Internet-Drafts are working documents of the Internet Engineering Task Force (IETF), its areas, and its working groups. Note that other groups may also distribute working documents as Internet-Drafts.

Internet-Drafts are draft document valid for a maximum of six months and may be updated, replaced or obsoleted by other documents at any time. It is inappropriate to use Internet-Drafts as reference material or to cite them other than as "work in progress".

To learn the current status of any Internet-Draft, please check the "lid-abstracts.txt" listing contained in the Internet-Drafts Shadow Directories on ds.internic.net (US East Coast), nic.nordu.net (Europe), ftp.isi.edu (US West Coast), or munnari.oz.au (Pacific Rim).

1. Introduction

The protocol specification for SOCKS Version 5 specifies a generalized framework for the use of arbitrary authentication protocols in the initial socks connection setup. This document describes one of those protocols, as it fits into the SOCKS Version 5 authentication "subnegotiation".

2. Initial negotiation

Once the SOCKS V5 server has started, and the client has selected the Username/Password Authentication protocol, the Username/Password subnegotiation begins. This begins with the client producing a Username/Password request:

```
+-----+-----+-----+-----+-----+
|VER | ULEN |  UNAME   | PLEN |  PASSWD  |
+-----+-----+-----+-----+-----+
| 1  |  1  | 1 to 255 |  1  | 1 to 255 |
+-----+-----+-----+-----+-----+
```

INTERNET-DRAFT

Username Authentication for SOCKS V5

March 1995

The VER field contains the current version of the subnegotiation, which is X'01'. The ULEN field contains the length of the UNAME field that follows. The UNAME field contains the username as known to the source operating system. The PLEN field contains the length of the PASSWD field that follows. The PASSWD field contains the password association with the given UNAME.

The server verifies the supplied UNAME and PASSWD, and sends the following response:

```
+-----+-----+
|VER | STATUS |
+-----+-----+
| 1  |   1   |
+-----+-----+
```

A STATUS field of X'00' indicates success. If the server returns a 'failure' (STATUS value other than X'00') status, it MUST close the connection.

3. Security Considerations

This document describes a subnegotiation that provides authentication services to the SOCKS protocol. Since the request carries the password in cleartext, this subnegotiation is not recommended for environments where "sniffing" is possible and practical

4. Authors Address

Marcus Leech
Bell-Northern Research Ltd
P.O. Box 3511, Station C
Ottawa, ON
CANADA K1Y 4H7

+1 613 763 9145

Email: mleech@bnr.ca

