

AVTCore  
Internet-Draft  
Intended status: Informational  
Expires: May 29, 2016

W. Kim  
J. Lee  
J. Park  
D. Kwon  
NSRI  
November 26, 2015

**The ARIA Algorithm and Its Use with the Secure Real-time Transport  
Protocol(SRTP)  
draft-ietf-avtcore-aria-srtp-09**

**Abstract**

This document defines the use of the ARIA block cipher algorithm within the Secure Real-time Transport Protocol (SRTP). It details two modes of operation (CTR, GCM) and a SRTP Key Derivation Function for ARIA. Additionally, this document defines DTLS-SRTP protection profiles and MIKEY parameter sets for the use with ARIA.

**Status of This Memo**

This Internet-Draft is submitted in full conformance with the provisions of [BCP 78](#) and [BCP 79](#).

Internet-Drafts are working documents of the Internet Engineering Task Force (IETF). Note that other groups may also distribute working documents as Internet-Drafts. The list of current Internet-Drafts is at <http://datatracker.ietf.org/drafts/current/>.

Internet-Drafts are draft documents valid for a maximum of six months and may be updated, replaced, or obsoleted by other documents at any time. It is inappropriate to use Internet-Drafts as reference material or to cite them other than as "work in progress."

This Internet-Draft will expire on May 29, 2016.

**Copyright Notice**

Copyright (c) 2015 IETF Trust and the persons identified as the document authors. All rights reserved.

This document is subject to [BCP 78](#) and the IETF Trust's Legal Provisions Relating to IETF Documents (<http://trustee.ietf.org/license-info>) in effect on the date of publication of this document. Please review these documents carefully, as they describe your rights and restrictions with respect to this document. Code Components extracted from this document must

include Simplified BSD License text as described in Section 4.e of the Trust Legal Provisions and are provided without warranty as described in the Simplified BSD License.

## Table of Contents

|                             |                                                |                    |
|-----------------------------|------------------------------------------------|--------------------|
| <a href="#">1.</a>          | <a href="#">Introduction</a>                   | <a href="#">2</a>  |
| <a href="#">1.1.</a>        | <a href="#">ARIA</a>                           | <a href="#">2</a>  |
| <a href="#">1.2.</a>        | <a href="#">Terminology</a>                    | <a href="#">3</a>  |
| <a href="#">2.</a>          | <a href="#">Cryptographic Transforms</a>       | <a href="#">3</a>  |
| <a href="#">2.1.</a>        | <a href="#">ARIA-CTR</a>                       | <a href="#">3</a>  |
| <a href="#">2.2.</a>        | <a href="#">ARIA-GCM</a>                       | <a href="#">3</a>  |
| <a href="#">3.</a>          | <a href="#">Key Derivation Functions</a>       | <a href="#">4</a>  |
| <a href="#">4.</a>          | <a href="#">Protection Profiles</a>            | <a href="#">4</a>  |
| <a href="#">5.</a>          | <a href="#">Security Considerations</a>        | <a href="#">7</a>  |
| <a href="#">6.</a>          | <a href="#">IANA Considerations</a>            | <a href="#">8</a>  |
| <a href="#">6.1.</a>        | <a href="#">DTLS-SRTP</a>                      | <a href="#">8</a>  |
| <a href="#">6.2.</a>        | <a href="#">MIKEY</a>                          | <a href="#">8</a>  |
| <a href="#">7.</a>          | <a href="#">References</a>                     | <a href="#">9</a>  |
| <a href="#">7.1.</a>        | <a href="#">Normative References</a>           | <a href="#">9</a>  |
| <a href="#">7.2.</a>        | <a href="#">Informative References</a>         | <a href="#">10</a> |
| <a href="#">Appendix A.</a> | <a href="#">Test Vectors</a>                   | <a href="#">11</a> |
| <a href="#">A.1.</a>        | <a href="#">ARIA-CTR Test Vectors</a>          | <a href="#">11</a> |
| <a href="#">A.1.1.</a>      | <a href="#">SRTP_ARIA_128_CTR_HMAC_SHA1_80</a> | <a href="#">11</a> |
| <a href="#">A.1.2.</a>      | <a href="#">SRTP_ARIA_192_CTR_HMAC_SHA1_80</a> | <a href="#">12</a> |
| <a href="#">A.1.3.</a>      | <a href="#">SRTP_ARIA_256_CTR_HMAC_SHA1_80</a> | <a href="#">13</a> |
| <a href="#">A.2.</a>        | <a href="#">ARIA-GCM Test Vectors</a>          | <a href="#">14</a> |
| <a href="#">A.2.1.</a>      | <a href="#">SRTP_AEAD_ARIA_128_GCM</a>         | <a href="#">15</a> |
| <a href="#">A.2.2.</a>      | <a href="#">SRTP_AEAD_ARIA_256_GCM</a>         | <a href="#">15</a> |
| <a href="#">A.3.</a>        | <a href="#">Key Derivation Test Vector</a>     | <a href="#">16</a> |
| <a href="#">A.3.1.</a>      | <a href="#">ARIA_128_CTR_PRF</a>               | <a href="#">16</a> |
| <a href="#">A.3.2.</a>      | <a href="#">ARIA_192_CTR_PRF</a>               | <a href="#">17</a> |
| <a href="#">A.3.3.</a>      | <a href="#">ARIA_256_CTR_PRF</a>               | <a href="#">19</a> |
|                             | <a href="#">Authors' Addresses</a>             | <a href="#">20</a> |

## [1.](#) Introduction

This document defines the use of the ARIA [[RFC5794](#)] block cipher algorithm in the Secure Real-time Transport Protocol (SRTP) [[RFC3711](#)] for providing confidentiality for the Real-time Transport Protocol (RTP) [[RFC3550](#)] traffic and for the RTP Control Protocol (RTCP) [[RFC3550](#)] traffic.

### [1.1.](#) ARIA

ARIA is a general-purpose block cipher algorithm developed by Korean cryptographers in 2003. It is an iterated block cipher with 128-, 192-, and 256-bit keys and encrypts 128-bit blocks in 12, 14, and 16



rounds, depending on the key size. It is secure and suitable for most software and hardware implementations on 32-bit and 8-bit processors. It was established as a Korean standard block cipher algorithm in 2004 [[ARIAKS](#)] and has been widely used in Korea, especially for government-to-public services. It was included in PKCS #11 in 2007 [[ARIAPKCS](#)]. The algorithm specification and object identifiers are described in [[RFC5794](#)].

## **[1.2.](#) Terminology**

The key words "MUST", "MUST NOT", "REQUIRED", "SHALL", "SHALL NOT", "SHOULD", "SHOULD NOT", "RECOMMENDED", "MAY", and "OPTIONAL" in this document are to be interpreted as described in [[RFC2119](#)].

## **[2.](#) Cryptographic Transforms**

Block ciphers ARIA and AES share common characteristics including mode, key size, and block size. ARIA does not have any restrictions for modes of operation that are used with this block cipher. We define two modes of running ARIA within the SRTP protocol, (1) ARIA in Counter Mode (ARIA-CTR) and (2) ARIA in Galois/Counter Mode (ARIA-GCM).

### **[2.1.](#) ARIA-CTR**

[Section 4.1.1 of \[RFC3711\]](#) defines AES-128 counter mode encryption, which it refers to as "AES\_CM". [Section 2 of \[RFC6188\]](#) defines "AES\_192\_CM" and "AES\_256\_CM" in SRTP. ARIA counter modes are defined in the same manner except that each invocation of AES is replaced by that of ARIA [[RFC5794](#)], and are denoted by ARIA\_128\_CTR, ARIA\_192\_CTR and ARIA\_256\_CTR respectively, according to the key lengths. The plaintext inputs to the block cipher are formed as in AES-CTR(AES\_CM, AES\_192\_CM, AES\_256\_CM) and the block cipher outputs are processed as in AES-CTR. Note that, ARIA-CTR MUST be used only in conjunction with an authentication transform.

[Section 3.2 of \[RFC6904\]](#) defines AES-CTR for SRTP header extension keystream generation. When ARIA-CTR is used, the header extension keystream SHALL be generated in the same manner except that each invocation of AES is replaced by that of ARIA [[RFC5794](#)].

### **[2.2.](#) ARIA-GCM**

GCM (Galois Counter Mode) [[GCM](#)][[RFC5116](#)] is an AEAD (Authenticated Encryption with Associated Data) block cipher mode. A detailed description of ARIA-GCM is defined similarly as AES-GCM found in [[RFC5116](#)][[RFC5282](#)].



The document [[I-D.ietf-avtcore-srtp-aes-gcm](#)] describes the use of AES-GCM with SRTP [[RFC3711](#)][RFC6904]. The use of ARIA-GCM with SRTP is defined the same as that of AES-GCM except that each invocation of AES is replaced by ARIA [[RFC5794](#)]. When [[RFC6904](#)] is in use, a separate keystream to encrypt selected RTP header extension elements MUST be generated in the same manner defined in [[I-D.ietf-avtcore-srtp-aes-gcm](#)] except that AES-CTR is replaced by ARIA-CTR.

### 3. Key Derivation Functions

[Section 4.3.3 of \[RFC3711\]](#) defines the AES-128 counter mode key derivation function, which it refers to as "AES-CM PRF". [Section 3 of \[RFC6188\]](#) defines the AES-192 counter mode key derivation function and the AES-256 counter mode key derivation function, which it refers to as "AES\_192\_CM\_PRF" and "AES\_256\_CM\_PRF" respectively. The ARIA-CTR PRF is defined in a same manner except that each invocation of AES replaced by that of ARIA. According to the key lengths of underlying encryption algorithm, ARIA-CTR PRFs are denoted by "ARIA\_128\_CTR\_PRF", "ARIA\_192\_CTR\_PRF" and "ARIA\_256\_CTR\_PRF". The usage requirements of [[RFC6188](#)][[I-D.ietf-avtcore-srtp-aes-gcm](#)] regarding the AES-CM PRF apply to the ARIA-CTR PRF as well.

### 4. Protection Profiles

This section defines SRTP Protection Profiles that use the ARIA transforms and key derivation functions defined in this document. The following list indicates the SRTP transform parameters for each protection profile. Those are described for use with DTLS-SRTP [[RFC5764](#)].

The parameters cipher\_key\_length, cipher\_salt\_length, auth\_key\_length, and auth\_tag\_length express the number of bits in the values to which they refer. The maximum\_lifetime parameter indicates the maximum number of packets that can be protected with each single set of keys when the parameter profile is in use. All of these parameters apply to both RTP and RTCP, unless the RTCP parameters are separately specified.

#### SRTP\_ARIA\_128\_CTR\_HMAC\_SHA1\_80

|                          |                                    |
|--------------------------|------------------------------------|
| cipher:                  | ARIA_128_CTR                       |
| cipher_key_length:       | 128 bits                           |
| cipher_salt_length:      | 112 bits                           |
| key derivation function: | ARIA_128_CTR_PRF                   |
| auth_function:           | HMAC-SHA1                          |
| auth_key_length:         | 160 bits                           |
| auth_tag_length:         | 80 bits                            |
| maximum_lifetime:        | at most $2^{31}$ SRTCP packets and |



at most  $2^{48}$  SRTP packets

#### SRTP\_ARIA\_128\_CTR\_HMAC\_SHA1\_32

cipher: ARIA\_128\_CTR  
cipher\_key\_length: 128 bits  
cipher\_salt\_length: 112 bits  
key derivation function: ARIA\_128\_CTR\_PRF  
auth\_function: HMAC-SHA1  
auth\_key\_length: 160 bits  
SRTP auth\_tag\_length: 32 bits  
SRTCP auth\_tag\_length: 80 bits  
maximum\_lifetime: at most  $2^{31}$  SRTCP packets and  
at most  $2^{48}$  SRTP packets

#### SRTP\_ARIA\_192\_CTR\_HMAC\_SHA1\_80

cipher: ARIA\_192\_CTR  
cipher\_key\_length: 192 bits  
cipher\_salt\_length: 112 bits  
key derivation function: ARIA\_192\_CTR\_PRF  
auth\_function: HMAC-SHA1  
auth\_key\_length: 160 bits  
auth\_tag\_length: 80 bits  
maximum\_lifetime: at most  $2^{31}$  SRTCP packets and  
at most  $2^{48}$  SRTP packets

#### SRTP\_ARIA\_192\_CTR\_HMAC\_SHA1\_32

cipher: ARIA\_192\_CTR  
cipher\_key\_length: 192 bits  
cipher\_salt\_length: 112 bits  
key derivation function: ARIA\_192\_CTR\_PRF  
auth\_function: HMAC-SHA1  
auth\_key\_length: 160 bits  
SRTP auth\_tag\_length: 32 bits  
SRTCP auth\_tag\_length: 80 bits  
maximum\_lifetime: at most  $2^{31}$  SRTCP packets and  
at most  $2^{48}$  SRTP packets

#### SRTP\_ARIA\_256\_CTR\_HMAC\_SHA1\_80

cipher: ARIA\_256\_CTR  
cipher\_key\_length: 256 bits  
cipher\_salt\_length: 112 bits  
key derivation function: ARIA\_256\_CTR\_PRF  
auth\_function: HMAC-SHA1  
auth\_key\_length: 160 bits  
auth\_tag\_length: 80 bits  
maximum\_lifetime: at most  $2^{31}$  SRTCP packets and  
at most  $2^{48}$  SRTP packets



## SRTP\_ARIA\_256\_CTR\_HMAC\_SHA1\_32

|                          |                                                                     |
|--------------------------|---------------------------------------------------------------------|
| cipher:                  | ARIA_256_CTR                                                        |
| cipher_key_length:       | 256 bits                                                            |
| cipher_salt_length:      | 112 bits                                                            |
| key derivation function: | ARIA_256_CTR_PRF                                                    |
| auth_function:           | HMAC-SHA1                                                           |
| auth_key_length:         | 160 bits                                                            |
| SRTP auth_tag_length:    | 32 bits                                                             |
| SRTCP auth_tag_length:   | 80 bits                                                             |
| maximum_lifetime:        | at most $2^{31}$ SRTCP packets and<br>at most $2^{48}$ SRTP packets |

## SRTP\_AEAD\_ARIA\_128\_GCM

|                          |                                                                     |
|--------------------------|---------------------------------------------------------------------|
| cipher:                  | ARIA_128_GCM                                                        |
| cipher_key_length:       | 128 bits                                                            |
| cipher_salt_length:      | 96 bits                                                             |
| aead_auth_tag_length:    | 128 bits                                                            |
| auth_function:           | NULL                                                                |
| auth_key_length:         | N/A                                                                 |
| auth_tag_length:         | N/A                                                                 |
| key derivation function: | ARIA_128_CTR_PRF                                                    |
| maximum_lifetime:        | at most $2^{31}$ SRTCP packets and<br>at most $2^{48}$ SRTP packets |

## SRTP\_AEAD\_ARIA\_256\_GCM

|                          |                                                                     |
|--------------------------|---------------------------------------------------------------------|
| cipher:                  | ARIA_256_GCM                                                        |
| cipher_key_length:       | 256 bits                                                            |
| cipher_salt_length:      | 96 bits                                                             |
| aead_auth_tag_length:    | 128 bits                                                            |
| auth_function:           | NULL                                                                |
| auth_key_length:         | N/A                                                                 |
| auth_tag_length:         | N/A                                                                 |
| key derivation function: | ARIA_256_CTR_PRF                                                    |
| maximum_lifetime:        | at most $2^{31}$ SRTCP packets and<br>at most $2^{48}$ SRTP packets |

The ARIA-CTR protection profiles use the same authentication transform that is mandatory to implement in SRTP, HMAC-SHA1 with a 160-bit key.

Note that SRTP Protection Profiles which use AEAD algorithms do not specify an auth\_function, auth\_key\_length, or auth\_tag\_length, since they do not use a separate auth\_function, auth\_key, or auth\_tag. The term aead\_auth\_tag\_length is used to emphasize that this refers to the authentication tag provided by the AEAD algorithm and that this tag is not located in the authentication tag field provided by SRTP/SRTCP.



The PRFs for ARIA protect profiles with SRTP are defined by ARIA-CTR PRF of the equal key length with the encryption algorithm (see [Section 2](#)). SRTP\_ARIA\_128\_CTR\_HMAC and SRTP\_AEAD\_ARIA\_128\_GCM MUST use the ARIA\_128\_CTR\_PRF Key Derivation Function. SRTP\_ARIA\_192\_CTR\_HMAC MUST use that ARIA\_192\_CTR\_PRF Key Derivation Function. And SRTP\_ARIA\_256\_CTR\_HMAC and SRTP\_AEAD\_ARIA\_256\_GCM MUST use the ARIA\_256\_CTR\_PRF Key Derivation Function.

MIKEY specifies the SRTP protection profile definition separately from the key length (which is specified by the Session Encryption key length) and the authentication tag length. The DTLS-SRTP [\[RFC5764\]](#) protection profiles are mapped to MIKEY parameter sets as shown below.

|                           | + | -----      | + |
|---------------------------|---|------------|---|
|                           |   | Encryption |   |
|                           |   | Algorithm  |   |
|                           |   | Key Length |   |
|                           |   | Auth.      |   |
|                           |   | Tag Length |   |
|                           | + | =====      | + |
| SRTP_ARIA_128_CTR_HMAC_80 |   | ARIA-CTR   |   |
| SRTP_ARIA_128_CTR_HMAC_32 |   | ARIA-CTR   |   |
| SRTP_ARIA_192_CTR_HMAC_80 |   | ARIA-CTR   |   |
| SRTP_ARIA_192_CTR_HMAC_32 |   | ARIA-CTR   |   |
| SRTP_ARIA_256_CTR_HMAC_80 |   | ARIA-CTR   |   |
| SRTP_ARIA_256_CTR_HMAC_32 |   | ARIA-CTR   |   |
|                           |   | 16 octets  |   |
|                           |   | 16 octets  |   |
|                           |   | 24 octets  |   |
|                           |   | 24 octets  |   |
|                           |   | 32 octets  |   |
|                           |   | 32 octets  |   |
|                           |   | 10 octets  |   |
|                           |   | 10 octets  |   |
|                           |   | 4 octets   |   |
|                           |   | 4 octets   |   |
|                           | + | =====      | + |

Figure 1: Mapping MIKEY parameters to ARIA-CTR with HMAC algorithm

|                        |   |            |  |            |   |
|------------------------|---|------------|--|------------|---|
|                        | + | -----      |  |            | + |
|                        |   | Encryption |  | Encryption |   |
|                        |   | Algorithm  |  | Key Length |   |
|                        |   |            |  | AEAD Auth. |   |
|                        |   |            |  | Tag Length |   |
|                        | + | =====      |  |            | + |
| SRTP_AEAD_ARIA_128_GCM |   | ARIA-GCM   |  | 16 octets  |   |
| SRTP_AEAD_ARIA_256_GCM |   | ARIA-GCM   |  | 32 octets  |   |
|                        |   |            |  | 16 octets  |   |
|                        | + | =====      |  |            | + |

Figure 2: Mapping MIKEY parameters to AEAD algorithm

## 5. Security Considerations

At the time of writing this document no security problem has been found on ARIA (see [\[TSL\]](#)).

The security considerations in [\[GCM\]](#) [\[RFC3711\]](#) [\[RFC5116\]](#) [\[RFC6188\]](#) [\[RFC6904\]](#) [\[I-D.ietf-avtcore-srtp-aes-gcm\]](#) apply to this document as well. Protection profiles with short tag length may be considered for specific application environments stated in [Section 7.5](#) of



[RFC3711], but the risk of weak authentication described in Section 9.5.1 of [RFC3711] should be taken into account.

## 6. IANA Considerations

### 6.1. DTLS-SRTP

DTLS-SRTP [RFC5764] defines a DTLS-SRTP "SRTP Protection Profile". In order to allow the use of the algorithms defined in this document in DTLS-SRTP, IANA is requested to add the below protection profiles to the "DTLS-SRTP Protection Profiles" created by [RFC5764], at time of writing located on the following IANA page:

<http://www.iana.org/assignments/srtp-protection/> .

```
SRTP_ARIA_128_CTR_HMAC_SHA1_80 = {TBD,TBD}
SRTP_ARIA_128_CTR_HMAC_SHA1_32 = {TBD,TBD}
SRTP_ARIA_192_CTR_HMAC_SHA1_80 = {TBD,TBD}
SRTP_ARIA_192_CTR_HMAC_SHA1_32 = {TBD,TBD}
SRTP_ARIA_256_CTR_HMAC_SHA1_80 = {TBD,TBD}
SRTP_ARIA_256_CTR_HMAC_SHA1_32 = {TBD,TBD}
SRTP_AEAD_ARIA_128_GCM = {TBD,TBD}
SRTP_AEAD_ARIA_256_GCM = {TBD,TBD}
```

### 6.2. MIKEY

[RFC3830] and [RFC5748] define encryption algorithms and PRFs for the SRTP policy in MIKEY. In order to allow the use of the algorithms defined in this document in MIKEY, IANA is requested to add the below three encryption algorithms to the "MIKEY Security Protocol Parameters SRTP Type 0 (Encryption algorithm)" and to add the below PRF to the "MIKEY Security Protocol Parameters SRTP Type 5 (Pseudo Random Function)" created by [RFC3830], at time of writing located on the following IANA page: <http://www.iana.org/assignments/mikey-payloads/> .

| +-----+-----+ |       |  |
|---------------|-------|--|
| SRTP Enc. alg | Value |  |
| +-----+-----+ |       |  |
| ARIA-CTR      | TBD   |  |
| ARIA-GCM      | TBD   |  |
| +-----+-----+ |       |  |

Default session encryption key length is 16 octets.



```
+-----+-----+
| SRTP PRF | Value |
+-----+-----+
| ARIA-CTR | TBD   |
+-----+-----+
```

## 7. References

### 7.1. Normative References

- [GCM] Dworkin, M., "Recommendation for Block Cipher Modes of Operation: Galois/Counter Mode (GCM) and GMAC", NIST SP 800-38D, November 2007.
- [I-D.ietf-avtcore-srtp-aes-gcm] McGrew, D. and K. Igoe, "AES-GCM Authenticated Encryption in Secure RTP (SRTP)", [draft-ietf-avtcore-srtp-aes-gcm-17](#) (work in progress), June 2015.
- [RFC2119] Bradner, S., "Key words for use in RFCs to Indicate Requirement Levels", [BCP 14](#), [RFC 2119](#), DOI 10.17487/RFC2119, March 1997, <<http://www.rfc-editor.org/info/rfc2119>>.
- [RFC3550] Schulzrinne, H., Casner, S., Frederick, R., and V. Jacobson, "RTP: A Transport Protocol for Real-Time Applications", STD 64, [RFC 3550](#), DOI 10.17487/RFC3550, July 2003, <<http://www.rfc-editor.org/info/rfc3550>>.
- [RFC3711] Baugher, M., McGrew, D., Naslund, M., Carrara, E., and K. Norrman, "The Secure Real-time Transport Protocol (SRTP)", [RFC 3711](#), DOI 10.17487/RFC3711, March 2004, <<http://www.rfc-editor.org/info/rfc3711>>.
- [RFC3830] Arkko, J., Carrara, E., Lindholm, F., Naslund, M., and K. Norrman, "MIKEY: Multimedia Internet KEYing", [RFC 3830](#), DOI 10.17487/RFC3830, August 2004, <<http://www.rfc-editor.org/info/rfc3830>>.
- [RFC5116] McGrew, D., "An Interface and Algorithms for Authenticated Encryption", [RFC 5116](#), DOI 10.17487/RFC5116, January 2008, <<http://www.rfc-editor.org/info/rfc5116>>.
- [RFC5282] Black, D. and D. McGrew, "Using Authenticated Encryption Algorithms with the Encrypted Payload of the Internet Key Exchange version 2 (IKEv2) Protocol", [RFC 5282](#), DOI 10.17487/RFC5282, August 2008, <<http://www.rfc-editor.org/info/rfc5282>>.



- [RFC5764] McGrew, D. and E. Rescorla, "Datagram Transport Layer Security (DTLS) Extension to Establish Keys for the Secure Real-time Transport Protocol (SRTP)", [RFC 5764](#), DOI 10.17487/RFC5764, May 2010, <<http://www.rfc-editor.org/info/rfc5764>>.
- [RFC6188] McGrew, D., "The Use of AES-192 and AES-256 in Secure RTP", [RFC 6188](#), DOI 10.17487/RFC6188, March 2011, <<http://www.rfc-editor.org/info/rfc6188>>.
- [RFC6904] Lennox, J., "Encryption of Header Extensions in the Secure Real-time Transport Protocol (SRTP)", [RFC 6904](#), DOI 10.17487/RFC6904, April 2013, <<http://www.rfc-editor.org/info/rfc6904>>.

## **7.2. Informative References**

- [ARIAKS] Korean Agency for Technology and Standards, "128 bit block encryption algorithm ARIA - Part 1: General (in Korean)", KS X 1213-1:2009, December 2009.
- [ARIAPKCS] RSA Laboratories, "Additional PKCS #11 Mechanisms", PKCS #11 v2.20 Amendment 3 Revision 1, January 2007.
- [RFC5748] Yoon, S., Jeong, J., Kim, H., Jeong, H., and Y. Won, "IANA Registry Update for Support of the SEED Cipher Algorithm in Multimedia Internet KEYing (MIKEY)", [RFC 5748](#), DOI 10.17487/RFC5748, August 2010, <<http://www.rfc-editor.org/info/rfc5748>>.
- [RFC5794] Lee, J., Lee, J., Kim, J., Kwon, D., and C. Kim, "A Description of the ARIA Encryption Algorithm", [RFC 5794](#), DOI 10.17487/RFC5794, March 2010, <<http://www.rfc-editor.org/info/rfc5794>>.
- [TSL] Tang, X., Sun, B., Li, R., Li, C., and J. Yin, "A meet-in-the-middle attack on reduced-round ARIA", The Journal of Systems and Software Vol.84(10), pp. 1685-1692, October 2011.



## [Appendix A](#). Test Vectors

All values are in hexadecimal and represented by the network order (called big endian).

### [A.1](#). ARIA-CTR Test Vectors

Common values are organized as follows:

|                        |                                                                                                                                                                                                                                                                                                                                                                      |
|------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Rollover Counter:      | 00000000                                                                                                                                                                                                                                                                                                                                                             |
| Sequence Number:       | 315e                                                                                                                                                                                                                                                                                                                                                                 |
| SSRC:                  | 20e8f5eb                                                                                                                                                                                                                                                                                                                                                             |
| Authentication Key:    | f93563311b354748c978913795530631<br>16452309                                                                                                                                                                                                                                                                                                                         |
| Session Salt:          | cd3a7c42c671e0067a2a2639b43a                                                                                                                                                                                                                                                                                                                                         |
| Initialization Vector: | cd3a7c42e69915ed7a2a263985640000                                                                                                                                                                                                                                                                                                                                     |
| RTP header:            | 8008315ebf2e6fe020e8f5eb                                                                                                                                                                                                                                                                                                                                             |
| RTP Payload:           | f57af5fd4ae19562976ec57a5a7ad55a<br>5af5c5e5c5fdf5c55ad57a4a7272d572<br>62e9729566ed66e97ac54a4a5a7ad5e1<br>5ae5fdd5fd5ac5d56ae56ad5c572d54a<br>e54ac55a956afd6aed5a4ac562957a95<br>16991691d572fd14e97ae962ed7a9f4a<br>955af572e162f57a956666e17ae1f54a<br>95f566d54a66e16e4afd6a9f7ae1c5c5<br>5ae5d56afde916c5e94a6ec56695e14a<br>fde1148416e94ad57ac5146ed59d1cc5 |

#### [A.1.1](#). SRTP\_ARIA\_128\_CTR\_HMAC\_SHA1\_80



Session Key: 0c5ffd37a11edc42c325287fc0604f2e

Encrypted RTP Payload: 1bf753f412e6f35058cc398dc851aae3  
a6ccdc463fbcd9cfb3de2fb76fdffa9  
e481f5efb64c92487f59dabbc7cc72da  
092485f3fbcd87888820b86037311fa4  
4330e18a59a1e1338ba2c21458493a57  
463475c54691f91cec785429119e0dfc  
d9048f90e07fec50b528e8c62ee6e71  
445de5d7f659405135aff3604c2ca4ff  
4aaca40809cb9eee42cc4ad232307570  
81ca289f2851d3315e9568b501fdce6d

Authenticated portion || Rollover Counter:

8008315ebf2e6fe020e8f5eb1bf753f4  
12e6f35058cc398dc851aae3a6ccdc4  
63fbcd9cfb3de2fb76fdffa9e481f5ef  
b64c92487f59dabbc7cc72da092485f3  
fbcd87888820b86037311fa44330e18a  
59a1e1338ba2c21458493a57463475c5  
4691f91cec785429119e0dfcd9048f90  
e07fec50b528e8c62ee6e71445de5d7  
f659405135aff3604c2ca4ff4aaca408  
09cb9eee42cc4ad23230757081ca289f  
2851d3315e9568b501fdce6d00000000

Authentication Tag: f9de4e729054672b0e35

#### [A.1.2.](#) SRTP\_ARIA\_192\_CTR\_HMAC\_SHA1\_80



Session Key: 0c5ffd37a11edc42c325287fc0604f2e  
3e8cd5671a00fe32

Encrypted RTP Payload: 86f4556486642caa67e9b40fef2acda0  
6d442517d8d58c15e3e0b5c13a78b8b2  
838b7b96961e11acb2af81348272888c  
fd9d168ba091fe3e4f7f83c7871570a9  
aa9f995036e44c35cb742b601e8d8d08  
48320bad732929103f1bfbb1ae873178  
0479c5df2d4d41f78f6b96d6832db3db  
6af8b3612b27e18a0a29a8a1d280437e  
b8dad58e78658ec3b069d7329431c356  
c5e612b3dde5bd3f6c9f42f39cf35d3a

Authenticated portion || Rollover Counter:  
8008315ebf2e6fe020e8f5eb86f45564  
86642caa67e9b40fef2acda06d442517  
d8d58c15e3e0b5c13a78b8b2838b7b96  
961e11acb2af81348272888cfd9d168b  
a091fe3e4f7f83c7871570a9aa9f9950  
36e44c35cb742b601e8d8d0848320bad  
732929103f1bfbb1ae8731780479c5df  
2d4d41f78f6b96d6832db3db6af8b361  
2b27e18a0a29a8a1d280437eb8dad58e  
78658ec3b069d7329431c356c5e612b3  
dde5bd3f6c9f42f39cf35d3a00000000

Authentication Tag: 3935fa37ee96dbc550d5

#### [A.1.3.](#) SRTP\_ARIA\_256\_CTR\_HMAC\_SHA1\_80



Session Key: 0c5ffd37a11edc42c325287fc0604f2e  
3e8cd5671a00fe3216aa5eb105783b54

Encrypted RTP Payload: c424c59fd5696305e5b13d8e8ca76566  
17ccd7471088af9debf07b55c750f804  
a5ac2b737be48140958a9b420524112a  
e72e4da5bca59d2b1019ddd7dbdc30b4  
3d5f046152ced40947d62d2c93e7b8e5  
0f02db2b6b61b010e4c1566884de1fa9  
702cdf8157e8aedfe3dd77c76bb50c25  
ae4d624615c15acfdeeb5f79482aaa01  
d3e4c05eb601eca2bd10518e9d46b021  
16359232e9eac0fabd05235dd09e6dea

Authenticated portion || Rollover Counter:  
8008315ebf2e6fe020e8f5ebc424c59f  
d5696305e5b13d8e8ca7656617ccd747  
1088af9debf07b55c750f804a5ac2b73  
7be48140958a9b420524112ae72e4da5  
bca59d2b1019ddd7dbdc30b43d5f0461  
52ced40947d62d2c93e7b8e50f02db2b  
6b61b010e4c1566884de1fa9702cdf81  
57e8aedfe3dd77c76bb50c25ae4d6246  
15c15acfdeeb5f79482aaa01d3e4c05e  
b601eca2bd10518e9d46b02116359232  
e9eac0fabd05235dd09e6dea00000000

Authentication Tag: 192f515fab04bbb4e62c

## [A.2.](#) ARIA-GCM Test Vectors

Common values are organized as follows:



Rollover Counter: 00000000  
Sequence Number: 315e  
SSRC: 20e8f5eb  
Encryption Salt: 00000000000000000000000000000000

Initialization Vector: 000020e8f5eb000000000315e  
RTP Payload: f57af5fd4ae19562976ec57a5a7ad55a  
5af5c5e5c5fdf5c55ad57a4a7272d572  
62e9729566ed66e97ac54a4a5a7ad5e1  
5ae5fdd5fd5ac5d56ae56ad5c572d54a  
e54ac55a956afd6aed5a4ac562957a95  
16991691d572fd14e97ae962ed7a9f4a  
955af572e162f57a956666e17ae1f54a  
95f566d54a66e16e4afd6a9f7ae1c5c5  
5ae5d56afde916c5e94a6ec56695e14a  
fde1148416e94ad57ac5146ed59d1cc5

Associated Data: 8008315ebf2e6fe020e8f5eb

The length of encrypted payload is larger than that of payload by 16 octets which the length of the tag from GCM.

#### [A.2.1.](#) SRTP\_AEAD\_ARIA\_128\_GCM

Key: e91e5e75da65554a48181f3846349562

Encrypted RTP Payload: 4d8a9a0675550c704b17d8c9ddc81a5c  
d6f7da34f2fe1b3db7cb3dfb9697102e  
a0f3c1fc2dbc873d44bceeae8e444297  
4ba21ff6789d3272613fb9631a7cf3f1  
4bacbeb421633a90ffbe58c2fa6bdca5  
34f10d0de0502ce1d531b6336e588782  
78531e5c22bc6c85bbd784d78d9e680a  
a19031aaf89101d669d7a3965c1f7e16  
229d7463e0535f4e253f5d18187d40b8  
ae0f564bd970b5e7e2adfb211e89a953  
5abace3f37f5a736f4be984bbffbedc1

#### [A.2.2.](#) SRTP\_AEAD\_ARIA\_256\_GCM



```

Key:                                0c5ffd37a11edc42c325287fc0604f2e
                                    3e8cd5671a00fe3216aa5eb105783b54

Encrypted RTP Payload:             6f9e4bcb8c85fc0128fb1e4a0a20cb9
                                    932ff74581f54fc013dd054b19f99371
                                    425b352d97d3f337b90b63d1b082adee
                                    ea9d2d7391897d591b985e55fb50cb53
                                    50cf7d38dc27dda127c078a149c8eb98
                                    083d66363a46e3726af217d3a00275ad
                                    5bf772c7610ea4c23006878f0ee69a83
                                    97703169a419303f40b72e4573714d19
                                    e2697df61e7c7252e5abc6bade876ac4
                                    961bfac4d5e867afca351a48aed52822
                                    e210d6ced2cf430ff841472915e7ef48

```

### **A.3. Key Derivation Test Vector**

This section provides test vectors for the default key derivation function, which uses ARIA in Counter Mode. In the following, we walk through the initial key derivation for the ARIA Counter Mode cipher, which requires a 16/24/32 octet session encryption key according to the session encryption key length and a 14 octet session salt, and an authentication function which requires a 94 octet session authentication key. These values are called the cipher key, the cipher salt, and the auth key in the following. The test vectors are generated in the same way with the test vectors of key derivation functions in [\[RFC3711\]](#) and [\[RFC6188\]](#) but with each invocation of AES replaced with an invocation of ARIA.

#### **A.3.1. ARIA\_128\_CTR\_PRF**

The inputs to the key derivation function are the 16 octet master key and the 14 octet master salt:

```

master key:  e1f97a0d3e018be0d64fa32c06de4139
master salt: 0ec675ad498afeebb6960b3aabe6

index DIV kdr:          000000000000
label:                  00
master salt:  0ec675ad498afeebb6960b3aabe6
-----
xor:              0ec675ad498afeebb6960b3aabe6      (x, PRF input)

x*2^16:           0ec675ad498afeebb6960b3aabe60000 (ARIA-CTR input)

cipher key:       dbd85a3c4d9219b3e81f7d942e299de4 (ARIA-CTR output)

```



ARIA-CTR protection profile requires 14 octet cipher salt while ARIA-GCM protection profile requires 12 octet cipher salt.

```

index DIV kdr:          000000000000
label:                  02
master salt:    0ec675ad498afeebb6960b3aabe6
-----
xor:          0ec675ad498afee9b6960b3aabe6      (x, PRF input)

x*2^16:       0ec675ad498afee9b6960b3aabe60000 (ARIA-CTR input)

              9700657f5f34161830d7d85f5dc8be7f (ARIA-CTR output)

cipher salt:   9700657f5f34161830d7d85f5dc8      (ARIA-CTR profile)
              9700657f5f34161830d7d85f          (ARIA-GCM profile)
index DIV kdr:          000000000000
label:                  01
master salt:    0ec675ad498afeebb6960b3aabe6
-----
xor:          0ec675ad498afeeab6960b3aabe6      (x, PRF input)

x*2^16:       0ec675ad498afeeab6960b3aabe60000 (ARIA-CTR input)

```

Below, the auth key is shown on the left, while the corresponding ARIA input blocks are shown on the right.

| auth key                         | ARIA input blocks                |
|----------------------------------|----------------------------------|
| d021877bd3eaf92d581ed70ddc050e03 | 0ec675ad498afeeab6960b3aabe60000 |
| f11257032676f2a29f57b21abd3a1423 | 0ec675ad498afeeab6960b3aabe60001 |
| 769749bdc5dd9ca5b43ca6b6c1f3a7de | 0ec675ad498afeeab6960b3aabe60002 |
| 4047904bcf811f601cc03eaa5d7af6db | 0ec675ad498afeeab6960b3aabe60003 |
| 9f88efa2e51ca832fc2a15b126fa7be2 | 0ec675ad498afeeab6960b3aabe60004 |
| 469af896acb1852c31d822c45799     | 0ec675ad498afeeab6960b3aabe60005 |

#### [A.3.2.](#) ARIA\_192\_CTR\_PRF

The inputs to the key derivation function are the 24 octet master key and the 14 octet master salt:



```

master key: 0c5ffd37a11edc42c325287fc0604f2e3e8cd5671a00fe32
master salt: 0ec675ad498afeebb6960b3aabe6

index DIV kdr:          000000000000
label:                  00
master salt: 0ec675ad498afeebb6960b3aabe6
-----
xor:                    0ec675ad498afeebb6960b3aabe6      (x, PRF input)

x*2^16:                 0ec675ad498afeebb6960b3aabe60000 (ARIA-CTR input)

cipher key: f320af2386a1cde64c3aa5f55d68002e (ARIA-CTR 1st output)
            d13cbe548b627649                 (ARIA-CTR 2nd output)

```

ARIA-CTR protection profile requires 14 octet cipher salt.

```

index DIV kdr:          000000000000
label:                  02
master salt: 0ec675ad498afeebb6960b3aabe6
-----
xor:                    0ec675ad498afee9b6960b3aabe6      (x, PRF input)

x*2^16:                 0ec675ad498afee9b6960b3aabe60000 (ARIA-CTR input)

                        55c7e3555baf0fdc91c589cfb871b098 (ARIA-CTR output)

cipher salt: 55c7e3555baf0fdc91c589cfb871      (ARIA-CTR profile)

index DIV kdr:          000000000000
label:                  01
master salt: 0ec675ad498afeebb6960b3aabe6
-----
xor:                    0ec675ad498afeeab6960b3aabe6      (x, PRF input)

x*2^16:                 0ec675ad498afeeab6960b3aabe60000 (ARIA-CTR input)

```

Below, the auth key is shown on the left, while the corresponding ARIA input blocks are shown on the right.

| auth key                         | ARIA input blocks                |
|----------------------------------|----------------------------------|
| 116902524517f7e767a979ad7678d53a | 0ec675ad498afeeab6960b3aabe60000 |
| 8cae05a5c9a315d1304f634c81a06617 | 0ec675ad498afeeab6960b3aabe60001 |
| 31fe099d4dcd2202421fe01fc12c65ad | 0ec675ad498afeeab6960b3aabe60002 |
| 009e920031654855af5d9e820a7831e0 | 0ec675ad498afeeab6960b3aabe60003 |
| bc2b4744d2a33053eb685138252f2d82 | 0ec675ad498afeeab6960b3aabe60004 |
| 9a89f4a9aa4f97fde0cce9bad3d5     | 0ec675ad498afeeab6960b3aabe60005 |



**A.3.3. ARIA\_256\_CTR\_PRF**

The inputs to the key derivation function are the 32 octet master key and the 14 octet master salt:

```

master key: 0c5ffd37a11edc42c325287fc0604f2e
             3e8cd5671a00fe3216aa5eb105783b54
master salt: 0ec675ad498afeebb6960b3aabe6

index DIV kdr:          000000000000
label:                  00
master salt: 0ec675ad498afeebb6960b3aabe6
-----
xor:                    0ec675ad498afeebb6960b3aabe6      (x, PRF input)

x*2^16:                 0ec675ad498afeebb6960b3aabe60000 (ARIA-CTR input)

cipher key: 0649a09d93755fe9c2b2efba1cce930a (ARIA-CTR 1st output)
             f2e76ce8b77e4b175950321aa94b0cf4 (ARIA-CTR 2nd output)

```

ARIA-CTR protection profile requires 14 octet cipher salt while ARIA-GCM protection profile requires 12 octet cipher salt.

```

index DIV kdr:          000000000000
label:                  02
master salt: 0ec675ad498afeebb6960b3aabe6
-----
xor:                    0ec675ad498afee9b6960b3aabe6      (x, PRF input)

x*2^16:                 0ec675ad498afee9b6960b3aabe60000 (ARIA-CTR input)

                               194abaa8553a8eba8a413a340fc80a3d (ARIA-CTR output)

cipher salt: 194abaa8553a8eba8a413a340fc8      (ARIA-CTR profile)
             194abaa8553a8eba8a413a34          (ARIA-GCM profile)

index DIV kdr:          000000000000
label:                  01
master salt: 0ec675ad498afeebb6960b3aabe6
-----
xor:                    0ec675ad498afeeab6960b3aabe6      (x, PRF input)

x*2^16:                 0ec675ad498afeeab6960b3aabe60000 (ARIA-CTR input)

```

Below, the auth key is shown on the left, while the corresponding ARIA input blocks are shown on the right.



## auth key

## ARIA input blocks

|                                  |                                  |
|----------------------------------|----------------------------------|
| e58d42915873b71899234807334658f2 | 0ec675ad498afeeab6960b3aabe60000 |
| 0bc460181d06e02b7a9e60f02ff10bfc | 0ec675ad498afeeab6960b3aabe60001 |
| 9ade3795cf78f3e0f2556d9d913470c4 | 0ec675ad498afeeab6960b3aabe60002 |
| e82e45d254bfb8e2933851a3930ffe7d | 0ec675ad498afeeab6960b3aabe60003 |
| fca751c03ec1e77e35e28dac4f17d1a5 | 0ec675ad498afeeab6960b3aabe60004 |
| 80bdac028766d3b1e8f5a41faa3c     | 0ec675ad498afeeab6960b3aabe60005 |

## Authors' Addresses

Woo-Hwan Kim  
National Security Research Institute  
P.O.Box 1, Yuseong  
Daejeon 305-350  
Korea

EMail: whkim5@ensec.re.kr

Jungkeun Lee  
National Security Research Institute  
P.O.Box 1, Yuseong  
Daejeon 305-350  
Korea

EMail: jklee@ensec.re.kr

Je-Hong Park  
National Security Research Institute  
P.O.Box 1, Yuseong  
Daejeon 305-350  
Korea

EMail: jhpark@ensec.re.kr

Daesung Kwon  
National Security Research Institute  
P.O.Box 1, Yuseong  
Daejeon 305-350  
Korea

EMail: ds\_kwon@ensec.re.kr

