

avtcore
Internet-Draft
Updates: [3551](#) (if approved)
Intended status: Standards Track
Expires: January 03, 2014

T.B. Terriberry
Mozilla Corporation
July 02, 2013

**Update to Remove DVI4 from the Recommended Codecs for the RTP Profile
for Audio and Video Conferences with Minimal Control (RTP/AVP)
draft-ietf-avtcore-avp-codecs-03**

Abstract

The RTP Profile for Audio and Video Conferences with Minimal Control (RTP/AVP) is the basis for many other profiles, such as the Secure Real-time Transport Protocol (RTP/SAVP), the Extended RTP Profile for Real-time Transport Control Protocol (RTCP)-Based Feedback (RTP/AVPF), and the Extended Secure RTP Profile for RTCP-Based Feedback (RTP/SAVPF). This document updates [RFC 3551](#), the RTP/AVP profile (and by extension, the profiles that build upon it) to reflect changes in audio codec usage since the document was originally published.

Status of This Memo

This Internet-Draft is submitted in full conformance with the provisions of [BCP 78](#) and [BCP 79](#).

Internet-Drafts are working documents of the Internet Engineering Task Force (IETF). Note that other groups may also distribute working documents as Internet-Drafts. The list of current Internet-Drafts is at <http://datatracker.ietf.org/drafts/current/>.

Internet-Drafts are draft documents valid for a maximum of six months and may be updated, replaced, or obsoleted by other documents at any time. It is inappropriate to use Internet-Drafts as reference material or to cite them other than as "work in progress."

This Internet-Draft will expire on January 03, 2014.

Copyright Notice

Copyright (c) 2013 IETF Trust and the persons identified as the document authors. All rights reserved.

This document is subject to [BCP 78](#) and the IETF Trust's Legal Provisions Relating to IETF Documents (<http://trustee.ietf.org/license-info>) in effect on the date of

publication of this document. Please review these documents carefully, as they describe your rights and restrictions with respect to this document. Code Components extracted from this document must include Simplified BSD License text as described in Section 4.e of the Trust Legal Provisions and are provided without warranty as described in the Simplified BSD License.

Table of Contents

1.	Introduction	2
2.	Terminology	2
3.	Updates to RFC 3551	2
3.1.	Updates to Section 6	3
4.	Security Considerations	3
5.	IANA Considerations	3
6.	Acknowledgments	3
7.	References	3
7.1.	Normative References	3
7.2.	Informative References	3
	Author's Address	4

[1.](#) Introduction

[RFC3551] says that audio applications operating under the RTP/AVP profile SHOULD be able to send and receive PCMU and DVI4. However, in practice, many RTP deployments do not support DVI4, and there is little reason to use it when much more modern codecs are available. This document updates the recommended audio codec selection for the RTP/AVP profile to remove the SHOULD for DVI4. By extension, this also updates the profiles which build on RTP/AVP, including RTP/SAVP [[RFC3711](#)], RTP/AVPF [[RFC4585](#)], and RTP/SAVPF [[RFC5124](#)].

[2.](#) Terminology

The key words "MUST", "MUST NOT", "REQUIRED", "SHALL", "SHALL NOT", "SHOULD", "SHOULD NOT", "RECOMMENDED", "MAY", and "OPTIONAL" in this document are to be interpreted as described in [[RFC2119](#)].

[3.](#) Updates to [RFC 3551](#)

The following text of [[RFC3551](#)] is hereby updated as set forth below in [Section 3.1](#).

Audio applications operating under this profile SHOULD, at a minimum, be able to send and/or receive payload types 0 (PCMU) and 5 (DVI4). This allows interoperability without format negotiation and ensures successful negotiation with a conference control protocol.

Terriberry

Expires January 03, 2014

[Page 2]

3.1. Updates to [Section 6](#)

In the final paragraph of [Section 6](#), replace, "payload types 0 (PCMU) and 5 (DVI4)," with "payload type 0 (PCMU)." Also, add a final sentence to this paragraph that states, "Some environments necessitate support for PCMU." This results in the following paragraph:

Audio applications operating under this profile SHOULD, at a minimum, be able to send and/or receive payload type 0 (PCMU). This allows interoperability without format negotiation and ensures successful negotiation with a conference control protocol. Some environments necessitate support for PCMU.

4. Security Considerations

This document does not introduce any new security considerations for [RFC3551](#).

5. IANA Considerations

This document has no actions for IANA.

6. Acknowledgments

Thanks to Colin Perkins for suggesting this update.

7. References

7.1. Normative References

- [RFC2119] Bradner, S., "Key words for use in RFCs to Indicate Requirement Levels", [BCP 14](#), [RFC 2119](#), March 1997.
- [RFC3551] Schulzrinne, H. and S. Casner, "RTP Profile for Audio and Video Conferences with Minimal Control", STD 65, [RFC 3551](#), July 2003.

7.2. Informative References

- [RFC3711] Baugher, M., McGrew, D., Naslund, M., Carrara, E., and K. Norrman, "The Secure Real-time Transport Protocol (SRTP)", [RFC 3711](#), March 2004.
- [RFC4585] Ott, J., Wenger, S., Sato, N., Burmeister, C., and J. Rey, "Extended RTP Profile for Real-time Transport Control Protocol (RTCP)-Based Feedback (RTP/AVPF)", [RFC 4585](#), July 2006.

Terriberry

Expires January 03, 2014

[Page 3]

[RFC5124] Ott, J. and E. Carrara, "Extended Secure RTP Profile for Real-time Transport Control Protocol (RTCP)-Based Feedback (RTP/SAVPF)", [RFC 5124](#), February 2008.

Author's Address

Timothy B. Terriberry
Mozilla Corporation
650 Castro Street
Mountain View, CA 94041
USA

Phone: +1 650 903-0800
Email: tterribe@xiph.org