Network Working Group

Internet-Draft Intended status: Standards Track

Expires: February 14, 2020

A. Decimo IRIF, University of Paris-Diderot D. Schinazi Google LLC J. Chroboczek IRIF, University of Paris-Diderot

August 13, 2019

Babel Routing Protocol over Datagram Transport Layer Security draft-ietf-babel-dtls-09

Abstract

The Babel Routing Protocol does not contain any means to authenticate neighbours or provide integrity or confidentiality for messages sent between them. This document specifies a mechanism to ensure these properties, using Datagram Transport Layer Security (DTLS).

Status of This Memo

This Internet-Draft is submitted in full conformance with the provisions of \underline{BCP} 78 and \underline{BCP} 79.

Internet-Drafts are working documents of the Internet Engineering Task Force (IETF). Note that other groups may also distribute working documents as Internet-Drafts. The list of current Internet-Drafts is at https://datatracker.ietf.org/drafts/current/.

Internet-Drafts are draft documents valid for a maximum of six months and may be updated, replaced, or obsoleted by other documents at any time. It is inappropriate to use Internet-Drafts as reference material or to cite them other than as "work in progress."

This Internet-Draft will expire on February 14, 2020.

Copyright Notice

Copyright (c) 2019 IETF Trust and the persons identified as the document authors. All rights reserved.

This document is subject to BCP 78 and the IETF Trust's Legal Provisions Relating to IETF Documents (https://trustee.ietf.org/license-info) in effect on the date of publication of this document. Please review these documents carefully, as they describe your rights and restrictions with respect to this document. Code Components extracted from this document must include Simplified BSD License text as described in Section 4.e of

the Trust Legal Provisions and are provided without warranty as described in the Simplified BSD License.

Table of Contents

$\underline{1}$. Int	roduction	2
<u>1.1</u> .	Specification of Requirements	2
<u>1.2</u> .	Applicability	3
<u>2</u> . Ope	ration of the Protocol	3
<u>2.1</u> .	DTLS Connection Initiation	3
<u>2.2</u> .	Protocol Encoding	4
<u>2.3</u> .	Transmission	4
<u>2.4</u> .	Reception	<u>5</u>
<u>2.5</u> .	Neighbour table entry	<u>5</u>
2.6.	Simultaneous operation of both Babel over DTLS and	
	unprotected Babel on a Node	<u>6</u>
2.7.	Simultaneous operation of both Babel over DTLS and	
	unprotected Babel on a Network	<u>6</u>
3. Int	erface Maximum Transmission Unit Issues	<u>6</u>
<u>4</u> . IAN	A Considerations	7
<u>5</u> . Sec	urity Considerations	7
Ref	erences	8
<u>6.1</u> .	Normative References	8
<u>6.2</u> .	Informative References	8
<u>Appendi</u>	<u>x A</u> . Performance Considerations	9
<u>Appendi</u>	<u>x B</u> . Acknowledgments	9
Authoro	' Addresses	10

1. Introduction

The Babel Routing Protocol [RFC6126bis] does not contain any means to authenticate neighbours or protect messages sent between them. Because of this, an attacker is able to send maliciously crafted Babel messages which could lead a network to route traffic to an attacker or to an under-resourced target causing denial of service. This document specifies a mechanism to prevent such attacks, using Datagram Transport Layer Security (DTLS) [RFC6347].

1.1. Specification of Requirements

The key words "MUST", "MUST NOT", "REQUIRED", "SHALL", "SHALL NOT", "SHOULD", "SHOULD NOT", "RECOMMENDED", "NOT RECOMMENDED", "MAY", and "OPTIONAL" in this document are to be interpreted as described in BCP 14 [RFC2119] [RFC8174] when, and only when, they appear in all capitals, as shown here.

1.2. Applicability

The protocol described in this document protects Babel packets with DTLS. As such, it inherits the features offered by DTLS, notably authentication, integrity, optional replay protection, confidentiality and asymmetric keying. It is therefore expected to be applicable in a wide range of environments.

There exists another mechanism for securing Babel, namely Babel HMAC authentication [BABEL-HMAC]. HMAC only offers basic features, namely authentication, integrity and replay protection with a small number of symmetric keys. A comparison of Babel security mechanisms and their applicability can be found in [RFC6126bis].

Note that Babel over DTLS provides a single authentication domain, meaning that all nodes that have the right credentials can convey any and all routing information.

DTLS supports several mechanisms by which nodes can identify themselves and prove possession of secrets tied to these identities. This document does not prescribe which of these mechanisms to use; details of identity management are left to deployment profiles of Babel over DTLS.

2. Operation of the Protocol

Babel over DTLS requires some changes to how Babel operates. First, DTLS is a client-server protocol, while Babel is a peer-to-peer protocol. Second, DTLS can only protect unicast communication, while Babel packets can be sent over to both unicast and multicast destinations.

2.1. DTLS Connection Initiation

Babel over DTLS operates on a different port than unencrypted Babel. All Babel over DTLS nodes MUST act as DTLS servers on a given UDP port, and MUST listen for unencrypted Babel traffic on another UDP port, which MUST be distinct from the first one. The default port for Babel over DTLS is registered with IANA as the "babel-dtls" port (UDP port TBD, see Section 4), and the port exchanging unencrypted Babel traffic is registered as the "babel" port (UDP port 6696, see Section 5 of [RFC6126bis]).

When a Babel node discovers a new neighbour (generally by receiving an unencrypted multicast Babel packet), it compares the neighbour's IP address with its own, using network byte ordering. If a node's address is lower than the recently discovered neighbour's address, it acts as a client and connects to the neighbour. In other words, the

node with the lowest address is the DTLS client for this pairwise relationship. As an example, fe80::1:2 is considered lower than fe80::2:1.

The node acting as DTLS client initiates its DTLS connection from an ephemeral UDP port. Nodes SHOULD ensure that new client DTLS connections use different ephemeral ports from recently used connections to allow servers to differentiate between the new and old DTLS connections. Alternatively, nodes could use DTLS connection identifiers [DTLS-CID] as a higher-entropy mechanism to distinguish between connections.

When a node receives a new DTLS connection, it MUST verify that the source IP address is either an IPv6 link-local address or an IPv4 address belonging to the local network; if it is neither, it MUST reject the connection. Nodes use mutual authentication (authenticating both client and server); clients MUST authenticate servers and servers MUST authenticate clients. Implementations MUST support authenticating peers against a local store of credentials. If either node fails to authenticate its peer against its local policy, it MUST abort the DTLS handshake. The guidance given in [BCP195] MUST be followed to avoid attacks on DTLS. Additionally, nodes MUST only negotiate DTLS version 1.2 or higher. Nodes MUST use DTLS replay protection to prevent attackers from replaying stale information. Nodes SHOULD drop packets that have been reordered by more than two IHU (I Heard You) intervals, to avoid letting attackers make stale information last longer. If a node receives a new DTLS connection from a neighbour to whom it already has a connection, the node MUST NOT discard the older connection until it has completed the handshake of the new one and validated the identity of the peer.

2.2. Protocol Encoding

Babel over DTLS sends all unicast Babel packets protected by DTLS. The entire Babel packet, from the Magic byte at the start of the Babel header to the last byte of the Babel packet trailer, is sent protected by DTLS.

2.3. Transmission

When sending packets, Babel over DTLS nodes MUST NOT send any TLVs over the unprotected "babel" port, with the exception of Hello TLVs without the Unicast flag set. Babel over DTLS nodes MUST NOT send any unprotected unicast packets. This ensures the confidentiality of the information sent in Babel packets (e.g., the network topology) by only sending it encrypted by DTLS. Unless some out-of-band neighbour discovery mechanism is available, nodes SHOULD periodically send unprotected multicast Hellos to ensure discovery of new neighbours.

Decimo, et al. Expires February 14, 2020 [Page 4]

In order to maintain bidirectional reachability, nodes can either rely entirely on unprotected multicast Hellos, or send protected unicast Hellos in addition to the multicast Hellos.

Since Babel over DTLS only protects unicast packets, implementors may implement Babel over DTLS by modifying an implementation of Babel without DTLS support, and replacing any TLV previously sent over multicast with a separate TLV sent over unicast for each neighbour. TLVs previously sent over multicast can be replaced with the same contents over unicast, with the exception of Hellos as described above. Some implementations could also change the contents of IHU TLVs when converting to unicast in order to remove redundant information.

2.4. Reception

Babel over DTLS nodes can receive Babel packets either protected over a DTLS connection, or unprotected directly over the "babel" port. To ensure the security properties of this mechanism, unprotected packets are treated differently. Nodes MUST silently ignore any unprotected packet sent over unicast. When parsing an unprotected packet, a node MUST silently ignore all TLVs that are not of type Hello. Nodes MUST also silently ignore any unprotected Hello with the Unicast flag set. Note that receiving an unprotected packet can still be used to discover new neighbours, even when all TLVs in that packet are silently ignored.

2.5. Neighbour table entry

It is RECOMMENDED for nodes to associate the state of their DTLS connection with their neighbour table. When a neighbour entry is flushed from the neighbour table (Appendix A of [RFC6126bis]), its associated DTLS state SHOULD be discarded. The node SHOULD send a DTLS close_notify alert to the neighbour if it believes the link is still viable.

While DTLS provides protection against an attacker that replays valid packets, DTLS is not able to detect when an active on-path attacker intercepts valid packets and resends them at a later time. This attack could be used to make a node believe it has bidirectional reachability to a neighbour even though that neighbour has disconnected from the network. To prevent this attack, nodes MUST discard the DTLS state associated with a neighbour after a finite time of not receiving valid DTLS packets. This can be implemented by, for example, discarding a neighbour's DTLS state when its associated IHU timer fires. Note that relying solely on the receipt of Hellos is not sufficient as multicast Hellos are sent unprotected. Additionally, an attacker could save some packets and replay them

later in hopes of propagating stale routing information at a later time. To mitigate this, nodes MUST discard received packets that have been reordered by more than one IHU interval.

2.6. Simultaneous operation of both Babel over DTLS and unprotected Babel on a Node

Implementations MAY implement both Babel over DTLS and unprotected Babel. Additionally, a node MAY simultaneously run both Babel over DTLS and unprotected Babel. However, a node running both MUST ensure that it runs them on separate interfaces, as the security properties of Babel over DTLS rely on not accepting unprotected Babel packets (other than multicast Hellos). A node MAY allow configuration options to allow unprotected Babel on some interfaces but not others; this effectively gives nodes on that interface the same access as authenticated nodes, and SHOULD NOT be done unless that interface has a mechanism to authenticate nodes at a lower layer (e.g., IPsec).

2.7. Simultaneous operation of both Babel over DTLS and unprotected Babel on a Network

If Babel over DTLS and unprotected Babel are both operated on the same network, the Babel over DTLS implementation will receive unprotected multicast Hellos and attempt to initiate a DTLS connection. These connection attempts can be sent to nodes that only run unprotected Babel, who will not respond. Babel over DTLS implementations SHOULD therefore rate-limit their DTLS connection attempts to avoid causing undue load on the network.

3. Interface Maximum Transmission Unit Issues

Compared to unprotected Babel, DTLS adds header, authentication tag and possibly block-size padding overhead to every packet. This reduces the size of the Babel payload that can be carried. This document does not relax the packet size requirements in Section 4 of [RFC6126bis], but recommends that DTLS overhead be taken into account when computing maximum packet size.

More precisely, nodes SHOULD compute the overhead of DTLS depending on the ciphersuites in use, and SHOULD NOT send Babel packets larger than the interface maximum transmission unit (MTU) minus the overhead of IP, UDP and DTLS. Nodes MUST NOT send Babel packets larger than the attached interface's MTU adjusted for known lower-layer headers (at least UDP and IP) or 512 octets, whichever is larger, but not exceeding 2^16 - 1 adjusted for lower-layer headers. Every Babel speaker MUST be able to receive packets that are as large as any attached interface's MTU adjusted for UDP and IP headers or 512 octets, whichever is larger. Note that this requirement on reception

Internet-Draft Babel over DTLS August 2019

does not take into account the overhead of DTLS because the peer may not have the ability to compute the overhead of DTLS and the packet may be fragmented by lower layers.

Note that distinct DTLS connections can use different ciphers, which can have different amounts of per-packet overhead. Therefore, the MTU to one neighbour can be different from the MTU to another neighbour on the same link.

4. IANA Considerations

If this document is approved, IANA is requested to register a UDP port number, called "babel-dtls", for use by Babel over DTLS. Details of the request to IANA are as follows:

o Assignee: IESG, iesg@ietf.org

o Contact Person: IETF Chair, chair@ietf.org

o Transport Protocols: UDP only

o Service Code: None

o Service Name: babel-dtls

o Desired Port Number: 6699

o Description: Babel Routing Protocol over DTLS

o Reference: This document

o Defined TXT Keys: None

5. Security Considerations

A malicious client might attempt to perform a high number of DTLS handshakes with a server. As the clients are not uniquely identified by the protocol until the handshake completes and can be obfuscated with IPv6 temporary addresses, a server needs to mitigate the impact of such an attack. Note that attackers might attempt to keep inprogress handshakes open for as long as possible by using variants on the attack commonly known as Slowloris [SLOWLORIS]. Mitigating these attacks might involve rate limiting handshakes from a given subnet or more advanced denial of service avoidance techniques beyond the scope of this document.

Babel over DTLS allows sending multicast Hellos unprotected; attackers can therefore tamper with them. For example, an attacker

could send erroneous values for the Seqno and Interval fields, causing bidirectional reachability detection to fail. While implementations MAY use multicast Hellos for link quality estimation, they SHOULD also emit protected unicast Hellos to prevent this class of denial-of-service attack.

6. References

6.1. Normative References

- [BCP195] Sheffer, Y., Holz, R., and P. Saint-Andre,
 "Recommendations for Secure Use of Transport Layer
 Security (TLS) and Datagram Transport Layer Security
 (DTLS)", BCP 195, RFC 7525, DOI 10.17487/RFC7525, May
 2015, https://www.rfc-editor.org/info/bcp195.
- [RFC2119] Bradner, S., "Key words for use in RFCs to Indicate
 Requirement Levels", BCP 14, RFC 2119,
 DOI 10.17487/RFC2119, March 1997,
 https://www.rfc-editor.org/info/rfc2119>.

[RFC6126bis]

Chroboczek, J. and D. Schinazi, "The Babel Routing Protocol", Internet Draft <u>draft-ietf-babel-rfc6126bis-13</u>, August 2019.

- [RFC6347] Rescorla, E. and N. Modadugu, "Datagram Transport Layer Security Version 1.2", RFC 6347, DOI 10.17487/RFC6347, January 2012, https://www.rfc-editor.org/info/rfc6347>.
- [RFC8174] Leiba, B., "Ambiguity of Uppercase vs Lowercase in RFC
 2119 Key Words", BCP 14, RFC 8174, DOI 10.17487/RFC8174,
 May 2017, https://www.rfc-editor.org/info/rfc8174>.

6.2. Informative References

[BABEL-HMAC]

Do, C., Kolodziejak, W., and J. Chroboczek, "Babel Cryptographic Authentication", Internet Draft <u>draft-ietf-babel-hmac-09</u>, August 2019.

[DTLS-CID]

Rescorla, E., Tschofenig, H., Fossati, T., and T. Gondrom, "Connection Identifiers for DTLS 1.2", Internet Draft draft-ietf-tls-dtls-connection-id-06, July 2019.

- [RFC7250] Wouters, P., Ed., Tschofenig, H., Ed., Gilmore, J.,
 Weiler, S., and T. Kivinen, "Using Raw Public Keys in
 Transport Layer Security (TLS) and Datagram Transport
 Layer Security (DTLS)", RFC 7250, DOI 10.17487/RFC7250,
 June 2014, https://www.rfc-editor.org/info/rfc7250.

- [RFC8094] Reddy, T., Wing, D., and P. Patil, "DNS over Datagram
 Transport Layer Security (DTLS)", RFC 8094,
 DOI 10.17487/RFC8094, February 2017,
 <https://www.rfc-editor.org/info/rfc8094>.

[SLOWLORIS]

Hansen, R., "Welcome to Slowloris...", June 2009, https://web.archive.org/web/20150315054838/
http://ha.ckers.org/slowloris/>.

Appendix A. Performance Considerations

To reduce the number of octets taken by the DTLS handshake, especially the size of the certificate in the ServerHello (which can be several kilobytes), Babel peers can use raw public keys [RFC7250] or the Cached Information Extension [RFC7924]. The Cached Information Extension avoids transmitting the server's certificate and certificate chain if the client has cached that information from a previous TLS handshake. TLS False Start [RFC7918] can reduce round trips by allowing the TLS second flight of messages (ChangeCipherSpec) to also contain the (encrypted) Babel packet.

Appendix B. Acknowledgments

The authors would like to thank Roman Danyliw, Donald Eastlake, Thomas Fossati, Benjamin Kaduk, Gabriel Kerneis, Mirja Kuehlewind, Antoni Przygienda, Henning Rogge, Dan Romascanu, Barbara Stark, Markus Stenberg, Dave Taht, Martin Thomson, Sean Turner and Martin Vigoureux for their input and contributions. The performance considerations in this document were inspired from the ones for DNS over DTLS [RFC8094].

Authors' Addresses

Antonin Decimo IRIF, University of Paris-Diderot Paris France

Email: antonin.decimo@gmail.com

David Schinazi Google LLC 1600 Amphitheatre Parkway Mountain View, California 94043 USA

Email: dschinazi.ietf@gmail.com

Juliusz Chroboczek IRIF, University of Paris-Diderot Case 7014 75205 Paris Cedex 13 France

Email: jch@irif.fr