

**Generic Security Service Application Program Interface  
Version 2, Update 1**

STATUS OF THIS MEMO

This document is an Internet-Draft. Internet-Drafts are working documents of the Internet Engineering Task Force (IETF), its areas, and its working groups. Note that other groups may also distribute working documents as Internet-Drafts.

Internet-Drafts are draft documents valid for a maximum of six months and may be updated, replaced, or obsoleted by other documents at any time. It is inappropriate to use Internet-Drafts as reference material or to cite them other than as ``work in progress.'' To view the entire list of current Internet-Drafts, please check the "1id-abstracts.txt" listing contained in the Internet-Drafts Shadow Directories on [ftp.is.co.za](ftp://ftp.is.co.za) (Africa), [ftp.nordu.net](ftp://ftp.nordu.net) (Northern Europe), [ftp.nis.garr.it](ftp://ftp.nis.garr.it) (Southern Europe), [munnari.oz.au](http://munnari.oz.au) (Pacific Rim), [ftp.ietf.org](http://ftp.ietf.org) (US East Coast), or [ftp.isi.edu](http://ftp.isi.edu) (US West Coast).

Comments on this document should be sent to "[cat-ietf@mit.edu](mailto:cat-ietf@mit.edu)", the IETF Common Authentication Technology WG discussion list.

ABSTRACT

The Generic Security Service Application Program Interface (GSS-API), Version 2, as defined in [[RFC-2078](#)], provides security services to callers in a generic fashion, supportable with a range of underlying mechanisms and technologies and hence allowing source-level portability of applications to different environments. This specification defines GSS-API services and primitives at a level independent of underlying mechanism and programming language environment, and is to be complemented by other, related specifications:

documents defining specific parameter bindings for particular language environments

documents defining token formats, protocols, and procedures to be implemented in order to realize GSS-API services atop particular security mechanisms

This Internet-Draft revises [[RFC-2078](#)], making specific, incremental changes in response to implementation experience and liaison

requests. It is intended, therefore, that this draft or a successor version thereto will become the basis for subsequent progression of the GSS-API specification on the standards track.

## 1: GSS-API Characteristics and Concepts

GSS-API operates in the following paradigm. A typical GSS-API caller is itself a communications protocol, calling on GSS-API in order to protect its communications with authentication, integrity, and/or confidentiality security services. A GSS-API caller accepts tokens provided to it by its local GSS-API implementation and transfers the tokens to a peer on a remote system; that peer passes the received tokens to its local GSS-API implementation for processing. The security services available through GSS-API in this fashion are implementable (and have been implemented) over a range of underlying mechanisms based on secret-key and public-key cryptographic technologies.

The GSS-API separates the operations of initializing a security context between peers, achieving peer entity authentication (`GSS_Init_sec_context()` and `GSS_Accept_sec_context()` calls), from the operations of providing per-message data origin authentication and data integrity protection (`GSS_GetMIC()` and `GSS_VerifyMIC()` calls) for messages subsequently transferred in conjunction with that context. (The definition for the peer entity authentication service, and other definitions used in this document, corresponds to that provided in [[ISO-7498-2](#)].) When establishing a security context, the GSS-API enables a context initiator to optionally permit its credentials to be delegated, meaning that the context acceptor may initiate further security contexts on behalf of the initiating caller. Per-message `GSS_Wrap()` and `GSS_Unwrap()` calls provide the data origin authentication and data integrity services which `GSS_GetMIC()` and `GSS_VerifyMIC()` offer, and also support selection of confidentiality services as a caller option. Additional calls provide supportive functions to the GSS-API's users.

The following paragraphs provide an example illustrating the dataflows involved in use of the GSS-API by a client and server in a mechanism-independent fashion, establishing a security context and transferring a protected message. The example assumes that credential acquisition has already been completed. The example also assumes that the underlying authentication technology is capable of authenticating a client to a server using elements carried within a single token, and of authenticating the server to the client (mutual authentication) with a single returned token; this assumption holds for some presently-documented CAT mechanisms but is not necessarily true for other cryptographic technologies and associated protocols.

Linn

Document Expiration: 16 June 1999

[Page 2]

The client calls GSS\_Init\_sec\_context() to establish a security context to the server identified by targ\_name, and elects to set the mutual\_req\_flag so that mutual authentication is performed in the course of context establishment. GSS\_Init\_sec\_context() returns an output\_token to be passed to the server, and indicates GSS\_S\_CONTINUE\_NEEDED status pending completion of the mutual authentication sequence. Had mutual\_req\_flag not been set, the initial call to GSS\_Init\_sec\_context() would have returned GSS\_S\_COMPLETE status. The client sends the output\_token to the server.

The server passes the received token as the input\_token parameter to GSS\_Accept\_sec\_context(). GSS\_Accept\_sec\_context indicates GSS\_S\_COMPLETE status, provides the client's authenticated identity in the src\_name result, and provides an output\_token to be passed to the client. The server sends the output\_token to the client.

The client passes the received token as the input\_token parameter to a successor call to GSS\_Init\_sec\_context(), which processes data included in the token in order to achieve mutual authentication from the client's viewpoint. This call to GSS\_Init\_sec\_context() returns GSS\_S\_COMPLETE status, indicating successful mutual authentication and the completion of context establishment for this example.

The client generates a data message and passes it to GSS\_Wrap(). GSS\_Wrap() performs data origin authentication, data integrity, and (optionally) confidentiality processing on the message and encapsulates the result into output\_message, indicating GSS\_S\_COMPLETE status. The client sends the output\_message to the server.

The server passes the received message to GSS\_Unwrap(). GSS\_Unwrap() inverts the encapsulation performed by GSS\_Wrap(), deciphers the message if the optional confidentiality feature was applied, and validates the data origin authentication and data integrity checking quantities. GSS\_Unwrap() indicates successful validation by returning GSS\_S\_COMPLETE status along with the resultant output\_message.

For purposes of this example, we assume that the server knows by out-of-band means that this context will have no further use after one protected message is transferred from client to server. Given this premise, the server now calls GSS\_Delete\_sec\_context() to flush context-level information. Optionally, the server-side application may provide a token buffer to GSS\_Delete\_sec\_context(), to receive a context\_token to be transferred to the client in order to request that client-side context-level information be deleted.

If a context\_token is transferred, the client passes the

Linn

Document Expiration: 16 June 1999

[Page 3]

context\_token to GSS\_Process\_context\_token(), which returns GSS\_S\_COMPLETE status after deleting context-level information at the client system.

The GSS-API design assumes and addresses several basic goals, including:

Mechanism independence: The GSS-API defines an interface to cryptographically implemented strong authentication and other security services at a generic level which is independent of particular underlying mechanisms. For example, GSS-API-provided services have been implemented using secret-key technologies (e.g., Kerberos, per [[RFC-1964](#)]) and with public-key approaches (e.g., SPKM, per [[RFC-2025](#)]).

Protocol environment independence: The GSS-API is independent of the communications protocol suites with which it is employed, permitting use in a broad range of protocol environments. In appropriate environments, an intermediate implementation "veeर" which is oriented to a particular communication protocol may be interposed between applications which call that protocol and the GSS-API (e.g., as defined in [[RFC-2203](#)] for Open Network Computing Remote Procedure Call (RPC)), thereby invoking GSS-API facilities in conjunction with that protocol's communications invocations.

Protocol association independence: The GSS-API's security context construct is independent of communications protocol association constructs. This characteristic allows a single GSS-API implementation to be utilized by a variety of invoking protocol modules on behalf of those modules' calling applications. GSS-API services can also be invoked directly by applications, wholly independent of protocol associations.

Suitability to a range of implementation placements: GSS-API clients are not constrained to reside within any Trusted Computing Base (TCB) perimeter defined on a system where the GSS-API is implemented; security services are specified in a manner suitable to both intra-TCB and extra-TCB callers.

## 1.1: GSS-API Constructs

This section describes the basic elements comprising the GSS-API.

### 1.1.1: Credentials

#### 1.1.1.1: Credential Constructs and Concepts

Credentials provide the prerequisites which permit GSS-API peers to

Linn

Document Expiration: 16 June 1999

[Page 4]

establish security contexts with each other. A caller may designate that the credential elements which are to be applied for context initiation or acceptance be selected by default. Alternately, those GSS-API callers which need to make explicit selection of particular credentials structures may make references to those credentials through GSS-API-provided credential handles ("cred\_handles"). In all cases, callers' credential references are indirect, mediated by GSS-API implementations and not requiring callers to access the selected credential elements.

A single credential structure may be used to initiate outbound contexts and to accept inbound contexts. Callers needing to operate in only one of these modes may designate this fact when credentials are acquired for use, allowing underlying mechanisms to optimize their processing and storage requirements. The credential elements defined by a particular mechanism may contain multiple cryptographic keys, e.g., to enable authentication and message encryption to be performed with different algorithms.

A GSS-API credential structure may contain multiple credential elements, each containing mechanism-specific information for a particular underlying mechanism (mech\_type), but the set of elements within a given credential structure represent a common entity. A credential structure's contents will vary depending on the set of mech\_types supported by a particular GSS-API implementation. Each credential element identifies the data needed by its mechanism in order to establish contexts on behalf of a particular principal, and may contain separate credential references for use in context initiation and context acceptance. Multiple credential elements within a given credential having overlapping combinations of mechanism, usage mode, and validity period are not permitted.

Commonly, a single mech\_type will be used for all security contexts established by a particular initiator to a particular target. A major motivation for supporting credential sets representing multiple mech\_types is to allow initiators on systems which are equipped to handle multiple types to initiate contexts to targets on other systems which can accommodate only a subset of the set supported at the initiator's system.

#### 1.1.1.2: Credential Management

It is the responsibility of underlying system-specific mechanisms and OS functions below the GSS-API to ensure that the ability to acquire and use credentials associated with a given identity is constrained to appropriate processes within a system. This responsibility should be taken seriously by implementors, as the ability for an entity to utilize a principal's credentials is equivalent to the entity's

Linn

Document Expiration: 16 June 1999

[Page 5]

ability to successfully assert that principal's identity.

Once a set of GSS-API credentials is established, the transferability of that credentials set to other processes or analogous constructs within a system is a local matter, not defined by the GSS-API. An example local policy would be one in which any credentials received as a result of login to a given user account, or of delegation of rights to that account, are accessible by, or transferable to, processes running under that account.

The credential establishment process (particularly when performed on behalf of users rather than server processes) is likely to require access to passwords or other quantities which should be protected locally and exposed for the shortest time possible. As a result, it will often be appropriate for preliminary credential establishment to be performed through local means at user login time, with the result(s) cached for subsequent reference. These preliminary credentials would be set aside (in a system-specific fashion) for subsequent use, either:

to be accessed by an invocation of the GSS-API `GSS_Acquire_cred()` call, returning an explicit handle to reference that credential

to comprise default credential elements to be installed, and to be used when default credential behavior is requested on behalf of a process

#### 1.1.1.3: Default Credential Resolution

The `GSS_Init_sec_context()` and `GSS_Accept_sec_context()` routines allow the value `GSS_C_NO_CREDENTIAL` to be specified as their credential handle parameter. This special credential-handle indicates a desire by the application to act as a default principal. In support of application portability, support for the default resolution behavior described below for initiator credentials (`GSS_Init_sec_context()` usage) is mandated; support for the default resolution behavior described below for acceptor credentials (`GSS_Accept_sec_context()` usage) is recommended. If default credential resolution fails, `GSS_S_NO_CRED` status is to be returned.

`GSS_Init_sec_context`:

- (i) If there is only a single principal capable of initiating security contexts that the application is authorized to act on behalf of, then that principal shall be used, otherwise
- (ii) If the platform maintains a concept of a default network-identity, and if the application is authorized to act on behalf

Linn

Document Expiration: 16 June 1999

[Page 6]

of that identity for the purpose of initiating security contexts, then the principal corresponding to that identity shall be used, otherwise

(iii) If the platform maintains a concept of a default local identity, and provides a means to map local identities into network-identities, and if the application is authorized to act on behalf of the network-identity image of the default local identity for the purpose of initiating security contexts, then the principal corresponding to that identity shall be used, otherwise

(iv) A user-configurable default identity should be used.

#### GSS\_Accept\_sec\_context:

(i) If there is only a single authorized principal identity capable of accepting security contexts, then that principal shall be used, otherwise

(ii) If the mechanism can determine the identity of the target principal by examining the context-establishment token, and if the accepting application is authorized to act as that principal for the purpose of accepting security contexts, then that principal identity shall be used, otherwise

(iii) If the mechanism supports context acceptance by any principal, and mutual authentication was not requested, any principal that the application is authorized to accept security contexts under may be used, otherwise

(iv) A user-configurable default identity shall be used.

The purpose of the above rules is to allow security contexts to be established by both initiator and acceptor using the default behavior wherever possible. Applications requesting default behavior are likely to be more portable across mechanisms and platforms than those that use GSS\_Acquire\_cred() to request a specific identity.

#### 1.1.2: Tokens

Tokens are data elements transferred between GSS-API callers, and are divided into two classes. Context-level tokens are exchanged in order to establish and manage a security context between peers. Per-message tokens relate to an established context and are exchanged to provide protective security services (i.e., data origin authentication, integrity, and optional confidentiality) for corresponding data messages.

Linn

Document Expiration: 16 June 1999

[Page 7]

The first context-level token obtained from GSS\_Init\_sec\_context() is required to indicate at its very beginning a globally-interpretable mechanism identifier, i.e., an Object Identifier (OID) of the security mechanism. The remaining part of this token as well as the whole content of all other tokens are specific to the particular underlying mechanism used to support the GSS-API. [Section 3.1](#) of this document provides, for designers of GSS-API mechanisms, the description of the header of the first context-level token which is then followed by mechanism-specific information.

Tokens' contents are opaque from the viewpoint of GSS-API callers. They are generated within the GSS-API implementation at an end system, provided to a GSS-API caller to be transferred to the peer GSS-API caller at a remote end system, and processed by the GSS-API implementation at that remote end system.

Context-level tokens may be output by GSS-API calls (and should be transferred to GSS-API peers) whether or not the calls' status indicators indicate successful completion. Per-message tokens, in contrast, are to be returned only upon successful completion of per-message calls. Zero-length tokens are never returned by GSS routines for transfer to a peer. Token transfer may take place in an in-band manner, integrated into the same protocol stream used by the GSS-API callers for other data transfers, or in an out-of-band manner across a logically separate channel.

Different GSS-API tokens are used for different purposes (e.g., context initiation, context acceptance, protected message data on an established context), and it is the responsibility of a GSS-API caller receiving tokens to distinguish their types, associate them with corresponding security contexts, and pass them to appropriate GSS-API processing routines. Depending on the caller protocol environment, this distinction may be accomplished in several ways.

The following examples illustrate means through which tokens' types may be distinguished:

- implicit tagging based on state information (e.g., all tokens on a new association are considered to be context establishment tokens until context establishment is completed, at which point all tokens are considered to be wrapped data objects for that context),
- explicit tagging at the caller protocol level,
- a hybrid of these approaches.

Commonly, the encapsulated data within a token includes internal

Linn

Document Expiration: 16 June 1999

[Page 8]

mechanism-specific tagging information, enabling mechanism-level processing modules to distinguish tokens used within the mechanism for different purposes. Such internal mechanism-level tagging is recommended to mechanism designers, and enables mechanisms to determine whether a caller has passed a particular token for processing by an inappropriate GSS-API routine.

Development of GSS-API mechanisms based on a particular underlying cryptographic technique and protocol (i.e., conformant to a specific GSS-API mechanism definition) does not necessarily imply that GSS-API callers using that GSS-API mechanism will be able to interoperate with peers invoking the same technique and protocol outside the GSS-API paradigm, or with peers implementing a different GSS-API mechanism based on the same underlying technology. The format of GSS-API tokens defined in conjunction with a particular mechanism, and the techniques used to integrate those tokens into callers' protocols, may not be interoperable with the tokens used by non-GSS-API callers of the same underlying technique.

#### 1.1.3: Security Contexts

Security contexts are established between peers, using credentials established locally in conjunction with each peer or received by peers via delegation. Multiple contexts may exist simultaneously between a pair of peers, using the same or different sets of credentials. Coexistence of multiple contexts using different credentials allows graceful rollover when credentials expire. Distinction among multiple contexts based on the same credentials serves applications by distinguishing different message streams in a security sense.

The GSS-API is independent of underlying protocols and addressing structure, and depends on its callers to transport GSS-API-provided data elements. As a result of these factors, it is a caller responsibility to parse communicated messages, separating GSS-API-related data elements from caller-provided data. The GSS-API is independent of connection vs. connectionless orientation of the underlying communications service.

No correlation between security context and communications protocol association is dictated. (The optional channel binding facility, discussed in [Section 1.1.6](#) of this document, represents an intentional exception to this rule, supporting additional protection features within GSS-API supporting mechanisms.) This separation allows the GSS-API to be used in a wide range of communications environments, and also simplifies the calling sequences of the individual calls. In many cases (depending on underlying security protocol, associated mechanism, and availability of cached

Linn

Document Expiration: 16 June 1999

[Page 9]

information), the state information required for context setup can be sent concurrently with initial signed user data, without interposing additional message exchanges. Messages may be protected and transferred in both directions on an established GSS-API security context concurrently; protection of messages in one direction does not interfere with protection of messages in the reverse direction.

GSS-API implementations are expected to retain inquirable context data on a context until the context is released by a caller, even after the context has expired, although underlying cryptographic data elements may be deleted after expiration in order to limit their exposure.

#### 1.1.4: Mechanism Types

In order to successfully establish a security context with a target peer, it is necessary to identify an appropriate underlying mechanism type (`mech_type`) which both initiator and target peers support. The definition of a mechanism embodies not only the use of a particular cryptographic technology (or a hybrid or choice among alternative cryptographic technologies), but also definition of the syntax and semantics of data element exchanges which that mechanism will employ in order to support security services.

It is recommended that callers initiating contexts specify the "default" `mech_type` value, allowing system-specific functions within or invoked by the GSS-API implementation to select the appropriate `mech_type`, but callers may direct that a particular `mech_type` be employed when necessary.

For GSS-API purposes, the phrase "negotiating mechanism" refers to a mechanism which itself performs negotiation in order to select a concrete mechanism which is shared between peers and is then used for context establishment. Only those mechanisms which are defined in their specifications as negotiating mechanisms are to yield selected mechanisms with different identifier values than the value which is input by a GSS-API caller, except for the case of a caller requesting the "default" `mech_type`.

The means for identifying a shared `mech_type` to establish a security context with a peer will vary in different environments and circumstances; examples include (but are not limited to):

- use of a fixed `mech_type`, defined by configuration, within an environment

- syntactic convention on a target-specific basis, through examination of a target's name

Linn

Document Expiration: 16 June 1999

[Page 10]

lookup of a target's name in a naming service or other database in order to identify mech\_types supported by that target

explicit negotiation between GSS-API callers in advance of security context setup

use of a negotiating mechanism

When transferred between GSS-API peers, mech\_type specifiers (per [Section 3](#) of this document, represented as Object Identifiers (OIDs)) serve to qualify the interpretation of associated tokens. (The structure and encoding of Object Identifiers is defined in [ISOIEC-8824] and [[ISOIEC-8825](#)].) Use of hierarchically structured OIDs serves to preclude ambiguous interpretation of mech\_type specifiers. The OID representing the DASS ([[RFC-1507](#)]) MechType, for example, is 1.3.12.2.1011.7.5, and that of the Kerberos V5 mechanism ([[RFC-1964](#)]), having been advanced to the level of Proposed Standard, is 1.2.840.113554.1.2.2.

#### 1.1.5: Naming

The GSS-API avoids prescribing naming structures, treating the names which are transferred across the interface in order to initiate and accept security contexts as opaque objects. This approach supports the GSS-API's goal of implementability atop a range of underlying security mechanisms, recognizing the fact that different mechanisms process and authenticate names which are presented in different forms. Generalized services offering translation functions among arbitrary sets of naming environments are outside the scope of the GSS-API; availability and use of local conversion functions to translate among the naming formats supported within a given end system is anticipated.

Different classes of name representations are used in conjunction with different GSS-API parameters:

- Internal form (denoted in this document by INTERNAL NAME), opaque to callers and defined by individual GSS-API implementations. GSS-API implementations supporting multiple namespace types must maintain internal tags to disambiguate the interpretation of particular names. A Mechanism Name (MN) is a special case of INTERNAL NAME, guaranteed to contain elements corresponding to one and only one mechanism; calls which are guaranteed to emit MNs or which require MNs as input are so identified within this specification.

- Contiguous string ("flat") form (denoted in this document by OCTET STRING); accompanied by OID tags identifying the namespace

Linn

Document Expiration: 16 June 1999

[Page 11]

to which they correspond. Depending on tag value, flat names may or may not be printable strings for direct acceptance from and presentation to users. Tagging of flat names allows GSS-API callers and underlying GSS-API mechanisms to disambiguate name types and to determine whether an associated name's type is one which they are capable of processing, avoiding aliasing problems which could result from misinterpreting a name of one type as a name of another type.

- The GSS-API Exported Name Object, a special case of flat name designated by a reserved OID value, carries a canonicalized form of a name suitable for binary comparisons.

In addition to providing means for names to be tagged with types, this specification defines primitives to support a level of naming environment independence for certain calling applications. To provide basic services oriented towards the requirements of callers which need not themselves interpret the internal syntax and semantics of names, GSS-API calls for name comparison (GSS\_Compare\_name()), human-readable display (GSS\_Display\_name()), input conversion (GSS\_Import\_name()), internal name deallocation (GSS\_Release\_name()), and internal name duplication (GSS\_Duplicate\_name()) functions are defined. (It is anticipated that these proposed GSS-API calls will be implemented in many end systems based on system-specific name manipulation primitives already extant within those end systems; inclusion within the GSS-API is intended to offer GSS-API callers a portable means to perform specific operations, supportive of authorization and audit requirements, on authenticated names.)

GSS\_Import\_name() implementations can, where appropriate, support more than one printable syntax corresponding to a given namespace (e.g., alternative printable representations for X.500 Distinguished Names), allowing flexibility for their callers to select among alternative representations. GSS\_Display\_name() implementations output a printable syntax selected as appropriate to their operational environments; this selection is a local matter. Callers desiring portability across alternative printable syntaxes should refrain from implementing comparisons based on printable name forms and should instead use the GSS\_Compare\_name() call to determine whether or not one internal-format name matches another.

When used in large access control lists, the overhead of invoking GSS\_Import\_name() and GSS\_Compare\_name() on each name from the ACL may be prohibitive. As an alternative way of supporting this case, GSS-API defines a special form of the contiguous string name which may be compared directly (e.g., with memcmp()). Contiguous names suitable for comparison are generated by the GSS\_Export\_name() routine, which requires an MN as input. Exported names may be re-

Linn

Document Expiration: 16 June 1999

[Page 12]

imported by the GSS\_Import\_name() routine, and the resulting internal name will also be an MN. The symbolic constant GSS\_C\_NT\_EXPORT\_NAME identifies the "export name" type. Structurally, an exported name object consists of a header containing an OID identifying the mechanism that authenticated the name, and a trailer containing the name itself, where the syntax of the trailer is defined by the individual mechanism specification. The precise format of an exported name is defined in [Section 3.2](#) of this specification.


Note that the results obtained by using GSS\_Compare\_name() will in general be different from those obtained by invoking GSS\_Canonicalize\_name() and GSS\_Export\_name(), and then comparing the exported names. The first series of operations determines whether two (unauthenticated) names identify the same principal; the second whether a particular mechanism would authenticate them as the same principal. These two operations will in general give the same results only for MNs.

Linn

Document Expiration: 16 June 1999

[Page 13]

The following diagram illustrates the intended dataflow among name-related GSS-API processing routines.



#### 1.1.6: Channel Bindings

The GSS-API accommodates the concept of caller-provided channel binding ("chan\_binding") information. Channel bindings are used to strengthen the quality with which peer entity authentication is provided during context establishment, by limiting the scope within which an intercepted context establishment token can be reused by an attacker. Specifically, they enable GSS-API callers to bind the establishment of a security context to relevant characteristics (e.g., addresses, transformed representations of encryption keys) of the underlying communications channel, of protection mechanisms applied to that communications channel, and to application-specific data.

The caller initiating a security context must determine the appropriate channel binding values to provide as input to the `GSS_Init_sec_context()` call, and consistent values must be provided to `GSS_Accept_sec_context()` by the context's target, in order for both peers' GSS-API mechanisms to validate that received tokens possess correct channel-related characteristics. Use or non-use of

Linn

Document Expiration: 16 June 1999

[Page 14]

the GSS-API channel binding facility is a caller option. GSS-API mechanisms can operate in an environment where NULL channel bindings are presented; mechanism implementors are encouraged, but not required, to make use of caller-provided channel binding data within their mechanisms. Callers should not assume that underlying mechanisms provide confidentiality protection for channel binding information.

When non-NUL channel bindings are provided by callers, certain mechanisms can offer enhanced security value by interpreting the bindings' content (rather than simply representing those bindings, or integrity check values computed on them, within tokens) and will therefore depend on presentation of specific data in a defined format. To this end, agreements among mechanism implementors are defining conventional interpretations for the contents of channel binding arguments, including address specifiers (with content dependent on communications protocol environment) for context initiators and acceptors. (These conventions are being incorporated in GSS-API mechanism specifications and into the GSS-API C language bindings specification.) In order for GSS-API callers to be portable across multiple mechanisms and achieve the full security functionality which each mechanism can provide, it is strongly recommended that GSS-API callers provide channel bindings consistent with these conventions and those of the networking environment in which they operate.

## 1.2: GSS-API Features and Issues

This section describes aspects of GSS-API operations, of the security services which the GSS-API provides, and provides commentary on design issues.

### 1.2.1: Status Reporting and Optional Service Support

#### 1.2.1.1: Status Reporting

Each GSS-API call provides two status return values. Major\_status values provide a mechanism-independent indication of call status (e.g., GSS\_S\_COMPLETE, GSS\_S\_FAILURE, GSS\_S\_CONTINUE\_NEEDED), sufficient to drive normal control flow within the caller in a generic fashion. Table 1 summarizes the defined major\_status return codes in tabular fashion.

Sequencing-related informative major\_status codes (GSS\_S\_DUPLICATE\_TOKEN, GSS\_S\_OLD\_TOKEN, GSS\_S\_UNSEQ\_TOKEN, and GSS\_S\_GAP\_TOKEN) can be indicated in conjunction with either GSS\_S\_COMPLETE or GSS\_S\_FAILURE status for GSS-API per-message calls. For context establishment calls, these sequencing-related codes will

Linn

Document Expiration: 16 June 1999

[Page 15]

be indicated only in conjunction with GSS\_S\_FAILURE status (never in conjunction with GSS\_S\_COMPLETE or GSS\_S\_CONTINUE\_NEEDED), and, therefore, always correspond to fatal failures if encountered during the context establishment phase.

Table 1: GSS-API Major Status Codes

#### FATAL ERROR CODES

GSS_S_BAD_BINDINGS	channel binding mismatch
GSS_S_BAD_MECH	unsupported mechanism requested
GSS_S_BAD_NAME	invalid name provided
GSS_S_BAD_NAMETYPE	name of unsupported type provided
GSS_S_BAD_STATUS	invalid input status selector
GSS_S_BAD_SIG	token had invalid integrity check
GSS_S_BAD_MIC	preferred alias for GSS_S_BAD_SIG
GSS_S_CONTEXT_EXPIRED	specified security context expired
GSS_S_CREDENTIALS_EXPIRED	expired credentials detected
GSS_S_DEFECTIVE_CREDENTIAL	defective credential detected
GSS_S_DEFECTIVE_TOKEN	defective token detected
GSS_S_FAILURE	failure, unspecified at GSS-API level
GSS_S_NO_CONTEXT	no valid security context specified
GSS_S_NO_CRED	no valid credentials provided
GSS_S_BAD_QOP	unsupported QOP value
GSS_S_UNAUTHORIZED	operation unauthorized
GSS_S_UNAVAILABLE	operation unavailable
GSS_S_DUPLICATE_ELEMENT	duplicate credential element requested
GSS_S_NAME_NOT_MN	name contains multi-mechanism elements

#### INFORMATORY STATUS CODES

GSS_S_COMPLETE	normal completion
GSS_S_CONTINUE_NEEDED	continuation call to routine required
GSS_S_DUPLICATE_TOKEN	duplicate per-message token detected
GSS_S_OLD_TOKEN	timed-out per-message token detected
GSS_S_UNSEQ_TOKEN	reordered (early) per-message token detected
GSS_S_GAP_TOKEN	skipped predecessor token(s) detected

Minor\_status provides more detailed status information which may include status codes specific to the underlying security mechanism. Minor\_status values are not specified in this document.

Linn

Document Expiration: 16 June 1999

[Page 16]

GSS\_S\_CONTINUE\_NEEDED major\_status returns, and optional message outputs, are provided in GSS\_Init\_sec\_context() and GSS\_Accept\_sec\_context() calls so that different mechanisms' employment of different numbers of messages within their authentication sequences need not be reflected in separate code paths within calling applications. Instead, such cases are accommodated with sequences of continuation calls to GSS\_Init\_sec\_context() and GSS\_Accept\_sec\_context(). The same facility is used to encapsulate mutual authentication within the GSS-API's context initiation calls.

For mech\_types which require interactions with third-party servers in order to establish a security context, GSS-API context establishment calls may block pending completion of such third-party interactions. On the other hand, no GSS-API calls pend on serialized interactions with GSS-API peer entities. As a result, local GSS-API status returns cannot reflect unpredictable or asynchronous exceptions occurring at remote peers, and reflection of such status information is a caller responsibility outside the GSS-API.

#### 1.2.1.2: Optional Service Support

A context initiator may request various optional services at context establishment time. Each of these services is requested by setting a flag in the req\_flags input parameter to GSS\_Init\_sec\_context().

The optional services currently defined are:

- Delegation - The (usually temporary) transfer of rights from initiator to acceptor, enabling the acceptor to authenticate itself as an agent of the initiator.
- Mutual Authentication - In addition to the initiator authenticating its identity to the context acceptor, the context acceptor should also authenticate itself to the initiator.
- Replay detection - In addition to providing message integrity services, GSS\_GetMIC() and GSS\_Wrap() should include message numbering information to enable GSS\_VerifyMIC() and GSS\_Unwrap() to detect if a message has been duplicated.
- Out-of-sequence detection - In addition to providing message integrity services, GSS\_GetMIC() and GSS\_Wrap() should include message sequencing information to enable GSS\_VerifyMIC() and GSS\_Unwrap() to detect if a message has been received out of sequence.
- Anonymous authentication - The establishment of the security context should not reveal the initiator's identity to the

Linn

Document Expiration: 16 June 1999

[Page 17]

context acceptor.

- Available per-message confidentiality - requests that per-message confidentiality services be available on the context.
- Available per-message integrity - requests that per-message integrity services be available on the context.

Any currently undefined bits within such flag arguments should be ignored by GSS-API implementations when presented by an application, and should be set to zero when returned to the application by the GSS-API implementation.

Some mechanisms may not support all optional services, and some mechanisms may only support some services in conjunction with others. Both GSS\_Init\_sec\_context() and GSS\_Accept\_sec\_context() inform the applications which services will be available from the context when the establishment phase is complete, via the ret\_flags output parameter. In general, if the security mechanism is capable of providing a requested service, it should do so, even if additional services must be enabled in order to provide the requested service. If the mechanism is incapable of providing a requested service, it should proceed without the service, leaving the application to abort the context establishment process if it considers the requested service to be mandatory.

Some mechanisms may specify that support for some services is optional, and that implementors of the mechanism need not provide it. This is most commonly true of the confidentiality service, often because of legal restrictions on the use of data-encryption, but may apply to any of the services. Such mechanisms are required to send at least one token from acceptor to initiator during context establishment when the initiator indicates a desire to use such a service, so that the initiating GSS-API can correctly indicate whether the service is supported by the acceptor's GSS-API.

#### 1.2.2: Per-Message Security Service Availability

When a context is established, two flags are returned to indicate the set of per-message protection security services which will be available on the context:

the integ\_avail flag indicates whether per-message integrity and data origin authentication services are available

the conf\_avail flag indicates whether per-message confidentiality services are available, and will never be returned TRUE unless the integ\_avail flag is also returned TRUE

Linn

Document Expiration: 16 June 1999

[Page 18]

GSS-API callers desiring per-message security services should check the values of these flags at context establishment time, and must be aware that a returned FALSE value for integ\_avail means that invocation of GSS\_GetMIC() or GSS\_Wrap() primitives on the associated context will apply no cryptographic protection to user data messages.

The GSS-API per-message integrity and data origin authentication services provide assurance to a receiving caller that protection was applied to a message by the caller's peer on the security context, corresponding to the entity named at context initiation. The GSS-API per-message confidentiality service provides assurance to a sending caller that the message's content is protected from access by entities other than the context's named peer.

The GSS-API per-message protection service primitives, as the category name implies, are oriented to operation at the granularity of protocol data units. They perform cryptographic operations on the data units, transfer cryptographic control information in tokens, and, in the case of GSS\_Wrap(), encapsulate the protected data unit. As such, these primitives are not oriented to efficient data protection for stream-paradigm protocols (e.g., Telnet) if cryptography must be applied on an octet-by-octet basis.

#### 1.2.3: Per-Message Replay Detection and Sequencing

Certain underlying mech\_types offer support for replay detection and/or sequencing of messages transferred on the contexts they support. These optionally-selectable protection features are distinct from replay detection and sequencing features applied to the context establishment operation itself; the presence or absence of context-level replay or sequencing features is wholly a function of the underlying mech\_type's capabilities, and is not selected or omitted as a caller option.

The caller initiating a context provides flags (replay\_det\_req\_flag and sequence\_req\_flag) to specify whether the use of per-message replay detection and sequencing features is desired on the context being established. The GSS-API implementation at the initiator system can determine whether these features are supported (and whether they are optionally selectable) as a function of the selected mechanism, without need for bilateral negotiation with the target. When enabled, these features provide recipients with indicators as a result of GSS-API processing of incoming messages, identifying whether those messages were detected as duplicates or out-of-sequence. Detection of such events does not prevent a suspect message from being provided to a recipient; the appropriate course of action on a suspect message is a matter of caller policy.

Linn

Document Expiration: 16 June 1999

[Page 19]

The semantics of the replay detection and sequencing services applied to received messages, as visible across the interface which the GSS-API provides to its clients, are as follows:

When `replay_det_state` is TRUE, the possible `major_status` returns for well-formed and correctly signed messages are as follows:

1. `GSS_S_COMPLETE`, without concurrent indication of `GSS_S_DUPLICATE_TOKEN` or `GSS_S_OLD_TOKEN`, indicates that the message was within the window (of time or sequence space) allowing replay events to be detected, and that the message was not a replay of a previously-processed message within that window.
2. `GSS_S_DUPLICATE_TOKEN` indicates that the cryptographic checkvalue on the received message was correct, but that the message was recognized as a duplicate of a previously-processed message. In addition to identifying duplicated tokens originated by a context's peer, this status may also be used to identify reflected copies of locally-generated tokens; it is recommended that mechanism designers include within their protocols facilities to detect and report such tokens.
3. `GSS_S_OLD_TOKEN` indicates that the cryptographic checkvalue on the received message was correct, but that the message is too old to be checked for duplication.

When `sequence_state` is TRUE, the possible `major_status` returns for well-formed and correctly signed messages are as follows:

1. `GSS_S_COMPLETE`, without concurrent indication of `GSS_S_DUPLICATE_TOKEN`, `GSS_S_OLD_TOKEN`, `GSS_S_UNSEQ_TOKEN`, or `GSS_S_GAP_TOKEN`, indicates that the message was within the window (of time or sequence space) allowing replay events to be detected, that the message was not a replay of a previously-processed message within that window, and that no predecessor sequenced messages are missing relative to the last received message (if any) processed on the context with a correct cryptographic checkvalue.
2. `GSS_S_DUPLICATE_TOKEN` indicates that the integrity check value on the received message was correct, but that the message was recognized as a duplicate of a previously-processed message. In addition to identifying duplicated tokens originated by a context's peer, this status may also be used to identify reflected copies of locally-generated tokens; it is recommended that mechanism designers include within their protocols facilities to detect and report such tokens.

Linn

Document Expiration: 16 June 1999

[Page 20]

3. GSS\_S\_OLD\_TOKEN indicates that the integrity check value on the received message was correct, but that the token is too old to be checked for duplication.

4. GSS\_S\_UNSEQ\_TOKEN indicates that the cryptographic checkvalue on the received message was correct, but that it is earlier in a sequenced stream than a message already processed on the context. [Note: Mechanisms can be architected to provide a stricter form of sequencing service, delivering particular messages to recipients only after all predecessor messages in an ordered stream have been delivered. This type of support is incompatible with the GSS-API paradigm in which recipients receive all messages, whether in order or not, and provide them (one at a time, without intra-GSS-API message buffering) to GSS-API routines for validation. GSS-API facilities provide supportive functions, aiding clients to achieve strict message stream integrity in an efficient manner in conjunction with sequencing provisions in communications protocols, but the GSS-API does not offer this level of message stream integrity service by itself.]

5. GSS\_S\_GAP\_TOKEN indicates that the cryptographic checkvalue on the received message was correct, but that one or more predecessor sequenced messages have not been successfully processed relative to the last received message (if any) processed on the context with a correct cryptographic checkvalue.

As the message stream integrity features (especially sequencing) may interfere with certain applications' intended communications paradigms, and since support for such features is likely to be resource intensive, it is highly recommended that mech\_types supporting these features allow them to be activated selectively on initiator request when a context is established. A context initiator and target are provided with corresponding indicators (replay\_det\_state and sequence\_state), signifying whether these features are active on a given context.

An example mech\_type supporting per-message replay detection could (when replay\_det\_state is TRUE) implement the feature as follows: The underlying mechanism would insert timestamps in data elements output by GSS\_GetMIC() and GSS\_Wrap(), and would maintain (within a time-limited window) a cache (qualified by originator-recipient pair) identifying received data elements processed by GSS\_VerifyMIC() and GSS\_Unwrap(). When this feature is active, exception status returns (GSS\_S\_DUPLICATE\_TOKEN, GSS\_S\_OLD\_TOKEN) will be provided when GSS\_VerifyMIC() or GSS\_Unwrap() is presented with a message which is either a detected duplicate of a prior message or which is too old to validate against a cache of recently received messages.

Linn

Document Expiration: 16 June 1999

[Page 21]

#### 1.2.4: Quality of Protection

Some mech\_types provide their users with fine granularity control over the means used to provide per-message protection, allowing callers to trade off security processing overhead dynamically against the protection requirements of particular messages. A per-message quality-of-protection parameter (analogous to quality-of-service, or QOS) selects among different QOP options supported by that mechanism. On context establishment for a multi-QOP mech\_type, context-level data provides the prerequisite data for a range of protection qualities.

It is expected that the majority of callers will not wish to exert explicit mechanism-specific QOP control and will therefore request selection of a default QOP. Definitions of, and choices among, non-default QOP values are mechanism-specific, and no ordered sequences of QOP values can be assumed equivalent across different mechanisms. Meaningful use of non-default QOP values demands that callers be familiar with the QOP definitions of an underlying mechanism or mechanisms, and is therefore a non-portable construct. The GSS\_S\_BAD\_QOP major\_status value is defined in order to indicate that a provided QOP value is unsupported for a security context, most likely because that value is unrecognized by the underlying mechanism.

In the interests of interoperability, mechanisms which allow optional support of particular QOP values shall satisfy one of the following conditions. Either:

- (i) All implementations of the mechanism are required to be capable of processing messages protected using any QOP value, regardless of whether they can apply protection corresponding to that QOP, or
- (ii) The set of mutually-supported receiver QOP values must be determined during context establishment, and messages may be protected by either peer using only QOP values from this mutually-supported set.

NOTE: (i) is just a special-case of (ii), where implementations are required to support all QOP values on receipt.

#### 1.2.5: Anonymity Support

In certain situations or environments, an application may wish to authenticate a peer and/or protect communications using GSS-API per-message services without revealing its own identity. For example, consider an application which provides read access to a research

Linn

Document Expiration: 16 June 1999

[Page 22]

database, and which permits queries by arbitrary requestors. A client of such a service might wish to authenticate the service, to establish trust in the information received from it, but might not wish to disclose its identity to the service for privacy reasons.

In ordinary GSS-API usage, a context initiator's identity is made available to the context acceptor as part of the context establishment process. To provide for anonymity support, a facility (input anon\_req\_flag to GSS\_Init\_sec\_context()) is provided through which context initiators may request that their identity not be provided to the context acceptor. Mechanisms are not required to honor this request, but a caller will be informed (via returned anon\_state indicator from GSS\_Init\_sec\_context()) whether or not the request is honored. Note that authentication as the anonymous principal does not necessarily imply that credentials are not required in order to establish a context.

[Section 4.5](#) of this document defines the Object Identifier value used to identify an anonymous principal.

Four possible combinations of anon\_state and mutual\_state are possible, with the following results:

anon\_state == FALSE, mutual\_state == FALSE: initiator authenticated to target.

anon\_state == FALSE, mutual\_state == TRUE: initiator authenticated to target, target authenticated to initiator.

anon\_state == TRUE, mutual\_state == FALSE: initiator authenticated as anonymous principal to target.

anon\_state == TRUE, mutual\_state == TRUE: initiator authenticated as anonymous principal to target, target authenticated to initiator.

#### 1.2.6: Initialization

No initialization calls (i.e., calls which must be invoked prior to invocation of other facilities in the interface) are defined in GSS-API. As an implication of this fact, GSS-API implementations must themselves be self-initializing.

#### 1.2.7: Per-Message Protection During Context Establishment

A facility is defined in GSS-V2 to enable protection and buffering of data messages for later transfer while a security context's establishment is in GSS\_S\_CONTINUE\_NEEDED status, to be used in cases

Linn

Document Expiration: 16 June 1999

[Page 23]

where the caller side already possesses the necessary session key to enable this processing. Specifically, a new state Boolean, called `prot_ready_state`, is added to the set of information returned by `GSS_Init_sec_context()`, `GSS_Accept_sec_context()`, and `GSS_Inquire_context()`.

For context establishment calls, this state Boolean is valid and interpretable when the associated `major_status` is either `GSS_S_CONTINUE_NEEDED`, or `GSS_S_COMPLETE`. Callers of GSS-API (both initiators and acceptors) can assume that per-message protection (via `GSS_Wrap()`, `GSS_Unwrap()`, `GSS_GetMIC()` and `GSS_VerifyMIC()`) is available and ready for use if either: `prot_ready_state == TRUE`, or `major_status == GSS_S_COMPLETE`, though mutual authentication (if requested) cannot be guaranteed until `GSS_S_COMPLETE` is returned. Callers making use of per-message protection services in advance of `GSS_S_COMPLETE` status should be aware of the possibility that a subsequent context establishment step may fail, and that certain context data (e.g., `mech_type`) as returned for subsequent calls may change.

This approach achieves full, transparent backward compatibility for GSS-API V1 callers, who need not even know of the existence of `prot_ready_state`, and who will get the expected behavior from `GSS_S_COMPLETE`, but who will not be able to use per-message protection before `GSS_S_COMPLETE` is returned.

It is not a requirement that GSS-V2 mechanisms ever return `TRUE` `prot_ready_state` before completion of context establishment (indeed, some mechanisms will not evolve usable message protection keys, especially at the context acceptor, before context establishment is complete). It is expected but not required that GSS-V2 mechanisms will return `TRUE` `prot_ready_state` upon completion of context establishment if they support per-message protection at all (however GSS-V2 applications should not assume that `TRUE` `prot_ready_state` will always be returned together with the `GSS_S_COMPLETE` `major_status`, since GSS-V2 implementations may continue to support GSS-V1 mechanism code, which will never return `TRUE` `prot_ready_state`).

When `prot_ready_state` is returned `TRUE`, mechanisms shall also set those context service indicator flags (`deleg_state`, `mutual_state`, `replay_det_state`, `sequence_state`, `anon_state`, `trans_state`, `conf_avail`, `integ_avail`) which represent facilities confirmed, at that time, to be available on the context being established. In situations where `prot_ready_state` is returned before `GSS_S_COMPLETE`, it is possible that additional facilities may be confirmed and subsequently indicated when `GSS_S_COMPLETE` is returned.

#### 1.2.8: Implementation Robustness

Linn

Document Expiration: 16 June 1999

[Page 24]

This section recommends aspects of GSS-API implementation behavior in the interests of overall robustness.

Invocation of GSS-API calls is to incur no undocumented side effects visible at the GSS-API level.

If a token is presented for processing on a GSS-API security context and that token generates a fatal error in processing or is otherwise determined to be invalid for that context, the context's state should not be disrupted for purposes of processing subsequent valid tokens.

Certain local conditions at a GSS-API implementation (e.g., unavailability of memory) may preclude, temporarily or permanently, the successful processing of tokens on a GSS-API security context, typically generating GSS\_S\_FAILURE major\_status returns along with locally-significant minor\_status. For robust operation under such conditions, the following recommendations are made:

Failing calls should free any memory they allocate, so that callers may retry without causing further loss of resources.

Failure of an individual call on an established context should not preclude subsequent calls from succeeding on the same context.

Whenever possible, it should be possible for GSS\_Delete\_sec\_context() calls to be successfully processed even if other calls cannot succeed, thereby enabling context-related resources to be released.

A failure of GSS\_GetMIC() or GSS\_Wrap() due to an attempt to use an unsupported QOP will not interfere with context validity, nor shall such a failure impact the ability of the application to subsequently invoke GSS\_GetMIC() or GSS\_Wrap() using a supported QOP. Any state information concerning sequencing of outgoing messages shall be unchanged by an unsuccessful call of GSS\_GetMIC() or GSS\_Wrap().

#### 1.2.9: Delegation

The GSS-API allows delegation to be controlled by the initiating application via a Boolean parameter to GSS\_Init\_sec\_context(), the routine that establishes a security context. Some mechanisms do not support delegation, and for such mechanisms attempts by an application to enable delegation are ignored.

The acceptor of a security context for which the initiator enabled delegation will receive (via the delegated\_cred\_handle parameter of GSS\_Accept\_sec\_context()) a credential handle that contains the delegated identity, and this credential handle may be used to

Linn

Document Expiration: 16 June 1999

[Page 25]

initiate subsequent GSS-API security contexts as an agent or delegate of the initiator. If the original initiator's identity is "A" and the delegate's identity is "B", then, depending on the underlying mechanism, the identity embodied by the delegated credential may be either "A" or "B acting for A".

For many mechanisms that support delegation, a simple Boolean does not provide enough control. Examples of additional aspects of delegation control that a mechanism might provide to an application are duration of delegation, network addresses from which delegation is valid, and constraints on the tasks that may be performed by a delegate. Such controls are presently outside the scope of the GSS-API. GSS-API implementations supporting mechanisms offering additional controls should provide extension routines that allow these controls to be exercised (perhaps by modifying the initiator's GSS-API credential prior to its use in establishing a context). However, the simple delegation control provided by GSS-API should always be able to over-ride other mechanism-specific delegation controls; if the application instructs `GSS_Init_sec_context()` that delegation is not desired, then the implementation must not permit delegation to occur. This is an exception to the general rule that a mechanism may enable services even if they are not requested; delegation may only be provided at the explicit request of the application.

#### 1.2.10: Interprocess Context Transfer

GSS-API V2 provides routines (`GSS_Export_sec_context()` and `GSS_Import_sec_context()`) which allow a security context to be transferred between processes on a single machine. The most common use for such a feature is a client-server design where the server is implemented as a single process that accepts incoming security contexts, which then launches child processes to deal with the data on these contexts. In such a design, the child processes must have access to the security context data structure created within the parent by its call to `GSS_Accept_sec_context()` so that they can use per-message protection services and delete the security context when the communication session ends.

Since the security context data structure is expected to contain sequencing information, it is impractical in general to share a context between processes. Thus GSS-API provides a call (`GSS_Export_sec_context()`) that the process which currently owns the context can call to declare that it has no intention to use the context subsequently, and to create an inter-process token containing information needed by the adopting process to successfully import the context. After successful completion of this call, the original security context is made inaccessible to the calling process by GSS-

Linn

Document Expiration: 16 June 1999

[Page 26]

API, and any context handles referring to this context are no longer valid. The originating process transfers the inter-process token to the adopting process, which passes it to `GSS_Import_sec_context()`, and a fresh context handle is created such that it is functionally identical to the original context.

The inter-process token may contain sensitive data from the original security context (including cryptographic keys). Applications using inter-process tokens to transfer security contexts must take appropriate steps to protect these tokens in transit.

Implementations are not required to support the inter-process transfer of security contexts. The ability to transfer a security context is indicated when the context is created, by `GSS_Init_sec_context()` or `GSS_Accept_sec_context()` indicating a TRUE `trans_state` return value.

## 2: Interface Descriptions

This section describes the GSS-API's service interface, dividing the set of calls offered into four groups. Credential management calls are related to the acquisition and release of credentials by principals. Context-level calls are related to the management of security contexts between principals. Per-message calls are related to the protection of individual messages on established security contexts. Support calls provide ancillary functions useful to GSS-API callers. Table 2 groups and summarizes the calls in tabular fashion.

Table 2: GSS-API Calls

### CREDENTIAL MANAGEMENT

<code>GSS_Acquire_cred</code>	acquire credentials for use
<code>GSS_Release_cred</code>	release credentials after use
<code>GSS_Inquire_cred</code>	display information about credentials
<code>GSS_Add_cred</code>	construct credentials incrementally
<code>GSS_Inquire_cred_by_mech</code>	display per-mechanism credential information

### CONTEXT-LEVEL CALLS

<code>GSS_Init_sec_context</code>	initiate outbound security context
<code>GSS_Accept_sec_context</code>	accept inbound security context
<code>GSS_Delete_sec_context</code>	flush context when no longer needed
<code>GSS_Process_context_token</code>	process received control token on context
<code>GSS_Context_time</code>	indicate validity time remaining on context

Linn

Document Expiration: 16 June 1999

[Page 27]

GSS_Inquire_context	display information about context
GSS_Wrap_size_limit	determine GSS_Wrap token size limit
GSS_Export_sec_context	transfer context to other process
GSS_Import_sec_context	import transferred context

#### PER-MESSAGE CALLS

GSS_GetMIC	apply integrity check, receive as token separate from message
GSS_VerifyMIC	validate integrity check token along with message
GSS_Wrap	sign, optionally encrypt, encapsulate
GSS_Unwrap	decapsulate, decrypt if needed, validate integrity check

#### SUPPORT CALLS

GSS_Display_status	translate status codes to printable form
GSS_Indicate_mechs	indicate mech_types supported on local system
GSS_Compare_name	compare two names for equality
GSS_Display_name	translate name to printable form
GSS_Import_name	convert printable name to normalized form
GSS_Release_name	free storage of normalized-form name
GSS_Release_buffer	free storage of general GSS-allocated object
GSS_Release_OID_set	free storage of OID set object
GSS_Create_empty_OID_set	create empty OID set
GSS_Add_OID_set_member	add member to OID set
GSS_Test_OID_set_member	test if OID is member of OID set
GSS_Inquire_names_for_mech	indicate name types supported by mechanism
GSS_Inquire_mechs_for_name	indicates mechanisms supporting name type
GSS_Canonicalize_name	translate name to per-mechanism form
GSS_Export_name	externalize per-mechanism name
GSS_Duplicate_name	duplicate name object

#### 2.1: Credential management calls

These GSS-API calls provide functions related to the management of credentials. Their characterization with regard to whether or not they may block pending exchanges with other network entities (e.g., directories or authentication servers) depends in part on OS-specific

Linn

Document Expiration: 16 June 1999

[Page 28]

(extra-GSS-API) issues, so is not specified in this document.

The GSS\_Acquire\_cred() call is defined within the GSS-API in support of application portability, with a particular orientation towards support of portable server applications. It is recognized that (for certain systems and mechanisms) credentials for interactive users may be managed differently from credentials for server processes; in such environments, it is the GSS-API implementation's responsibility to distinguish these cases and the procedures for making this distinction are a local matter. The GSS\_Release\_cred() call provides a means for callers to indicate to the GSS-API that use of a credentials structure is no longer required. The GSS\_Inquire\_cred() call allows callers to determine information about a credentials structure. The GSS\_Add\_cred() call enables callers to append elements to an existing credential structure, allowing iterative construction of a multi-mechanism credential. The GSS\_Inquire\_cred\_by\_mech() call enables callers to extract per-mechanism information describing a credentials structure.

#### 2.1.1: GSS\_Acquire\_cred call

Inputs:

- o desired\_name INTERNAL NAME, -- NULL requests locally-determined  
-- default
- o lifetime\_req INTEGER, -- in seconds; 0 requests default
- o desired\_mechs SET OF OBJECT IDENTIFIER, -- NULL requests  
-- system-selected default
- o cred\_usage INTEGER -- 0=INITIATE-AND-ACCEPT, 1=INITIATE-ONLY,  
-- 2=ACCEPT-ONLY

Outputs:

- o major\_status INTEGER,
- o minor\_status INTEGER,
- o output\_cred\_handle CREDENTIAL HANDLE, -- if returned non-NUL,  
-- caller must release with GSS\_Release\_cred()
- o actual\_mechs SET OF OBJECT IDENTIFIER, -- if returned non-NUL,  
-- caller must release with GSS\_Release\_oid\_set()
- o lifetime\_rec INTEGER -- in seconds, or reserved value for  
-- INDEFINITE

Linn

Document Expiration: 16 June 1999

[Page 29]

Return major\_status codes:

- o GSS\_S\_COMPLETE indicates that requested credentials were successfully established, for the duration indicated in lifetime\_rec, suitable for the usage requested in cred\_usage, for the set of mech\_types indicated in actual\_mechs, and that those credentials can be referenced for subsequent use with the handle returned in output\_cred\_handle.
- o GSS\_S\_BAD\_MECH indicates that a mech\_type unsupported by the GSS-API implementation type was requested, causing the credential establishment operation to fail.
- o GSS\_S\_BAD\_NAMETYPE indicates that the provided desired\_name is uninterpretable or of a type unsupported by the applicable underlying GSS-API mechanism(s), so no credentials could be established for the accompanying desired\_name.
- o GSS\_S\_BAD\_NAME indicates that the provided desired\_name is inconsistent in terms of internally-incorporated type specifier information, so no credentials could be established for the accompanying desired\_name.
- o GSS\_S\_CREDENTIALS\_EXPIRED indicates that underlying credential elements corresponding to the requested desired\_name have expired, so requested credentials could not be established.
- o GSS\_S\_NO\_CRED indicates that no credential elements corresponding to the requested desired\_name and usage could be accessed, so requested credentials could not be established. In particular, this status should be returned upon temporary user-fixable conditions preventing successful credential establishment and upon lack of authorization to establish and use credentials associated with the identity named in the input desired\_name argument.
- o GSS\_S\_FAILURE indicates that credential establishment failed for reasons unspecified at the GSS-API level.

GSS\_Acquire\_cred() is used to acquire credentials so that a principal can (as a function of the input cred\_usage parameter) initiate and/or accept security contexts under the identity represented by the desired\_name input argument. On successful completion, the returned output\_cred\_handle result provides a handle for subsequent references to the acquired credentials. Typically, single-user client processes requesting that default credential behavior be applied for context establishment purposes will have no need to invoke this call.

Linn

Document Expiration: 16 June 1999

[Page 30]

A caller may provide the value NULL (GSS\_C\_NO\_NAME) for desired\_name, which will be interpreted as a request for a credential handle that will invoke default behavior when passed to GSS\_Init\_sec\_context(), if cred\_usage is GSS\_C\_INITIATE or GSS\_C\_BOTH, or GSS\_Accept\_sec\_context(), if cred\_usage is GSS\_C\_ACCEPT or GSS\_C\_BOTH. It is possible that multiple pre-established credentials may exist for the same principal identity (for example, as a result of multiple user login sessions) when GSS\_Acquire\_cred() is called; the means used in such cases to select a specific credential are local matters. The input lifetime\_req argument to GSS\_Acquire\_cred() may provide useful information for local GSS-API implementations to employ in making this disambiguation in a manner which will best satisfy a caller's intent.

This routine is expected to be used primarily by context acceptors, since implementations are likely to provide mechanism-specific ways of obtaining GSS-API initiator credentials from the system login process. Some implementations may therefore not support the acquisition of GSS\_C\_INITIATE or GSS\_C\_BOTH credentials via GSS\_Acquire\_cred() for any name other than GSS\_C\_NO\_NAME, or a name resulting from applying GSS\_Inquire\_context() to an active context, or a name resulting from applying GSS\_Inquire\_cred() against a credential handle corresponding to default behavior. It is important to recognize that the explicit name which is yielded by resolving a default reference may change over time, e.g., as a result of local credential element management operations outside GSS-API; once resolved, however, the value of such an explicit name will remain constant.

The lifetime\_rec result indicates the length of time for which the acquired credentials will be valid, as an offset from the present. A mechanism may return a reserved value indicating INDEFINITE if no constraints on credential lifetime are imposed. A caller of GSS\_Acquire\_cred() can request a length of time for which acquired credentials are to be valid (lifetime\_req argument), beginning at the present, or can request credentials with a default validity interval. (Requests for postdated credentials are not supported within the GSS-API.) Certain mechanisms and implementations may bind in credential validity period specifiers at a point preliminary to invocation of the GSS\_Acquire\_cred() call (e.g., in conjunction with user login procedures). As a result, callers requesting non-default values for lifetime\_req must recognize that such requests cannot always be honored and must be prepared to accommodate the use of returned credentials with different lifetimes as indicated in lifetime\_rec.

The caller of GSS\_Acquire\_cred() can explicitly specify a set of mech\_types which are to be accommodated in the returned credentials

Linn

Document Expiration: 16 June 1999

[Page 31]

(desired\_mechs argument), or can request credentials for a system-defined default set of mech\_types. Selection of the system-specified default set is recommended in the interests of application portability. The actual\_mechs return value may be interrogated by the caller to determine the set of mechanisms with which the returned credentials may be used.

#### 2.1.2: GSS\_Release\_cred call

Input:

- o cred\_handle CREDENTIAL HANDLE -- if GSS\_C\_NO\_CREDENTIAL -- is specified, the call will complete successfully, but -- will have no effect; no credential elements will be -- released.

Outputs:

- o major\_status INTEGER,
- o minor\_status INTEGER

Return major\_status codes:

- o GSS\_S\_COMPLETE indicates that the credentials referenced by the input cred\_handle were released for purposes of subsequent access by the caller. The effect on other processes which may be authorized shared access to such credentials is a local matter.
- o GSS\_S\_NO\_CRED indicates that no release operation was performed, either because the input cred\_handle was invalid or because the caller lacks authorization to access the referenced credentials.
- o GSS\_S\_FAILURE indicates that the release operation failed for reasons unspecified at the GSS-API level.

Provides a means for a caller to explicitly request that credentials be released when their use is no longer required. Note that system-specific credential management functions are also likely to exist, for example to assure that credentials shared among processes are properly deleted when all affected processes terminate, even if no explicit release requests are issued by those processes. Given the fact that multiple callers are not precluded from gaining authorized access to the same credentials, invocation of GSS\_Release\_cred() cannot be assumed to delete a particular set of credentials on a system-wide basis.

Linn

Document Expiration: 16 June 1999

[Page 32]

### 2.1.3: GSS\_Inquire\_cred call

Input:

- o cred\_handle CREDENTIAL HANDLE -- if GSS\_C\_NO\_CREDENTIAL  
-- is specified, default initiator credentials are queried

Outputs:

- o major\_status INTEGER,
- o minor\_status INTEGER,
- o cred\_name INTERNAL NAME, -- caller must release with  
-- GSS\_Release\_name()
- o lifetime\_rec INTEGER -- in seconds, or reserved value for  
-- INDEFINITE
- o cred\_usage INTEGER, -- 0=INITIATE-AND-ACCEPT, 1=INITIATE-ONLY,  
-- 2=ACCEPT-ONLY
- o mech\_set SET OF OBJECT IDENTIFIER -- caller must release  
-- with GSS\_Release\_oid\_set()

Return major\_status codes:

- o GSS\_S\_COMPLETE indicates that the credentials referenced by the input cred\_handle argument were valid, and that the output cred\_name, lifetime\_rec, and cred\_usage values represent, respectively, the credentials' associated principal name, remaining lifetime, suitable usage modes, and supported mechanism types.
- o GSS\_S\_NO\_CRED indicates that no information could be returned about the referenced credentials, either because the input cred\_handle was invalid or because the caller lacks authorization to access the referenced credentials.
- o GSS\_S\_DEFECTIVE\_CREDENTIAL indicates that the referenced credentials are invalid.
- o GSS\_S\_CREDENTIALS\_EXPIRED indicates that the referenced credentials have expired.
- o GSS\_S\_FAILURE indicates that the operation failed for reasons unspecified at the GSS-API level.

Linn

Document Expiration: 16 June 1999

[Page 33]

The GSS\_Inquire\_cred() call is defined primarily for the use of those callers which request use of default credential behavior rather than acquiring credentials explicitly with GSS\_Acquire\_cred(). It enables callers to determine a credential structure's associated principal name, remaining validity period, usability for security context initiation and/or acceptance, and supported mechanisms.

For a multi-mechanism credential, the returned "lifetime" specifier indicates the shortest lifetime of any of the mechanisms' elements in the credential (for either context initiation or acceptance purposes).

GSS\_Inquire\_cred() should indicate INITIATE-AND-ACCEPT for "cred\_usage" if both of the following conditions hold:

- (1) there exists in the credential an element which allows context initiation using some mechanism
- (2) there exists in the credential an element which allows context acceptance using some mechanism (allowably, but not necessarily, one of the same mechanism(s) qualifying for (1)).

If condition (1) holds but not condition (2), GSS\_Inquire\_cred() should indicate INITIATE-ONLY for "cred\_usage". If condition (2) holds but not condition (1), GSS\_Inquire\_cred() should indicate ACCEPT-ONLY for "cred\_usage".

Callers requiring finer disambiguation among available combinations of lifetimes, usage modes, and mechanisms should call the GSS\_Inquire\_cred\_by\_mech() routine, passing that routine one of the mech OIDs returned by GSS\_Inquire\_cred().

#### 2.1.4: GSS\_Add\_cred call

Inputs:

- o input\_cred\_handle CREDENTIAL HANDLE -- handle to credential  
-- structure created with prior GSS\_Acquire\_cred() or  
-- GSS\_Add\_cred() call; see text for definition of behavior  
-- when GSS\_C\_NO\_CREDENTIAL provided.
- o desired\_name INTERNAL NAME
- o initiator\_time\_req INTEGER -- in seconds; 0 requests default
- o acceptor\_time\_req INTEGER -- in seconds; 0 requests default
- o desired\_mech OBJECT IDENTIFIER

Linn

Document Expiration: 16 June 1999

[Page 34]

o cred\_usage INTEGER -- 0=INITIATE-AND-ACCEPT, 1=INITIATE-ONLY,  
-- 2=ACCEPT-ONLY

Outputs:

o major\_status INTEGER,

o minor\_status INTEGER,

o output\_cred\_handle CREDENTIAL HANDLE, -- NULL to request that  
-- credential elements be added "in place" to the credential  
-- structure identified by input\_cred\_handle,  
-- non-NUL pointer to request that  
-- a new credential structure and handle be created.  
-- if credential handle returned, caller must release with  
-- GSS\_Release\_cred()

o actual\_mechs SET OF OBJECT IDENTIFIER, -- if returned, caller must  
-- release with GSS\_Release\_oid\_set()

o initiator\_time\_rec INTEGER -- in seconds, or reserved value for  
-- INDEFINITE

o acceptor\_time\_rec INTEGER -- in seconds, or reserved value for  
-- INDEFINITE

o cred\_usage INTEGER, -- 0=INITIATE-AND-ACCEPT, 1=INITIATE-ONLY,  
-- 2=ACCEPT-ONLY

o mech\_set SET OF OBJECT IDENTIFIER -- full set of mechanisms  
-- supported by resulting credential.

Return major\_status codes:

o GSS\_S\_COMPLETE indicates that the credentials referenced by  
the input\_cred\_handle argument were valid, and that the  
resulting credential from GSS\_Add\_cred() is valid for the  
durations indicated in initiator\_time\_rec and acceptor\_time\_rec,  
suitable for the usage requested in cred\_usage, and for the  
mechanisms indicated in actual\_mechs.

o GSS\_S\_DUPLICATE\_ELEMENT indicates that the input desired\_mech  
specified a mechanism for which the referenced credential  
already contained a credential element with overlapping cred\_usage  
and validity time specifiers.

o GSS\_S\_BAD\_MECH indicates that the input desired\_mech specified  
a mechanism unsupported by the GSS-API implementation, causing

Linn

Document Expiration: 16 June 1999

[Page 35]

the GSS\_Add\_cred() operation to fail.

- o GSS\_S\_BAD\_NAMETYPE indicates that the provided desired\_name is uninterpretable or of a type unsupported by the applicable underlying GSS-API mechanism(s), so the GSS\_Add\_cred() operation could not be performed for that name.
- o GSS\_S\_BAD\_NAME indicates that the provided desired\_name is inconsistent in terms of internally-incorporated type specifier information, so the GSS\_Add\_cred() operation could not be performed for that name.
- o GSS\_S\_NO\_CRED indicates that the input\_cred\_handle referenced invalid or inaccessible credentials. In particular, this status should be returned upon temporary user-fixable conditions preventing successful credential establishment or upon lack of authorization to establish or use credentials representing the requested identity.
- o GSS\_S\_CREDENTIALS\_EXPIRED indicates that referenced credential elements have expired, so the GSS\_Add\_cred() operation could not be performed.
- o GSS\_S\_FAILURE indicates that the operation failed for reasons unspecified at the GSS-API level.

GSS\_Add\_cred() enables callers to construct credentials iteratively by adding credential elements in successive operations, corresponding to different mechanisms. This offers particular value in multi-mechanism environments, as the major\_status and minor\_status values returned on each iteration are individually visible and can therefore be interpreted unambiguously on a per-mechanism basis. A credential element is identified by the name of the principal to which it refers. GSS-API implementations must impose a local access control policy on callers of this routine to prevent unauthorized callers from acquiring credential elements to which they are not entitled. This routine is not intended to provide a ``login to the network'' function, as such a function would involve the creation of new mechanism-specific authentication data, rather than merely acquiring a GSS-API handle to existing data. Such functions, if required, should be defined in implementation-specific extension routines.

If credential acquisition is time-consuming for a mechanism, the mechanism may choose to delay the actual acquisition until the credential is required (e.g. by GSS\_Init\_sec\_context() or GSS\_Accept\_sec\_context()). Such mechanism-specific implementation decisions should be invisible to the calling application; thus a call of GSS\_Inquire\_cred() immediately following the call of

Linn

Document Expiration: 16 June 1999

[Page 36]

GSS\_Acquire\_cred() must return valid credential data, and may therefore incur the overhead of a deferred credential acquisition.

If GSS\_C\_NO\_CREDENTIAL is specified as input\_cred\_handle, a non-NUL output\_cred\_handle must be supplied. For the case of GSS\_C\_NO\_CREDENTIAL as input\_cred\_handle, GSS\_Add\_cred() will create the credential referenced by its output\_cred\_handle based on default behavior. That is, the call will have the same effect as if the caller had previously called GSS\_Acquire\_cred(), specifying the same usage and passing GSS\_C\_NO\_NAME as the desired\_name parameter (thereby obtaining an explicit credential handle corresponding to default behavior), had passed that credential handle to GSS\_Add\_cred(), and had finally called GSS\_Release\_cred() on the credential handle received from GSS\_Acquire\_cred().

This routine is expected to be used primarily by context acceptors, since implementations are likely to provide mechanism-specific ways of obtaining GSS-API initiator credentials from the system login process. Some implementations may therefore not support the acquisition of GSS\_C\_INITIATE or GSS\_C\_BOTH credentials via GSS\_Acquire\_cred() for any name other than GSS\_C\_NO\_NAME, or a name resulting from applying GSS\_Inquire\_context() to an active context, or a name resulting from applying GSS\_Inquire\_cred() against a credential handle corresponding to default behavior. It is important to recognize that the explicit name which is yielded by resolving a default reference may change over time, e.g., as a result of local credential element management operations outside GSS-API; once resolved, however, the value of such an explicit name will remain constant.

A caller may provide the value NULL (GSS\_C\_NO\_NAME) for desired\_name, which will be interpreted as a request for a credential handle that will invoke default behavior when passed to GSS\_Init\_sec\_context(), if cred\_usage is GSS\_C\_INITIATE or GSS\_C\_BOTH, or GSS\_Accept\_sec\_context(), if cred\_usage is GSS\_C\_ACCEPT or GSS\_C\_BOTH.

The same input desired\_name, or default reference, should be used on all GSS\_Acquire\_cred() and GSS\_Add\_cred() calls corresponding to a particular credential.

#### 2.1.5: GSS\_Inquire\_cred\_by\_mech call

Inputs:

- o cred\_handle CREDENTIAL HANDLE -- if GSS\_C\_NO\_CREDENTIAL -- specified, default initiator credentials are queried

Linn

Document Expiration: 16 June 1999

[Page 37]

- o mech\_type OBJECT IDENTIFIER -- specific mechanism for  
-- which credentials are being queried

Outputs:

- o major\_status INTEGER,
- o minor\_status INTEGER,
- o cred\_name INTERNAL NAME, -- guaranteed to be MN; caller must  
-- release with GSS\_Release\_name()
- o lifetime\_rec\_initiate INTEGER -- in seconds, or reserved value for  
-- INDEFINITE
- o lifetime\_rec\_accept INTEGER -- in seconds, or reserved value for  
-- INDEFINITE
- o cred\_usage INTEGER, -- 0=INITIATE-AND-ACCEPT, 1=INITIATE-ONLY,  
-- 2=ACCEPT-ONLY

Return major\_status codes:

- o GSS\_S\_COMPLETE indicates that the credentials referenced by the input cred\_handle argument were valid, that the mechanism indicated by the input mech\_type was represented with elements within those credentials, and that the output cred\_name, lifetime\_rec\_initiate, lifetime\_rec\_accept, and cred\_usage values represent, respectively, the credentials' associated principal name, remaining lifetimes, and suitable usage modes.
- o GSS\_S\_NO\_CRED indicates that no information could be returned about the referenced credentials, either because the input cred\_handle was invalid or because the caller lacks authorization to access the referenced credentials.
- o GSS\_S\_DEFECTIVE\_CREDENTIAL indicates that the referenced credentials are invalid.
- o GSS\_S\_CREDENTIALS\_EXPIRED indicates that the referenced credentials have expired.
- o GSS\_S\_BAD\_MECH indicates that the referenced credentials do not contain elements for the requested mechanism.
- o GSS\_S\_FAILURE indicates that the operation failed for reasons unspecified at the GSS-API level.

Linn

Document Expiration: 16 June 1999

[Page 38]

The GSS\_Inquire\_cred\_by\_mech() call enables callers in multi-mechanism environments to acquire specific data about available combinations of lifetimes, usage modes, and mechanisms within a credential structure. The lifetime\_rec\_initiate result indicates the available lifetime for context initiation purposes; the lifetime\_rec\_accept result indicates the available lifetime for context acceptance purposes.

## 2.2: Context-level calls

This group of calls is devoted to the establishment and management of security contexts between peers. A context's initiator calls GSS\_Init\_sec\_context(), resulting in generation of a token which the caller passes to the target. At the target, that token is passed to GSS\_Accept\_sec\_context(). Depending on the underlying mech\_type and specified options, additional token exchanges may be performed in the course of context establishment; such exchanges are accommodated by GSS\_S\_CONTINUE\_NEEDED status returns from GSS\_Init\_sec\_context() and GSS\_Accept\_sec\_context().

Either party to an established context may invoke GSS\_Delete\_sec\_context() to flush context information when a context is no longer required. GSS\_Process\_context\_token() is used to process received tokens carrying context-level control information. GSS\_Context\_time() allows a caller to determine the length of time for which an established context will remain valid. GSS\_Inquire\_context() returns status information describing context characteristics. GSS\_Wrap\_size\_limit() allows a caller to determine the size of a token which will be generated by a GSS\_Wrap() operation. GSS\_Export\_sec\_context() and GSS\_Import\_sec\_context() enable transfer of active contexts between processes on an end system.

### 2.2.1: GSS\_Init\_sec\_context call

Inputs:

- o claimant\_cred\_handle CREDENTIAL HANDLE, -- NULL specifies "use default"
- o input\_context\_handle CONTEXT HANDLE, -- 0  
-- (GSS\_C\_NO\_CONTEXT) specifies "none assigned yet"
- o targ\_name INTERNAL NAME,
- o mech\_type OBJECT IDENTIFIER, -- NULL parameter specifies "use default"

Linn

Document Expiration: 16 June 1999

[Page 39]

- o deleg\_req\_flag BOOLEAN,
- o mutual\_req\_flag BOOLEAN,
- o replay\_det\_req\_flag BOOLEAN,
- o sequence\_req\_flag BOOLEAN,
- o anon\_req\_flag BOOLEAN,
- o conf\_req\_flag BOOLEAN,
- o integ\_req\_flag BOOLEAN,
- o lifetime\_req INTEGER, -- 0 specifies default lifetime
- o chan\_bindings OCTET STRING,
- o input\_token OCTET STRING -- NULL or token received from target

Outputs:

- o major\_status INTEGER,
- o minor\_status INTEGER,
- o output\_context\_handle CONTEXT HANDLE, -- once returned non-NUL,  
-- caller must release with GSS\_Delete\_sec\_context()
- o mech\_type OBJECT IDENTIFIER, -- actual mechanism always  
-- indicated, never NULL; caller should treat as read-only  
-- and should not attempt to release
- o output\_token OCTET STRING, -- NULL or token to pass to context  
-- target; caller must release with GSS\_Release\_buffer()
- o deleg\_state BOOLEAN,
- o mutual\_state BOOLEAN,
- o replay\_det\_state BOOLEAN,
- o sequence\_state BOOLEAN,
- o anon\_state BOOLEAN,
- o trans\_state BOOLEAN,

Linn

Document Expiration: 16 June 1999

[Page 40]

- o prot\_ready\_state BOOLEAN, -- see [Section 1.2.7](#)
- o conf\_avail BOOLEAN,
- o integ\_avail BOOLEAN,
- o lifetime\_rec INTEGER -- in seconds, or reserved value for  
-- INDEFINITE

This call may block pending network interactions for those mech\_types in which an authentication server or other network entity must be consulted on behalf of a context initiator in order to generate an output\_token suitable for presentation to a specified target.

Return major\_status codes:

- o GSS\_S\_COMPLETE indicates that context-level information was successfully initialized, and that the returned output\_token will provide sufficient information for the target to perform per-message processing on the newly-established context.
- o GSS\_S\_CONTINUE\_NEEDED indicates that control information in the returned output\_token must be sent to the target, and that a reply must be received and passed as the input\_token argument to a continuation call to GSS\_Init\_sec\_context(), before per-message processing can be performed in conjunction with this context (unless the prot\_ready\_state value is concurrently returned TRUE).
- o GSS\_S\_DEFECTIVE\_TOKEN indicates that consistency checks performed on the input\_token failed, preventing further processing from being performed based on that token.
- o GSS\_S\_DEFECTIVE\_CREDENTIAL indicates that consistency checks performed on the credential structure referenced by claimant\_cred\_handle failed, preventing further processing from being performed using that credential structure.
- o GSS\_S\_BAD\_SIG (GSS\_S\_BAD\_MIC) indicates that the received input\_token contains an incorrect integrity check, so context setup cannot be accomplished.
- o GSS\_S\_NO\_CRED indicates that no context was established, either because the input cred\_handle was invalid, because the referenced credentials are valid for context acceptor use only, because the caller lacks authorization to access the referenced credentials, or because the resolution of default credentials failed.

Linn

Document Expiration: 16 June 1999

[Page 41]

- o GSS\_S\_CREDENTIALS\_EXPIRED indicates that the credentials provided through the input claimant\_cred\_handle argument are no longer valid, so context establishment cannot be completed.
- o GSS\_S\_BAD\_BINDINGS indicates that a mismatch between the caller-provided chan\_bindings and those extracted from the input\_token was detected, signifying a security-relevant event and preventing context establishment. (This result will be returned by GSS\_Init\_sec\_context() only for contexts where mutual\_state is TRUE.)
- o GSS\_S\_OLD\_TOKEN indicates that the input\_token is too old to be checked for integrity. This is a fatal error during context establishment.
- o GSS\_S\_DUPLICATE\_TOKEN indicates that the input token has a correct integrity check, but is a duplicate of a token already processed. This is a fatal error during context establishment.
- o GSS\_S\_NO\_CONTEXT indicates that no valid context was recognized for the input context\_handle provided; this major status will be returned only for successor calls following GSS\_S\_CONTINUE\_NEEDED status returns.
- o GSS\_S\_BAD\_NAMETYPE indicates that the provided targ\_name is of a type uninterpretable or unsupported by the applicable underlying GSS-API mechanism(s), so context establishment cannot be completed.
- o GSS\_S\_BAD\_NAME indicates that the provided targ\_name is inconsistent in terms of internally-incorporated type specifier information, so context establishment cannot be accomplished.
- o GSS\_S\_BAD\_MECH indicates receipt of a context establishment token or of a caller request specifying a mechanism unsupported by the local system or with the caller's active credentials
- o GSS\_S\_FAILURE indicates that context setup could not be accomplished for reasons unspecified at the GSS-API level, and that no interface-defined recovery action is available.

This routine is used by a context initiator, and ordinarily emits an output\_token suitable for use by the target within the selected mech\_type's protocol. For the case of a multi-step exchange, this output\_token will be one in a series, each generated by a successive call. Using information in the credentials structure referenced by claimant\_cred\_handle, GSS\_Init\_sec\_context() initializes the data structures required to establish a security context with target

Linn

Document Expiration: 16 June 1999

[Page 42]

targ\_name.

The targ\_name may be any valid INTERNAL NAME; it need not be an MN. In addition to support for other name types, it is recommended (newly as of GSS-V2, Update 1) that mechanisms be able to accept GSS\_C\_NO\_NAME as an input type for targ\_name. While recommended, such support is not required, and it is recognized that not all mechanisms can construct tokens without explicitly naming the context target, even when mutual authentication of the target is not obtained. Callers wishing to make use of this facility and concerned with portability should be aware that support for GSS\_C\_NO\_NAME as input targ\_name type is unlikely to be provided within mechanism definitions specified prior to GSS-V2, Update 1.

The claimant\_cred\_handle must correspond to the same valid credentials structure on the initial call to GSS\_Init\_sec\_context() and on any successor calls resulting from GSS\_S\_CONTINUE\_NEEDED status returns; different protocol sequences modeled by the GSS\_S\_CONTINUE\_NEEDED facility will require access to credentials at different points in the context establishment sequence.

The caller-provided input\_context\_handle argument is to be 0 (GSS\_C\_NO\_CONTEXT), specifying "not yet assigned", on the first GSS\_Init\_sec\_context() call relating to a given context. If successful (i.e., if accompanied by major\_status GSS\_S\_COMPLETE or GSS\_S\_CONTINUE\_NEEDED), and only if successful, the initial GSS\_Init\_sec\_context() call returns a non-zero output\_context\_handle for use in future references to this context. Once a non-zero output\_context\_handle has been returned, GSS-API callers should call GSS\_Delete\_sec\_context() to release context-related resources if errors occur in later phases of context establishment, or when an established context is no longer required. If GSS\_Init\_sec\_context() is passed the handle of a context which is already fully established, GSS\_S\_FAILURE status is returned.

When continuation attempts to GSS\_Init\_sec\_context() are needed to perform context establishment, the previously-returned non-zero handle value is entered into the input\_context\_handle argument and will be echoed in the returned output\_context\_handle argument. On such continuation attempts (and only on continuation attempts) the input\_token value is used, to provide the token returned from the context's target.

The chan\_bindings argument is used by the caller to provide information binding the security context to security-related characteristics (e.g., addresses, cryptographic keys) of the underlying communications channel. See [Section 1.1.6](#) of this document for more discussion of this argument's usage.

Linn

Document Expiration: 16 June 1999

[Page 43]

The `input_token` argument contains a message received from the target, and is significant only on a call to `GSS_Init_sec_context()` which follows a previous return indicating `GSS_S_CONTINUE_NEEDED` `major_status`.

It is the caller's responsibility to establish a communications path to the target, and to transmit any returned `output_token` (independent of the accompanying returned `major_status` value) to the target over that path. The `output_token` can, however, be transmitted along with the first application-provided input message to be processed by `GSS_GetMIC()` or `GSS_Wrap()` in conjunction with a successfully-established context. (Note: when the `GSS_V2 prot_ready_state` indicator is returned `TRUE`, it can be possible to transfer a protected message before context establishment is complete: see also [Section 1.2.7](#))

The initiator may request various context-level functions through input flags: the `deleg_req_flag` requests delegation of access rights, the `mutual_req_flag` requests mutual authentication, the `replay_det_req_flag` requests that replay detection features be applied to messages transferred on the established context, and the `sequence_req_flag` requests that sequencing be enforced. (See [Section 1.2.3](#) for more information on replay detection and sequencing features.) The `anon_req_flag` requests that the initiator's identity not be transferred within tokens to be sent to the acceptor.

The `conf_req_flag` and `integ_req_flag` provide informative inputs to the GSS-API implementation as to whether, respectively, per-message confidentiality and per-message integrity services will be required on the context. This information is important as an input to negotiating mechanisms. It is important to recognize, however, that the inclusion of these flags (which are newly defined for GSS-V2) introduces a backward incompatibility with callers implemented to GSS-V1, where the flags were not defined. Since no GSS-V1 callers would set these flags, even if per-message services are desired, GSS-V2 mechanism implementations which enable such services selectively based on the flags' values may fail to provide them to contexts established for GSS-V1 callers. It may be appropriate under certain circumstances, therefore, for such mechanism implementations to infer these service request flags to be set if a caller is known to be implemented to GSS-V1.

Not all of the optionally-requestable features will be available in all underlying `mech_types`. The corresponding return state values `deleg_state`, `mutual_state`, `replay_det_state`, and `sequence_state` indicate, as a function of `mech_type` processing capabilities and initiator-provided input flags, the set of features which will be active on the context. The returned `trans_state` value indicates

Linn

Document Expiration: 16 June 1999

[Page 44]

whether the context is transferable to other processes through use of GSS\_Export\_sec\_context(). These state indicators' values are undefined unless either the routine's major\_status indicates GSS\_S\_COMPLETE, or TRUE prot\_ready\_state is returned along with GSS\_S\_CONTINUE\_NEEDED major\_status; for the latter case, it is possible that additional features, not confirmed or indicated along with TRUE prot\_ready\_state, will be confirmed and indicated when GSS\_S\_COMPLETE is subsequently returned.

The returned anon\_state and prot\_ready\_state values are significant for both GSS\_S\_COMPLETE and GSS\_S\_CONTINUE\_NEEDED major\_status returns from GSS\_Init\_sec\_context(). When anon\_state is returned TRUE, this indicates that neither the current token nor its predecessors delivers or has delivered the initiator's identity. Callers wishing to perform context establishment only if anonymity support is provided should transfer a returned token from GSS\_Init\_sec\_context() to the peer only if it is accompanied by a TRUE anon\_state indicator. When prot\_ready\_state is returned TRUE in conjunction with GSS\_S\_CONTINUE\_NEEDED major\_status, this indicates that per-message protection operations may be applied on the context: see [Section 1.2.7](#) for further discussion of this facility.

Failure to provide the precise set of features requested by the caller does not cause context establishment to fail; it is the caller's prerogative to delete the context if the feature set provided is unsuitable for the caller's use.

The returned mech\_type value indicates the specific mechanism employed on the context; it will never indicate the value for "default". A valid mech\_type result must be returned along with a GSS\_S\_COMPLETE status return; GSS-API implementations may (but are not required to) also return mech\_type along with predecessor calls indicating GSS\_S\_CONTINUE\_NEEDED status or (if a mechanism is determinable) in conjunction with fatal error cases. For the case of mechanisms which themselves perform negotiation, the returned mech\_type result may indicate selection of a mechanism identified by an OID different than that passed in the input mech\_type argument, and the returned value may change between successive calls returning GSS\_S\_CONTINUE\_NEEDED and the final call returning GSS\_S\_COMPLETE.

The conf\_avail return value indicates whether the context supports per-message confidentiality services, and so informs the caller whether or not a request for encryption through the conf\_req\_flag input to GSS\_Wrap() can be honored. In similar fashion, the integ\_avail return value indicates whether per-message integrity services are available (through either GSS\_GetMIC() or GSS\_Wrap()) on the established context. These state indicators' values are undefined unless either the routine's major\_status indicates GSS\_S\_COMPLETE, or

Linn

Document Expiration: 16 June 1999

[Page 45]

TRUE prot\_ready\_state is returned along with GSS\_S\_CONTINUE\_NEEDED major\_status.

The lifetime\_req input specifies a desired upper bound for the lifetime of the context to be established, with a value of 0 used to request a default lifetime. The lifetime\_rec return value indicates the length of time for which the context will be valid, expressed as an offset from the present; depending on mechanism capabilities, credential lifetimes, and local policy, it may not correspond to the value requested in lifetime\_req. If no constraints on context lifetime are imposed, this may be indicated by returning a reserved value representing INDEFINITE lifetime\_req. The value of lifetime\_rec is undefined unless the routine's major\_status indicates GSS\_S\_COMPLETE.

If the mutual\_state is TRUE, this fact will be reflected within the output\_token. A call to GSS\_Accept\_sec\_context() at the target in conjunction with such a context will return a token, to be processed by a continuation call to GSS\_Init\_sec\_context(), in order to achieve mutual authentication.

#### 2.2.2: GSS\_Accept\_sec\_context call

Inputs:

- o acceptor\_cred\_handle CREDENTIAL HANDLE, -- NULL specifies -- "use default"
- o input\_context\_handle CONTEXT HANDLE, -- 0  
-- (GSS\_C\_NO\_CONTEXT) specifies "not yet assigned"
- o chan\_bindings OCTET STRING,
- o input\_token OCTET STRING

Outputs:

- o major\_status INTEGER,
- o minor\_status INTEGER,
- o src\_name INTERNAL NAME, -- guaranteed to be MN  
-- once returned, caller must release with GSS\_Release\_name()
- o mech\_type OBJECT IDENTIFIER, -- caller should treat as  
-- read-only; does not need to be released
- o output\_context\_handle CONTEXT HANDLE, -- once returned

Linn

Document Expiration: 16 June 1999

[Page 46]

```
-- non-NUL in context establishment sequence, caller  
-- must release with GSS_Delete_sec_context()  
  
o deleg_state BOOLEAN,  
  
o mutual_state BOOLEAN,  
  
o replay_det_state BOOLEAN,  
  
o sequence_state BOOLEAN,  
  
o anon_state BOOLEAN,  
  
o trans_state BOOLEAN,  
  
o prot_ready_state BOOLEAN, -- see Section 1.2.7 for discussion  
  
o conf_avail BOOLEAN,  
  
o integ_avail BOOLEAN,  
  
o lifetime_rec INTEGER, -- in seconds, or reserved value for  
-- INDEFINITE  
  
o delegated_cred_handle CREDENTIAL HANDLE, -- if returned non-NUL,  
-- caller must release with GSS_Release_cred()  
  
o output_token OCTET STRING -- NULL or token to pass to context  
-- initiator; if returned non-NUL, caller must release with  
-- GSS_Release_buffer()
```

This call may block pending network interactions for those mech\_types in which a directory service or other network entity must be consulted on behalf of a context acceptor in order to validate a received input\_token.

Return major\_status codes:

- o GSS\_S\_COMPLETE indicates that context-level data structures were successfully initialized, and that per-message processing can now be performed in conjunction with this context.
- o GSS\_S\_CONTINUE\_NEEDED indicates that control information in the returned output\_token must be sent to the initiator, and that a response must be received and passed as the input\_token argument to a continuation call to GSS\_Accept\_sec\_context(), before per-message processing can be performed in conjunction with this context.

Linn

Document Expiration: 16 June 1999

[Page 47]

- o GSS\_S\_DEFECTIVE\_TOKEN indicates that consistency checks performed on the input\_token failed, preventing further processing from being performed based on that token.
- o GSS\_S\_DEFECTIVE\_CREDENTIAL indicates that consistency checks performed on the credential structure referenced by acceptor\_cred\_handle failed, preventing further processing from being performed using that credential structure.
- o GSS\_S\_BAD\_SIG (GSS\_S\_BAD\_MIC) indicates that the received input\_token contains an incorrect integrity check, so context setup cannot be accomplished.
- o GSS\_S\_DUPLICATE\_TOKEN indicates that the integrity check on the received input\_token was correct, but that the input\_token was recognized as a duplicate of an input\_token already processed. No new context is established.
- o GSS\_S\_OLD\_TOKEN indicates that the integrity check on the received input\_token was correct, but that the input\_token is too old to be checked for duplication against previously-processed input\_tokens. No new context is established.
- o GSS\_S\_NO\_CRED indicates that no context was established, either because the input cred\_handle was invalid, because the referenced credentials are valid for context initiator use only, because the caller lacks authorization to access the referenced credentials, or because the procedure for default credential resolution failed.
- o GSS\_S\_CREDENTIALS\_EXPIRED indicates that the credentials provided through the input acceptor\_cred\_handle argument are no longer valid, so context establishment cannot be completed.
- o GSS\_S\_BAD\_BINDINGS indicates that a mismatch between the caller-provided chan\_bindings and those extracted from the input\_token was detected, signifying a security-relevant event and preventing context establishment.
- o GSS\_S\_NO\_CONTEXT indicates that no valid context was recognized for the input context\_handle provided; this major status will be returned only for successor calls following GSS\_S\_CONTINUE\_NEEDED status returns.
- o GSS\_S\_BAD\_MECH indicates receipt of a context establishment token specifying a mechanism unsupported by the local system or with the caller's active credentials.

Linn

Document Expiration: 16 June 1999

[Page 48]

- o GSS\_S\_FAILURE indicates that context setup could not be accomplished for reasons unspecified at the GSS-API level, and that no interface-defined recovery action is available.

The GSS\_Accept\_sec\_context() routine is used by a context target. Using information in the credentials structure referenced by the input acceptor\_cred\_handle, it verifies the incoming input\_token and (following the successful completion of a context establishment sequence) returns the authenticated src\_name and the mech\_type used. The returned src\_name is guaranteed to be an MN, processed by the mechanism under which the context was established. The acceptor\_cred\_handle must correspond to the same valid credentials structure on the initial call to GSS\_Accept\_sec\_context() and on any successor calls resulting from GSS\_S\_CONTINUE\_NEEDED status returns; different protocol sequences modeled by the GSS\_S\_CONTINUE\_NEEDED mechanism will require access to credentials at different points in the context establishment sequence.

The caller-provided input\_context\_handle argument is to be 0 (GSS\_C\_NO\_CONTEXT), specifying "not yet assigned", on the first GSS\_Accept\_sec\_context() call relating to a given context. If successful (i.e., if accompanied by major\_status GSS\_S\_COMPLETE or GSS\_S\_CONTINUE\_NEEDED), and only if successful, the initial GSS\_Accept\_sec\_context() call returns a non-zero output\_context\_handle for use in future references to this context. Once a non-zero output\_context\_handle has been returned, GSS-API callers should call GSS\_Delete\_sec\_context() to release context-related resources if errors occur in later phases of context establishment, or when an established context is no longer required. If GSS\_Accept\_sec\_context() is passed the handle of a context which is already fully established, GSS\_S\_FAILURE status is returned.

The chan\_bindings argument is used by the caller to provide information binding the security context to security-related characteristics (e.g., addresses, cryptographic keys) of the underlying communications channel. See [Section 1.1.6](#) of this document for more discussion of this argument's usage.

The returned state results (deleg\_state, mutual\_state, replay\_det\_state, sequence\_state, anon\_state, trans\_state, and prot\_ready\_state) reflect the same information as described for GSS\_Init\_sec\_context(), and their values are significant under the same return state conditions.

The conf\_avail return value indicates whether the context supports per-message confidentiality services, and so informs the caller whether or not a request for encryption through the conf\_req\_flag input to GSS\_Wrap() can be honored. In similar fashion, the

Linn

Document Expiration: 16 June 1999

[Page 49]

integ\_avail return value indicates whether per-message integrity services are available (through either GSS\_GetMIC() or GSS\_Wrap()) on the established context. These values are significant under the same return state conditions as described under GSS\_Init\_sec\_context().

The lifetime\_rec return value is significant only in conjunction with GSS\_S\_COMPLETE major\_status, and indicates the length of time for which the context will be valid, expressed as an offset from the present.

The returned mech\_type value indicates the specific mechanism employed on the context; it will never indicate the value for "default". A valid mech\_type result must be returned whenever GSS\_S\_COMPLETE status is indicated; GSS-API implementations may (but are not required to) also return mech\_type along with predecessor calls indicating GSS\_S\_CONTINUE\_NEEDED status or (if a mechanism is determinable) in conjunction with fatal error cases. For the case of mechanisms which themselves perform negotiation, the returned mech\_type result may indicate selection of a mechanism identified by an OID different than that passed in the input mech\_type argument, and the returned value may change between successive calls returning GSS\_S\_CONTINUE\_NEEDED and the final call returning GSS\_S\_COMPLETE.

The delegated\_cred\_handle result is significant only when deleg\_state is TRUE, and provides a means for the target to reference the delegated credentials. The output\_token result, when non-NUL, provides a context-level token to be returned to the context initiator to continue a multi-step context establishment sequence. As noted with GSS\_Init\_sec\_context(), any returned token should be transferred to the context's peer (in this case, the context initiator), independent of the value of the accompanying returned major\_status.

Note: A target must be able to distinguish a context-level input\_token, which is passed to GSS\_Accept\_sec\_context(), from the per-message data elements passed to GSS\_VerifyMIC() or GSS\_Unwrap(). These data elements may arrive in a single application message, and GSS\_Accept\_sec\_context() must be performed before per-message processing can be performed successfully.

#### 2.2.3: GSS\_Delete\_sec\_context call

Input:

- o context\_handle CONTEXT HANDLE

Outputs:

Linn

Document Expiration: 16 June 1999

[Page 50]

- o major\_status INTEGER,
- o minor\_status INTEGER,
- o output\_context\_token OCTET STRING

Return major\_status codes:

- o GSS\_S\_COMPLETE indicates that the context was recognized, and that relevant context-specific information was flushed. If the caller provides a non-null buffer to receive an output\_context\_token, and the mechanism returns a non-NULL token into that buffer, the returned output\_context\_token is ready for transfer to the context's peer.
- o GSS\_S\_NO\_CONTEXT indicates that no valid context was recognized for the input context\_handle provided, so no deletion was performed.
- o GSS\_S\_FAILURE indicates that the context is recognized, but that the GSS\_Delete\_sec\_context() operation could not be performed for reasons unspecified at the GSS-API level.

This call can be made by either peer in a security context, to flush context-specific information. Once a non-zero output\_context\_handle has been returned by context establishment calls, GSS-API callers should call GSS\_Delete\_sec\_context() to release context-related resources if errors occur in later phases of context establishment, or when an established context is no longer required. This call may block pending network interactions for mech\_types in which active notification must be made to a central server when a security context is to be deleted.

If a non-null output\_context\_token parameter is provided by the caller, an output\_context\_token may be returned to the caller. If an output\_context\_token is provided to the caller, it can be passed to the context's peer to inform the peer's GSS-API implementation that the peer's corresponding context information can also be flushed. (Once a context is established, the peers involved are expected to retain cached credential and context-related information until the information's expiration time is reached or until a GSS\_Delete\_sec\_context() call is made.)

The facility for context\_token usage to signal context deletion is retained for compatibility with GSS-API Version 1. For current usage, it is recommended that both peers to a context invoke GSS\_Delete\_sec\_context() independently, passing a null output\_context\_token buffer to indicate that no context\_token is

Linn

Document Expiration: 16 June 1999

[Page 51]

required. Implementations of GSS\_Delete\_sec\_context() should delete relevant locally-stored context information.

Attempts to perform per-message processing on a deleted context will result in error returns.

#### 2.2.4: GSS\_Process\_context\_token call

Inputs:

- o context\_handle CONTEXT HANDLE,
- o input\_context\_token OCTET STRING

Outputs:

- o major\_status INTEGER,
- o minor\_status INTEGER,

Return major\_status codes:

- o GSS\_S\_COMPLETE indicates that the input\_context\_token was successfully processed in conjunction with the context referenced by context\_handle.
- o GSS\_S\_DEFECTIVE\_TOKEN indicates that consistency checks performed on the received context\_token failed, preventing further processing from being performed with that token.
- o GSS\_S\_NO\_CONTEXT indicates that no valid context was recognized for the input context\_handle provided.
- o GSS\_S\_FAILURE indicates that the context is recognized, but that the GSS\_Process\_context\_token() operation could not be performed for reasons unspecified at the GSS-API level.

This call is used to process context\_tokens received from a peer once a context has been established, with corresponding impact on context-level state information. One use for this facility is processing of the context\_tokens generated by GSS\_Delete\_sec\_context(); GSS\_Process\_context\_token() will not block pending network interactions for that purpose. Another use is to process tokens indicating remote-peer context establishment failures after the point where the local GSS-API implementation has already indicated GSS\_S\_COMPLETE status.

#### 2.2.5: GSS\_Context\_time call

Linn

Document Expiration: 16 June 1999

[Page 52]

Input:

- o context\_handle CONTEXT HANDLE,

Outputs:

- o major\_status INTEGER,
- o minor\_status INTEGER,
- o lifetime\_rec INTEGER -- in seconds, or reserved value for  
-- INDEFINITE

Return major\_status codes:

- o GSS\_S\_COMPLETE indicates that the referenced context is valid,  
and will remain valid for the amount of time indicated in  
lifetime\_rec.
- o GSS\_S\_CONTEXT\_EXPIRED indicates that data items related to the  
referenced context have expired.
- o GSS\_S\_NO\_CONTEXT indicates that no valid context was recognized  
for the input context\_handle provided.
- o GSS\_S\_FAILURE indicates that the requested operation failed for  
reasons unspecified at the GSS-API level.

This call is used to determine the amount of time for which a  
currently established context will remain valid.

#### 2.2.6: GSS\_Inquire\_context call

Input:

- o context\_handle CONTEXT HANDLE,

Outputs:

- o major\_status INTEGER,
- o minor\_status INTEGER,
- o src\_name INTERNAL NAME, -- name of context initiator,  
-- guaranteed to be MN;  
-- caller must release with GSS\_Release\_name() if returned
- o targ\_name INTERNAL NAME, -- name of context target,

Linn

Document Expiration: 16 June 1999

[Page 53]

```
-- guaranteed to be MN;
-- caller must release with GSS_Release_name() if returned

o lifetime_rec INTEGER -- in seconds, or reserved value for
-- INDEFINITE or EXPIRED

o mech_type OBJECT IDENTIFIER, -- the mechanism supporting this
-- security context; caller should treat as read-only and not
-- attempt to release

o deleg_state BOOLEAN,
o mutual_state BOOLEAN,
o replay_det_state BOOLEAN,
o sequence_state BOOLEAN,
o anon_state BOOLEAN,
o trans_state BOOLEAN,
o prot_ready_state BOOLEAN,
o conf_avail BOOLEAN,
o integ_avail BOOLEAN,
o locally_initiated BOOLEAN, -- TRUE if initiator, FALSE if acceptor
o open BOOLEAN, -- TRUE if context fully established, FALSE
-- if partly established (in CONTINUE_NEEDED state)
```

Return major\_status codes:

- o GSS\_S\_COMPLETE indicates that the referenced context is valid and that deleg\_state, mutual\_state, replay\_det\_state, sequence\_state, anon\_state, trans\_state, prot\_ready\_state, conf\_avail, integ\_avail, locally\_initiated, and open return values describe the corresponding characteristics of the context. If open is TRUE, lifetime\_rec is also returned: if open is TRUE and the context peer's name is known, src\_name and targ\_name are valid in addition to the values listed above. The mech\_type value must be returned for contexts where open is TRUE and may be returned for contexts where open is FALSE.
- o GSS\_S\_NO\_CONTEXT indicates that no valid context was recognized for the input context\_handle provided. Return values other than

Linn

Document Expiration: 16 June 1999

[Page 54]

major\_status and minor\_status are undefined.

- o GSS\_S\_FAILURE indicates that the requested operation failed for reasons unspecified at the GSS-API level. Return values other than major\_status and minor\_status are undefined.

This call is used to extract information describing characteristics of a security context. Note that GSS-API implementations are expected to retain inquirable context data on a context until the context is released by a caller, even after the context has expired, although underlying cryptographic data elements may be deleted after expiration in order to limit their exposure.

#### 2.2.7: GSS\_Wrap\_size\_limit call

Inputs:

- o context\_handle CONTEXT HANDLE,
- o conf\_req\_flag BOOLEAN,
- o qop INTEGER,
- o output\_size INTEGER

Outputs:

- o major\_status INTEGER,
- o minor\_status INTEGER,
- o max\_input\_size INTEGER

Return major\_status codes:

- o GSS\_S\_COMPLETE indicates a successful token size determination: an input message with a length in octets equal to the returned max\_input\_size value will, when passed to GSS\_Wrap() for processing on the context identified by the context\_handle parameter with the confidentiality request state as provided in conf\_req\_flag and with the quality of protection specifier provided in the qop parameter, yield an output token no larger than the value of the provided output\_size parameter.
- o GSS\_S\_CONTEXT\_EXPIRED indicates that the provided input context\_handle is recognized, but that the referenced context has expired. Return values other than major\_status and minor\_status are undefined.

Linn

Document Expiration: 16 June 1999

[Page 55]

- o GSS\_S\_NO\_CONTEXT indicates that no valid context was recognized for the input context\_handle provided. Return values other than major\_status and minor\_status are undefined.
- o GSS\_S\_BAD\_QOP indicates that the provided QOP value is not recognized or supported for the context.
- o GSS\_S\_FAILURE indicates that the requested operation failed for reasons unspecified at the GSS-API level. Return values other than major\_status and minor\_status are undefined.

This call is used to determine the largest input datum which may be passed to GSS\_Wrap() without yielding an output token larger than a caller-specified value.

#### 2.2.8: GSS\_Export\_sec\_context call

Inputs:

- o context\_handle CONTEXT HANDLE

Outputs:

- o major\_status INTEGER,
- o minor\_status INTEGER,
- o interprocess\_token OCTET STRING -- caller must release  
-- with GSS\_Release\_buffer()

Return major\_status codes:

- o GSS\_S\_COMPLETE indicates that the referenced context has been successfully exported to a representation in the interprocess\_token, and is no longer available for use by the caller.
- o GSS\_S\_UNAVAILABLE indicates that the context export facility is not available for use on the referenced context. (This status should occur only for contexts for which the trans\_state value is FALSE.) Return values other than major\_status and minor\_status are undefined.
- o GSS\_S\_CONTEXT\_EXPIRED indicates that the provided input context\_handle is recognized, but that the referenced context has expired. Return values other than major\_status and minor\_status are undefined.

Linn

Document Expiration: 16 June 1999

[Page 56]

- o GSS\_S\_NO\_CONTEXT indicates that no valid context was recognized for the input context\_handle provided. Return values other than major\_status and minor\_status are undefined.

- o GSS\_S\_FAILURE indicates that the requested operation failed for reasons unspecified at the GSS-API level. Return values other than major\_status and minor\_status are undefined.

This call generates an interprocess token for transfer to another process within an end system, in order to transfer control of a security context to that process. The recipient of the interprocess token will call GSS\_Import\_sec\_context() to accept the transfer. The GSS\_Export\_sec\_context() operation is defined for use only with security contexts which are fully and successfully established (i.e., those for which GSS\_Init\_sec\_context() and GSS\_Accept\_sec\_context() have returned GSS\_S\_COMPLETE major\_status).

A successful GSS\_Export\_sec\_context() operation deactivates the security context for the calling process; for this case, the GSS-API implementation shall deallocate all process-wide resources associated with the security context and shall set the context\_handle to GSS\_C\_NO\_CONTEXT. In the event of an error that makes it impossible to complete export of the security context, the GSS-API implementation must not return an interprocess token and should strive to leave the security context referenced by the context\_handle untouched. If this is impossible, it is permissible for the implementation to delete the security context, provided that it also sets the context\_handle parameter to GSS\_C\_NO\_CONTEXT.

Portable callers must not assume that a given interprocess token can be imported by GSS\_Import\_sec\_context() more than once, thereby creating multiple instantiations of a single context. GSS-API implementations may detect and reject attempted multiple imports, but are not required to do so.

The internal representation contained within the interprocess token is an implementation-defined local matter. Interprocess tokens cannot be assumed to be transferable across different GSS-API implementations.

It is recommended that GSS-API implementations adopt policies suited to their operational environments in order to define the set of processes eligible to import a context, but specific constraints in this area are local matters. Candidate examples include transfers between processes operating on behalf of the same user identity, or processes comprising a common job. However, it may be impossible to enforce such policies in some implementations.

Linn

Document Expiration: 16 June 1999

[Page 57]

In support of the above goals, implementations may protect the transferred context data by using cryptography to protect data within the interprocess token, or by using interprocess tokens as a means to reference local interprocess communication facilities (protected by other means) rather than storing the context data directly within the tokens.

Transfer of an open context may, for certain mechanisms and implementations, reveal data about the credential which was used to establish the context. Callers should, therefore, be cautious about the trustworthiness of processes to which they transfer contexts. Although the GSS-API implementation may provide its own set of protections over the exported context, the caller is responsible for protecting the interprocess token from disclosure, and for taking care that the context is transferred to an appropriate destination process.

#### 2.2.9: GSS\_Import\_sec\_context call

Inputs:

- o interprocess\_token OCTET STRING

Outputs:

- o major\_status INTEGER,
- o minor\_status INTEGER,
- o context\_handle CONTEXT HANDLE -- if successfully returned,  
-- caller must release with GSS\_Delete\_sec\_context()

Return major\_status codes:

- o GSS\_S\_COMPLETE indicates that the context represented by the input interprocess\_token has been successfully transferred to the caller, and is available for future use via the output context\_handle.
- o GSS\_S\_NO\_CONTEXT indicates that the context represented by the input interprocess\_token was invalid. Return values other than major\_status and minor\_status are undefined.
- o GSS\_S\_DEFECTIVE\_TOKEN indicates that the input interprocess\_token was defective. Return values other than major\_status and minor\_status are undefined.
- o GSS\_S\_UNAVAILABLE indicates that the context import facility

Linn

Document Expiration: 16 June 1999

[Page 58]

is not available for use on the referenced context. Return values other than major\_status and minor\_status are undefined.

- o GSS\_S\_UNAUTHORIZED indicates that the context represented by the input interprocess\_token is unauthorized for transfer to the caller. Return values other than major\_status and minor\_status are undefined.

- o GSS\_S\_FAILURE indicates that the requested operation failed for reasons unspecified at the GSS-API level. Return values other than major\_status and minor\_status are undefined.

This call processes an interprocess token generated by GSS\_Export\_sec\_context(), making the transferred context available for use by the caller. After a successful GSS\_Import\_sec\_context() operation, the imported context is available for use by the importing process. In particular, the imported context is usable for all per-message operations and may be deleted or exported by its importer. The inability to receive delegated credentials through gss\_import\_sec\_context() precludes establishment of new contexts based on information delegated to the importer's end system within the context which is being imported, unless those delegated credentials are obtained through separate routines (e.g., XGSS-API calls) outside the GSS-V2 definition.

For further discussion of the security and authorization issues regarding this call, please see the discussion in [Section 2.2.8](#).

### 2.3: Per-message calls

This group of calls is used to perform per-message protection processing on an established security context. None of these calls block pending network interactions. These calls may be invoked by a context's initiator or by the context's target. The four members of this group should be considered as two pairs; the output from GSS\_GetMIC() is properly input to GSS\_VerifyMIC(), and the output from GSS\_Wrap() is properly input to GSS\_Unwrap().

GSS\_GetMIC() and GSS\_VerifyMIC() support data origin authentication and data integrity services. When GSS\_GetMIC() is invoked on an input message, it yields a per-message token containing data items which allow underlying mechanisms to provide the specified security services. The original message, along with the generated per-message token, is passed to the remote peer; these two data elements are processed by GSS\_VerifyMIC(), which validates the message in conjunction with the separate token.

GSS\_Wrap() and GSS\_Unwrap() support caller-requested confidentiality

Linn

Document Expiration: 16 June 1999

[Page 59]

in addition to the data origin authentication and data integrity services offered by GSS\_GetMIC() and GSS\_VerifyMIC(). GSS\_Wrap() outputs a single data element, encapsulating optionally enciphered user data as well as associated token data items. The data element output from GSS\_Wrap() is passed to the remote peer and processed by GSS\_Unwrap() at that system. GSS\_Unwrap() combines decipherment (as required) with validation of data items related to authentication and integrity.

Although zero-length tokens are never returned by GSS calls for transfer to a context's peer, a zero-length object may be passed by a caller into GSS\_Wrap(), in which case the corresponding peer calling GSS\_Unwrap() on the transferred token will receive a zero-length object as output from GSS\_Unwrap(). Similarly, GSS\_GetMIC() can be called on an empty object, yielding a MIC which GSS\_VerifyMIC() will successfully verify against the active security context in conjunction with a zero-length object.

#### 2.3.1: GSS\_GetMIC call

Note: This call is functionally equivalent to the GSS\_Sign call as defined in previous versions of this specification. In the interests of backward compatibility, it is recommended that implementations support this function under both names for the present; future references to this function as GSS\_Sign are deprecated.

Inputs:

- o context\_handle CONTEXT HANDLE,
- o qop\_req INTEGER, -- 0 specifies default QOP
- o message OCTET STRING

Outputs:

- o major\_status INTEGER,
- o minor\_status INTEGER,
- o per\_msg\_token OCTET STRING -- caller must release  
-- with GSS\_Release\_buffer()

Return major\_status codes:

- o GSS\_S\_COMPLETE indicates that an integrity check, suitable for an established security context, was successfully applied and that the message and corresponding per\_msg\_token are ready

Linn

Document Expiration: 16 June 1999

[Page 60]

for transmission.

- o GSS\_S\_CONTEXT\_EXPIRED indicates that context-related data items have expired, so that the requested operation cannot be performed.
- o GSS\_S\_NO\_CONTEXT indicates that no context was recognized for the input context\_handle provided.
- o GSS\_S\_BAD\_QOP indicates that the provided QOP value is not recognized or supported for the context.
- o GSS\_S\_FAILURE indicates that the context is recognized, but that the requested operation could not be performed for reasons unspecified at the GSS-API level.

Using the security context referenced by context\_handle, apply an integrity check to the input message (along with timestamps and/or other data included in support of mech\_type-specific mechanisms) and (if GSS\_S\_COMPLETE status is indicated) return the result in per\_msg\_token. The qop\_req parameter, interpretation of which is discussed in [Section 1.2.4](#), allows quality-of-protection control. The caller passes the message and the per\_msg\_token to the target.

The GSS\_GetMIC() function completes before the message and per\_msg\_token is sent to the peer; successful application of GSS\_GetMIC() does not guarantee that a corresponding GSS\_VerifyMIC() has been (or can necessarily be) performed successfully when the message arrives at the destination.

Mechanisms which do not support per-message protection services should return GSS\_S\_FAILURE if this routine is called.

#### 2.3.2: GSS\_VerifyMIC call

Note: This call is functionally equivalent to the GSS\_Verify call as defined in previous versions of this specification. In the interests of backward compatibility, it is recommended that implementations support this function under both names for the present; future references to this function as GSS\_Verify are deprecated.

Inputs:

- o context\_handle CONTEXT HANDLE,
- o message OCTET STRING,
- o per\_msg\_token OCTET STRING

Linn

Document Expiration: 16 June 1999

[Page 61]

Outputs:

- o qop\_state INTEGER,
- o major\_status INTEGER,
- o minor\_status INTEGER,

Return major\_status codes:

- o GSS\_S\_COMPLETE indicates that the message was successfully verified.
- o GSS\_S\_DEFECTIVE\_TOKEN indicates that consistency checks performed on the received per\_msg\_token failed, preventing further processing from being performed with that token.
- o GSS\_S\_BAD\_SIG (GSS\_S\_BAD\_MIC) indicates that the received per\_msg\_token contains an incorrect integrity check for the message.
- o GSS\_S\_DUPLICATE\_TOKEN, GSS\_S\_OLD\_TOKEN, GSS\_S\_UNSEQ\_TOKEN, and GSS\_S\_GAP\_TOKEN values appear in conjunction with the optional per-message replay detection features described in [Section 1.2.3](#); their semantics are described in that section.
- o GSS\_S\_CONTEXT\_EXPIRED indicates that context-related data items have expired, so that the requested operation cannot be performed.
- o GSS\_S\_NO\_CONTEXT indicates that no context was recognized for the input context\_handle provided.
- o GSS\_S\_FAILURE indicates that the context is recognized, but that the GSS\_VerifyMIC() operation could not be performed for reasons unspecified at the GSS-API level.

Using the security context referenced by context\_handle, verify that the input per\_msg\_token contains an appropriate integrity check for the input message, and apply any active replay detection or sequencing features. Returns an indication of the quality-of-protection applied to the processed message in the qop\_state result.

Mechanisms which do not support per-message protection services should return GSS\_S\_FAILURE if this routine is called.

### 2.3.3: GSS\_Wrap call

Linn

Document Expiration: 16 June 1999

[Page 62]

Note: This call is functionally equivalent to the GSS\_Seal call as defined in previous versions of this specification. In the interests of backward compatibility, it is recommended that implementations support this function under both names for the present; future references to this function as GSS\_Seal are deprecated.

Inputs:

- o context\_handle CONTEXT HANDLE,
- o conf\_req\_flag BOOLEAN,
- o qop\_req INTEGER, -- 0 specifies default QOP
- o input\_message OCTET STRING

Outputs:

- o major\_status INTEGER,
- o minor\_status INTEGER,
- o conf\_state BOOLEAN,
- o output\_message OCTET STRING -- caller must release with  
-- GSS\_Release\_buffer()

Return major\_status codes:

- o GSS\_S\_COMPLETE indicates that the input\_message was successfully processed and that the output\_message is ready for transmission.
- o GSS\_S\_CONTEXT\_EXPIRED indicates that context-related data items have expired, so that the requested operation cannot be performed.
- o GSS\_S\_NO\_CONTEXT indicates that no context was recognized for the input context\_handle provided.
- o GSS\_S\_BAD\_QOP indicates that the provided QOP value is not recognized or supported for the context.
- o GSS\_S\_FAILURE indicates that the context is recognized, but that the GSS\_Wrap() operation could not be performed for reasons unspecified at the GSS-API level.

Performs the data origin authentication and data integrity functions

Linn

Document Expiration: 16 June 1999

[Page 63]

of GSS\_GetMIC(). If the input conf\_req\_flag is TRUE, requests that confidentiality be applied to the input\_message. Confidentiality may not be supported in all mech\_types or by all implementations; the returned conf\_state flag indicates whether confidentiality was provided for the input\_message. The qop\_req parameter, interpretation of which is discussed in [Section 1.2.4](#), allows quality-of-protection control.

When GSS\_S\_COMPLETE status is returned, the GSS\_Wrap() call yields a single output\_message data element containing (optionally enciphered) user data as well as control information.

Mechanisms which do not support per-message protection services should return GSS\_S\_FAILURE if this routine is called.

#### 2.3.4: GSS\_Unwrap call

Note: This call is functionally equivalent to the GSS\_Unseal call as defined in previous versions of this specification. In the interests of backward compatibility, it is recommended that implementations support this function under both names for the present; future references to this function as GSS\_Unseal are deprecated.

Inputs:

- o context\_handle CONTEXT HANDLE,
- o input\_message OCTET STRING

Outputs:

- o conf\_state BOOLEAN,
- o qop\_state INTEGER,
- o major\_status INTEGER,
- o minor\_status INTEGER,
- o output\_message OCTET STRING -- caller must release with  
-- GSS\_Release\_buffer()

Return major\_status codes:

- o GSS\_S\_COMPLETE indicates that the input\_message was successfully processed and that the resulting output\_message is available.

Linn

Document Expiration: 16 June 1999

[Page 64]

- o GSS\_S\_DEFECTIVE\_TOKEN indicates that consistency checks performed on the per\_msg\_token extracted from the input\_message failed, preventing further processing from being performed.
- o GSS\_S\_BAD\_SIG (GSS\_S\_BAD\_MIC) indicates that an incorrect integrity check was detected for the message.
- o GSS\_S\_DUPLICATE\_TOKEN, GSS\_S\_OLD\_TOKEN, GSS\_S\_UNSEQ\_TOKEN, and GSS\_S\_GAP\_TOKEN values appear in conjunction with the optional per-message replay detection features described in [Section 1.2.3](#); their semantics are described in that section.
- o GSS\_S\_CONTEXT\_EXPIRED indicates that context-related data items have expired, so that the requested operation cannot be performed.
- o GSS\_S\_NO\_CONTEXT indicates that no context was recognized for the input context\_handle provided.
- o GSS\_S\_FAILURE indicates that the context is recognized, but that the GSS\_Unwrap() operation could not be performed for reasons unspecified at the GSS-API level.

Processes a data element generated (and optionally enciphered) by GSS\_Wrap(), provided as input\_message. The returned conf\_state value indicates whether confidentiality was applied to the input\_message. If conf\_state is TRUE, GSS\_Unwrap() has deciphered the input\_message. Returns an indication of the quality-of-protection applied to the processed message in the qop\_state result. GSS\_Unwrap() performs the data integrity and data origin authentication checking functions of GSS\_VerifyMIC() on the plaintext data. Plaintext data is returned in output\_message.

Mechanisms which do not support per-message protection services should return GSS\_S\_FAILURE if this routine is called.

## 2.4: Support calls

This group of calls provides support functions useful to GSS-API callers, independent of the state of established contexts. Their characterization with regard to blocking or non-blocking status in terms of network interactions is unspecified.

### 2.4.1: GSS\_Display\_status call

Inputs:

- o status\_value INTEGER, -- GSS-API major\_status or minor\_status

Linn

Document Expiration: 16 June 1999

[Page 65]

```
-- return value

o status_type INTEGER, -- 1 if major_status, 2 if minor_status

o mech_type OBJECT IDENTIFIER -- mech_type to be used for
-- minor_status translation
```

Outputs:

```
o major_status INTEGER,

o minor_status INTEGER,

o status_string_set SET OF OCTET STRING -- required calls for
-- release by caller are specific to language bindings
```

Return major\_status codes:

- o GSS\_S\_COMPLETE indicates that a valid printable status representation (possibly representing more than one status event encoded within the status\_value) is available in the returned status\_string\_set.
- o GSS\_S\_BAD\_MECH indicates that translation in accordance with an unsupported mech\_type was requested, so translation could not be performed.
- o GSS\_S\_BAD\_STATUS indicates that the input status\_value was invalid, or that the input status\_type carried a value other than 1 or 2, so translation could not be performed.
- o GSS\_S\_FAILURE indicates that the requested operation could not be performed for reasons unspecified at the GSS-API level.

Provides a means for callers to translate GSS-APIReturned major and minor status codes into printable string representations. Note: some language bindings may employ an iterative approach in order to emit successive status components; this approach is acceptable but not required for conformance with the current specification.

Although not contemplated in [[RFC-2078](#)], it has been observed that some existing GSS-API implementations return GSS\_S\_CONTINUE\_NEEDED status when iterating through successive messages returned from GSS\_Display\_status(). This behavior is deprecated; GSS\_S\_CONTINUE\_NEEDED should be returned only by GSS\_Init\_sec\_context() and GSS\_Accept\_sec\_context(). For maximal portability, however, it is recommended that defensive callers be able to accept and ignore GSS\_S\_CONTINUE\_NEEDED status if indicated

Linn

Document Expiration: 16 June 1999

[Page 66]

by GSS\_Display\_status() or any other call other than  
GSS\_Init\_sec\_context() or GSS\_Accept\_sec\_context().

#### 2.4.2: GSS\_Indicate\_mechs call

Input:

- o (none)

Outputs:

- o major\_status INTEGER,
- o minor\_status INTEGER,
- o mech\_set SET OF OBJECT IDENTIFIER -- caller must release  
-- with GSS\_Release\_oid\_set()

Return major\_status codes:

- o GSS\_S\_COMPLETE indicates that a set of available mechanisms has been returned in mech\_set.
- o GSS\_S\_FAILURE indicates that the requested operation could not be performed for reasons unspecified at the GSS-API level.

Allows callers to determine the set of mechanism types available on the local system. This call is intended for support of specialized callers who need to request non-default mech\_type sets from GSS-API calls which accept input mechanism type specifiers.

#### 2.4.3: GSS\_Compare\_name call

Inputs:

- o name1 INTERNAL NAME,
- o name2 INTERNAL NAME

Outputs:

- o major\_status INTEGER,
- o minor\_status INTEGER,
- o name\_equal BOOLEAN

Return major\_status codes:

Linn

Document Expiration: 16 June 1999

[Page 67]

- o GSS\_S\_COMPLETE indicates that name1 and name2 were comparable, and that the name\_equal result indicates whether name1 and name2 represent the same entity.
- o GSS\_S\_BAD\_NAMETYPE indicates that the two input names' types are different and incomparable, so that the comparison operation could not be completed.
- o GSS\_S\_BAD\_NAME indicates that one or both of the input names was ill-formed in terms of its internal type specifier, so the comparison operation could not be completed.
- o GSS\_S\_FAILURE indicates that the call's operation could not be performed for reasons unspecified at the GSS-API level.

Allows callers to compare two internal name representations to determine whether they refer to the same entity. If either name presented to GSS\_Compare\_name() denotes an anonymous principal, GSS\_Compare\_name() shall indicate FALSE. It is not required that either or both inputs name1 and name2 be MNs; for some implementations and cases, GSS\_S\_BAD\_NAMETYPE may be returned, indicating name incomparability, for the case where neither input name is an MN.

#### 2.4.4: GSS\_Display\_name call

Inputs:

- o name INTERNAL NAME

Outputs:

- o major\_status INTEGER,
- o minor\_status INTEGER,
- o name\_string OCTET STRING, -- caller must release  
-- with GSS\_Release\_buffer()
- o name\_type OBJECT IDENTIFIER -- caller should treat  
-- as read-only; does not need to be released

Return major\_status codes:

- o GSS\_S\_COMPLETE indicates that a valid printable name representation is available in the returned name\_string.
- o GSS\_S\_BAD\_NAME indicates that the contents of the provided name

Linn

Document Expiration: 16 June 1999

[Page 68]

were inconsistent with the internally-indicated name type, so no printable representation could be generated.

- o GSS\_S\_FAILURE indicates that the requested operation could not be performed for reasons unspecified at the GSS-API level.

Allows callers to translate an internal name representation into a printable form with associated namespace type descriptor. The syntax of the printable form is a local matter.

If the input name represents an anonymous identity, a reserved value (GSS\_C\_NT\_ANONYMOUS) shall be returned for name\_type.

The GSS\_C\_NO\_OID name type is to be returned only when the corresponding internal name was created through import with GSS\_C\_NO\_OID. It is acceptable for mechanisms to normalize names imported with GSS\_C\_NO\_OID into other supported types and, therefore, to display them with types other than GSS\_C\_NO\_OID.

#### 2.4.5: GSS\_Import\_name call

Inputs:

- o input\_name\_string OCTET STRING,
- o input\_name\_type OBJECT IDENTIFIER

Outputs:

- o major\_status INTEGER,
- o minor\_status INTEGER,
- o output\_name INTERNAL NAME -- caller must release with  
-- GSS\_Release\_name()

Return major\_status codes:

- o GSS\_S\_COMPLETE indicates that a valid name representation is output in output\_name and described by the type value in output\_name\_type.
- o GSS\_S\_BAD\_NAMETYPE indicates that the input\_name\_type is unsupported by the applicable underlying GSS-API mechanism(s), so the import operation could not be completed.
- o GSS\_S\_BAD\_NAME indicates that the provided input\_name\_string is ill-formed in terms of the input\_name\_type, so the import

Linn

Document Expiration: 16 June 1999

[Page 69]

operation could not be completed.

- o GSS\_S\_BAD\_MECH indicates that the input presented for import was an exported name object and that its enclosed mechanism type was not recognized or was unsupported by the GSS-API implementation.
- o GSS\_S\_FAILURE indicates that the requested operation could not be performed for reasons unspecified at the GSS-API level.

Allows callers to provide a name representation as a contiguous octet string, designate the type of namespace in conjunction with which it should be parsed, and convert that representation to an internal form suitable for input to other GSS-API routines. The syntax of the input\_name\_string is defined in conjunction with its associated name type; depending on the input\_name\_type, the associated input\_name\_string may or may not be a printable string. If the input\_name\_type's value is GSS\_C\_NO\_OID, a mechanism-specific default printable syntax (which shall be specified in the corresponding GSS-V2 mechanism specification) is assumed for the input\_name\_string; other input\_name\_type values as registered by GSS-API implementations can be used to indicate specific non-default name syntaxes. Note: The input\_name\_type argument serves to describe and qualify the interpretation of the associated input\_name\_string; it does not specify the data type of the returned output\_name.

If a mechanism claims support for a particular name type, its GSS\_Import\_name() operation shall be able to accept all possible values conformant to the external name syntax as defined for that name type. These imported values may correspond to:

- (1) locally registered entities (for which credentials may be acquired),
- (2) non-local entities (for which local credentials cannot be acquired, but which may be referenced as targets of initiated security contexts or initiators of accepted security contexts), or to
- (3) neither of the above.

Determination of whether a particular name belongs to class (1), (2), or (3) as described above is not guaranteed to be performed by the GSS\_Import\_name() function.

The internal name generated by a GSS\_Import\_name() operation may be a single-mechanism MN, and is likely to be an MN within a single-mechanism implementation, but portable callers must not depend on this property (and must not, therefore, assume that the output from

Linn

Document Expiration: 16 June 1999

[Page 70]

GSS\_Import\_name() can be passed directly to GSS\_Export\_name() without first being processed through GSS\_Canonicalize\_name().

#### 2.4.6: GSS\_Release\_name call

Inputs:

- o name INTERNAL NAME

Outputs:

- o major\_status INTEGER,
- o minor\_status INTEGER

Return major\_status codes:

- o GSS\_S\_COMPLETE indicates that the storage associated with the input name was successfully released.
- o GSS\_S\_BAD\_NAME indicates that the input name argument did not contain a valid name.
- o GSS\_S\_FAILURE indicates that the requested operation could not be performed for reasons unspecified at the GSS-API level.

Allows callers to release the storage associated with an internal name representation. This call's specific behavior depends on the language and programming environment within which a GSS-API implementation operates, and is therefore detailed within applicable bindings specifications; in particular, implementation and invocation of this call may be superfluous (and may be omitted) within bindings where memory management is automatic.

#### 2.4.7: GSS\_Release\_buffer call

Inputs:

- o buffer OCTET STRING

Outputs:

- o major\_status INTEGER,
- o minor\_status INTEGER

Return major\_status codes:

Linn

Document Expiration: 16 June 1999

[Page 71]

- o GSS\_S\_COMPLETE indicates that the storage associated with the input buffer was successfully released.

- o GSS\_S\_FAILURE indicates that the requested operation could not be performed for reasons unspecified at the GSS-API level.

Allows callers to release the storage associated with an OCTET STRING buffer allocated by another GSS-API call. This call's specific behavior depends on the language and programming environment within which a GSS-API implementation operates, and is therefore detailed within applicable bindings specifications; in particular, implementation and invocation of this call may be superfluous (and may be omitted) within bindings where memory management is automatic.

#### 2.4.8: GSS\_Release\_OID\_set call

Inputs:

- o buffer SET OF OBJECT IDENTIFIER

Outputs:

- o major\_status INTEGER,

- o minor\_status INTEGER

Return major\_status codes:

- o GSS\_S\_COMPLETE indicates that the storage associated with the input object identifier set was successfully released.

- o GSS\_S\_FAILURE indicates that the requested operation could not be performed for reasons unspecified at the GSS-API level.

Allows callers to release the storage associated with an object identifier set object allocated by another GSS-API call. This call's specific behavior depends on the language and programming environment within which a GSS-API implementation operates, and is therefore detailed within applicable bindings specifications; in particular, implementation and invocation of this call may be superfluous (and may be omitted) within bindings where memory management is automatic.

#### 2.4.9: GSS\_Create\_empty\_OID\_set call

Inputs:

- o (none)

Linn

Document Expiration: 16 June 1999

[Page 72]

**Outputs:**

- o major\_status INTEGER,
- o minor\_status INTEGER,
- o oid\_set SET OF OBJECT IDENTIFIER -- caller must release  
-- with GSS\_Release\_oid\_set()

Return major\_status codes:

- o GSS\_S\_COMPLETE indicates successful completion
- o GSS\_S\_FAILURE indicates that the operation failed

Creates an object identifier set containing no object identifiers, to which members may be subsequently added using the GSS\_Add\_OID\_set\_member() routine. These routines are intended to be used to construct sets of mechanism object identifiers, for input to GSS\_Acquire\_cred().

#### 2.4.10: GSS\_Add\_OID\_set\_member call

**Inputs:**

- o member\_oid OBJECT IDENTIFIER,
- o oid\_set SET OF OBJECT IDENTIFIER

**Outputs:**

- o major\_status INTEGER,
- o minor\_status INTEGER,

Return major\_status codes:

- o GSS\_S\_COMPLETE indicates successful completion
- o GSS\_S\_FAILURE indicates that the operation failed

Adds an Object Identifier to an Object Identifier set. This routine is intended for use in conjunction with GSS\_Create\_empty\_OID\_set() when constructing a set of mechanism OIDs for input to GSS\_Acquire\_cred().

Linn

Document Expiration: 16 June 1999

[Page 73]

#### 2.4.11: GSS\_Test\_OID\_set\_member call

Inputs:

- o member OBJECT IDENTIFIER,
- o set SET OF OBJECT IDENTIFIER

Outputs:

- o major\_status INTEGER,
- o minor\_status INTEGER,
- o present BOOLEAN

Return major\_status codes:

- o GSS\_S\_COMPLETE indicates successful completion
- o GSS\_S\_FAILURE indicates that the operation failed

Interrogates an Object Identifier set to determine whether a specified Object Identifier is a member. This routine is intended to be used with OID sets returned by GSS\_Indicate\_mechs(), GSS\_Acquire\_cred(), and GSS\_Inquire\_cred().

#### 2.4.12: GSS\_Inquire\_names\_for\_mech call

Input:

- o input\_mech\_type OBJECT IDENTIFIER, -- mechanism type

Outputs:

- o major\_status INTEGER,
- o minor\_status INTEGER,
- o name\_type\_set SET OF OBJECT IDENTIFIER -- caller must release  
-- with GSS\_Release\_oid\_set()

Return major\_status codes:

- o GSS\_S\_COMPLETE indicates that the output name\_type\_set contains a list of name types which are supported by the locally available

Linn

Document Expiration: 16 June 1999

[Page 74]

mechanism identified by input\_mech\_type.

- o GSS\_S\_BAD\_MECH indicates that the mechanism identified by input\_mech\_type was unsupported within the local implementation, causing the query to fail.
- o GSS\_S\_FAILURE indicates that the requested operation could not be performed for reasons unspecified at the GSS-API level.

Allows callers to determine the set of name types which are supportable by a specific locally-available mechanism.

#### 2.4.13: GSS\_Inquire\_mechs\_for\_name call

Inputs:

- o input\_name INTERNAL NAME,

Outputs:

- o major\_status INTEGER,
- o minor\_status INTEGER,
- o mech\_types SET OF OBJECT IDENTIFIER -- caller must release  
-- with GSS\_Release\_oid\_set()

Return major\_status codes:

- o GSS\_S\_COMPLETE indicates that a set of object identifiers, corresponding to the set of mechanisms suitable for processing the input\_name, is available in mech\_types.
- o GSS\_S\_BAD\_NAME indicates that the input\_name was ill-formed and could not be processed.
- o GSS\_S\_BAD\_NAMETYPE indicates that the input\_name parameter contained an invalid name type or a name type unsupported by the GSS-API implementation.
- o GSS\_S\_FAILURE indicates that the requested operation could not be performed for reasons unspecified at the GSS-API level.

This routine returns the mechanism set with which the input\_name may be processed.

Each mechanism returned will recognize at least one element within

Linn

Document Expiration: 16 June 1999

[Page 75]

the name. It is permissible for this routine to be implemented within a mechanism-independent GSS-API layer, using the type information contained within the presented name, and based on registration information provided by individual mechanism implementations. This means that the returned mech\_types result may indicate that a particular mechanism will understand a particular name when in fact it would refuse to accept that name as input to GSS\_Canonicalize\_name(), GSS\_Init\_sec\_context(), GSS\_Acquire\_cred(), or GSS\_Add\_cred(), due to some property of the particular name rather than a property of the name type. Thus, this routine should be used only as a pre-filter for a call to a subsequent mechanism-specific routine.

#### 2.4.14: GSS\_Canonicalize\_name call

Inputs:

- o input\_name INTERNAL NAME,
- o mech\_type OBJECT IDENTIFIER -- must be explicit mechanism,  
-- not "default" specifier or identifier of negotiating mechanism

Outputs:

- o major\_status INTEGER,
- o minor\_status INTEGER,
- o output\_name INTERNAL NAME -- caller must release with  
-- GSS\_Release\_name()

Return major\_status codes:

- o GSS\_S\_COMPLETE indicates that a mechanism-specific reduction of the input\_name, as processed by the mechanism identified by mech\_type, is available in output\_name.
- o GSS\_S\_BAD\_MECH indicates that the identified mechanism is unsupported for this operation; this may correspond either to a mechanism wholly unsupported by the local GSS-API implementation or to a negotiating mechanism with which the canonicalization operation cannot be performed.
- o GSS\_S\_BAD\_NAMETYPE indicates that the input name does not contain an element with suitable type for processing by the identified mechanism.

Linn

Document Expiration: 16 June 1999

[Page 76]

- o GSS\_S\_BAD\_NAME indicates that the input name contains an element with suitable type for processing by the identified mechanism, but that this element could not be processed successfully.
- o GSS\_S\_FAILURE indicates that the requested operation could not be performed for reasons unspecified at the GSS-API level.

This routine reduces a GSS-API internal name `input_name`, which may in general contain elements corresponding to multiple mechanisms, to a mechanism-specific Mechanism Name (MN) `output_name` by applying the translations corresponding to the mechanism identified by `mech_type`. The contents of `input_name` are unaffected by the `GSS_Canonicalize_name()` operation. References to `output_name` will remain valid until `output_name` is released, independent of whether or not `input_name` is subsequently released.

#### 2.4.15: `GSS_Export_name` call

Inputs:

- o `input_name` INTERNAL NAME, -- required to be MN

Outputs:

- o `major_status` INTEGER,
- o `minor_status` INTEGER,
- o `output_name` OCTET STRING -- caller must release  
-- with `GSS_Release_buffer()`

Return `major_status` codes:

- o GSS\_S\_COMPLETE indicates that a flat representation of the input name is available in `output_name`.
- o GSS\_S\_NAME\_NOT\_MN indicates that the input name contained elements corresponding to multiple mechanisms, so cannot be exported into a single-mechanism flat form.
- o GSS\_S\_BAD\_NAME indicates that the input name was an MN, but could not be processed.
- o GSS\_S\_BAD\_NAMETYPE indicates that the input name was an MN, but that its type is unsupported by the GSS-API implementation.
- o GSS\_S\_FAILURE indicates that the requested operation could not

Linn

Document Expiration: 16 June 1999

[Page 77]

be performed for reasons unspecified at the GSS-API level.

This routine creates a flat name representation, suitable for bytewise comparison or for input to `GSS_Import_name()` in conjunction with the reserved GSS-API Exported Name Object OID, from a internal-form Mechanism Name (MN) as emitted, e.g., by `GSS_Canonicalize_name()` or `GSS_Accept_sec_context()`.

The emitted GSS-API Exported Name Object is self-describing; no associated parameter-level OID need be emitted by this call. This flat representation consists of a mechanism-independent wrapper layer, defined in [Section 3.2](#) of this document, enclosing a mechanism-defined name representation.

In all cases, the flat name output by `GSS_Export_name()` to correspond to a particular input MN must be invariant over time within a particular installation.

The `GSS_S_NAME_NOT_MN` status code is provided to enable implementations to reject input names which are not MNs. It is not, however, required for purposes of conformance to this specification that all non-MN input names must necessarily be rejected.

#### 2.4.16: `GSS_Duplicate_name` call

Inputs:

- o `src_name` INTERNAL NAME

Outputs:

- o `major_status` INTEGER,
- o `minor_status` INTEGER,
- o `dest_name` INTERNAL NAME -- caller must release  
-- with `GSS_Release_name()`

Return major\_status codes:

- o `GSS_S_COMPLETE` indicates that `dest_name` references an internal name object containing the same name as passed to `src_name`.
- o `GSS_S_BAD_NAME` indicates that the input name was invalid.
- o `GSS_S_FAILURE` indicates that the requested operation could not be performed for reasons unspecified at the GSS-API level.

Linn

Document Expiration: 16 June 1999

[Page 78]

This routine takes input internal name `src_name`, and returns another reference (`dest_name`) to that name which can be used even if `src_name` is later freed. (Note: This may be implemented by copying or through use of reference counts.)

### 3: Data Structure Definitions for GSS-V2 Usage

Subsections of this section define, for interoperability and portability purposes, certain data structures for use with GSS-V2.

#### 3.1: Mechanism-Independent Token Format

This section specifies a mechanism-independent level of encapsulating representation for the initial token of a GSS-API context establishment sequence, incorporating an identifier of the mechanism type to be used on that context and enabling tokens to be interpreted unambiguously at GSS-API peers. Use of this format is required for initial context establishment tokens of Internet standards-track GSS-API mechanisms; use in non-initial tokens is optional.

The encoding format for the token tag is derived from ASN.1 and DER (per illustrative ASN.1 syntax included later within this subsection), but its concrete representation is defined directly in terms of octets rather than at the ASN.1 level in order to facilitate interoperable implementation without use of general ASN.1 processing code. The token tag consists of the following elements, in order:

1. 0x60 -- Tag for [APPLICATION 0] SEQUENCE; indicates that -- constructed form, definite length encoding follows.
2. Token length octets, specifying length of subsequent data (i.e., the summed lengths of elements 3-5 in this list, and of the mechanism-defined token object following the tag).  
This element comprises a variable number of octets:
  - 2a. If the indicated value is less than 128, it shall be represented in a single octet with bit 8 (high order) set to "0" and the remaining bits representing the value.
  - 2b. If the indicated value is 128 or more, it shall be represented in two or more octets, with bit 8 of the first octet set to "1" and the remaining bits of the first octet specifying the number of additional octets. The subsequent octets carry the value, 8 bits per octet, most significant digit first. The minimum number of octets shall be used to encode the length (i.e., no octets representing leading zeros shall be included within the length encoding).

Linn

Document Expiration: 16 June 1999

[Page 79]

3. 0x06 -- Tag for OBJECT IDENTIFIER
4. Object identifier length -- length (number of octets) of-- the encoded object identifier contained in element 5,-- encoded per rules as described in 2a. and 2b. above.
5. Object identifier octets -- variable number of octets,-- encoded per ASN.1 BER rules:
  - 5a. The first octet contains the sum of two values: (1) the top-level object identifier component, multiplied by 40 (decimal), and (2) the second-level object identifier component. This special case is the only point within an object identifier encoding where a single octet represents contents of more than one component.
  - 5b. Subsequent octets, if required, encode successively-lower components in the represented object identifier. A component's encoding may span multiple octets, encoding 7 bits per octet (most significant bits first) and with bit 8 set to "1" on all but the final octet in the component's encoding. The minimum number of octets shall be used to encode each component (i.e., no octets representing leading zeros shall be included within a component's encoding).

(Note: In many implementations, elements 3-5 may be stored and referenced as a contiguous string constant.)

The token tag is immediately followed by a mechanism-defined token object. Note that no independent size specifier intervenes following the object identifier value to indicate the size of the mechanism-defined token object. While ASN.1 usage within mechanism-defined tokens is permitted, there is no requirement that the mechanism-specific innerContextToken, innerMsgToken, and sealedUserData data elements must employ ASN.1 BER/DER encoding conventions.

The following ASN.1 syntax is included for descriptive purposes only, to illustrate structural relationships among token and tag objects. For interoperability purposes, token and tag encoding shall be performed using the concrete encoding procedures described earlier in this subsection.

GSS-API DEFINITIONS ::=

BEGIN

MechType ::= OBJECT IDENTIFIER  
-- data structure definitions

Linn

Document Expiration: 16 June 1999

[Page 80]

```
-- callers must be able to distinguish among
-- InitialContextToken, SubsequentContextToken,
-- PerMsgToken, and SealedMessage data elements
-- based on the usage in which they occur

InitialContextToken ::= 
-- option indication (delegation, etc.) indicated within
-- mechanism-specific token
[APPLICATION 0] IMPLICIT SEQUENCE {
    thisMech MechType,
    innerContextToken ANY DEFINED BY thisMech
        -- contents mechanism-specific
        -- ASN.1 structure not required
}

SubsequentContextToken ::= innerContextToken ANY
-- interpretation based on predecessor InitialContextToken
-- ASN.1 structure not required

PerMsgToken ::= 
-- as emitted by GSS_GetMIC and processed by GSS_VerifyMIC
-- ASN.1 structure not required
    innerMsgToken ANY

SealedMessage ::= 
-- as emitted by GSS_Wrap and processed by GSS_Unwrap
-- includes internal, mechanism-defined indicator
-- of whether or not encrypted
-- ASN.1 structure not required
    sealedUserData ANY

END
```

### 3.2: Mechanism-Independent Exported Name Object Format

This section specifies a mechanism-independent level of encapsulating representation for names exported via the `GSS_Export_name()` call, including an object identifier representing the exporting mechanism. The format of names encapsulated via this representation shall be defined within individual mechanism drafts. The Object Identifier value to indicate names of this type is defined in [Section 4.7](#) of this document.

No name type OID is included in this mechanism-independent level of format definition, since (depending on individual mechanism specifications) the enclosed name may be implicitly typed or may be explicitly typed using a means other than OID encoding.

Linn

Document Expiration: 16 June 1999

[Page 81]

The bytes within MECH\_OID\_LEN and NAME\_LEN elements are represented most significant byte first (equivalently, in IP network byte order).

Length	Name	Description
2	TOK_ID	Token Identifier For exported name objects, this must be hex 04 01.
2	MECH_OID_LEN	Length of the Mechanism OID
MECH_OID_LEN	MECH_OID	Mechanism OID, in DER
4	NAME_LEN	Length of name
NAME_LEN	NAME	Exported name; format defined in applicable mechanism draft.

A concrete example of the contents of an exported name object, derived from the Kerberos Version 5 mechanism, is as follows:

```
04 01 00 0B 06 09 2A 86 48 86 F7 12 01 02 02 hx xx xx xl pp qq ... zz
04 01      mandatory token identifier
00 0B      2-byte length of the immediately following DER-encoded
            ASN.1 value of type OID, most significant octet first
06 09 2A 86 48 86 F7 12 01 02 02      DER-encoded ASN.1 value
            of type OID; Kerberos V5
            mechanism OID indicates
            Kerberos V5 exported name
in Detail:      06          Identifier octet (6=OID)
                  09          Length octet(s)
                  2A 86 48 86 F7 12 01 02 02  Content octet(s)
hx xx xx xl    4-byte length of the immediately following exported
            name blob, most significant octet first
pp qq ... zz  exported name blob of specified length,
            bits and bytes specified in the
            (Kerberos 5) GSS-API v2 mechanism spec
```

#### 4: Name Type Definitions

This section includes definitions for name types and associated syntaxes which are defined in a mechanism-independent fashion at the GSS-API level rather than being defined in individual mechanism specifications.

##### 4.1: Host-Based Service Name Form

Linn

Document Expiration: 16 June 1999

[Page 82]

This name form shall be represented by the Object Identifier:

```
{iso(1) member-body(2) United States(840) mit(113554) infosys(1)
 "gssapi(2) generic(1) service_name(4)}.
```

The recommended symbolic name for this type is  
"GSS\_C\_NT\_HOSTBASED\_SERVICE".

For reasons of compatibility with existing implementations, it is recommended that this OID be used rather than the alternate value as included in [[RFC-2078](#)]:

```
{1(iso), 3(org), 6(dod), 1(internet), 5(security), 6(nametypes),
 2(gss-host-based-services)}
```

While it is not recommended that this alternate value be emitted on output by GSS implementations, it is recommended that it be accepted on input as equivalent to the recommended value.

This name type is used to represent services associated with host computers. Support for this name form is recommended to mechanism designers in the interests of portability, but is not mandated by this specification. This name form is constructed using two elements, "service" and "hostname", as follows:

service@hostname

When a reference to a name of this type is resolved, the "hostname" may (as an example implementation strategy) be canonicalized by attempting a DNS lookup and using the fully-qualified domain name which is returned, or by using the "hostname" as provided if the DNS lookup fails. The canonicalization operation also maps the host's name into lower-case characters.

The "hostname" element may be omitted. If no "@" separator is included, the entire name is interpreted as the service specifier, with the "hostname" defaulted to the canonicalized name of the local host.

Documents specifying means for GSS integration into a particular protocol should state either:

- (a) that a specific IANA-registered name associated with that protocol shall be used for the "service" element (this admits, if needed, the possibility that a single name can be registered and shared among a related set of protocols), or
- (b) that the generic name "host" shall be used for the "service"

Linn

Document Expiration: 16 June 1999

[Page 83]

element, or

- (c) that, for that protocol, fallback in specified order (a, then b) or (b, then a) shall be applied.

IANA registration of specific names per (a) should be handled in accordance with the "Specification Required" assignment policy, defined as of [draft-iesg-iana-considerations-02](#) as follows: "Values and their meaning must be documented in an RFC or other available reference, in sufficient detail so that interoperability between independent implementations is possible."

#### 4.2: User Name Form

This name form shall be represented by the Object Identifier {iso(1) member-body(2) United States(840) mit(113554) infosys(1) gssapi(2) generic(1) user\_name(1)}. The recommended mechanism-independent symbolic name for this type is "GSS\_C\_NT\_USER\_NAME". (Note: the same name form and OID is defined within the Kerberos V5 GSS-API mechanism, but the symbolic name recommended there begins with a "GSS\_KRB5\_NT\_" prefix.)

This name type is used to indicate a named user on a local system. Its syntax and interpretation may be OS-specific. This name form is constructed as:

username

#### 4.3: Machine UID Form

This name form shall be represented by the Object Identifier {iso(1) member-body(2) United States(840) mit(113554) infosys(1) gssapi(2) generic(1) machine\_uid\_name(2)}. The recommended mechanism-independent symbolic name for this type is "GSS\_C\_NT\_MACHINE\_UID\_NAME". (Note: the same name form and OID is defined within the Kerberos V5 GSS-API mechanism, but the symbolic name recommended there begins with a "GSS\_KRB5\_NT\_" prefix.)

This name type is used to indicate a numeric user identifier corresponding to a user on a local system. Its interpretation is OS-specific. The gss\_buffer\_desc representing a name of this type should contain a locally-significant user ID, represented in host byte order. The GSS\_Import\_name() operation resolves this uid into a username, which is then treated as the User Name Form.

#### 4.4: String UID Form

Linn

Document Expiration: 16 June 1999

[Page 84]

This name form shall be represented by the Object Identifier {iso(1) member-body(2) United States(840) mit(113554) infosys(1) gssapi(2) generic(1) string\_uid\_name(3)}. The recommended symbolic name for this type is "GSS\_C\_NT\_STRING\_UID\_NAME". (Note: the same name form and OID is defined within the Kerberos V5 GSS-API mechanism, but the symbolic name recommended there begins with a "GSS\_KRB5\_NT\_" prefix.)

This name type is used to indicate a string of digits representing the numeric user identifier of a user on a local system. Its interpretation is OS-specific. This name type is similar to the Machine UID Form, except that the buffer contains a string representing the user ID.

#### 4.5: Anonymous Nametype

The following Object Identifier value is provided as a means to identify anonymous names, and can be compared against in order to determine, in a mechanism-independent fashion, whether a name refers to an anonymous principal:

```
{1(iso), 3(org), 6(dod), 1(internet), 5(security), 6(nametypes),  
3(gss-anonymous-name)}
```

The recommended symbolic name corresponding to this definition is GSS\_C\_NT\_ANONYMOUS.

#### 4.6: GSS\_C\_NO\_OID

The recommended symbolic name GSS\_C\_NO\_OID corresponds to a null input value instead of an actual object identifier. Where specified, it indicates interpretation of an associated name based on a mechanism-specific default printable syntax.

#### 4.7: Exported Name Object

Name objects of the Mechanism-Independent Exported Name Object type, as defined in [Section 3.2](#) of this document, will be identified with the following Object Identifier:

```
{1(iso), 3(org), 6(dod), 1(internet), 5(security), 6(nametypes),  
4(gss-api-exported-name)}
```

The recommended symbolic name corresponding to this definition is GSS\_C\_NT\_EXPORT\_NAME.

#### 4.8: GSS\_C\_NO\_NAME

The recommended symbolic name GSS\_C\_NO\_NAME indicates that no name is

Linn

Document Expiration: 16 June 1999

[Page 85]

being passed within a particular value of a parameter used for the purpose of transferring names. Note: GSS\_C\_NO\_NAME is not an actual name type, and is not represented by an OID; its acceptability in lieu of an actual name is confined to specific calls (GSS\_Acquire\_cred(), GSS\_Add\_cred(), and GSS\_Init\_sec\_context()) with usages as identified within this specification.

## 5: Mechanism-Specific Example Scenarios

This section provides illustrative overviews of the use of various candidate mechanism types to support the GSS-API. These discussions are intended primarily for readers familiar with specific security technologies, demonstrating how GSS-API functions can be used and implemented by candidate underlying mechanisms. They should not be regarded as constrictive to implementations or as defining the only means through which GSS-API functions can be realized with a particular underlying technology, and do not demonstrate all GSS-API features with each technology.

### 5.1: Kerberos V5, single-TGT

OS-specific login functions yield a TGT to the local realm Kerberos server; TGT is placed in a credentials structure for the client. Client calls GSS\_Acquire\_cred() to acquire a cred\_handle in order to reference the credentials for use in establishing security contexts.

Client calls GSS\_Init\_sec\_context(). If the requested service is located in a different realm, GSS\_Init\_sec\_context() gets the necessary TGT/key pairs needed to traverse the path from local to target realm; these data are placed in the owner's TGT cache. After any needed remote realm resolution, GSS\_Init\_sec\_context() yields a service ticket to the requested service with a corresponding session key; these data are stored in conjunction with the context. GSS-API code sends KRB\_TGS\_REQ request(s) and receives KRB\_TGS REP response(s) (in the successful case) or KRB\_ERROR.

Assuming success, GSS\_Init\_sec\_context() builds a Kerberos-formatted KRB\_AP\_REQ message, and returns it in output\_token. The client sends the output\_token to the service.

The service passes the received token as the input\_token argument to GSS\_Accept\_sec\_context(), which verifies the authenticator, provides the service with the client's authenticated name, and returns an output\_context\_handle.

Both parties now hold the session key associated with the service ticket, and can use this key in subsequent GSS\_GetMIC(), GSS\_VerifyMIC(), GSS\_Wrap(), and GSS\_Unwrap() operations.

Linn

Document Expiration: 16 June 1999

[Page 86]

## 5.2: Kerberos V5, double-TGT

TGT acquisition as above.

Note: To avoid unnecessary frequent invocations of error paths when implementing the GSS-API atop Kerberos V5, it seems appropriate to represent "single-TGT K-V5" and "double-TGT K-V5" with separate mech\_types, and this discussion makes that assumption.

Based on the (specified or defaulted) mech\_type, GSS\_Init\_sec\_context() determines that the double-TGT protocol should be employed for the specified target. GSS\_Init\_sec\_context() returns GSS\_S\_CONTINUE\_NEEDED major\_status, and its returned output\_token contains a request to the service for the service's TGT. (If a service TGT with suitably long remaining lifetime already exists in a cache, it may be usable, obviating the need for this step.) The client passes the output\_token to the service. Note: this scenario illustrates a different use for the GSS\_S\_CONTINUE\_NEEDED status return facility than for support of mutual authentication; note that both uses can coexist as successive operations within a single context establishment operation.

The service passes the received token as the input\_token argument to GSS\_Accept\_sec\_context(), which recognizes it as a request for TGT. (Note that current Kerberos V5 defines no intra-protocol mechanism to represent such a request.) GSS\_Accept\_sec\_context() returns GSS\_S\_CONTINUE\_NEEDED major\_status and provides the service's TGT in its output\_token. The service sends the output\_token to the client.

The client passes the received token as the input\_token argument to a continuation of GSS\_Init\_sec\_context(). GSS\_Init\_sec\_context() caches the received service TGT and uses it as part of a service ticket request to the Kerberos authentication server, storing the returned service ticket and session key in conjunction with the context. GSS\_Init\_sec\_context() builds a Kerberos-formatted authenticator, and returns it in output\_token along with GSS\_S\_COMPLETE return major\_status. The client sends the output\_token to the service.

Service passes the received token as the input\_token argument to a continuation call to GSS\_Accept\_sec\_context(). GSS\_Accept\_sec\_context() verifies the authenticator, provides the service with the client's authenticated name, and returns major\_status GSS\_S\_COMPLETE.

GSS\_GetMIC(), GSS\_VerifyMIC(), GSS\_Wrap(), and GSS\_Unwrap() as above.

## 5.3: X.509 Authentication Framework

Linn

Document Expiration: 16 June 1999

[Page 87]

This example illustrates use of the GSS-API in conjunction with public-key mechanisms, consistent with the X.509 Directory Authentication Framework.

The `GSS_Acquire_cred()` call establishes a credentials structure, making the client's private key accessible for use on behalf of the client.

The client calls `GSS_Init_sec_context()`, which interrogates the Directory to acquire (and validate) a chain of public-key certificates, thereby collecting the public key of the service. The certificate validation operation determines that suitable integrity checks were applied by trusted authorities and that those certificates have not expired. `GSS_Init_sec_context()` generates a secret key for use in per-message protection operations on the context, and enciphers that secret key under the service's public key.

The enciphered secret key, along with an authenticator quantity signed with the client's private key, is included in the `output_token` from `GSS_Init_sec_context()`. The `output_token` also carries a certification path, consisting of a certificate chain leading from the service to the client; a variant approach would defer this path resolution to be performed by the service instead of being asserted by the client. The client application sends the `output_token` to the service.

The service passes the received token as the `input_token` argument to `GSS_Accept_sec_context()`. `GSS_Accept_sec_context()` validates the certification path, and as a result determines a certified binding between the client's distinguished name and the client's public key. Given that public key, `GSS_Accept_sec_context()` can process the `input_token`'s authenticator quantity and verify that the client's private key was used to sign the `input_token`. At this point, the client is authenticated to the service. The service uses its private key to decipher the enciphered secret key provided to it for per-message protection operations on the context.

The client calls `GSS_GetMIC()` or `GSS_Wrap()` on a data message, which causes per-message authentication, integrity, and (optional) confidentiality facilities to be applied to that message. The service uses the context's shared secret key to perform corresponding `GSS_VerifyMIC()` and `GSS_Unwrap()` calls.

## 6: Security Considerations

This document specifies a service interface for security facilities and services; as such, security considerations are considered

Linn

Document Expiration: 16 June 1999

[Page 88]

throughout the specification. Nonetheless, it is appropriate to summarize certain specific points relevant to GSS-API implementors and calling applications. Usage of the GSS-API interface does not in itself provide security services or assurance; instead, these attributes are dependent on the underlying mechanism(s) which support a GSS-API implementation. Callers must be attentive to the requests made to GSS-API calls and to the status indicators returned by GSS-API, as these specify the security service characteristics which GSS-API will provide. When the interprocess context transfer facility is used, appropriate local controls should be applied to constrain access to interprocess tokens and to the sensitive data which they contain.

## 7: Related Activities

In order to implement the GSS-API atop existing, emerging, and future security mechanisms:

object identifiers must be assigned to candidate GSS-API mechanisms and the name types which they support

concrete data element formats and processing procedures must be defined for candidate mechanisms

Calling applications must implement formatting conventions which will enable them to distinguish GSS-API tokens from other data carried in their application protocols.

Concrete language bindings are required for the programming environments in which the GSS-API is to be employed, as [[RFC-1509](#)] defines for the C programming language and GSS-V1. Preparation of C language bindings for GSS-V2 is in process in parallel with the preparation of the current document, and it is anticipated that this bindings document will be submitted as a candidate for standardization along with the current specification.

## 8: Referenced Documents

[ISO-7498-2] International Standard ISO 7498-2-1988(E), Security Architecture.

[ISOIEC-8824] ISO/IEC 8824, "Specification of Abstract Syntax Notation One (ASN.1)".

[ISOIEC-8825] ISO/IEC 8825, "Specification of Basic Encoding Rules for Abstract Syntax Notation One (ASN.1)..")

[[RFC-1507](#)]: C. Kaufman, "DASS: Distributed Authentication Security

Linn

Document Expiration: 16 June 1999

[Page 89]

Service", [RFC 1507](#).

[[RFC-1508](#)]: J. Linn, "Generic Security Service Application Program Interface", [RFC 1508](#).

[[RFC-1509](#)]: J. Wray, "Generic Security Service API: C-bindings", [RFC 1509](#).

[[RFC-1964](#)]: J. Linn, "The Kerberos Version 5 GSS-API Mechanism", [RFC 1964](#).

[[RFC-2025](#)]: C. Adams, "The Simple Public-Key GSS-API Mechanism (SPKM)", [RFC 2025](#).

[[RFC-2078](#)]: J. Linn, "Generic Security Service Application Program Interface, Version 2", [RFC 2078](#).

[[RFC-2203](#)]: M. Eisler, A. Chiu, L. Ling, "RPCSEC\_GSS Protocol Specification", [RFC 2203](#).

Linn

Document Expiration: 16 June 1999

[Page 90]

## APPENDIX A

## MECHANISM DESIGN CONSTRAINTS

The following constraints on GSS-API mechanism designs are adopted in response to observed caller protocol requirements, and adherence thereto is anticipated in subsequent descriptions of GSS-API mechanisms to be documented in standards-track Internet specifications.

It is strongly recommended that mechanisms offering per-message protection services also offer at least one of the replay detection and sequencing services, as mechanisms offering neither of the latter will fail to satisfy recognized requirements of certain candidate caller protocols.

Linn

Document Expiration: 16 June 1999

[Page 91]

## APPENDIX B

## COMPATIBILITY WITH GSS-V1

It is the intent of this document to define an interface and procedures which preserve compatibility between GSS-V1 [[RFC-1508](#)] callers and GSS-V2 providers. All calls defined in GSS-V1 are preserved, and it has been a goal that GSS-V1 callers should be able to operate atop GSS-V2 provider implementations. Certain detailed changes, summarized in this section, have been made in order to resolve omissions identified in GSS-V1.

The following GSS-V1 constructs, while supported within GSS-V2, are deprecated:

Names for per-message processing routines: GSS\_Seal() deprecated in favor of GSS\_Wrap(); GSS\_Sign() deprecated in favor of GSS\_GetMIC(); GSS\_Unseal() deprecated in favor of GSS\_Unwrap(); GSS\_Verify() deprecated in favor of GSS\_VerifyMIC().

GSS\_Delete\_sec\_context() facility for context\_token usage, allowing mechanisms to signal context deletion, is retained for compatibility with GSS-V1. For current usage, it is recommended that both peers to a context invoke GSS\_Delete\_sec\_context() independently, passing a null output\_context\_token buffer to indicate that no context\_token is required. Implementations of GSS\_Delete\_sec\_context() should delete relevant locally-stored context information.

This GSS-V2 specification adds the following calls which are not present in GSS-V1:

Credential management calls: GSS\_Add\_cred(),  
GSS\_Inquire\_cred\_by\_mech().

Context-level calls: GSS\_Inquire\_context(), GSS\_Wrap\_size\_limit(),  
GSS\_Export\_sec\_context(), GSS\_Import\_sec\_context().

Per-message calls: No new calls. Existing calls have been renamed.

Support calls: GSS\_Create\_empty\_OID\_set(),  
GSS\_Add\_OID\_set\_member(), GSS\_Test\_OID\_set\_member(),  
GSS\_Inquire\_names\_for\_mech(), GSS\_Inquire\_mechs\_for\_name(),  
GSS\_Canonicalize\_name(), GSS\_Export\_name(), GSS\_Duplicate\_name().

This GSS-V2 specification introduces three new facilities applicable to

Linn

Document Expiration: 16 June 1999

[Page 92]

security contexts, indicated using the following context state values which are not present in GSS-V1:

anon\_state, set TRUE to indicate that a context's initiator is anonymous from the viewpoint of the target; [Section 1.2.5](#) of this specification provides a summary description of the GSS-V2 anonymity support facility, support and use of which is optional.

prot\_ready\_state, set TRUE to indicate that a context may be used for per-message protection before final completion of context establishment; [Section 1.2.7](#) of this specification provides a summary description of the GSS-V2 facility enabling mechanisms to selectively permit per-message protection during context establishment, support and use of which is optional.

trans\_state, set TRUE to indicate that a context is transferable to another process using the GSS-V2 `GSS_Export_sec_context()` facility.

These state values are represented (at the C bindings level) in positions within a bit vector which are unused in GSS-V1, and may be safely ignored by GSS-V1 callers.

New `conf_req_flag` and `integ_req_flag` inputs are defined for `GSS_Init_sec_context()`, primarily to provide information to negotiating mechanisms. This introduces a compatibility issue with GSS-V1 callers, discussed in [section 2.2.1](#) of this specification.

Relative to GSS-V1, GSS-V2 provides additional guidance to GSS-API implementors in the following areas: implementation robustness, credential management, behavior in multi-mechanism configurations, naming support, and inclusion of optional sequencing services. The token tagging facility as defined in GSS-V2, [Section 3.1](#), is now described directly in terms of octets to facilitate interoperable implementation without general ASN.1 processing code; the corresponding ASN.1 syntax, included for descriptive purposes, is unchanged from that in GSS-V1. For use in conjunction with added naming support facilities, a new Exported Name Object construct is added. Additional name types are introduced in [Section 4](#).

This GSS-V2 specification adds the following `major_status` values which are not defined in GSS-V1:

<code>GSS_S_BAD_QOP</code>	unsupported QOP value
<code>GSS_S_UNAUTHORIZED</code>	operation unauthorized
<code>GSS_S_UNAVAILABLE</code>	operation unavailable
<code>GSS_S_DUPLICATE_ELEMENT</code>	duplicate credential element requested
<code>GSS_S_NAME_NOT_MN</code>	name contains multi-mechanism

Linn

Document Expiration: 16 June 1999

[Page 93]

GSS_S_GAP_TOKEN	elements skipped predecessor token(s) detected
-----------------	------------------------------------------------------

Of these added status codes, only two values are defined to be returnable by calls existing in GSS-V1: GSS\_S\_BAD\_QOP (returnable by GSS\_GetMIC() and GSS\_Wrap()), and GSS\_S\_GAP\_TOKEN (returnable by GSS\_VerifyMIC() and GSS\_Unwrap()).

Additionally, GSS-V2 descriptions of certain calls present in GSS-V1 have been updated to allow return of additional major\_status values from the set as defined in GSS-V1: GSS\_Inquire\_cred() has GSS\_S\_DEFECTIVE\_CREDENTIAL and GSS\_S\_CREDENTIALS\_EXPIRED defined as returnable, GSS\_Init\_sec\_context() has GSS\_S\_OLD\_TOKEN, GSS\_S\_DUPLICATE\_TOKEN, and GSS\_S\_BAD\_MECH defined as returnable, and GSS\_Accept\_sec\_context() has GSS\_S\_BAD\_MECH defined as returnable.

Linn

Document Expiration: 16 June 1999

[Page 94]

## APPENDIX C

CHANGES RELATIVE TO [RFC-2078](#)

This document incorporates a number of changes relative to [RFC-2078](#), made primarily in response to implementation experience, for purposes of alignment with the GSS-V2 C language bindings document, and to add informative clarification. This section summarizes technical changes incorporated.

## General:

Clarified usage of object release routines, and incorporated statement that some may be omitted within certain operating environments.

Removed `GSS_Release_OID`, `GSS_OID_to_str()`, and `GSS_Str_to_OID()` routines.

Clarified circumstances under which zero-length tokens may validly exist as inputs and outputs to/from GSS-API calls.

Added `GSS_S_BAD_MIC` status code as alias for `GSS_S_BAD_SIG`.

For `GSS_Display_status()`, deferred to language bindings the choice of whether to return multiple status values in parallel or via iteration, and added commentary deprecating return of `GSS_S_CONTINUE_NEEDED`.

Adapted and incorporated clarifying material on optional service support, delegation, and interprocess context transfer from C bindings document.

Added and updated references to related documents, and to current status of cited Kerberos mechanism OID.

Added general statement about GSS-API calls having no side effects visible at the GSS-API level.

## Context-related (including per-message protection issues):

Clarified `GSS_Delete_sec_context()` usage for partially-established contexts.

Added clarification on `GSS_Export_sec_context()` and `GSS_Import_sec_context()` behavior and context usage following an

Linn

Document Expiration: 16 June 1999

[Page 95]

export-import sequence.

Added informative conf\_req\_flag, integ\_req\_flag inputs to GSS\_Init\_sec\_context(). (Note: this facility introduces a backward incompatibility with GSS-V1 callers, discussed in [Section 2.2.1](#); this implication was recognized and accepted in working group discussion.)

Stated that GSS\_S\_FAILURE is to be returned if GSS\_Init\_sec\_context() or GSS\_Accept\_sec\_context() is passed the handle of a context which is already fully established.

Re GSS\_Inquire\_sec\_context(), stated that src\_name and targ\_name are not returned until GSS\_S\_COMPLETE status is reached; removed use of GSS\_S\_CONTEXT\_EXPIRED status code (replacing with EXPIRED lifetime return value); stated requirement to retain inquirable data until context released by caller; added result value indicating whether or not context is fully open.

Added discussion of interoperability conditions for mechanisms permitting optional support of QOPs. Removed reference to structured QOP elements in GSS\_Verify\_MIC().

Added discussion of use of GSS\_S\_DUPLICATE\_TOKEN status to indicate reflected per-message tokens.

Clarified use of informational sequencing codes from per-message protection calls in conjunction with GSS\_S\_COMPLETE and GSS\_S\_FAILURE major\_status returns, adjusting status code descriptions accordingly.

Added specific statements about impact of GSS\_GetMIC() and GSS\_Wrap() failures on context state information, and generalized existing statements about impact of processing failures on received per-message tokens.

For GSS\_Init\_sec\_context() and GSS\_Accept\_sec\_context(), permitted returned mech\_type to be valid before GSS\_S\_COMPLETE, recognizing that the value may change on successive continuation calls in the negotiated mechanism case.

Deleted GSS\_S\_CONTEXT\_EXPIRED status from GSS\_Import\_sec\_context().

Added conf\_req\_flag input to GSS\_Wrap\_size\_limit().

Stated requirement for mechanisms' support of per-message protection services to be usable concurrently in both directions on a context.

Linn

Document Expiration: 16 June 1999

[Page 96]

## Credential-related:

For GSS\_Acquire\_cred() and GSS\_Add\_cred(), aligned with C bindings statement of likely non-support for INITIATE or BOTH credentials if input name is neither empty nor a name resulting from applying GSS\_Inquire\_cred() against the default credential. Further, stated that an explicit name returned by GSS\_Inquire\_context() should also be accepted. Added commentary about potentially time-variant results of default resolution and attendant implications. Aligned with C bindings re behavior when GSS\_C\_NO\_NAME provided for desired\_name. In GSS\_Acquire\_cred(), stated that NULL, rather than empty OID set, should be used for desired\_mechs in order to request default mechanism set.

Added GSS\_S\_CREDENTIALS\_EXPIRED as returnable major\_status for GSS\_Acquire\_cred(), GSS\_Add\_cred(), also specifying GSS\_S\_NO\_CRED as appropriate return for temporary, user-fixable credential unavailability. GSS\_Acquire\_cred() and GSS\_Add\_cred() are also to return GSS\_S\_NO\_CRED if an authorization failure is encountered upon credential acquisition.

Removed GSS\_S\_CREDENTIALS\_EXPIRED status return from per-message protection, GSS\_Context\_time(), and GSS\_Inquire\_context() calls.

For GSS\_Add\_cred(), aligned with C bindings' description of behavior when addition of elements to the default credential is requested.

Upgraded recommended default credential resolution algorithm to status of requirement for initiator credentials.

For GSS\_Release\_cred(), GSS\_Inquire\_cred(), and GSS\_Inquire\_cred\_by\_mech(), clarified behavior for input GSS\_C\_NO\_CREDENTIAL.

## Name-related:

Aligned GSS\_Inquire\_mechs\_for\_name() description with C bindings.

Removed GSS\_S\_BAD\_NAMETYPE status return from GSS\_Duplicate\_name(), GSS\_Display\_name(); constrained its applicability for GSS\_Compare\_name().

Aligned with C bindings statement re GSS\_Import\_name() behavior with GSS\_C\_NO\_OID input name type, and stated that GSS-V2 mechanism specifications are to define processing procedures applicable to their mechanisms. Also clarified GSS\_C\_NO\_OID usage with

Linn

Document Expiration: 16 June 1999

[Page 97]

GSS\_Display\_name().

Downgraded reference to name canonicalization via DNS lookup to an example.

For GSS\_Canonicalize\_name(), stated that neither negotiated mechanisms nor the default mechanism are supported input mech\_types for this operation, and specified GSS\_S\_BAD\_MECH status to be returned in this case. Clarified that the GSS\_Canonicalize\_name() operation is non-destructive to its input name.

Clarified semantics of GSS\_C\_NT\_USER\_NAME name type.

Added descriptions of additional name types. Also added discussion of GSS\_C\_NO\_NAME and its constrained usage with specific GSS calls.

Adapted and incorporated C bindings discussion about name comparisons with exported name objects.

Added recommendation to mechanism designers for support of host-based service name type, deferring any requirement statement to individual mechanism specifications. Added discussion of host-based service's service name element and proposed approach for IANA registration policy therefor.

Clarified byte ordering within exported name object. Stated that GSS\_S\_BAD\_MECH is to be returned if, in the course of attempted import of an exported name object, the name object's enclosed mechanism type is unrecognized or unsupported.

Stated that mechanisms may optionally accept GSS\_C\_NO\_NAME as an input target name to GSS\_Init\_sec\_context(), with comment that such support is unlikely within mechanisms predating GSS-V2, Update 1.

Linn

Document Expiration: 16 June 1999

[Page 98]

AUTHOR'S ADDRESS

John Linn  
RSA Laboratories East  
**20 Crosby Drive**  
Bedford, MA 01730 USA  
+1 781.687.7817

E-mail: linn@rsa.com

## TABLE OF CONTENTS

1: GSS-API Characteristics and Concepts  
  1.1: GSS-API Constructs  
    1.1.1: Credentials  
      1.1.1.1: Credential Constructs and Concepts  
      1.1.1.2: Credential Management  
      1.1.1.3: Default Credential Resolution  
    1.1.2: Tokens  
    1.1.3: Security Contexts  
    1.1.4: Mechanism Types  
    1.1.5: Naming  
    1.1.6: Channel Bindings  
  1.2: GSS-API Features and Issues  
    1.2.1: Status Reporting  
    1.2.2: Per-Message Security Service Availability  
    1.2.3: Per-Message Replay Detection and Sequencing  
    1.2.4: Quality of Protection  
    1.2.5: Anonymity Support  
    1.2.6: Initialization  
    1.2.7: Per-Message Protection During Context Establishment  
    1.2.8: Implementation Robustness  
2: Interface Descriptions  
  2.1: Credential management calls  
    2.1.1: GSS\_Acquire\_cred call  
    2.1.2: GSS\_Release\_cred call  
    2.1.3: GSS\_Inquire\_cred call  
    2.1.4: GSS\_Add\_cred call  
    2.1.5: GSS\_Inquire\_cred\_by\_mech call  
  2.2: Context-level calls  
    2.2.1: GSS\_Init\_sec\_context call  
    2.2.2: GSS\_Accept\_sec\_context call  
    2.2.3: GSS\_Delete\_sec\_context call  
    2.2.4: GSS\_Process\_context\_token call  
    2.2.5: GSS\_Context\_time call  
    2.2.6: GSS\_Inquire\_context call  
    2.2.7: GSS\_Wrap\_size\_limit call  
    2.2.8: GSS\_Export\_sec\_context call  
    2.2.9: GSS\_Import\_sec\_context call  
  2.3: Per-message calls  
    2.3.1: GSS\_GetMIC call  
    2.3.2: GSS\_VerifyMIC call  
    2.3.3: GSS\_Wrap call  
    2.3.4: GSS\_Unwrap call  
  2.4: Support calls  
    2.4.1: GSS\_Display\_status call  
    2.4.2: GSS\_Indicate\_mechs call  
    2.4.3: GSS\_Compare\_name call

Linn

Document Expiration: 16 June 1999

[Page 100]

2.4.4: GSS\_Display\_name call  
2.4.5: GSS\_Import\_name call  
2.4.6: GSS\_Release\_name call  
2.4.7: GSS\_Release\_buffer call  
2.4.8: GSS\_Release\_OID\_set call  
2.4.9: GSS\_Create\_empty\_OID\_set call  
2.4.10: GSS\_Add\_OID\_set\_member call  
2.4.11: GSS\_Test\_OID\_set\_member call  
2.4.12: GSS\_Inquire\_names\_for\_mech call  
2.4.13: GSS\_Inquire\_mechs\_for\_name call  
2.4.14: GSS\_Canonicalize\_name call  
2.4.15: GSS\_Export\_name call  
2.4.16: GSS\_Duplicate\_name call

3: Data Structure Definitions for GSS-V2 Usage

3.1: Mechanism-Independent Token Format

3.2: Mechanism-Independent Exported Name Object Format

4: Name Type Definitions

4.1: Host-Based Service Name Form

4.2: User Name Form

4.3: Machine UID Form

4.4: String UID Form

5: Mechanism-Specific Example Scenarios

5.1: Kerberos V5, single-TGT

5.2: Kerberos V5, double-TGT

5.3: X.509 Authentication Framework

6: Security Considerations

7: Related Activities

8: Referenced Documents

Appendix A: Mechanism Design Constraints

Appendix B: Compatibility with GSS-V1

Appendix C: Changes Relative to [RFC-2078](#)

Linn

Document Expiration: 16 June 1999

[Page 101]