

Network Working Group
Internet Draft
Expiration Date: April 2003

Lou Berger (Movaz) - Editor
Yakov Rekhter (Juniper) - Editor

October 2002

Generalized MPLS Signaling - Implementation Survey

[draft-ietf-ccamp-gmpls-signaling-survey-03.txt](#)

Status of this Memo

This document is an Internet-Draft and is in full conformance with all provisions of [Section 10 of RFC2026](#). Internet-Drafts are working documents of the Internet Engineering Task Force (IETF), its areas, and its working groups. Note that other groups may also distribute working documents as Internet-Drafts.

Internet-Drafts are draft documents valid for a maximum of six months and may be updated, replaced, or obsoleted by other documents at any time. It is inappropriate to use Internet-Drafts as reference material or to cite them other than as "work in progress."

To view the current status of any Internet-Draft, please check the "1id-abstracts.txt" listing contained in an Internet-Drafts Shadow Directory, see <http://www.ietf.org/shadow.html>.

Abstract

This document provides a survey of GMPLS signaling implementations. The primary focus of this survey are the signaling protocol mechanisms specified in the Generalized MPLS signaling documents. Other specifications and documents are listed if included in the submitted form. The survey form and latest version of this document are available from <http://www.labn.net/gmpls-survey>.

Contents

1	Survey Summary	3
2	Survey Forms	8
2.1	AcceLight Networks	8
2.2	Agilent Technologies	13
2.3	Alcatel	16
2.4	Calient Networks	22
2.5	Ciena Corporation	27
2.6	Data Connection Ltd	30
2.7	Equipe Communications Corp.	35
2.8	Firstwave Intelligent Optical Networks	39
2.9	HCL Technologies Ltd., India	43
2.10	Intel Corporation	46
2.11	Japan Telecom Co., Ltd.	49
2.12	Juniper Networks	53
2.13	Lumentis AB	57
2.14	Marconi	60
2.15	Movaz Networks	63
2.16	NEC Corporation	66
2.17	NetPlane Systems	70
2.18	Nippon Telegraph and Telephone Corporation	75
2.19	Nortel Networks	79
2.20	Polaris Networks Inc	82
2.21	Sycamore Networks Inc.	86
2.22	Tellium, Inc.	89
2.23	Tropic Networks Inc	92
2.24	Wipro Technologies	94
2.25	Anonymous 1	98
3	Acknowledgments	100
4	Security Considerations	100
5	IANA Considerations	101
6	References	101
7	Editors' Addresses	101

This document is a compilation of responses to the GMPLS Signaling implementation form found at <http://www.labn.net/gmpls-survey/sig-survey.txt>. After a brief summary, each response in its entirety is listed. (**The editors, make no claim as to the accuracy of the information provided nor do they endorse the statements made within each response.**) Anonymous submissions were handled by Scott Bradner, sob@harvard.edu. All identifying information was removed prior to these submissions being forwarded to the editors. Generalized MPLS signaling is specified in the documents [[GMPLS-SIG](#)], [[GMPLS-RSVP](#)], [[GMPLS-LDP](#)] and [[GMPLS-SONET](#)].

Table 1 summarizes the results of the GMPLS signaling aspects of survey. Many included implementation details for other specifications or drafts. These details are included in the full response section, but not in the summary table. Table 2 provides total results by feature/question.

The categories covered in summary Table 1 are:

- o Type
Indicates type of implementation. Indicated types include: tester, (network) equipment, (portable or internal use) code. If the type was not evident, "unknown" is used.
- o Drafts
Indicates supported drafts. [[GMPLS-SIG](#)] is assumed. "R" is used to indicate [[GMPLS-RSVP](#)], "L" indicates [[GMPLS-LDP](#)] and "S" indicates [[GMPLS-SONET](#)].
- o Software (S/w) Genealogy
Indicates the source of the implementation. Two sub-categories are listed. The "external" category indicates the original source of the code, or "yes" if not indicated. The "internal" indicates the part of the code developed by the respondent.
- o Switch Capabilities
Indicates the type of switching supported. "P" indicates PSC, "T" indicates TDM, "L" indicates LSC and "F" indicates FSC.
- o Label Types
Indicates the supported label types. "M" indicates MPLS labels, "G" indicates the generalized label, "W" indicates waveband labels and "S" indicates SONET/SDH label.

- o Feature Summary

Summarizes supported features, by sub-category broken out in the survey form. Sub-categories are indicated in the table header. The "L" sub-category is used for form [section 11](#), "Label Related". "B" is used for form [section 13](#), "Bidirectional LSPs". "N" is used for form [section 14](#), "Notification". "O" is used for form [section 15](#), "Other features".

In the table, an "F" indicates that all sub-category features list in the form are supported. A "P" indicates partial support, i.e., some boxes were not checked.

Internet Draft [draft-ietf-ccamp-gmpls-signaling-survey-03.txt](#) October 2002

Ref. Section	Type	Draft	S/w Genealogy External:Internal	Switch Caps.	Label Types	Feature L:B:N:O
2.1	Equip.	R S	Yes :n/a	P T L	M G S	F:F:P:P
2.2	Tester	R S	:All	P T L F	M G W S	F:F:F:F
2.3	Equip.	R S	Yes :n/a	T L F	G W S	P:F:F:F
2.4	Equip.	R	Yes :TE	L F	G	P:F:P:P
2.5	Code	R S	Yes :n/a	T	S	:F: :
2.6	Code	R S	Yes :GMPLS	P T L F	M G W S	F:F:P:P
2.7	Equip.	R S	:All	P T	G S	:F:P:
2.8	Code	R L	:All	L F	G W	F:F:F:F
2.9	Code	R S	ISI :TE,GMPLS	T	G S	P:F:P:P
2.10	Equip.	R S	:All	P T	M G S	P:F:F:P
2.11	Code	R S	:All	n/a	G	P:F: :P
2.12	Equip.	R S	:All	P	M G S	P:F: :P
2.13	Equip.	R	Yes :GMPLS	L	G	:F: :
2.14	Equip.	R S	:All	T L F	G W S	P:F:F:F
2.15	Equip.	R S	LabN :GMPLS	T L F	G S	F:F:F:F
2.16	Equip.	R S	Yes :n/a	T	S	F:F:P:F
2.17	Code	R S	:All	P T L F	M G W S	F:F:F:P
2.18	Equip.	R S	Yes :n/a	P L	M G W	F:F:P:P

2.19	Code	L		n/a		n/a	M G W S	F:F:F:
+-----+	+-----+	+-----+	+-----+	+-----+	+-----+	+-----+	+-----+	+-----+
2.20	Equip.	R S	Yes	:n/a	T		S	P:F:P:F
+-----+	+-----+	+-----+	+-----+	+-----+	+-----+	+-----+	+-----+	+-----+
2.21	Equip.	R S	Yes	:n/a	T L F	G	S	F:F:P:P
+-----+	+-----+	+-----+	+-----+	+-----+	+-----+	+-----+	+-----+	+-----+
2.22	Equip.	R S	Yes	:n/a	T L F	G	S	F:F:P:P
+-----+	+-----+	+-----+	+-----+	+-----+	+-----+	+-----+	+-----+	+-----+

Internet Draft [draft-ietf-ccamp-gmpls-signaling-survey-03.txt](#) October 2002

2.23	Equip.	R	Yes	:n/a	P	L F	M G W	P:F:P:P
+-----+	+-----+	+-----+	+-----+	+-----+	+-----+	+-----+	+-----+	+-----+
2.24	Code	R L		:All	P T	M G	S	F:F:F:P
+-----+	+-----+	+-----+	+-----+	+-----+	+-----+	+-----+	+-----+	+-----+
2.25	Unknown	R	Yes	:n/a		L	G	P:F:P:P
+=====+	+=====+	+=====+	+=====+	+=====+	+=====+	+=====+	+=====+	+=====+

"n/a" indicates that no answer was provided.

Table 1: Survey Results Summary

Internet Draft [draft-ietf-ccamp-gmpls-signaling-survey-03.txt](#) October 2002

+=====+			
Total	Total		
GMPLS-RSVP	GMPLS-LDP	Section, Description	
+=====+			
25		Total participants	
24	-	6. Reference Draft - [GMPLS-RSVP]	
-	3	6. Reference Draft - [GMPLS-LDP]	
20		6. Reference Draft - [GMPLS-SONET]	
10	2	5.1 Switching capabilities - PSC	
15	1	5.2 Switching capabilities - TDM	
15	2	5.3 Switching capabilities - LSC	
10	1	5.4 Switching capabilities - FSC	
1		9.1 Implementation based on - Purchased code	
1		9.2 Implementation based on - Free code	
12	2	9.3 Implementation based on - Internal	
15	1	9.4 Implementation based on - Combination	
10	3	10.1 MPLS Label	
22	3	10.2 Generalized Label	
9	3	10.3 Waveband Label	
18	2	10.4 SONET/SDH Label	
19	3	11.1 Suggested Label	
15	3	11.2 Label Set	
10	-	12.1 Traffic Parameters - Intserv	
-	6	12.2 Traffic Parameters - CR-LDP	
21	3	12.3 GMPLS Bandwidth Encoding	
18	2	12.4 Traffic Parameters - SONET/SDH	

	24		4		13. Bidirectional LSPs	
	10		3		14.1 Acceptable Label Set	
	15		-		14.2 Notify Request Objects	
	18		-		14.3 Notify Message	
	19		-		14.4 Removing State with a PathErr message	
	17		2		15.1 Explicit Label Control	
	17		2		15.2 Protection Information	
	17		2		15.3 Administrative Status Information	
	18		2		15.4 Interface Identification	
	16		2		15.5 Errored Interface Identification	
	16		1		15.6 Link Fault Handling	
	13		1		15.7 Nodal Fault Handling	
+=====+						

"-" indicates that items is not relevant to protocol.

Table 2: Survey Totals

[2. Survey Forms](#)

[2.1. AcceLight Networks](#)

GMPLS Signaling Implementation Survey Form

[V 1.1]

1. Organization:

AcceLight Networks

1.1 Organization url(s):

www.accelight.com

2. Product title(s):

PXS 540

2.1 Brief description(s):

The PXS 540 is a new class of network element. The 'Photonic Service Switch' integrates data plane switching across a fast switching photonic fabric (POS, GE, SONET/SDH), and the control plane with GMPLS extensions.

The PXS 540 can be deployed as a classical MPLS LSR, Broadband TDM crossconnect (BXC), and/or an opaque Optical crossconnect (OXC). With service integration or any combination of functions can also be configured such as BXC+OXC, MPLS LSR+OXC, MPLS+BXC or MPLS LSR+BXC+OXC.

3. Contact for GMPLS information

3.1 Name: Debashis Basak

3.2 Title: Lead Engineer

3.3 E-mail: dbasak@accelight.com

3.4 Organization/department: Software - Routing & Signaling

3.5 Postal address: 70 Abele Rd, Suite 1200, Bridgeville, PA 15017

3.6 Phone: 412-220-2102 x 115

3.7 Fax: 412-220-2450

Berger, Rekhter - Editors

[Page 8]

Internet Draft [draft-ietf-ccamp-gmpls-signaling-survey-03.txt](#) October 2002

4. Status:

- 4.1 ☐ Development
- 4.2 ☐ Alpha
- 4.3 ☒ Beta
- 4.4 ☐ Product
- 4.5 ☐ Other (describe):

5. Switching capabilities

- | | [GMPLS-
RSVP] | [GMPLS-
LDP] | |
|-----|-------------------------------------|--------------------------|-----|
| 5.1 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | PSC |
| 5.2 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | TDM |
| 5.3 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | LSC |

5.4 ☐ ☐ FSC

6. Reference Drafts (please list, include version numbers)

- 6.1 ☒ [draft-ietf-ccamp-gmpls-architecture-02.txt](#)
- 6.2 ☒ [draft-many-ccamp-gmpls-framework-00.txt](#)

- 6.3 ☒ [draft-ietf-ccamp-gmpls-routing-03.txt](#)
- 6.4 ☒ [draft-ietf-ccamp-ospf-gmpls-extensions-05.txt](#)
- 6.5 ☒ [draft-ietf-isis-gmpls-extensions-09.txt](#)

- 6.6 ☒ [draft-ietf-mpls-generalized-signaling-07.txt](#)
- 6.7 ☒ [draft-ietf-mpls-generalized-rsvp-te-06.txt](#)
- 6.8 ☒ [draft-ietf-mpls-lsp-hierarchy-04.txt](#)
- 6.9 ☒ [draft-ietf-mpls-rsvp-unnum-04.txt](#)
- 6.10 ☒ [draft-ietf-ccamp-lmp-02.txt](#)

- 6.11 ☒ [draft-ietf-ccamp-gmpls-sonet-sdh-03.txt](#)

- 6.12 ☒ [draft-mannie-gmpls-recovery-terminology-00.txt](#)
- 6.13 ☒ [draft-design-team-gmpls-recovery-analysis-00.txt](#)
- 6.14 ☒ [RFC2961](#) Refresh Reduction
- 6.15 ☒ [draft-ietf-mpls-bundle-01.txt](#)

7. Interface technologies

- 7.1 ☐ Frame Relay
- 7.2 ☐ ATM
- 7.3 ☒ Ethernet V2/DIX
- 7.4 ☒ Ethernet 802.3
- 7.5 ☒ SDH

Berger, Rekhter – Editors

[Page 9]

Internet Draft [draft-ietf-ccamp-gmpls-signaling-survey-03.txt](#) October 2002

- 7.6 ☒ SONET
- 7.7 ☒ Lambda
- 7.8 ☐ Fiber
- 7.9 ☐ FiberChannel
- 7.10 ☒ Other (describe): Gigabit Ethernet (GE)
- 7.11 ☒ Other (describe): POS (Packet over SONET)

8. Availability

	[GMPLS- RSVP]	[GMPLS- LDP]	
8.1	<input type="checkbox"/>	<input type="checkbox"/>	Public and free
8.2	<input type="checkbox"/>	<input type="checkbox"/>	Only to selected organizations/companies but free
8.3	<input type="checkbox"/>	<input type="checkbox"/>	On sale.
8.4	<input type="checkbox"/>	<input type="checkbox"/>	For internal company use only
8.5	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Other: As part of the Photonic Service Switch Platform

9. Implementation based on: (check all that apply)

	[GMPLS- RSVP]	[GMPLS- LDP]	
9.1	<input type="checkbox"/>	<input type="checkbox"/>	Purchased code (please list source if possible)
9.2	<input type="checkbox"/>	<input type="checkbox"/>	Free code (please list source if possible)
9.3	<input type="checkbox"/>	<input type="checkbox"/>	Internal implementation (no outside code, just from specs)
9.4	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Internal implementation on top of purchased or free code
9.4.1			List portions from external source: (Identify protocol if appropriate)
9.4.2			List portions developed internally: (Identify protocol if appropriate)

10. Supported Label Types

	[GMPLS- RSVP]	[GMPLS- LDP]	
10.1	<input checked="" type="checkbox"/>	<input type="checkbox"/>	MPLS Label
10.2	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Generalized Label
10.3	<input type="checkbox"/>	<input type="checkbox"/>	Waveband Label
10.4	<input checked="" type="checkbox"/>	<input type="checkbox"/>	SONET/SDH Label

11. Label Related

	[GMPLS- RSVP]	[GMPLS- LDP]	
11.1	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Suggested Label
11.2	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Label Set

12. Traffic Parameters

[GMPLS- [GMPLS-

- 12.1 ☒ ☐ Intserv (Please list which)
- 12.2 ☐ ☐ CR-LDP
- 12.3 ☒ ☐ GMPLS Bandwidth Encoding
- 12.4 ☒ ☐ SONET/SDH
13. Bidirectional LSPs
 [GMPLS-RSVP] ☒ [GMPLS-LDP] ☐ Bidirectional LSPs
14. Notification
 [GMPLS-RSVP] ☐ [GMPLS-LDP] ☐
- 14.1 ☐ ☐ Acceptable Label Set
- 14.2 ☒ Notify Request Objects (GMPLS-RSVP)
- 14.3 ☒ Notify Message (GMPLS-RSVP)
- 14.4 ☒ Removing State with a PathErr message (GMPLS-RSVP)
- 15 Other features
 [GMPLS-RSVP] ☐ [GMPLS-LDP] ☐
- 15.1 ☒ ☐ Explicit Label Control
- 15.2 ☒ ☐ Protection Information
- 15.3 ☒ ☐ Administrative Status Information
- 15.4 ☒ ☐ Interface Identification
- 15.5 ☐ ☐ Errored Interface Identification
- 15.6 ☒ ☐ Link Fault Handling
- 15.7 ☐ ☐ Nodal Fault Handling
16. Other specification(s) which apply:
- 16.1 ☒ [draft-ietf-mpls-diff-ext-09.txt](#)
- 16.2 ☒ [RFC 2597](#) Assured Forwarding PHB group
- 16.3 ☒ [RFC 3246](#) An Expedited Forwarding PHB
- 16.4 ☒ [RFC 3036](#) LDP Specification
- 16.5 ☒ [RFC 3037](#) LDP Applicability
- 16.6 ☒ [RFC 2205](#) RSVP Protocol Specification
- 16.7 ☒ [RFC 3032](#) MPLS Label Stack encoding
- 16.8 ☒ [RFC 3031](#) Multiprotocol Label Switching Architecture
17. Other features supported:
- 17.1 related to [\[GMPLS-RSVP\]](#)
- 17.2 related to [\[GMPLS-LDP\]](#)
- 17.3 Other: see [section 15](#), 16 and 20.
18. Currently-defined GMPLS signaling features not supported:

- 18.1 related to [\[GMPLS-RSVP\]](#): none
- 18.2 related to [\[GMPLS-LDP\]](#): none
- 18.3 related to [\[GMPLS-SONET\]](#): none
- 18.4 Other: FSC interfaces

19. Notes (please describe purpose of project, give any information that might be useful to those interested in developing or using GMPLS)

The PXS 540 delivers flexible intra AS switched services. The PXS 540 services large aggregation and/or metro core/regional applications such as STS-1 grooming, switched SONET/SDH, OCn optical services, Ethernet virtual leased lines, MPLS label switching, cable and/or DSL trunking.

The PXS 540 delivers an integrated overlay (hybrid) or peer networking architecture for switched services for the wavelength core. Topology discovery, and layer 3 route interworking are provided with IGPs such as IS-IS and OSPF. Traffic Engineering is integrated through RSVP-TE with optical extensions. The resulting Photonic Service Switching (PSS) layer aggregates the edge services from elements such as routers, DSLAM, Dial, B-DACS, UPSR SONET ADM, and MPLS LERs to the existing WDM transmission infrastructure.

20. If you feel the above categories are not complete, add others which will better describe your project:

- 20.1 ☒ OIF Optical UNI
- 20.2 ☒ OIF-UNI - GMPLS Interworking
- 20.3 ☒ Out of Band Signaling

=====

Person filling out this form:

Same as contact person

Name: Johnson Kuruvila
E-mail: johnson@accelight.com
Tel.: 613-596-480
Title: Lead Engineer
Company: AcceLight Networks
Date prepared: April 4, 2002

Internet Draft [draft-ietf-ccamp-gmpls-signaling-survey-03.txt](#) October 2002

[2.2.](#) Agilent Technologies

GMPLS Signaling Implementation Survey Form

[V 1.0]

1. Organization: Agilent Technologies

1.1 Organization url(s): www.agilent.com/comms/RouterTester

2. Product title(s):

Agilent RouterTester System.

GMPLS RSVP Conformance Test Suite - E5172A

GMPLS, MPLS & OIF UNI RSVP Protocol Software - E5173A

2.1 Brief description(s):

The Agilent RouterTester platform has 2 software modules for testing GMPLS:

E5172A- Automated protocol conformance test suite that tests GMPLS extensions to RSVP and LMP. Operates over in-band or out of band signaling interfaces.

<http://advanced.comms.agilent.com/RouterTester/datasheets/e5172a.htm>

E5173A - Provides realistic Internet-scale GMPLS, MPLS, OIF UNI and LMP protocol emulation. This software operates with routing protocol software and traffic generation tools to provide comprehensive multiprotocol verification and stressing of GMPLS-capable devices and networks. Operates over in-band or out of band signaling interfaces.

<http://advanced.comms.agilent.com/RouterTester/datasheets/e5173a.htm>

3. Contact for GMPLS information

3.1 Name: Sashi Vyravipillai

3.2 Title: Product Marketing Engineer

- 3.3 E-mail: sashi_vyravipillai@agilent.com
- 3.4 Organization/department:
Agilent Technologies,
Advanced Networks Division
- 3.5 Postal address:
Locked Bag 810
Blackburn Vic. 3130

Internet Draft [draft-ietf-ccamp-gmpls-signaling-survey-03.txt](#) October 2002

Australia

- 3.6 Phone: +61-3-9210-5646
- 3.7 Fax: +61-3-9210-5550

4. Status:

- 4.1 ☐ Development
- 4.2 ☐ Alpha
- 4.3 ☐ Beta
- 4.4 ☒ Product
- 4.5 ☐ Other (describe):

5. Switching capabilities

- 5.1 ☒ PSC
- 5.2 ☒ TDM
- 5.3 ☒ LSC
- 5.4 ☒ FSC

6. Reference Drafts (please list, include version numbers)

- 6.1 ☒ [draft-ietf-mpls-generalized-signaling-07](#)
- 6.2 ☒ [draft-ietf-mpls-generalized-rsvp-te-06](#)
- 6.3 ☒ [draft-ietf-ccamp-gmpls-sonet-sdh-03](#)
- 6.4 ☒ [draft-ietf-mpls-rsvp-unnum-04](#)
- 6.5 ☒ [draft-ietf-mpls-bundle-01](#)
- 6.6 ☒ [draft-ietf-ccamp-lmp-03](#)
- 6.7 ☒ [RFC2961](#) Refresh Reduction
- 6.8 ☒ [draft-ietf-ccamp-ospf-gmpls-extensions-04](#)

7. Interface technologies

- 7.1 [] Frame Relay
- 7.2 [X] ATM
- 7.3 [] Ethernet V2/DIX
- 7.4 [X] Ethernet 802.3
- 7.5 [X] SDH
- 7.6 [X] SONET
- 7.7 [X] Lambda (photonic)
- 7.8 [X] Fiber
- 7.9 [] FiberChannel
- 7.10 [] Other (describe):

8. Availability

- 8.1 [] Public and free
- 8.2 [] Only to selected organizations/companies but free
- 8.3 [X] On sale.
- 8.4 [] For internal company use only

- 8.5 [] Other:

9. Implementation based on: (check all that apply)

- 9.1 [] Purchased code (please list source if possible)
- 9.2 [] Free code (please list source if possible)
- 9.3 [X] Internal implementation (no outside code, just from specs)
- 9.4 [] Internal implementation on top of purchased or free code
 - 9.4.1 [] List portions from external source
 - 9.4.2 [] List portions developed internally

10. Supported Label Types

- 10.1 [X] MPLS Label (when using MPLS software)
- 10.2 [X] Generalized Label
- 10.3 [X] Waveband Label
- 10.4 [X] SONET/SDH Label

11. Label Related

- 11.1 [X] Suggested Label
- 11.2 [X] Label Set

12. Traffic Parameters

- 12.1 [X] Intserv (Please list which)
- 12.2 [] CR-LDP
- 12.3 [X] GMPLS Bandwidth Encoding
- 12.4 [X] SONET/SDH

- 13. ☒ Bidirectional LSPs
- 14. Notification
 - 14.1 ☒ Acceptable Label Set
 - 14.2 ☒ Notify Request Objects (GMPLS-RSVP)
 - 14.3 ☒ Notify Message (GMPLS-RSVP)
 - 14.4 ☒ Removing State with a PathErr message (GMPLS-RSVP)
- 15 Other features
 - 15.1 ☒ Explicit Label Control
 - 15.2 ☒ Protection Information
 - 15.3 ☒ Administrative Status Information
 - 15.4 ☒ Interface Identification
 - 15.5 ☒ Errored Interface Identification
 - 15.6 ☒ Link Fault Handling
 - 15.7 ☒ Nodal Fault Handling
- 16. Other specification(s) which apply:
 - ☒ Link Management Protocol
- 17. Other features supported:
 - ☒ In band control channel on OC48 and OC192 DCC interfaces

☒ Out of band control channel on Ethernet/GigE

- 18. Currently-defined GMPLS signaling features not supported:
- 19. Notes (please describe purpose of project, give any information that might be useful to those interested in developing or using GMPLS)
- 20. If you feel the above categories are not complete, add others which will better describe your project:
 - ☒ GRE Tunneling Support for control plane transport
 - ☒ Unnumbered interface support
 - ☒ Bundled interface support

=====

Person filling out this form:

Name: Cary Wright
E-mail: cary_wright@agilent.com
Tel.: +61-3-9210-5843
Title: R&D Project Manager
Company: Agilent Technologies
Date prepared: 8 March 2002

2.3. Alcatel

GMPLS Signaling Implementation Survey Form

1. Organization: Alcatel

1.1 Organization url(s): www.alcatel.com

2. Product title(s): Alcatel Lambda Gate with Generalized Multiprotocol Routing Engine (GMRE)

2.1 Brief description(s): The Lambda Gate family, which supports crossconnects on SDH/SONET and OTH, provides with the GMRE the GMPLS functionality in networks.

3. Contact for GMPLS information

3.1 Name: Gert Grammel

Stefan Ansorge
Papadimitriou Dimitri

3.2 Title:

3.3 E-mail: gert.grammel@netit.alcatel.it stefan.ansorge@alcatel.de dimitri.papadimitriou@alcatel.be

3.4 Organization/department: Alcatel TND Alcatel Optical NA

3.5 Postal address: Via Trento 30,
I-20059 Vimercate, Italy

Lorenzstrasse, 10
70435 Stuttgart, Germany

Francis Wellesplein, 1
B-2018 Antwerpen, Belgium

3.6 Phone: +39 039 686 7060
+49 7 11 821 33744
+32 3 240 8491

3.7 Fax:

4. Status:

- 4.1 ☐ Development
- 4.2 ☒ Alpha (Supercom 2002 Demo)
- 4.3 ☒ Beta (End 2002)
- 4.4 ☐ Product
- 4.5 ☐ Other (describe):

5. Switching capabilities

- 5.1 ☐ PSC
- 5.2 ☒ TDM
- 5.3 ☒ LSC
- 5.4 ☒ FSC

6. Reference Drafts (please list, include version numbers)

- 6.1 [RFC2205](#) - Resource Reservation Protocol, September 1997
- 6.2 [RFC2208](#) - Resource Reservation Protocol Applicability Statement

- 6.3 [RFC2961](#) - RSVP Summary Refresh and bundling, April 2001
 - 6.4 [RFC3209](#) - RSVP extensions for Tunnel Setup, December 2001
 - 6.5 [RFC3210](#) - Applicability statement for the extensions to RSVP for LSP Tunnels
 - 6.6 Draft-ietf-ccamp-gmpls-architecture-02.txt
 - Generalized Multi-Protocol Label Switching (GMPLS)
- Architecture
- 6.7 Draft-ietf-mpls-generalized-signaling-07.txt
 - Generalized MPLS - Signaling Functional Description
 - 6.8 Draft-ietf-mpls-generalized-rsvp-te-06.txt
 - Generalized MPLS Signaling - RSVP-TE Extensions
 - 6.9 Draft-ietf-mpls-rsvp-unnum-04.txt
 - Signalling Unnumbered Links in RSVP-TE
 - 6.10 Draft-ietf-ccamp-gmpls-sonet-sdh-03.txt
 - Generalized MPLS extensions for SDH/SONET Network Control
 - 6.11 Draft-ietf-mpls-bundle-01.txt
 - Link Bundling in MPLS Traffic Engineering
-
- 6.12 [RFC2328](#) - OSPF Version 2, April 1998
 - 6.13 [RFC2370](#) - Opaque LSA Types, July 1998
 - 6.14 Draft-katz-yeung-ospf-traffic-06.txt
 - Traffic Engineering Extensions to OSPF
 - 6.15 Draft-ccamp-opsf-gmpls-extensions-04.txt
 - OSPF Extensions in Support of Generalized MPLS
 - 6.16 Draft-mannie-ccamp-gmpls-sonet-sdh-ospf-isis-00.txt
 - Extensions to OSPF and IS-IS for GMPLS for SDH/SONET
- Control

7. Interface technologies

- 7.1 [] Frame Relay
- 7.2 [] ATM
- 7.3 [] Ethernet V2/DIX
- 7.4 [] Ethernet 802.3
- 7.5 [x] SDH
- 7.6 [x] SONET
- 7.7 [x] Lambda
- 7.8 [x] Fiber (future)
- 7.9 [x] FiberChannel (future)
- 7.10 [] Other (describe):

8. Availability

- 8.1 ☐ Public and free
- 8.2 ☐ Only to selected organizations/companies but free
- 8.3 ☒ On sale.
- 8.4 ☒ For internal company use only
- 8.5 ☐ Other:

9. Implementation based on: (check all that apply)

- 9.1 ☒ Purchased code (please list source if possible)
- 9.2 ☒ Free code (please list source if possible)
- 9.3 ☒ Internal implementation (no outside code, just from specs)
- 9.4 ☒ Internal implementation on top of purchased or free code
 - 9.4.1 ☐ List portions from external source
 - 9.4.2 ☐ List portions developed internally

10. Supported Label Types

- 10.1 ☐ MPLS Label
- 10.2 ☒ Generalized Label
- 10.3 ☒ Waveband Label (future)
- 10.4 ☒ SONET/SDH Label

11. Label Related

- 11.1 ☒ Suggested Label
- 11.2 ☐ Label Set

12. Traffic Parameters

- 12.1 ☐ Intserv (Please list which)
- 12.2 ☐ CR-LDP
- 12.3 ☒ GMPLS Bandwidth Encoding
- 12.4 ☒ SONET/SDH

13. [x] Bidirectional LSPs

Internet Draft [draft-ietf-ccamp-gmpls-signaling-survey-03.txt](#) October 2002

14. Notification

- 14.1 [x] Acceptable Label Set
 - 14.2 [x] Notify Request Objects (GMPLS-RSVP)
 - 14.3 [x] Notify Message (GMPLS-RSVP)
 - 14.4 [x] Removing State with a PathErr message (GMPLS-RSVP)
-

15. Other features

- 15.1 [x] Explicit Label Control
 - 15.2 [x] Protection Information
 - 15.3 [x] Administrative Status Information
 - 15.4 [x] Interface Identification
 - 15.5 [x] Errored Interface Identification
 - 15.6 [x] Link Fault Handling
 - 15.7 [x] Nodal Fault Handling
-

16. Other specification(s) which apply:

- RSVP COPS -

- 16.1 [RFC 2748](#) - The COPS (Common Open Policy Service) Protocol
- 16.2 [RFC 2749](#) - COPS usage for RSVP
- 16.3 [RFC 2753](#) - A Framework for Policy-based Admission Control
- 16.4 [draft-ietf-rap-new-rsvpext-00.txt](#) - RSVP Extension for Policy Control

- SNMP -

- 16.5 [RFC 2571](#) - An architecture for Describing SNMP Management Frameworks
- 16.6 [RFC 2574](#) - User-based Security Model (USM) for version 3 of the Simple Network Management Protocol (SNMPv3)

- 16.7 [RFC 2575](#) - Viewer-based Access Control Model (VACM) for the Simple Network Management Protocol (SNMP)
- 16.8 [RFC2863](#) - The Interfaces Group MIB
- 16.9 [draft-nadeau-ccamp-gmpls-label-mib-01.txt](#)
 - Generalized Multiprotocol Label Switching (GMPLS) Label Management

Berger, Rekhter - Editors

[Page 20]

Internet Draft [draft-ietf-ccamp-gmpls-signaling-survey-03.txt](#) October 2002

- Information Base
- 16.10 [draft-nadeau-ccamp-gmpls-lsr-mib-01.txt](#)
- Generalized Multiprotocol Label Switching (GMPLS) Label Switching
- Router Management Information Base
- 16.11 [draft-nadeau-ccamp-gmpls-tc-mib-01.txt](#)
- Definition of Textual Conventions and OBJECT-IDENTITIES for Generalized Multiprotocol Label Switching (GMPLS) Management
- 16.12 [draft-nadeau-ccamp-gmpls-te-mib-01.txt](#)
- Generalized Multiprotocol Label Switching (GMPLS) Traffic Engineering Management Information Base
- 16.13 [draft-ietf-ospf-mib-update-05.txt](#), November 2000
- OSPFv2 Management Information Base
- 16.14 [RFC2206](#), September 1997
- RSVP Management Information Base using SMIV2
- 16.15 [draft-ietf-mpls-tc-mib-03.txt](#), December 2001
- Definition of Textual Conventions and OBJECT-IDENTITIES for Multi-Protocol Label Switching (MPLS) Management
- 16.16 [draft-ietf-mpls-te-mib-08.txt](#), December 2001
- MPLS Traffic Engineering Management Information Base Using SMIV2
- 16.17 [draft-ietf-mpls-bundle-mib-00.txt](#), September 2001.
- Link Bundling Management Information Base Using SMIV2
- 16.18 [draft-ietf-tewg-mib-01.txt](#), October 2001
- Traffic Engineering MIB
- LMP -
- 16.19 [draft-ietf-ccamp-lmp-03.txt](#)
- Link Management Protocol (v1)
- 16.20 [draft-ietf-ccamp-lmp-mib-01.txt](#)

Using - Link Management Protocol Management Information Base
SMIPv2

- OIF -

16.21 User Network Interface (UNI) 1.0 Signaling Specification -
OIF October'01

17. Other features supported:

17.1 OIF-UNI - GMPLS Interworking
17.2 Out of Band Signaling

Berger, Rekhter - Editors

[Page 21]

Internet Draft [draft-ietf-ccamp-gmpls-signaling-survey-03.txt](#) October 2002

17.3 Graceful Deletion

18. Currently-defined GMPLS signaling features not supported:

19. Notes (please describe purpose of project, give any information
that might be useful to those interested in developing or using
GMPLS)

20. If you feel the above categories are not complete, add others which
will better describe your project:

[2.4.](#) Calient Networks

GMPLS Signaling Implementation Survey Form

[V 1.0]

1. Organization: Calient Networks

1.1 Organization url(s): <http://www.calient.net>

2. Product title(s): DiamondWave Photonic Switch

2.1 Brief description(s): MEMS-based photonic switch, leveraging GMPLS to provide dynamic provisioning and mesh-based protection/restoration.

3. Contact for GMPLS information

3.1 Name: james scott

3.2 Title: s/w arch

3.3 E-mail: jscott@calient.net

3.4 Organization/department: san jose/engineering

3.5 Postal address: 5853 rue ferrari
san jose, CA 95138

Berger, Rekhter - Editors

[Page 22]

Internet Draft [draft-ietf-ccamp-gmpls-signaling-survey-03.txt](#) October 2002

3.6 Phone: 408.972.3709

3.7 Fax: 408.972.3800

4. Status:

4.1 ☐ Development

4.2 ☐ Alpha

4.3 ☒ Beta

4.4 ☐ Product

4.5 ☐ Other (describe):

5. Switching capabilities

5.1 ☐ PSC

5.2 ☐ TDM

5.3 ☒ LSC

5.4 ☒ FSC

6. Reference Drafts (please list, include version numbers)

OSPF-TE
distributed RSVP-TE
LMP

10. Supported Label Types

- 10.1 [] MPLS Label
- 10.2 [[X](#)] Generalized Label
- 10.3 [] Waveband Label
- 10.4 [] SONET/SDH Label

11. Label Related

- 11.1 [[X](#)] Suggested Label
- 11.2 [] Label Set

12. Traffic Parameters

- 12.1 [[X](#)] Intserv (Please list which)

PATH

Session
IF_ID RSVP Hop
Time Values
Sender Template
Sender Tspec
Message_ID/Message_ID_ACK/Message_ID_NACK
ERO
RRO
Generalized Label Request (LSC/FSC only)
Suggested Label
Upstream Label
Recovery Label
Protection
Notify Req
AdminStatus

PATHErr

Session
Sender Template

Sender Tspec
Message_ID/Message_ID_ACK/Message_ID_NACK
ErrorSpec
RRO

RESV
 Session
 Time Values
 Message_ID/Message_ID_ACK/Message_ID_NACK
 IF_ID RSVP Hop
 Resv Confirm
 Notify Request
 AdminStatus
 Style (FF or SE)
 Flowspec
 Filterspec
 RSVP Label
 RRO
 Generalized Label

RESVErr
 Session
 IF_ID RSVP Hop
 Message_ID/Message_ID_ACK/Message_ID_NACK
 ErrorSpec
 Style (FF and SE)

NOTIFY
 Session
 Sender Template
 Message_ID/Message_ID_ACK/Message_ID_NACK
 AdminStatus
 ErrorSpec

HELLO
 Hello
 Restart Capabilities

Summary Refresh
 Session
 Message_ID/Message_ID_ACK/Message_ID_NACK
 Message ID List

- 12.2 [] CR-LDP
- 12.3 [[X](#)] GMPLS Bandwidth Encoding
- 12.4 [] SONET/SDH

13. ☒ Bidirectional LSPs

14. Notification

14.1 ☐ Acceptable Label Set

14.2 ☒ Notify Request Objects (GMPLS-RSVP)

14.3 ☒ Notify Message (GMPLS-RSVP)

14.4 ☐ Removing State with a PathErr message (GMPLS-RSVP)

15 Other features

15.1 ☐ Explicit Label Control

15.2 ☒ Protection Information

15.3 ☒ Administrative Status Information

15.4 ☒ Interface Identification

15.5 ☒ Errored Interface Identification

15.6 ☒ Link Fault Handling

15.7 ☒ Nodal Fault Handling

16. Other specification(s) which apply:

17. Other features supported:

Resilient GMPLS control channels
LSP hierarchy (static)

18. Currently-defined GMPLS signaling features not supported:

Label Set
Waveband Switching
SONET/SDH extensions

19. Notes (please describe purpose of project, give any information that might be useful to those interested in developing or using GMPLS)

20. If you feel the above categories are not complete, add others which will better describe your project:

=====

Person filling out this form:

Name: james scott
E-mail: jscott@calient.net
Tel.: 408.972.3709
Title: s/w arch
Company: calient
Date prepared: 02.03.11

Internet Draft [draft-ietf-ccamp-gmpls-signaling-survey-03.txt](#) October 2002

[2.5.](#) Ciena Corporation

GMPLS Signaling Implementation Survey Form

[V 1.1]

1. Organization: Ciena Corporation

1.1 Organization url(s): www.ciena.com

2. Product title(s): MetroDirector, CoreDirector

2.1 Brief description(s): Metro and core optical switches with STS-1 granularity. GMPLS is implemented using the OIF UNI 1.0 Implementation agreement in order to support interoperability.

3. Contact for GMPLS information

3.1 Name: Lyndon Ong

3.2 Title: Dir., Net. Control and Management

3.3 E-mail: lyong@ciena.com

3.4 Organization/department: CTO

3.5 Postal address: 10480 Ridgeview Court, Cupertino, CA 95014

3.6 Phone: 408-366-3358

3.7 Fax:

4. Status:

4.1 ☐ Development

4.2 ☒ Alpha

4.3 ☐ Beta

4.4 ☐ Product

4.5 ☐ Other (describe):

5. Switching capabilities

[GMPLS- [GMPLS-

	RSVP]	LDP]	
5.1	[]	[]	PSC
5.2	[X]	[]	TDM
5.3	[]	[]	LSC
5.4	[]	[]	FSC

Internet Draft [draft-ietf-ccamp-gmpls-signaling-survey-03.txt](#) October 2002

6. Reference Drafts (please list, include version numbers)

- 6.1 [X] [draft-ietf-mpls-generalized-signaling-06.txt](#)
- 6.2 [X] [draft-ietf-mpls-generalized-rsvp-te-05.txt](#)
- 6.3 [X] [draft-ietf-ccamp-gmpls-sonet-sdh-02.txt](#)
- 6.4 []

7. Interface technologies

- 7.1 [] Frame Relay
- 7.2 [] ATM
- 7.3 [] Ethernet V2/DIX
- 7.4 [] Ethernet 802.3
- 7.5 [X] SDH
- 7.6 [X] SONET
- 7.7 [] Lambda (photonic)
- 7.8 [] Fiber
- 7.9 [] FiberChannel
- 7.10 [] Other (describe):

8. Availability

- | | [GMPLS-
RSVP] | [GMPLS-
LDP] | |
|-----|------------------|-----------------|---|
| 8.1 | [] | [] | Public and free |
| 8.2 | [] | [] | Only to selected organizations/companies but free |
| 8.3 | [] | [] | On sale. |
| 8.4 | [X] | [] | For internal company use only |
| 8.5 | [] | [] | Other: |

9. Implementation based on: (check all that apply)

- | | [GMPLS-
RSVP] | [GMPLS-
LDP] | |
|-----|------------------|-----------------|--|
| 9.1 | [] | [] | Purchased code
(please list source if possible) |
| 9.2 | [] | [] | Free code
(please list source if possible) |
| 9.3 | [] | [] | Internal implementation |

- (no outside code, just from specs)
- 9.4 ☒ ☐ Internal implementation on top of purchased or free code
- 9.4.1 List portions from external source:
(Identify protocol if appropriate)
- 9.4.2 List portions developed internally:
(Identify protocol if appropriate)
10. Supported Label Types
- | | | | |
|------|--------------------------------------|-------------------------------------|-------------------|
| | <input type="checkbox"/> GMPLS-RSVP] | <input type="checkbox"/> GMPLS-LDP] | |
| 10.1 | <input type="checkbox"/> | <input type="checkbox"/> | MPLS Label |
| 10.2 | <input type="checkbox"/> | <input type="checkbox"/> | Generalized Label |

- 10.3 ☐ ☐ Waveband Label
- 10.4 ☒ ☐ SONET/SDH Label
11. Label Related
- | | | | |
|------|--------------------------------------|-------------------------------------|-----------------|
| | <input type="checkbox"/> GMPLS-RSVP] | <input type="checkbox"/> GMPLS-LDP] | |
| 11.1 | <input type="checkbox"/> | <input type="checkbox"/> | Suggested Label |
| 11.2 | <input type="checkbox"/> | <input type="checkbox"/> | Label Set |
12. Traffic Parameters
- | | | | |
|------|--------------------------------------|-------------------------------------|-----------------------------|
| | <input type="checkbox"/> GMPLS-RSVP] | <input type="checkbox"/> GMPLS-LDP] | |
| 12.1 | <input type="checkbox"/> | | Intserv (Please list which) |
| 12.2 | | <input type="checkbox"/> | CR-LDP |
| 12.3 | <input type="checkbox"/> | <input type="checkbox"/> | GMPLS Bandwidth Encoding |
| 12.4 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | SONET/SDH |
13. Bidirectional LSPs
- | | | | |
|--|--------------------------------------|-------------------------------------|--------------------|
| | <input type="checkbox"/> GMPLS-RSVP] | <input type="checkbox"/> GMPLS-LDP] | |
| | <input checked="" type="checkbox"/> | <input type="checkbox"/> | Bidirectional LSPs |
14. Notification
- | | | | |
|------|--------------------------------------|-------------------------------------|-------------------------------------|
| | <input type="checkbox"/> GMPLS-RSVP] | <input type="checkbox"/> GMPLS-LDP] | |
| 14.1 | <input type="checkbox"/> | <input type="checkbox"/> | Acceptable Label Set |
| 14.2 | <input type="checkbox"/> | | Notify Request Objects (GMPLS-RSVP) |
| 14.3 | <input type="checkbox"/> | | Notify Message (GMPLS-RSVP) |

14.4 [] Removing State with a PathErr message (GMPLS-RSVP)

15 Other features

	[GMPLS- RSVP]	[GMPLS- LDP]
15.1	[]	[] Explicit Label Control
15.2	[]	[] Protection Information
15.3	[]	[] Administrative Status Information
15.4	[]	[] Interface Identification
15.5	[]	[] Errored Interface Identification
15.6	[]	[] Link Fault Handling
15.7	[]	[] Nodal Fault Handling

16. Other specification(s) which apply:

17. Other features supported:

17.1 related to [\[GMPLS-RSVP\]](#)

17.2 related to [\[GMPLS-LDP\]](#)

17.3 Other

Berger, Rekhter - Editors

[Page 29]

Internet Draft [draft-ietf-ccamp-gmpls-signaling-survey-03.txt](#) October 2002

18. Currently-defined GMPLS signaling features not supported:

18.1 related to [\[GMPLS-RSVP\]](#)

18.2 related to [\[GMPLS-LDP\]](#)

18.3 related to [\[GMPLS-SONET\]](#)

18.4 Other

19. Notes (please describe purpose of project, give any information that might be useful to those interested in developing or using GMPLS)

Based on OIF UNI 1.0 Implementation Agreement, which is a subset of GMPLS but includes the most stable and commonly agreed features. The purpose of the implementation is for interoperability with client devices.

20. If you feel the above categories are not complete, add others which will better describe your project:

=====

Person filling out this form:

Name: as above

E-mail:
Tel.:
Title:
Company:
Date prepared: March 22, 2002

2.6. Data Connection Ltd

GMPLS Signaling Implementation Survey Form

[V 1.0]

1. Organization:
Data Connection Ltd

1.1 Organization url(s):
www.dataconnection.com

2. Product title(s):
DC-MPLS

2.1 Brief description(s):
MPLS and GMPLS signaling software product, including RSVP, LDP, CR-LDP and OIF UNI support.

3. Contact for GMPLS information

Berger, Rekhter - Editors

[Page 30]

Internet Draft [draft-ietf-ccamp-gmpls-signaling-survey-03.txt](#) October 2002

3.1 Name:
Toby Eccles

3.2 Title:
MPLS Product Manager

3.3 E-mail:
thme@dataconnection.com

3.4 Organization/department:
Network Convergence Group

3.5 Postal address:
Data Connection Ltd

100 Church Street
Enfield
Middlesex
EN2 6BQ
UK

3.6 Phone:
+44 20 8366 1177

3.7 Fax:
+44 20 8363 1468

4. Status:

- 4.1 ☐ Development
- 4.2 ☐ Alpha
- 4.3 ☐ Beta
- 4.4 ☒ Product
- 4.5 ☐ Other (describe):

5. Switching capabilities

- 5.1 ☒ PSC
- 5.2 ☒ TDM
- 5.3 ☒ LSC
- 5.4 ☒ FSC

DC-MPLS software can control all of these switching types.

6. Reference Drafts (please list, include version numbers)
Draft support is constantly being updated to the latest versions.

RFC 2205	Resource ReSerVation Protocol (RSVP)
RFC 2207	RSVP Extensions for IPSEC Data Flows
RFC 2208	Resource ReSerVation Protocol (RSVP) Version 1 Applicability Statement

RFC 2209	Resource ReSerVation Protocol (RSVP) Version 1 Message Processing Rules
RFC 2210	The Use of RSVP with IETF Integrated Services
RFC 2547	BGP/MPLS VPNs
RFC 2702	Requirements for Traffic Engineering Over MPLS
RFC 2745	RSVP Diagnostic Messages
RFC 2764	Framework for IP-based Virtual Private Networks

RFC 2961	RSVP Refresh Overhead Reduction Extensions
RFC 3031	Multiprotocol Label Switching Architecture
RFC 3032	MPLS Label Stack Encoding
RFC 3034	Use of Label Switching on Frame Relay Networks Specification
RFC 3035	MPLS using LDP and ATM VC Switching
RFC 3036	LDP specification
RFC 3037	LDP Applicability
RFC 3209	RSVP-TE: Extensions to RSVP for LSP Tunnels
RFC 3210	Applicability statement for the extensions to RSVP for LSP Tunnels
RFC 3212	Constraint-Based LSP Setup using LDP
RFC 3213	Applicability Statement for CR-LDP
draft-ietf-mpls-ldp-mib	Definitions of Managed Objects for the Multiprotocol Label Switching Label Distribution Protocol (LDP)
draft-ietf-mpls-lsr-mib	MPLS Label Switch Router Management Information Base Using SMIV2
draft-ietf-mpls-te-mib	MPLS Traffic Engineering Management Information Base Using SMIV2
draft-ietf-mpls-generalized-signaling	Generalized MPLS - Signaling Functional Description
draft-ietf-mpls-generalized-rsvp-te	Generalized MPLS Signaling - RSVP-TE Extensions
draft-ietf-mpls-diff-ext	MPLS Support of Differentiated Services
draft-ietf-mpls-lsp-hierarchy	LSP Hierarchy with MPLS TE
draft-ietf-mpls-rsvp-unnum	Signaling Unnumbered Links in RSVP-TE
draft-ietf-mpls-bundle	Link Bundling in MPLS Traffic Engineering
draft-ietf-mpls-bundle-mib	Link Bundling Management Information Base Using SMIV2
draft-ietf-mpls-tc-mib	Definition of Textual Conventions and OBJECT-IDENTITIES for Multi-Protocol Label Switching (MPLS) Management
draft-ietf-mpls-mgmt-overview	Multiprotocol Label Switching (MPLS) Management Overview
draft-ietf-mpls-rsvp-lsp-fastreroute-00.txt	Fast Reroute Extensions to RSVP-TE for LSP Tunnels
draft-ietf-ccamp-gmpls-sonet-sdh	GMPLS Extensions for SONET and SDH Control
draft-ietf-ccamp-gmpls-architecture	Generalized Multi-Protocol Label Switching (GMPLS) Architecture
draft-ietf-ccamp-gmpls-sonet-sdh-extensions	GMPLS Extensions to Control Non-Standard SONET and SDH Features

draft-iwata-mpls-crankback	Crankback Routing Extensions for MPLS Signaling
draft-martini-l2circuit-trans-	mpls Transport of Layer 2 Frames Over MPLS
draft-martini-l2circuit-encap-mpls	Encapsulation Methods for Transport of Layer 2 Frames Over IP
draft-azad-mpls-oam-messaging	MPLS user-plane OAM messaging

7. Interface technologies

- 7.1 ☒ Frame Relay
- 7.2 ☒ ATM
- 7.3 ☒ Ethernet V2/DIX
- 7.4 ☒ Ethernet 802.3
- 7.5 ☒ SDH
- 7.6 ☒ SONET
- 7.7 ☒ Lambda (photonic)
- 7.8 ☒ Fiber
- 7.9 ☒ FiberChannel
- 7.10 ☐ Other (describe):

DC-MPLS software can handle all these interface types.

8. Availability

- 8.1 ☐ Public and free
- 8.2 ☐ Only to selected organizations/companies but free
- 8.3 ☒ On sale.
- 8.4 ☐ For internal company use only
- 8.5 ☐ Other:

9. Implementation based on: (check all that apply)

- 9.1 ☐ Purchased code (please list source if possible)
- 9.2 ☐ Free code (please list source if possible)
- 9.3 ☒ Internal implementation (no outside code, just from specs)
- 9.4 ☒ Internal implementation on top of purchased or free code
 - 9.4.1 ☐ List portions from external source
 - 9.4.2 ☐ List portions developed internally

External code was used as a basis for the very initial development of the RSVP protocol piece for packet MPLS. All other components have been developed internally. Since then, all externally-derived code has been either rewritten or substantially revised and enhanced - it is now unrecognisable; also, large new components (including all the GMPLS protocol handling) have been developed purely from the specifications.

10. Supported Label Types

- 10.1 ☒ MPLS Label
- 10.2 ☒ Generalized Label
- 10.3 ☒ Waveband Label
- 10.4 ☒ SONET/SDH Label

Internet Draft [draft-ietf-ccamp-gmpls-signaling-survey-03.txt](#) October 2002

11. Label Related

11.1 ☒ Suggested Label

11.2 ☒ Label Set

12. Traffic Parameters

12.1 ☒ Intserv (Controlled load and Guaranteed service)

12.2 ☒ CR-LDP

12.3 ☒ GMPLS Bandwidth Encoding

12.4 ☒ SONET/SDH

13. ☒ Bidirectional LSPs

14. Notification

14.1 ☐ Acceptable Label Set

14.2 ☒ Notify Request Objects (GMPLS-RSVP)

14.3 ☒ Notify Message (GMPLS-RSVP)

14.4 ☒ Removing State with a PathErr message (GMPLS-RSVP)

15 Other features

15.1 ☒ Explicit Label Control

15.2 ☒ Protection Information

15.3 ☒ Administrative Status Information

15.4 ☒ Interface Identification

15.5 ☐ Errored Interface Identification

15.6 ☒ Link Fault Handling

15.7 ☒ Nodal Fault Handling

16. Other specification(s) which apply:

OIF2000.125 User Network Interface (UNI) 1.0 Signaling Specification

17. Other features supported:

Control plane restart (as in both the pan-restart and generalized-rsvp-te signalling drafts)

Fault tolerance (hot backup and persistent store)

Software distribution across distributed processing architectures

Protection switching

Bundled links

Non-associated (out of band) signaling

Graceful deletion

LSP hierarchy

Reverse LSPs

Diffserv

Resource affinities

18. Currently-defined GMPLS signaling features not supported:
Errored Interface Identification
Acceptable Label Set

Internet Draft [draft-ietf-ccamp-gmpls-signaling-survey-03.txt](#) October 2002

19. Notes (please describe purpose of project, give any information that might be useful to those interested in developing or using GMPLS)

DC-MPLS is a source code implementation of the MPLS, GMPLS, and OIF UNI protocols that has been architected, designed, coded and tested for the most demanding environments: high performance, unlimited scalability, resilience and fault tolerance have been designed in from the outset. It is in use with a large number of OEMs building a wide variety of types of switch, many of which are using GMPLS.

DCL also supplies implementations of LMP and IP routing protocols for implementation of a complete control plane.

20. If you feel the above categories are not complete, add others which will better describe your project:

=====

Person filling out this form:

Name:

Tim Hall

E-mail:

timhall@dataconnection.com

Tel.:

+44 20 8366 1177

Title:

DC-MPLS Development Manager

Company:

Data Connection Ltd.

Date prepared:

13th March 2002

[2.7.](#) Equipe Communications Corp.

GMPLS Signaling Implementation Survey Form

[V 1.1]

1. Organization: Equipe Communications Corp.

1.1 Organization url(s): www.equipecom.com

2. Product title(s): E3200

Berger, Rekhter - Editors

[Page 35]

Internet Draft [draft-ietf-ccamp-gmpls-signaling-survey-03.txt](#) October 2002

2.1 Brief description(s): O-UNI implementation for Multi-service switch

3. Contact for GMPLS information

3.1 Name: Nik Langrind

3.2 Title: Prin SW Eng

3.3 E-mail: nik@equipecom.com

3.4 Organization/department: Engineering

3.5 Postal address: 100 Nagog Park, Acton MA 01720

3.6 Phone: (978) 795 2012

3.7 Fax: (978) 635 0095

4. Status:

4.1 ☐ Development

4.2 ☒ Alpha

4.3 ☐ Beta

4.4 ☐ Product

4.5 ☐ Other (describe):

5. Switching capabilities

	[GMPLS- RSVP]	[GMPLS- LDP]	
5.1	<input checked="" type="checkbox"/>	<input type="checkbox"/>	PSC
5.2	<input checked="" type="checkbox"/>	<input type="checkbox"/>	TDM
5.3	<input type="checkbox"/>	<input type="checkbox"/>	LSC
5.4	<input type="checkbox"/>	<input type="checkbox"/>	FSC

6. Reference Drafts (please list, include version numbers)

6.1	<input type="checkbox"/>	draft-ietf-mpls-generalized-signaling-08
6.2	<input type="checkbox"/>	draft-ietf-mpls-generalized-rsvp-te-07
6.3	<input type="checkbox"/>	draft-ietf-ccamp-gmpls-sonet-sdh-03
6.4	<input type="checkbox"/>	draft-ietf-ccamp-lmp-03
6.5	<input type="checkbox"/>	RFC2961 Refresh Reduction

7. Interface technologies

7.1	<input type="checkbox"/>	Frame Relay
7.2	<input type="checkbox"/>	ATM
7.3	<input type="checkbox"/>	Ethernet V2/DIX
7.4	<input type="checkbox"/>	Ethernet 802.3

7.5	<input checked="" type="checkbox"/>	SDH
7.6	<input checked="" type="checkbox"/>	SONET
7.7	<input type="checkbox"/>	Lambda (photonic)
7.8	<input type="checkbox"/>	Fiber
7.9	<input type="checkbox"/>	FiberChannel
7.10	<input type="checkbox"/>	Other (describe):

8. Availability

	[GMPLS- RSVP]	[GMPLS- LDP]	
8.1	<input type="checkbox"/>	<input type="checkbox"/>	Public and free
8.2	<input type="checkbox"/>	<input type="checkbox"/>	Only to selected organizations/companies but free
8.3	<input type="checkbox"/>	<input type="checkbox"/>	On sale.
8.4	<input checked="" type="checkbox"/>	<input type="checkbox"/>	For internal company use only
8.5	<input type="checkbox"/>	<input type="checkbox"/>	Other:

9. Implementation based on: (check all that apply)

	[GMPLS- RSVP]	[GMPLS- LDP]	
9.1	<input type="checkbox"/>	<input type="checkbox"/>	Purchased code (please list source if possible)
9.2	<input type="checkbox"/>	<input type="checkbox"/>	Free code

- | | | | |
|-------|-----|-----|---|
| | | | (please list source if possible) |
| 9.3 | [x] | [] | Internal implementation
(no outside code, just from specs) |
| 9.4 | [] | [] | Internal implementation on top of purchased
or free code |
| 9.4.1 | | | List portions from external source:
(Identify protocol if appropriate) |
| 9.4.2 | | | List portions developed internally:
(Identify protocol if appropriate) |

10. Supported Label Types

- | | [GMPLS-
RSVP] | [GMPLS-
LDP] |
|------|------------------|-----------------------|
| 10.1 | [] | [] MPLS Label |
| 10.2 | [x] | [] Generalized Label |
| 10.3 | [] | [] Waveband Label |
| 10.4 | [x] | [] SONET/SDH Label |

11. Label Related

- | | | | |
|------|------------------|-----------------|-----------------|
| | [GMPLS-
RSVP] | [GMPLS-
LDP] | |
| 11.1 | [] | [] | Suggested Label |
| 11.2 | [] | [] | Label Set |

12. Traffic Parameters

- 「GMPLS- 「GMPLS-

- | | | | |
|------|-------|------|-----------------------------|
| | RSVP] | LDP] | |
| 12.1 | [] | | Intserv (Please list which) |
| 12.2 | | [] | CR-LDP |
| 12.3 | [] | [] | GMPLS Bandwidth Encoding |
| 12.4 | [x] | [] | SONET/SDH |

13. Bidirectional LSPs

- | | | |
|------------------|-----------------|--------------------|
| [GMPLS-
RSVP] | [GMPLS-
LDP] | |
| [x] | [] | Bidirectional LSPs |

14. Notification

- | | | | |
|------|------------------|-----------------|----------------------|
| | [GMPLS-
RSVP] | [GMPLS-
LDP] | |
| 14.1 | [] | [] | Acceptable Label Set |

- 14.2 ☒ Notify Request Objects (GMPLS-RSVP)
- 14.3 ☒ Notify Message (GMPLS-RSVP)
- 14.4 ☒ Removing State with a PathErr message (GMPLS-RSVP)

15 Other features

- | | [GMPLS-
RSVP] | [GMPLS-
LDP] | |
|------|--------------------------|--------------------------|-----------------------------------|
| 15.1 | <input type="checkbox"/> | <input type="checkbox"/> | Explicit Label Control |
| 15.2 | <input type="checkbox"/> | <input type="checkbox"/> | Protection Information |
| 15.3 | <input type="checkbox"/> | <input type="checkbox"/> | Administrative Status Information |
| 15.4 | <input type="checkbox"/> | <input type="checkbox"/> | Interface Identification |
| 15.5 | <input type="checkbox"/> | <input type="checkbox"/> | Errored Interface Identification |
| 15.6 | <input type="checkbox"/> | <input type="checkbox"/> | Link Fault Handling |
| 15.7 | <input type="checkbox"/> | <input type="checkbox"/> | Nodal Fault Handling |

16. Other specification(s) which apply:

17. Other features supported:

17.1 related to [\[GMPLS-RSVP\]](#)

17.2 related to [\[GMPLS-LDP\]](#)

17.3 Other

18. Currently-defined GMPLS signaling features not supported:

Suggested Label, Label Set etc.

19. Notes (please describe purpose of project, give any information that might be useful to those interested in developing or using GMPLS)

The goal is to provide OIF O-UNI 1.0, User Side.

20. If you feel the above categories are not complete, add others which will better describe your project:

=====

Person filling out this form:

Name:	Nik Langrind
E-mail:	nik@equipecom.com
Tel.:	(978) 795-2012
Title:	Prin SW Eng

Company: Equipe Communications Corp
Date prepared: 5/30/02

2.8. Firstwave Intelligent Optical Networks

GMPLS Signaling Implementation Survey Form

[V 1.1]

1. Organization: FirstWave Intelligent Optical Networks

1.1 Organization url(s): <http://www.fwion.com>

2. Product title(s):

2.1 Brief description(s):

3. Contact for GMPLS information

3.1 Name: Michael Mandelberg

3.2 Title: Sr. MTS

3.3 E-mail: mmandelberg@fwion.com

3.4 Organization/department: Control Plane Embedded Software Group

3.5 Postal address: 6301 Ivy Lane, Suite 700, Greenbelt, MD 20770

3.6 Phone: (301) 345-2137 x1008

3.7 Fax: (301) 345-3612

4. Status:

4.1 ☐ Development

4.2 ☒ Alpha

4.3 ☐ Beta

4.4 ☐ Product

4.5 ☐ Other (describe):

5. Switching capabilities

	[GMPLS- RSVP]	[GMPLS- LDP]	
5.1	<input type="checkbox"/>	<input type="checkbox"/>	PSC
5.2	<input type="checkbox"/>	<input type="checkbox"/>	TDM
5.3	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	LSC
5.4	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	FSC

6. Reference Drafts (please list, include version numbers)

- 6.1 ☒ [\[GMPLS-SIG\]](#)
- 6.2 ☒ [\[GMPLS-RSVP\]](#)
- 6.3 ☒ [\[GMPLS-LDP\]](#)
- 6.4 ☐ [\[GMPLS-SONET\]](#)
- 6.5 ☒ [draft-ietf-ccamp-lmp-03.txt](#)
- 6.6 ☒ [draft-ietf-ccamp-gmpls-architecture-02.txt](#)
- 6.7 ☒ [draft-ietf-ccamp-ospf-gmpls-extensions-04.txt](#)
- 6.8 ☒ [draft-nadeau-ccamp-gmpls-label-mib-01.txt](#)
- 6.9 ☒ [draft-nadeau-ccamp-gmpls-tc-mib-01.txt](#)
- 6.10 ☒ [draft-nadeau-ccamp-gmpls-lsr-mib-01.txt](#)
- 6.11 ☒ [draft-nadeau-ccamp-gmpls-te-mib-01.txt](#)
- 6.12 ☒ [draft-ietf-mpls-lsp-hierarchy-04.txt](#)
- 6.13 ☒ [draft-ietf-mpls-bundle-01.txt](#)

7. Interface technologies

- 7.1 ☐ Frame Relay
- 7.2 ☐ ATM
- 7.3 ☐ Ethernet V2/DIX
- 7.4 ☐ Ethernet 802.3
- 7.5 ☐ SDH
- 7.6 ☐ SONET
- 7.7 ☒ Lambda (photonic)
- 7.8 ☐ Fiber
- 7.9 ☐ FiberChannel
- 7.10 ☒ Other (describe): All optical and transparent to transport technology

8. Availability

- | | [GMPLS-
RSVP] | [GMPLS-
LDP] | |
|-----|-------------------------------------|-------------------------------------|---|
| 8.1 | <input type="checkbox"/> | <input type="checkbox"/> | Public and free |
| 8.2 | <input type="checkbox"/> | <input type="checkbox"/> | Only to selected organizations/companies but free |
| 8.3 | <input type="checkbox"/> | <input type="checkbox"/> | On sale. |
| 8.4 | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | For internal company use only |
| 8.5 | <input type="checkbox"/> | <input type="checkbox"/> | Other: |

9. Implementation based on: (check all that apply)

[GMPLS- RSVP]	[GMPLS- LDP]
------------------	-----------------

- 9.1 ☐ ☐ Purchased code
 (please list source if possible)
- 9.2 ☐ ☐ Free code
 (please list source if possible)
- 9.3 ☒ ☒ Internal implementation
 (no outside code, just from specs)
- 9.4 ☐ ☐ Internal implementation on top of purchased
 or free code
- 9.4.1 List portions from external source:
 (Identify protocol if appropriate)
- 9.4.2 List portions developed internally:
 (Identify protocol if appropriate)

10. Supported Label Types

- | | [GMPLS-
RSVP] | [GMPLS-
LDP] |
|------|-------------------------------------|---|
| 10.1 | <input type="checkbox"/> | <input type="checkbox"/> MPLS Label |
| 10.2 | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> Generalized Label |
| 10.3 | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> Waveband Label |
| 10.4 | <input type="checkbox"/> | <input type="checkbox"/> SONET/SDH Label |

11. Label Related

- | | [GMPLS-
RSVP] | [GMPLS-
LDP] |
|------|-------------------------------------|---|
| 11.1 | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> Suggested Label |
| 11.2 | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> Label Set |

12. Traffic Parameters

- | | [GMPLS-
RSVP] | [GMPLS-
LDP] |
|------|-------------------------------------|--|
| 12.1 | <input type="checkbox"/> | <input type="checkbox"/> Intserv (Please list which) |
| 12.2 | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> CR-LDP |
| 12.3 | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> GMPLS Bandwidth Encoding |
| 12.4 | <input type="checkbox"/> | <input type="checkbox"/> SONET/SDH |

13. Bidirectional LSPs

- | | [GMPLS-
RSVP] | [GMPLS-
LDP] |
|--|-------------------------------------|--|
| | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> Bidirectional LSPs |

14. Notification

- | | [GMPLS-
RSVP] | [GMPLS-
LDP] |
|------|-------------------------------------|--|
| 14.1 | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> Acceptable Label Set |
| 14.2 | <input checked="" type="checkbox"/> | Notify Request Objects (GMPLS-RSVP) |
| 14.3 | <input checked="" type="checkbox"/> | Notify Message (GMPLS-RSVP) |

Internet Draft [draft-ietf-ccamp-gmpls-signaling-survey-03.txt](#) October 2002

15 Other features

	[GMPLS- RSVP]	[GMPLS- LDP]
15.1	[x]	[x] Explicit Label Control
15.2	[x]	[x] Protection Information
15.3	[x]	[x] Administrative Status Information
15.4	[x]	[x] Interface Identification
15.5	[x]	[x] Errored Interface Identification
15.6	[x]	[x] Link Fault Handling
15.7	[x]	[x] Nodal Fault Handling

16. Other specification(s) which apply:

17. Other features supported:

17.1 related to [\[GMPLS-RSVP\]](#)

17.2 related to [\[GMPLS-LDP\]](#)

17.3 Other

18. Currently-defined GMPLS signaling features not supported:

18.1 related to [\[GMPLS-RSVP\]](#)

18.2 related to [\[GMPLS-LDP\]](#)

18.3 related to [\[GMPLS-SONET\]](#)

18.4 Other

19. Notes (please describe purpose of project, give any information that might be useful to those interested in developing or using GMPLS)

20. If you feel the above categories are not complete, add others which will better describe your project:

=====

Person filling out this form:

Name: Michael Mandelberg
E-mail: mmandelberg@fwion.com
Tel.: (301) 345-2137 x1008
Title: Sr. MTS
Company: FirstWave Intelligent Optical Networks

Internet Draft [draft-ietf-ccamp-gmpls-signaling-survey-03.txt](#) October 2002

[2.9](#). HCL Technologies Ltd., India

GMPLS Signaling Implementation Survey Form

[V 1.0]

1. Organization: HCL TECHNOLOGIES LTD., INDIA

1.1 Organization url(s): www.hcltechnologies.com (Corporate Website)

2. Product title(s): HCL LMP , HCL RSVP-TE

2.1 Brief description(s):

* HCL LMP:-

+++++

The design and implementation of the product is as per the working draft mentioned for Link Management Protocol. This product includes all the features irrespective of optional and mandatory procedures. Specific API implementation is also being done in order to match different possible environments in which it can be used.

* HCL RSVP-TE:-

+++++

This product is being developed internally for Signalling and LSP establishment in GMPLS Environment. The design and implementation is done on top of existing base RSVP ([RFC 2205](#)) implementation, by adding provisions so that it can be used for Signalling & LSP establishment in GMPLS scenario. This product can work standalone as GMPLS RSVP TE stack as well as in regular IP Resource Reservation

environment & in MPLS Label Distribution and LSP
establishment environment.

3. Contact for GMPLS information

3.1 Name: S. Shankar

3.2 Title: Project Manager

3.3 E-mail: shanky@npd.hcltech.com

3.4 Organization/department: HCL Technologies Limited,
Networking Products Division

Berger, Rekhter - Editors

[Page 43]

Internet Draft [draft-ietf-ccamp-gmpls-signaling-survey-03.txt](#) October 2002

3.5 Postal address: 49-50 Nelson Manickam Road, Chennai - 600029,
India

3.6 Phone: +91-44-3741939

3.7 Fax: +91-44-3741038

4. Status:

4.1 ☒ Development

4.2 ☐ Alpha

4.3 ☐ Beta

4.4 ☐ Product

4.5 ☐ Other (describe):

5. Switching capabilities

5.1 ☐ PSC

5.2 ☒ TDM

5.3 ☐ LSC

5.4 ☐ FSC

6. Reference Drafts (please list, include version numbers)

6.1 ☒ [draft-ietf-ccamp-lmp-02.txt](#)

6.2 ☒ [draft-ietf-ccamp-gmpls-sonet-sdh-03.txt](#)

6.3 ☒ [draft-ietf-ccamp-gmpls-architecture-02.txt](#)

- 6.4 [*] [draft-ietf-mpls-generalized-rsvp-te-06.txt](#)
- 6.5 [*] [draft-ietf-mpls-rsvp-unnum-04.txt](#)
- 6.6 [*] [draft-ietf-mpls-bundle-01.txt](#)
- 6.7 [*] [rfc3209.txt](#)
- 6.9 [*] [rfc2205.txt](#)
- 7.0 [*] [rfc2961.txt](#)
- 7.1 [*] [draft-ietf-mpls-generalized-signaling-07](#)

7. Interface technologies

- 7.1 [] Frame Relay
- 7.2 [] ATM
- 7.3 [] Ethernet V2/DIX
- 7.4 [] Ethernet 802.3
- 7.5 [*] SDH
- 7.6 [*] SONET
- 7.7 [] Lambda (photonic)
- 7.8 [] Fiber
- 7.9 [] FiberChannel
- 7.10 [] Other (describe):

8. Availability

- 8.1 [] Public and free
- 8.2 [] Only to selected organizations/companies but free

Internet Draft [draft-ietf-ccamp-gmpls-signaling-survey-03.txt](#) October 2002

- 8.3 [] On sale.
- 8.4 [] For internal company use only
- 8.5 [*] Other:

9. Implementation based on: (check all that apply)

- 9.1 [] Purchased code (please list source if possible)
- 9.2 [] Free code (please list source if possible)
- 9.3 [] Internal implementation (no outside code, just from specs)
- 9.4 [*] Internal implementation on top of purchased or free code
- 9.4.1 [*] List portions from external source
RSVP base code implemented by ISI. Conformance to [RFC 2205](#)
- 9.4.2 [*] List portions developed internally
GMPLS RSVP TE Extensions (As per Drafts)
LMP

10. Supported Label Types

- 10.1 [] MPLS Label

- 10.2 [*] Generalized Label
- 10.3 [] Waveband Label
- 10.4 [*] SONET/SDH Label

- 11. Label Related
 - 11.1 [] Suggested Label
 - 11.2 [*] Label Set

- 12. Traffic Parameters
 - 12.1 [*] Intserv (Please list which)
 - 12.2 [] CR-LDP
 - 12.3 [*] GMPLS Bandwidth Encoding
 - 12.4 [*] SONET/SDH

- 13. [*] Bidirectional LSPs

- 14. Notification
 - 14.1 [*] Acceptable Label Set
 - 14.2 [] Notify Request Objects (GMPLS-RSVP)
 - 14.3 [] Notify Message (GMPLS-RSVP)
 - 14.4 [*] Removing State with a PathErr message (GMPLS-RSVP)

- 15. Other features
 - 15.1 [*] Explicit Label Control
 - 15.2 [] Protection Information
 - 15.3 [*] Administrative Status Information
 - 15.4 [*] Interface Identification
 - 15.5 [*] Errored Interface Identification
 - 15.6 [*] Link Fault Handling
 - 15.7 [*] Nodal Fault Handling

- 16. Other specification(s) which apply: OIF-UNI-01.0

- 17. Other features supported:
 - a) RECOVERY_LABEL as per OIF UNI specification
 - b) Service Discovery as per OIF UNI specification

- 18. Currently-defined GMPLS signaling features not supported:
 - a) Channel Status procedure

- 19. Notes (please describe purpose of project, give any information that might be useful to those interested in developing or using GMPLS)

20. If you feel the above categories are not complete, add others which will better describe your project:

=====

Person filling out this form:

Name: S. Shankar
E-mail: shanky@npd.hcltech.com
Tel.: +91-44-374-1939
Title: Project Manager
Company: HCL Technologies Limited,
Networking Products Division
Date prepared: 13-March-2002

2.10. Intel Corporation

GMPLS Signaling Implementation Survey Form

[V 1.0]

1. Organization: Intel Corporation

1.1 Organization url(s):<http://www.intel.com>

2. Product title(s):Intelligent Optical Networking using GMPLS

2.1 Brief description(s):

The product utilizes the benefits of GMPLS to provision smart, scalable and extensible Optical Networks.

3. Contact for GMPLS information

3.1 Name:Christian Maciocco, Manav Mishra

3.2 Title:

3.3 E-mail:christian.maciocco@intel.com;manav.mishra@intel.com

- 3.4 Organization/department: Intel Labs
- 3.5 Postal address: 2111 NE 25th Avenue, Hillsboro, OR 97124
- 3.6 Phone: 503-712-1843
- 3.7 Fax: 503-264-3483
-

4. Status:

- 4.1 ☒ Development
- 4.2 ☐ Alpha
- 4.3 ☐ Beta
- 4.4 ☐ Product
- 4.5 ☐ Other (describe):

5. Switching capabilities

- 5.1 ☒ PSC
- 5.2 ☒ TDM
- 5.3 ☐ LSC
- 5.4 ☐ FSC

6. Reference Drafts (please list, include version numbers)

- 6.1 [<http://www.ietf.org/internet-drafts/draft-ietf-mpls-generalized-rsvp>]
- 6.2 [<http://www.ietf.org/internet-drafts/draft-ietf-ccamp-gmpls-sonet-sdh>]
- 6.3 [<http://www.ietf.org/internet-drafts/draft-ietf-ccamp-gmpls-architect>]
- 6.4 [<http://www.ietf.org/internet-drafts/draft-ietf-mpls-generalized-sign>]
- 6.5 [<http://www.ietf.org/internet-drafts/draft-ietf-ccamp-lmp-02.txt>]
- 6.6 []

7. Interface technologies

- 7.1 ☐ Frame Relay
- 7.2 ☒ ATM
- 7.3 ☒ Ethernet V2/DIX
- 7.4 ☒ Ethernet 802.3
- 7.5 ☒ SDH
- 7.6 ☒ SONET
- 7.7 ☐ Lambda (photonic)
- 7.8 ☐ Fiber
- 7.9 ☐ FiberChannel
- 7.10 ☐ Other (describe):

8. Availability

- 8.1 ☐ Public and free

- 8.2 ☐ Only to selected organizations/companies but free
- 8.3 ☐ On sale.
- 8.4 ☐ For internal company use only
- 8.5 ☒ Other:

9. Implementation based on: (check all that apply)

- 9.1 ☐ Purchased code (please list source if possible)
- 9.2 ☐ Free code (please list source if possible)
- 9.3 ☒ Internal implementation (no outside code, just from specs)
- 9.4 ☐ Internal implementation on top of purchased or free code
 - 9.4.1 ☐ List portions from external source
 - 9.4.2 ☐ List portions developed internally

10. Supported Label Types

- 10.1 ☒ MPLS Label
- 10.2 ☒ Generalized Label
- 10.3 ☐ Waveband Label
- 10.4 ☒ SONET/SDH Label

11. Label Related

- 11.1 ☐ Suggested Label
- 11.2 ☒ Label Set

12. Traffic Parameters

- 12.1 ☒ Intserv (Please list which) RSVP-TE
- 12.2 ☐ CR-LDP
- 12.3 ☒ GMPLS Bandwidth Encoding
- 12.4 ☒ SONET/SDH

13. ☒ Bidirectional LSPs

14. Notification

- 14.1 ☒ Acceptable Label Set
- 14.2 ☒ Notify Request Objects (GMPLS-RSVP)
- 14.3 ☒ Notify Message (GMPLS-RSVP)
- 14.4 ☒ Removing State with a PathErr message (GMPLS-RSVP)

15 Other features

- 15.1 ☒ Explicit Label Control
- 15.2 ☒ Protection Information
- 15.3 ☒ Administrative Status Information
- 15.4 ☐ Interface Identification
- 15.5 ☐ Errored Interface Identification
- 15.6 ☒ Link Fault Handling
- 15.7 ☒ Nodal Fault Handling

16. Other specification(s) which apply:

Internet Draft [draft-ietf-ccamp-gmpls-signaling-survey-03.txt](#) October 2002

17. Other features supported:

18. Currently-defined GMPLS signaling features not supported:

Acceptable Label Set, Suggested Label Set, Contention resolution,
non-standard SONET/SDH extensions to GMPLS.

19. Notes (please describe purpose of project, give any information that
might be useful to those interested in developing or using GMPLS)

20. If you feel the above categories are not complete, add others which
will better describe your project:

Real World Deployment scenarios-- To get a fair idea as to how the
real world sees GMPLS deployment to happen. How does GMPLS sees
quick fail-over support to be provided to non-SONET/SDH networks.

=====

Person filling out this form:

Name:Manav Mishra
E-mail:manav.mishra@intel.com
Tel.:503-712-1843
Title:Senior Network Software Engineer
Company:Intel Corporation
Date prepared:03/12/2002

[2.11.](#) Japan Telecom Co., Ltd.

GMPLS Signaling Implementation Survey Form

[V 1.0]

1. Organization:

JAPAN TELECOM CO., LTD.

1.1 Organization url(s):

<http://www.icl.japan-telecom.co.jp>

2. Product title(s):

JT's virtual GMPLS signaling node

2.1 Brief description(s):

Internet Draft [draft-ietf-ccamp-gmpls-signaling-survey-03.txt](#) October 2002

JT's virtual GMPLS signaling node is a GMPLS signaling emulator running on Linux/UNIX environment in order to do some GMPLS signaling tests.

3. Contact for GMPLS information

3.1 Name:

Hirokazu Ishimatsu

3.2 Title:

Assistant Manager

3.3 E-mail:

hirokazu@japan-telecom.co.jp

3.4 Organization/department:

Information and Communication Laboratories

3.5 Postal address:

Shuwa Higashi Yaesu Bldg., 5F
2-9-1 Hachobori, Chuo-ku, Tokyo, 104-0032 Japan

3.6 Phone:

+81 3 5540 8493

3.7 Fax:

+81 3 5540 8485

4. Status:

- 4.1 ☒ Development
- 4.2 ☐ Alpha
- 4.3 ☐ Beta
- 4.4 ☐ Product
- 4.5 ☐ Other (describe):

5. Switching capabilities

- 5.1 ☐ PSC
- 5.2 ☐ TDM

Berger, Rekhter - Editors

[Page 50]

Internet Draft [draft-ietf-ccamp-gmpls-signaling-survey-03.txt](#) October 2002

- 5.3 ☐ LSC
- 5.4 ☐ FSC

6. Reference Drafts (please list, include version numbers)

- 6.1 [draft-ietf-ccamp-ospf-gmpls-extensions-00.txt](#)
- 6.2 [draft-ietf-mpls-generalized-signaling-07.txt](#)
- 6.3 [draft-ietf-mpls-generalized-rsvp-te-06.txt](#)
- 6.4 [draft-ietf-ccamp-lmp-02.txt](#)
- 6.5 ☐
- 6.6 ☐

7. Interface technologies

- 7.1 ☐ Frame Relay
- 7.2 ☐ ATM
- 7.3 ☐ Ethernet V2/DIX
- 7.4 ☒ Ethernet 802.3 for signaling channel
- 7.5 ☐ SDH
- 7.6 ☐ SONET
- 7.7 ☐ Lambda (photonic)
- 7.8 ☐ Fiber
- 7.9 ☐ FiberChannel
- 7.10 ☐ Other (describe):

8. Availability

- 8.1 ☐ Public and free
- 8.2 ☐ Only to selected organizations/companies but free

- 8.3 [] On sale.
- 8.4 [X] For internal company use only
- 8.5 [] Other:

- 9. Implementation based on: (check all that apply)
 - 9.1 [] Purchased code (please list source if possible)
 - 9.2 [] Free code (please list source if possible)
 - 9.3 [X] Internal implementation (no outside code, just from specs)
 - 9.4 [] Internal implementation on top of purchased or free code
 - 9.4.1 [] List portions from external source
 - 9.4.2 [] List portions developed internally

- 10. Supported Label Types
 - 10.1 [] MPLS Label
 - 10.2 [X] Generalized Label
 - 10.3 [] Waveband Label
 - 10.4 [] SONET/SDH Label

- 11. Label Related
 - 11.1 [X] Suggested Label
 - 11.2 [] Label Set

- 12. Traffic Parameters
 - 12.1 [X] Intserv (Please list which)
 - PATH
 - Session
 - IF_ID RSVP Hop
 - Time Values
 - Sender Template
 - Sender Tspec
 - Message_ID/Message_ID_ACK/Message_ID_NACK
 - ERO
 - RRO
 - Generalized Label Request (LSC/FSC only)
 - Suggested Label
 - Upstream Label
 - Recovery Label
 - Protection
 - Notify Req
 - AdminStatus

PATHErr
 Session
 Sender Template
 Sender Tspec
 Message_ID/Message_ID_ACK/Message_ID_NACK
 ErrorSpec
 RRO

RESV
 Session
 Time Values
 Message_ID/Message_ID_ACK/Message_ID_NACK
 IF_ID RSVP Hop
 Resv Confirm
 Notify Request
 AdminStatus
 Style (FF or SE)
 Flowspec
 Filterspec
 RSVP Label
 RRO
 Generalized Label

RESVErr
 Session
 IF_ID RSVP Hop
 Message_ID/Message_ID_ACK/Message_ID_NACK
 ErrorSpec

Style (FF and SE)

- 12.2 [] CR-LDP
- 12.3 [X] GMPLS Bandwidth Encoding
- 12.4 [] SONET/SDH
- 13. [X] Bidirectional LSPs
- 14. Notification
 - 14.1 [] Acceptable Label Set
 - 14.2 [] Notify Request Objects (GMPLS-RSVP)
 - 14.3 [] Notify Message (GMPLS-RSVP)

14.4 [] Removing State with a PathErr message (GMPLS-RSVP)

15 Other features

15.1 [X] Explicit Label Control

15.2 [X] Protection Information

15.3 [] Administrative Status Information

15.4 [] Interface Identification

15.5 [] Errored Interface Identification

15.6 [] Link Fault Handling

15.7 [] Nodal Fault Handling

16. Other specification(s) which apply:

17. Other features supported:

18. Currently-defined GMPLS signaling features not supported:

19. Notes (please describe purpose of project, give any information that might be useful to those interested in developing or using GMPLS)

GMPLS lab tests & field trial

20. If you feel the above categories are not complete, add others which will better describe your project:

[2.12. Juniper Networks](#)

GMPLS Signaling Implementation Survey Form

[V 1.0]

1. Organization: Juniper Networks

1.1 Organization url(s): www.juniper.net

2. Product title(s): GMPLS signaling

Berger, Rekhter - Editors

[Page 53]

Internet Draft [draft-ietf-ccamp-gmpls-signaling-survey-03.txt](#) October 2002

2.1 Brief description(s):

This implementation aims at being able to dynamically signal generalized LSPs initiated by the router, across an optical core. It uses RSVP for signaling. The initial focus is on the signaling

aspects rather than routing in a GMPLS domain. The purpose is to come up with an interoperable signaling solution and then move forward. The attributes for the label-switched path (encoding type, bandwidth, switching type; etc) will be configurable on the router, and will be translated into an appropriate RSVP signaling request. Bidirectional LSP setup is supported and so is control-data plane separation. Other specifics are listed below.

- -----

3. Contact for GMPLS information

3.1 Name: Arthi Ayyangar

3.2 Title: Member of Technical Staff

3.3 E-mail: arthi@juniper.net

3.4 Organization/department: Engineering / Software

3.5 Postal address: 1194 N. Mathilda Ave, Sunnyvale, CA 94089

3.6 Phone: (408) 745 2110

3.7 Fax: (408) 745 8905

-

4. Status:

4.1 ☐ Development

4.2 ☐ Alpha

4.3 ☒ Beta

4.4 ☐ Product

4.5 ☐ Other (describe):

5. Switching capabilities

5.1 ☒ PSC

5.2 ☐ TDM

5.3 ☐ LSC

5.4 ☐ FSC

6. Reference Drafts (please list, include version numbers)

6.1 ☒ [draft-ietf-mpls-generalized-signaling-07.txt](#)

- 6.2 [*] [draft-ietf-mpls-generalized-rsvp-te-06.txt](#)
- 6.3 [*] [draft-ietf-mpls-lsp-hierarchy-04.txt](#) (portions of this)
- 6.4 [*] [draft-ietf-mpls-bundle-01.txt](#)
- 6.5 [*] [draft-ietf-ccamp-gmpls-sonet-sdh-03.txt](#)
- 6.6 [*] IANA proposed values sent by Lou

7. Interface technologies

- 7.1 [] Frame Relay
- 7.2 [] ATM
- 7.3 [*] Ethernet V2/DIX
- 7.4 [*] Ethernet 802.3
- 7.5 [*] SDH
- 7.6 [*] SONET
- 7.7 [] Lambda (photonic)
- 7.8 [] Fiber
- 7.9 [] FiberChannel
- 7.10 [*] Other (describe): Packet

8. Availability

- 8.1 [] Public and free
- 8.2 [] Only to selected organizations/companies but free
- 8.3 [] On sale.
- 8.4 [*] For internal company use only
- 8.5 [*] Other: Field trials

9. Implementation based on: (check all that apply)

- 9.1 [] Purchased code (please list source if possible)
- 9.2 [] Free code (please list source if possible)
- 9.3 [*] Internal implementation (no outside code, just from specs)
- 9.4 [] Internal implementation on top of purchased or free code
 - 9.4.1 [] List portions from external source
 - 9.4.2 [] List portions developed internally

10. Supported Label Types

- 10.1 [*] MPLS Label
- 10.2 [*] Generalized Label
- 10.3 [] Waveband Label
- 10.4 [*] SONET/SDH Label

11. Label Related

- 11.1 [*] Suggested Label
- 11.2 [] Label Set

12. Traffic Parameters

- 12.1 [*] Intserv (Please list which) (Token Bucket)
- 12.2 [] CR-LDP
- 12.3 [*] GMPLS Bandwidth Encoding
- 12.4 [*] SONET/SDH

Internet Draft [draft-ietf-ccamp-gmpls-signaling-survey-03.txt](#) October 2002

13. [*] Bidirectional LSPs

14. Notification

14.1 [] Acceptable Label Set

14.2 [] Notify Request Objects (GMPLS-RSVP)

14.3 [] Notify Message (GMPLS-RSVP)

14.4 [] Removing State with a PathErr message (GMPLS-RSVP)

15 Other features

15.1 [] Explicit Label Control

15.2 [*] Protection Information

15.3 [] Administrative Status Information

15.4 [*] Interface Identification

15.5 [*] Errored Interface Identification

15.6 [] Link Fault Handling

15.7 [] Nodal Fault Handling

16. Other specification(s) which apply:

17. Other features supported:

18. Currently-defined GMPLS signaling features not supported:

- ** Graceful restart (link and node failures),
- ** Notify
- ** Admin Status

19. Notes (please describe purpose of project, give any information that might be useful to those interested in developing or using GMPLS)

20. If you feel the above categories are not complete, add others which will better describe your project:

- ** Control channel separation
- ** Refresh reduction

=====

Person filling out this form:

Name: Arthi Ayyangar
E-mail: arthi@juniper.net
Tel.: (408) 745 2110
Title: Member of Technical Staff

Internet Draft [draft-ietf-ccamp-gmpls-signaling-survey-03.txt](#) October 2002

[2.13](#). Lumentis AB

GMPLS Signaling Implementation Survey Form

[V 1.0]

1. Organization: Lumentis AB

1.1 Organization url(s): www.lumentis.se

2. Product title(s): Mentis systems

2.1 Brief description(s): DWDM systems for the metro environment

3. Contact for GMPLS information

3.1 Name: Mats Dahlgren

3.2 Title:

3.3 E-mail: Mats.Dahlgren@lumentis.se

3.4 Organization/department: Lumentis AB

3.5 Postal address: Jakobsdalsgatan 17, SE-12653 Hagersten, Sweden

3.6 Phone: +46 8 52 76 75 50

3.7 Fax: +46 8 52 76 75 99

4. Status:

4.1 ☒ Development

4.2 ☐ Alpha

4.3 ☐ Beta

4.4 ☐ Product

4.5 ☐ Other (describe):

5. Switching capabilities

5.1 ☐ PSC

5.2 ☐ TDM

5.3 ☒ LSC

5.4 ☐ FSC

6. Reference Drafts (please list, include version numbers)

6.1 ☐

6.2 ☐

6.3 ☐

6.4 ☐

6.5 ☐

6.6 ☐

7. Interface technologies

7.1 ☐ Frame Relay

7.2 ☐ ATM

7.3 ☐ Ethernet V2/DIX

7.4 ☐ Ethernet 802.3

7.5 ☐ SDH

7.6 ☐ SONET

7.7 ☒ Lambda (photonic)

7.8 ☐ Fiber

7.9 ☐ FiberChannel

7.10 ☐ Other (describe):

8. Availability

8.1 ☐ Public and free

8.2 ☐ Only to selected organizations/companies but free

8.3 ☐ On sale.

8.4 ☒ For internal company use only

8.5 ☐ Other:

9. Implementation based on: (check all that apply)

9.1 ☐ Purchased code (please list source if possible)

9.2 ☐ Free code (please list source if possible)

9.3 ☐ Internal implementation (no outside code, just from specs)

9.4.1 ☒ List portions from external source

- 9.4.2 ☒ OSPFv2
 ☐ List portions developed internally
 OSPF-TE
 RSVP-TE
 LMP

10. Supported Label Types

- 10.1 ☐ MPLS Label
- 10.2 ☒ Generalized Label
- 10.3 ☐ Waveband Label
- 10.4 ☐ SONET/SDH Label

11. Label Related

- 11.1 ☐ Suggested Label
- 11.2 ☐ Label Set

12. Traffic Parameters

- 12.1 ☐ Intserv (Please list which)
- 12.2 ☐ CR-LDP
- 12.3 ☒ GMPLS Bandwidth Encoding

- 12.4 ☐ SONET/SDH

13. ☒ Bidirectional LSPs

14. Notification

- 14.1 ☐ Acceptable Label Set
- 14.2 ☐ Notify Request Objects (GMPLS-RSVP)
- 14.3 ☐ Notify Message (GMPLS-RSVP)
- 14.4 ☐ Removing State with a PathErr message (GMPLS-RSVP)

15 Other features

- 15.1 ☐ Explicit Label Control
- 15.2 ☐ Protection Information
- 15.3 ☐ Administrative Status Information
- 15.4 ☐ Interface Identification
- 15.5 ☐ Errored Interface Identification
- 15.6 ☐ Link Fault Handling
- 15.7 ☐ Nodal Fault Handling

16. Other specification(s) which apply:

17. Other features supported:
18. Currently-defined GMPLS signaling features not supported:
19. Notes (please describe purpose of project, give any information that might be useful to those interested in developing or using GMPLS)
20. If you feel the above categories are not complete, add others which will better describe your project:

=====

Person filling out this form:

Name: see contact for GMPLS information
E-mail:
Tel.:
Title:
Company:
Date prepared: 03/13/02

[2.14](#). Marconi

GMPLS Signaling Implementation Survey Form

[V 1.0]

1. Organization: Marconi.

1.1 Organization url(s): www.marconi.com

2. Product title(s): Transport Network Control Plane

2.1 Brief description(s):

Unified Control Plane for the SDH/SONET/Photonics product family

3. Contact for GMPLS information

3.1 Name: Piergiorgio Sessarego

3.2 Title: ASON Strategy Director

3.3 E-mail: piergiorgio.sessarego@marconi.com

3.4 Organization/department: ASON Strategy

3.5 Postal address: Via A. Negrone 1/A 16153 Cornigliano (GE) Italy

3.6 Phone: +390106003902

3.7 Fax:

4. Status:

4.1 ☒ Development

4.2 ☐ Alpha

4.3 ☐ Beta

4.4 ☐ Product

4.5 ☒ Other (describe): An early GMPLS development is in place in a ph

5. Switching capabilities

5.1 ☐ PSC

5.2 ☒ TDM

5.3 ☒ LSC

5.4 ☒ FSC

6. Reference Drafts (please list, include version numbers)

6.1 [[draft-ietf-ccamp-gmpls-architecture-01](#)]

6.2 [[draft-ietf-mpls-generalized-signaling-07](#)]

6.3 [[draft-ietf-mpls-generalized-rsvp-te-06](#)]

6.4 [[draft-ietf-ccamp-gmpls-sonet-sdh-02](#)]

6.5 [[draft-ietf-mpls-rsvp-unnum-03](#)]

6.6 [[draft-ietf-mpls-lsp-hierarchy-04](#)]

6.7 [[draft-ietf-mpls-bundle-01](#)]

7. Interface technologies

- 7.1 ☐ Frame Relay
- 7.2 ☐ ATM
- 7.3 ☐ Ethernet V2/DIX
- 7.4 ☐ Ethernet 802.3
- 7.5 ☒ SDH
- 7.6 ☒ SONET
- 7.7 ☒ Lambda (photonic)
- 7.8 ☒ Fiber
- 7.9 ☐ FiberChannel
- 7.10 ☐ Other (describe):

8. Availability

- 8.1 ☐ Public and free
- 8.2 ☐ Only to selected organizations/companies but free
- 8.3 ☒ On sale.
- 8.4 ☐ For internal company use only
- 8.5 ☐ Other:

9. Implementation based on: (check all that apply)

- 9.1 ☐ Purchased code (please list source if possible)
- 9.2 ☐ Free code (please list source if possible)
- 9.3 ☒ Internal implementation (no outside code, just from specs)
- 9.4 ☐ Internal implementation on top of purchased or free code
 - 9.4.1 ☐ List portions from external source
 - 9.4.2 ☐ List portions developed internally

10. Supported Label Types

- 10.1 ☐ MPLS Label
- 10.2 ☒ Generalized Label
- 10.3 ☒ Waveband Label
- 10.4 ☒ SONET/SDH Label

11. Label Related

- 11.1 ☐ Suggested Label
- 11.2 ☒ Label Set

12. Traffic Parameters

- 12.1 ☐ Intserv (Please list which)
- 12.2 ☐ CR-LDP
- 12.3 ☒ GMPLS Bandwidth Encoding

12.4 ☒ SONET/SDH

13. ☒ Bidirectional LSPs

14. Notification

14.1 ☒ Acceptable Label Set

14.2 ☒ Notify Request Objects (GMPLS-RSVP)

14.3 ☒ Notify Message (GMPLS-RSVP)

14.4 ☒ Removing State with a PathErr message (GMPLS-RSVP)

15 Other features

15.1 ☒ Explicit Label Control

15.2 ☒ Protection Information

15.3 ☒ Administrative Status Information

15.4 ☒ Interface Identification

15.5 ☒ Errored Interface Identification

15.6 ☒ Link Fault Handling

15.7 ☒ Nodal Fault Handling

16. Other specification(s) which apply:

OIF 1.0

17. Other features supported:

18. Currently-defined GMPLS signaling features not supported:

19. Notes (please describe purpose of project, give any information that might be useful to those interested in developing or using GMPLS)

20. If you feel the above categories are not complete, add others which will better describe your project:

=====

Person filling out this form:

Name: Diego Caviglia

E-mail: diego.caviglia@marconi.com

Tel.: +390106003808

Title: ASON Strategy

Company: Marconi

Date prepared: 11/03/02

Internet Draft [draft-ietf-ccamp-gmpls-signaling-survey-03.txt](#) October 2002

[2.15](#). Movaz Networks

GMPLS Signaling Implementation Survey Form

[V 1.0]

1. Organization: Movaz Networks.
- 1.1 Organization url(s): www.movaz.com
2. Product title(s): RAYstar, RAYexpress
- 2.1 Brief description(s):

RAYstar integrates the values of a very-high-density OADM (optical add/drop multiplexer) and a compact, distributed optical switching platform into a single 7 foot bay.

The RAYexpress OADM (optical add/drop multiplexer) provides a versatile, cost effective, and compact platform for wavelength services in access and regional applications.

3. Contact for GMPLS information

- 3.1 Name: Adrian Farrel
 - 3.2 Title: Director Protocol Development
 - 3.3 E-mail: afarrel@movaz.com
 - 3.4 Organization/department:
 - 3.5 Postal address: 7926 Jones Branch Drive
Suite 615
McLean, VA 22102
 - 3.6 Phone: 703-847-1867
 - 3.7 Fax: 703-847-3975
-

4. Status:

- 4.1 ☐ Development
- 4.2 ☐ Alpha

- 4.3 ☐ Beta
- 4.4 ☒ Product
- Swi ☐ Other (describe):

5. Switching capabilities

Internet Draft [draft-ietf-ccamp-gmpls-signaling-survey-03.txt](#) October 2002

- 5.1 ☐ PSC
- 5.2 ☒ TDM
- 5.3 ☒ LSC
- 5.4 ☒ FSC

6. Reference Drafts (please list, include version numbers)

- 6.1 [draft-ietf-mpls-generalized-signaling-07.txt](#)
- 6.2 [draft-ietf-mpls-generalized-rsvp-te-06.txt](#)
- 6.3 [draft-ietf-ccamp-gmpls-sonet-sdh-03.txt](#)
- 6.4 [RFC3209](#)
- 6.5 [RFC2961](#)
- 6.6 [RFC2205](#)
- 6.7 [draft-nadeau-ccamp-gmpls-tc-mib-01.txt](#)
- 6.8 [draft-nadeau-ccamp-gmpls-te-mib-01.txt](#)

Interface technologies

- 7.1 ☐ Frame Relay
 - 7.2 ☐ ATM
 - 7.3 ☐ Ethernet V2/DIX
 - 7.4 ☐ Ethernet 802.3
 - 7.5 ☒ SDH
 - 7.6 ☒ SONET
 - 7.7 ☒ Lambda (photonic)
 - 7.8 ☒ Fiber
 - 7.9 ☐ FiberChannel
 - 7.10 ☒ Other (describe):
 GigEthernet
-
- 8.1 ☐ Public and free
 - 8.2 ☐ Only to selected organizations/companies but free
 - 8.3 ☒ On sale.
 - 8.4 ☐ For internal company use only
 - 8.5 ☐ Other:

9. Implementation based on: (check all that apply)

- 9.1 ☐ Purchased code (please list source if possible)

- 9.2 [] Free code (please list source if possible)
- 9.3 [] Internal implementation (no outside code, just from specs)
- 9.4 [x] Internal implementation on top of purchased or free code
- 9.4.1 [] List portions from external source
 - Base RSVP-TE code from LabN
- 9.4.2 [] List portions developed internally
 - RSVP-TE for GMPLS
 - MIB support
-
- 10. Supported Label Types
- 10.1 [] MPLS Label
- 10.2 [x] Generalized Label

- 10.3 [] Waveband Label
- 10.4 [x] SONET/SDH Label
-
- 11. Label Related
- 11.1 [x] Suggested Label
- 11.2 [x] Label Set
-
- 12. Traffic Parameters
- 12.1 [] Intserv (Please list which)
- 12.2 [] CR-LDP
- 12.3 [x] GMPLS Bandwidth Encoding
- 12.4 [x] SONET/SDH
-
- 13. [x] Bidirectional LSPs
-
- 14. Notification
- 14.1 [x] Acceptable Label Set
- 14.2 [x] Notify Request Objects (GMPLS-RSVP)
- 14.3 [x] Notify Message (GMPLS-RSVP)
- 14.4 [x] Removing State with a PathErr message (GMPLS-RSVP)
-
- 15 Other features
- 15.1 [x] Explicit Label Control
- 15.2 [x] Protection Information
- 15.3 [x] Administrative Status Information
- 15.4 [x] Interface Identification
- 15.5 [x] Errored Interface Identification
- 15.6 [x] Link Fault Handling
- 15.7 [x] Nodal Fault Handling

16. Other specification(s) which apply:
17. Other features supported:
OSPF and OSPF extensions for TE and GMPLS
18. Currently-defined GMPLS signaling features not supported:
CR-LDP
19. Notes (please describe purpose of project, give any information that might be useful to those interested in developing or using GMPLS)
20. If you feel the above categories are not complete, add others which will better describe your project:

=====

Person filling out this form:

Name: Adrian Farrel
E-mail:
Tel.:
Title:
Company:
Date prepared: 3/13/02

[2.16.](#) NEC Corporation

GMPLS Signaling Implementation Survey Form

[V 1.1]

1. Organization:

NEC Corporation

1.1 Organization url(s):

www.nec.com

2. Product title(s):

SpectralWave Networking Software for U-Node, DWDM

2.1 Brief description(s):

SpectralWave family supports crossconnects on SDH/SONET and wavelength multiplexing for metro and core network with GMPLS/ASON based control plane.

3. Contact for GMPLS information

3.1 Name:

Su-Hun YUN

3.2 Title:

Assistant Manager

3.3 E-mail:

s-yun@bl.jp.nec.com

3.4 Organization/department:

Systems Development Department
First Optical Network Division

3.5 Postal address:

1753 Shimonumabe Nakahara-ku

Kawasaki, 211-8666, Japan

3.6 Phone:

+81 44 396 3247

3.7 Fax:

+81 44 435 5161

4. Status:

4.1 ☐ Development

4.2 ☐ Alpha

4.3 ☒ Beta

4.4 ☒ Product

4.5 ☐ Other (describe):

5. Switching capabilities

	[GMPLS- RSVP]	[GMPLS- LDP]	
5.1	<input type="checkbox"/>	<input type="checkbox"/>	PSC
5.2	<input checked="" type="checkbox"/>	<input type="checkbox"/>	TDM
5.3	<input type="checkbox"/>	<input type="checkbox"/>	LSC
5.4	<input type="checkbox"/>	<input type="checkbox"/>	FSC

6. Reference Drafts (please list, include version numbers)

6.1 ☒ [draft-ietf-mpls-generalized-signaling-08.txt](#)
6.2 ☒ [draft-ietf-mpls-generalized-rsvp-te-07.txt](#)
6.3 ☒ [draft-ietf-ccamp-gmpls-sonet-sdh-05.txt](#)
6.4 ☒ [draft-ietf-mpls-rsvp-unnum-02.txt](#)
6.5 ☒ [draft-ietf-mpls-bundle-03.txt](#)

6.6 ☒ [draft-ietf-mpls-lmp-02.txt](#)

6.7 ☒ [draft-ietf-ccamp-gmpls-routing-04.txt](#)
6.8 ☒ [draft-ietf-ccamp-ospf-gmpls-extensions-07.txt](#)

7. Interface technologies

7.1 ☐ Frame Relay
7.2 ☐ ATM
7.3 ☒ Ethernet V2/DIX
7.4 ☒ Ethernet 802.3
7.5 ☒ SDH
7.6 ☒ SONET
7.7 ☐ Lambda (photonic)
7.8 ☐ Fiber

7.9 ☐ FiberChannel
7.10 ☐ Other (describe):

8. Availability

	[GMPLS- RSVP]	[GMPLS- LDP]	
8.1	<input type="checkbox"/>	<input type="checkbox"/>	Public and free
8.2	<input type="checkbox"/>	<input type="checkbox"/>	Only to selected organizations/companies but free

- 8.3 ☒ ☐ On sale.
- 8.4 ☐ ☐ For internal company use only
- 8.5 ☐ ☐ Other:

9. Implementation based on: (check all that apply)

- | | [GMPLS-
RSVP] | [GMPLS-
LDP] | |
|-------|-------------------------------------|--------------------------|---|
| 9.1 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | Purchased code
(please list source if possible) |
| 9.2 | <input type="checkbox"/> | <input type="checkbox"/> | Free code
(please list source if possible) |
| 9.3 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | Internal implementation
(no outside code, just from specs) |
| 9.4 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | Internal implementation on top of purchased
or free code |
| 9.4.1 | | | List portions from external source:
(Identify protocol if appropriate) |
| 9.4.2 | | | List portions developed internally:
(Identify protocol if appropriate) |

10. Supported Label Types

- | | [GMPLS-
RSVP] | [GMPLS-
LDP] | |
|------|-------------------------------------|--------------------------|-------------------|
| 10.1 | <input type="checkbox"/> | <input type="checkbox"/> | MPLS Label |
| 10.2 | <input type="checkbox"/> | <input type="checkbox"/> | Generalized Label |
| 10.3 | <input type="checkbox"/> | <input type="checkbox"/> | Waveband Label |
| 10.4 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | SONET/SDH Label |

11. Label Related

- | | [GMPLS-
RSVP] | [GMPLS-
LDP] | |
|------|-------------------------------------|--------------------------|-----------------|
| 11.1 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | Suggested Label |
| 11.2 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | Label Set |

12. Traffic Parameters

- | | [GMPLS-
RSVP] | [GMPLS-
LDP] | |
|------|-------------------------------------|--------------------------|-----------------------------|
| 12.1 | <input type="checkbox"/> | | Intserv (Please list which) |
| 12.2 | | <input type="checkbox"/> | CR-LDP |
| 12.3 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | GMPLS Bandwidth Encoding |

- 12.4 ☒ ☐ SONET/SDH

13. Bidirectional LSPs

[GMPLS- RSVP]	[GMPLS- LDP]	
[X]	[]	Bidirectional LSPs

14. Notification

[GMPLS- RSVP]	[GMPLS- LDP]	
------------------	-----------------	--

 - 14.1 [] [] Acceptable Label Set
 - 14.2 [X] Notify Request Objects (GMPLS-RSVP)
 - 14.3 [X] Notify Message (GMPLS-RSVP)
 - 14.4 [X] Removing State with a PathErr message (GMPLS-RSVP)

- 15 Other features

[GMPLS- RSVP]	[GMPLS- LDP]	
------------------	-----------------	--

 - 15.1 [X] [] Explicit Label Control
 - 15.2 [X] [] Protection Information
 - 15.3 [X] [] Administrative Status Information
 - 15.4 [X] [] Interface Identification
 - 15.5 [X] [] Errored Interface Identification
 - 15.6 [X] [] Link Fault Handling
 - 15.7 [X] [] Nodal Fault Handling

16. Other specification(s) which apply:

17. Other features supported:
 - 17.1 related to [\[GMPLS-RSVP\]](#)

OIF UNI 1.0 is supported.
 - 17.2 related to [\[GMPLS-LDP\]](#)
 - 17.3 Other

18. Currently-defined GMPLS signaling features not supported:
 - 18.1 related to [\[GMPLS-RSVP\]](#)
 - 18.2 related to [\[GMPLS-LDP\]](#)
 - 18.3 related to [\[GMPLS-SONET\]](#)
 - 18.4 Other

19. Notes (please describe purpose of project, give any information that might be useful to those interested in developing or using GMPLS)

20. If you feel the above categories are not complete, add others which will better describe your project:

As a part of SpectralWave Networking Software, SepctralWave Control Plane fully controls SpectralWave DWDM and U-Node by interacting with SpectralWave Manager (NMS) and SpectralWave Planning Tool.

=====

Person filling out this form:

Name: Su-Hun YUN
E-mail: s-yun@bl.jp.nec.com
Tel.: +81 44 396 3247
Title: Assistant Manager
Company: NEC Corporation
Date prepared: Sep. 20, 2002

[2.17](#). NetPlane Systems

GMPLS Signaling Implementation Survey Form

[V 1.0]

1. Organization: NetPlane Systems, a division of Conexant Systems

1.1 Organization url(s): www.netplane.com

2. Product title(s):
LTCS (Label Traffic Control System)- Optical and Classical, LTCS-LMP

2.1 Brief description(s):

3. Portable software protocol products which support multiple ietf drafts and RFCs, and implementation agreements coming out of the OIF. MPLS and GMPLS Signaling Products, which includes RSVP, LDP, CR-LDP, OUNI. Also have LMP to support optical network requirements.

3. Contact for GMPLS information

3.1 Name: Sandra Herforth

3.2 Title: Sr. Product Manager

3.3 E-mail: sherforth@netplane.com

3.4 Organization/department: Marketing

3.5 Postal address: 200 Lowder Brook Drive, Westwood, MA 02090

Internet Draft [draft-ietf-ccamp-gmpls-signaling-survey-03.txt](#) October 2002

3.6 Phone: 781-251-5363

3.7 Fax: 781-329-6703

4. Status:

4.1 ☐ Development

4.2 ☐ Alpha

4.3 ☐ Beta

4.4 ☒ Product: All products listed above are released and are generally

4.5 ☐ Other (describe):

5. Switching capabilities

5.1 ☒ PSC

5.2 ☒ TDM

5.3 ☒ LSC

5.4 ☒ FSC

6. Reference Drafts (please list, include version numbers)

[RFC 2205](#) Resource ReSerVation Protocol (RSVP)

[RFC 2206](#) RSVP Management Information Base using SMIPv2

[RFC 2208](#) Resource ReSerVation Protocol (RSVP) Version 1 Applicability Statement

[RFC 2209](#) Resource ReSerVation Protocol (RSVP) Version 1 Message Processing Rules

[RFC 2210](#) The Use of RSVP with IETF Integrated Services

[RFC 2547](#) BGP/MPLS VPNs

[RFC 2702](#) Requirements for Traffic Engineering over MPLS

[RFC 2750](#) RSVP Extensions for Policy Control

[RFC 2764](#) Framework for IP-based Virtual Private Networks

[RFC 2961](#) RSVP Refresh Overhead Reduction Extensions

[RFC 2997](#) Specification of the Null Service Type

[RFC 3031](#) Multiprotocol Label Switching Architecture

[RFC 3032](#) MPLS Label Stack Encoding

[RFC 3034](#) Use of Label Switching on Frame Relay Networks Specification

[RFC 3035](#) MPLS using LDP and ATM VC Switching

[RFC 3036](#) LDP Specification

[RFC 3037](#) LDP Applicability

[RFC 3209](#) RSVP-TE: Extensions to RSVP for LSP Tunnels
[RFC 3210](#) Applicability statement for the extensions to RSVP for LSP Tunnels
[RFC 3212](#) Constraint-Based LSP Setup using LDP
[RFC 3213](#) Applicability Statement for CR-LDP

[draft-ietf-ccamp-gmpls-architecture-02](#) Generalized Multi-Protocol Label Swi
[draft-ietf-mpls-generalized-signaling-04](#) Generalized MPLS-Signaling Functio
[draft-ietf-mpls-generalized-rsvp-te-02](#) Generalized MPLS Signaling - RSVP-TE
[draft-ietf-ccamp-gmpls-architecture-02](#) Generalized Multi-Protocol Label Swi

Berger, Rekhter - Editors

[Page 71]

Internet Draft [draft-ietf-ccamp-gmpls-signaling-survey-03.txt](#) October 2002

[draft-many-ccamp-gmpls-framework-00](#) A Framework for Generalized Multi-proto
[draft-ietf-mpls-rsvp-unnum-04](#) Signalling Unnumbered Links in RSVP-TE
[draft-ietf-mpls-lsp-hierarchy-03](#) LSP Hierarchy with MPLS TE
[draft-ietf-mpls-bundle-01](#) Link Bundling in MPLS Traffic Engineering
[draft-ietf-ccamp-gmpls-sonet-sdh-02](#) GMPLS Extensions for SONET and SDH Cont
[draft-oetf-ccamp-gmpls-sonet-sdh-extensions](#) GMPLS Extensions to Control Non
[draft-ietf-mpls-diff-ext-09](#) MPLS Support of Differentiated Services
[draft-ietf-mpls-lsr-mib-07](#) Multiprotocol Label Switching (MPLS) LSR Managem
[draft-ietf-mpls-mpls-te-mib-06](#) Multiprotocol Label Switching (MPLS) Traffic
[draft-ietf-mpls-ldp-mib-08](#) Definitions of Managed Objects for the Multiprot
[draft-ietf-mpls-ftn-mib-03](#) Multiprotocol Label Switching (MPLS) FEC-To-NHLF
[draft-ietf-mpls-rsvp-lsp-tunnel-09](#) RSVP-TE: Extensions to RSVP for LSP Tunn
[draft-ietf-mpls-rsvp-tunnel-applicability-02](#) Applicability Statement for Ex
[draft-ietf-mpls-cr-ldp-06](#) Constraint-Based LSP Setup using LDP
[draft-ietf-mpls-crisp-modify-03](#) LSP Modification Using CR-LDP
[draft-ietf-mpls-ldp-state-04](#) LDP State Machine
[draft-ietf-mpls-tc-mib-02](#) Definition of Textual Conventions and OBJECT-IDENT
[draft-martini-l2circuit-trans-mpls-08](#) Transport of Layer 2 Frames Over MPLS
[draft-martini-l2-encap-mpls-04](#) Encapsulation Methods for Transport of Layer
[draft-ietf-ppvpn-rfc2547bis-01](#) BGP/MPLS VPNs
[draft-ietf-mpls-mgmt-overview](#) Multiprotocol Label Switching (MPLS) Managem
[draft-ietf-ipo-ason-02](#) Automatic Switched Optical Network (ASON) Architectu
[draft-ietf-ccamp-lmp-02](#) Link Management Protocol (LMP)
[draft-fredette-lmp-wdm-03](#) Link Management Protocol (LMP) for DWDM Optical L
[draft-ietf-ccamp-lmp-mib-00](#) Link Management Protocol Management Information

7. Interface technologies

- 7.1 [\[X\]](#) Frame Relay
- 7.2 [\[X\]](#) ATM
- 7.3 [\[X\]](#) Ethernet V2/DIX
- 7.4 [\[X\]](#) Ethernet 802.3
- 7.5 [\[X\]](#) SDH

- 7.6 ☒ SONET
- 7.7 ☒ Lambda (photonic)
- 7.8 ☒ Fiber
- 7.9 ☐ FiberChannel
- 7.10 ☐ Other (describe):

8. Availability

- 8.1 ☐ Public and free
- 8.2 ☐ Only to selected organizations/companies but free
- 8.3 ☒ On sale.
- 8.4 ☐ For internal company use only
- 8.5 ☐ Other:

9. Implementation based on: (check all that apply)

- 9.1 ☐ Purchased code (please list source if possible)
- 9.2 ☐ Free code (please list source if possible)

- 9.3 ☒ Internal implementation (no outside code, just from specs)
- 9.4 ☐ Internal implementation on top of purchased or free code
 - 9.4.1 ☐ List portions from external source
 - 9.4.2 ☒ List portions developed internally

All of NetPlane Systems' Implementations are based completely on internally developed code. NetPlane owns all intellectual property relating to its products and provides full indemnification against 3rd party claims for possible future royalties, etc.

10. Supported Label Types

- 10.1 ☒ MPLS Label
- 10.2 ☒ Generalized Label
- 10.3 ☒ Waveband Label
- 10.4 ☒ SONET/SDH Label

11. Label Related

- 11.1 ☒ Suggested Label
- 11.2 ☒ Label Set

12. Traffic Parameters

- 12.1 ☒ Intserv (Controlled load, Guaranteed Service, and Null Service Type)
- 12.2 ☒ CR-LDP
- 12.3 ☒ GMPLS Bandwidth Encoding
- 12.4 ☒ SONET/SDH

13. [X] Bidirectional LSPs

14. Notification

14.1 [X] Acceptable Label Set

14.2 [X] Notify Request Objects (GMPLS-RSVP)

14.3 [X] Notify Message (GMPLS-RSVP)

14.4 [X] Removing State with a PathErr message (GMPLS-RSVP)

15 Other features

15.1 [X] Explicit Label Control

15.2 [X] Protection Information

15.3 [X] Administrative Status Information

15.4 [X] Interface Identification

15.5 [] Errored Interface Identification

15.6 [X] Link Fault Handling

15.7 [X] Nodal Fault Handling

 - Supported by Redundant and Distributed Product Packages

16. Other specification(s) which apply:

OIF UNI 1.0 Signaling Implementation Agreement, oif2000.125.7

ITU-T G.8080/Y.1304-Architecture and Specifications for Automatically Switched Optical Network

ITU-T G.7713/Y.1704-Distributed Call and Connection Management

ITU-T G.7712/Y.1703-Architecture and Specification of Data Communication Net

17. Other features supported:

Support of Redundant Architectures to support Nodal and Control Plane Failure Fault Tolerance (hot backup)

Flexible Software to support multiple types of distributed architectures

Bundled links

Non-associated (out of band) signaling

Graceful deletion

LSP hierarchy

Reverse LSPs

Diffserv

Resource Affinities
Wavelength Conversion Incapable

18. Currently-defined GMPLS signaling features not supported:

Generally support all GMPLS signaling requirements which are adequately defined in the IETF drafts today. There are a few items like Graceful Restart and Persistence which have IETF Drafts or industry solutions which carriers are resistant to deploy in their current networks. NetPlane is taking a measured approach to support more appropriate and effective solutions. Fast Restart Link Bundling MIB is currently supported by an Enterprise MIB which was developed to support an early version of the Link Bundle MIB.

19. Notes (please describe purpose of project, give any information that might be useful to those interested in developing or using GMPLS)

NetPlane's LTCS product line supports a unified code base which (optionally) supports MPLS (RSVP-TE, LDP, CR-LDP), GMPLS (RSVP-TE) and OIF O-UNI (RSVP-TE). It has been used a majority of OEMs for a wide range of applications, including core optical network devices, where scalability and high availability is a critical requirement, a variety of optical "edge" devices where architectural flexibility, scalability and performance are key, including support for O-UNI and it has been field deployed in carrier networks for classical MPLS applications.

To fully support GMPLS applications, NetPlane also offers LMP.

Additionally NetPlane offers a full range of routing protocols, including OSPF and BGP4. The OSPF implementation is complemented by

Traffic Engineering (TE) extensions and a Constrained Shortest Path First (CSPF) engine to calculate explicit paths for both IP and optical applications MPLS/GMPLS.

Provide Software Source code to many types of Network Equipment Providers, NetPlane Systems has over 200 customers worldwide for all of their products.

20. If you feel the above categories are not complete, add others which will better describe your project:

=====

Person filling out this form:

Name: Sandra Herforth
E-mail: sherforth@netplane.com
Tel.: 781-251-5363
Title: Sr. Product Manager
Company: NetPlane Systems
Date prepared: April 3, 2002

2.18. Nippon Telegraph and Telephone Corporation

GMPLS Signaling Implementation Survey Form

[V 1.1]

1. Organization: Nippon Telegraph and Telephone Corporation

1.1 Organization url(s): <http://www.onlab.ntt.co.jp/>

2. Product title(s): HIKARI router

2.1 Brief description(s):

NTT's HIKARI router is an integrated GMPLS router
with L1/L2/L3 switching capabilities.

3. Contact for GMPLS information

3.1 Name: Satoru Okamoto

3.2 Title: Senior Research Engineer

3.3 E-mail: okamoto@exa.onlab.ntt.co.jp

3.4 Organization/department: NTT Network Innovation Laboratories

3.5 Postal address: 9-11 Midori-Cho 3-Chome, Musashino-shi,

Berger, Rekhter - Editors

[Page 75]

Internet Draft [draft-ietf-ccamp-gmpls-signaling-survey-03.txt](#) October 2002

Tokyo 180-8585 JAPAN

3.6 Phone: +81 422 59 4353

3.7 Fax: +81 422 59 6387

4. Status:

- 4.1 ☒ Development
- 4.2 ☐ Alpha
- 4.3 ☐ Beta
- 4.4 ☐ Product
- 4.5 ☐ Other (describe):

5. Switching capabilities

- | | [GMPLS-
RSVP] | [GMPLS-
LDP] | |
|-----|-------------------------------------|-------------------------------------|-----|
| 5.1 | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | PSC |
| 5.2 | <input type="checkbox"/> | <input type="checkbox"/> | TDM |
| 5.3 | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | LSC |
| 5.4 | <input type="checkbox"/> | <input type="checkbox"/> | FSC |

6. Reference Drafts (please list, include version numbers)

- 6.1 [\[RFC-3212\]](#)
- 6.2 [\[draft-ietf-mpls-generalized-rsvp-te-06.txt\]](#)
- 6.3 [\[draft-ietf-mpls-generalized-signaling-07.txt\]](#)
- 6.4 [\[draft-ietf-ccamp-ospf-gmpls-extensions-05.txt\]](#)
- 6.5 ☐
- 6.6 ☐

7. Interface technologies

- 7.1 ☐ Frame Relay
- 7.2 ☐ ATM
- 7.3 ☐ Ethernet V2/DIX
- 7.4 ☒ Ethernet 802.3
- 7.5 ☒ SDH
- 7.6 ☒ SONET
- 7.7 ☒ Lambda (photonic)
- 7.8 ☐ Fiber
- 7.9 ☐ FiberChannel
- 7.10 ☐ Other (describe):

8. Availability

- | | [GMPLS-
RSVP] | [GMPLS-
LDP] | |
|-----|--------------------------|--------------------------|---|
| 8.1 | <input type="checkbox"/> | <input type="checkbox"/> | Public and free |
| 8.2 | <input type="checkbox"/> | <input type="checkbox"/> | Only to selected organizations/companies but free |
| 8.3 | <input type="checkbox"/> | <input type="checkbox"/> | On sale. |

8.4 ☒ ☒ For internal company use only

8.5 ☐ ☐ Other:

9. Implementation based on: (check all that apply)

	[GMPLS- RSVP]	[GMPLS- LDP]	
9.1	<input type="checkbox"/>	<input type="checkbox"/>	Purchased code (please list source if possible)
9.2	<input type="checkbox"/>	<input type="checkbox"/>	Free code (please list source if possible)
9.3	<input type="checkbox"/>	<input type="checkbox"/>	Internal implementation (no outside code, just from specs)
9.4	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Internal implementation on top of purchased or free code
9.4.1			List portions from external source: (Identify protocol if appropriate)
9.4.2			List portions developed internally: (Identify protocol if appropriate)

10. Supported Label Types

	[GMPLS- RSVP]	[GMPLS- LDP]	
10.1	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	MPLS Label
10.2	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Generalized Label
10.3	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Waveband Label
10.4	<input type="checkbox"/>	<input type="checkbox"/>	SONET/SDH Label

11. Label Related

	[GMPLS- RSVP]	[GMPLS- LDP]	
11.1	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Suggested Label
11.2	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Label Set

12. Traffic Parameters

	[GMPLS- RSVP]	[GMPLS- LDP]	
12.1	<input type="checkbox"/>		Intserv (Please list which)
12.2		<input checked="" type="checkbox"/>	CR-LDP
12.3	<input checked="" type="checkbox"/>	<input type="checkbox"/>	GMPLS Bandwidth Encoding
12.4	<input type="checkbox"/>	<input type="checkbox"/>	SONET/SDH

13. Bidirectional LSPs

	[GMPLS- RSVP]	[GMPLS- LDP]	
	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Bidirectional LSPs

14. Notification

Internet Draft [draft-ietf-ccamp-gmpls-signaling-survey-03.txt](#) October 2002

- | | RSVP] | LDP] | |
|------|-------|------|--|
| 14.1 | [] | [] | Acceptable Label Set |
| 14.2 | [] | | Notify Request Objects (GMPLS-RSVP) |
| 14.3 | [X] | | Notify Message (GMPLS-RSVP) |
| 14.4 | [X] | | Removing State with a PathErr message (GMPLS-RSVP) |

15 Other features

- | | [GMPLS-
RSVP] | [GMPLS-
LDP] | |
|------|------------------|-----------------|-----------------------------------|
| 15.1 | [X] | [] | Explicit Label Control |
| 15.2 | [X] | [] | Protection Information |
| 15.3 | [X] | [] | Administrative Status Information |
| 15.4 | [X] | [] | Interface Identification |
| 15.5 | [X] | [] | Errored Interface Identification |
| 15.6 | [] | [] | Link Fault Handling |
| 15.7 | [] | [] | Nodal Fault Handling |

16. Other specification(s) which apply:

17. Other features supported:

- 17.1 related to [\[GMPLS-RSVP\]](#)
- 17.2 related to [\[GMPLS-LDP\]](#)
- 17.3 Other

18. Currently-defined GMPLS signaling features not supported:

- 18.1 related to [\[GMPLS-RSVP\]](#)
- 18.2 related to [\[GMPLS-LDP\]](#)
- 18.3 related to [\[GMPLS-SONET\]](#)
- 18.4 Other

19. Notes (please describe purpose of project, give any information that might be useful to those interested in developing or using GMPLS)

20. If you feel the above categories are not complete, add others which will better describe your project:

=====

Person filling out this form:

Name: Satoru Okamoto
E-mail: okamoto@exa.onlab.ntt.co.jp
Tel.: +81 422 59 4353
Title: Senior Research Engineer
Company: Nippon Telegraph and Telephone Corporation
Date prepared: 05/31/2002

Internet Draft [draft-ietf-ccamp-gmpls-signaling-survey-03.txt](#) October 2002

[2.19](#). Nortel Networks

GMPLS Signaling Implementation Survey Form

[V 1.0]

1. Organization: Nortel Networks

1.1 Organization url(s): www.nortelnetworks.com

2. Product title(s): Automatic Switched Optical Networks (ASON)

2.1 Brief description(s): optical control plane

3. Contact for GMPLS information

3.1 Name: Don Fedyk

3.2 Title: Senior Advisor

3.3 E-mail: dwfedyk@nortelnetworks.com

3.4 Organization/department:

3.5 Postal address: 600 Technology Park, Billerica, MA 01450

3.6 Phone: 978 288 3041

3.7 Fax:

4. Status:

- 4.1 ☐ Development
- 4.2 ☐ Alpha
- 4.3 ☐ Beta
- 4.4 ☐ Product
- 4.5 ☐ Other (describe):

5. Switching capabilities

- 5.1 ☐ PSC
- 5.2 ☐ TDM
- 5.3 ☐ LSC
- 5.4 ☐ FSC

6. Reference Drafts (please list, include version numbers)

- 6.1 ☒ [draft-ietf-mpls-generalized-signaling-07.txt](#)
- 6.2 ☒ [draft-ietf-mpls-generalized-cr-ldp-05.txt](#)

- 6.3 ☐
- 6.4 ☐
- 6.5 ☐
- 6.6 ☐

7. Interface technologies

- 7.1 ☐ Frame Relay
- 7.2 ☐ ATM
- 7.3 ☐ Ethernet V2/DIX
- 7.4 ☐ Ethernet 802.3
- 7.5 ☐ SDH
- 7.6 ☐ SONET
- 7.7 ☐ Lambda (photonic)
- 7.8 ☐ Fiber
- 7.9 ☐ FiberChannel
- 7.10 ☐ Other (describe):

8. Availability

- 8.1 ☐ Public and free
- 8.2 ☐ Only to selected organizations/companies but free
- 8.3 ☐ On sale.
- 8.4 ☐ For internal company use only
- 8.5 ☐ Other:

9. Implementation based on: (check all that apply)

- 9.1 ☐ Purchased code (please list source if possible)

- 9.2 [] Free code (please list source if possible)
- 9.3 [] Internal implementation (no outside code, just from specs)
- 9.4 [] Internal implementation on top of purchased or free code
- 9.4.1 [] List portions from external source
- 9.4.2 [] List portions developed internally

10. Supported Label Types

- 10.1 [x] MPLS Label
- 10.2 [x] Generalized Label
- 10.3 [x] Waveband Label
- 10.4 [x] SONET/SDH Label

11. Label Related

- 11.1 [x] Suggested Label
- 11.2 [x] Label Set

12. Traffic Parameters

- 12.1 [] Intserv (Please list which)
- 12.2 [x] CR-LDP
- 12.3 [x] GMPLS Bandwidth Encoding
- 12.4 [x] SONET/SDH

13. [x] Bidirectional LSPs

14. Notification

- 14.1 [x] Acceptable Label Set
- 14.2 [] Notify Request Objects (GMPLS-RSVP)
- 14.3 [] Notify Message (GMPLS-RSVP)
- 14.4 [] Removing State with a PathErr message (GMPLS-RSVP)

15 Other features

- 15.1 [] Explicit Label Control
- 15.2 [] Protection Information
- 15.3 [] Administrative Status Information
- 15.4 [] Interface Identification
- 15.5 [] Errored Interface Identification
- 15.6 [] Link Fault Handling
- 15.7 [] Nodal Fault Handling

16. Other specification(s) which apply:

17. Other features supported:
18. Currently-defined GMPLS signaling features not supported:
19. Notes (please describe purpose of project, give any information that might be useful to those interested in developing or using GMPLS)
20. If you feel the above categories are not complete, add others which will better describe your project:

=====

Person filling out this form:

Name: Don Fedyk
E-mail: see above
Tel.:
Title:
Company:
Date prepared:

[2.20](#). Polaris Networks Inc

GMPLS Signaling Implementation Survey Form

[V 1.1]

1. Organization: Polaris Networks Inc.

1.1 Organization url(s): www.polarisnetworks.com

2. Product title(s): OMX

2.1 Brief description(s):

The OMX is a Terabit-scalable optical transport switch that combines the functions of SONET ADM with a Wideband, Broadband and Super-broadband Digital Cross-connect System (DCS) in a single consolidated footprint. The control plane on the OMX is IP and GMPLS based to support the end-to-end provisioning of services.

3. Contact for GMPLS information

3.1 Name: Dean Cheng

3.2 Title: Principal Network Architect

3.3 E-mail: dcheng@polarisnetworks.com

3.4 Organization/department: Architecture

3.5 Postal address:

6810 Santa Teresa Bl., San Jose CA 95119

3.6 Phone: (408) 284-8061

3.7 Fax: (408) 281-7463

4. Status:

4.1 ☒ Development

4.2 ☐ Alpha

4.3 ☐ Beta

4.4 ☐ Product

4.5 ☐ Other (describe):

5. Switching capabilities

	[GMPLS- RSVP]	[GMPLS- LDP]	
5.1	<input type="checkbox"/>	<input type="checkbox"/>	PSC
5.2	<input checked="" type="checkbox"/>	<input type="checkbox"/>	TDM
5.3	<input type="checkbox"/>	<input type="checkbox"/>	LSC

5.4 ☐ ☐ FSC

6. Reference Drafts (please list, include version numbers)

- 6.1 ☒ [RFC 2328](#) OSPF v2
- 6.2 ☒ [RFC 2370](#) OSPF Opaque LSA
- 6.3 ☒ [draft-katz-yeung-ospf-traffic-06.txt](#)
- 6.4 ☒ [draft-ietf-ccamp-gmpls-routing-04.txt](#)
- 6.5 ☒ [draft-ietf-ccamp-gmpls-ospf-gmpls-extensions-07.txt](#)
- 6.6 ☒ [RFC 2205](#) RSVP
- 6.7 ☒ [RFC 3209](#) Traffic Engineering Extensions to RSVP
- 6.8 ☒ [draft-ietf-mpls-generalized-signaling-07.txt](#)
- 6.9 ☒ [draft-ietf-mpls-generalized-rsvp-te-06.txt](#)
- 6.10 ☒ [draft-ietf-ccamp-gmpls-sonet-sdh-05.txt](#)
- 6.11 ☒ [draft-ietf-mpls-rsvp-unnum-06.txt](#)
- 6.12 ☒ [draft-ietf-mpls-bundle-03.txt](#)
- 6.13 ☒ [draft-ietf-ccamp-lmp-02.txt](#)
- 6.14 ☒ [RFC 2784](#) GRE
- 6.14 ☒ [RFC 1661](#) PPP in HDLC-like Framing
- 6.15 ☒ [RFC 1662](#) PPP
- 6.16 ☒ [RFC 1332](#) IPCP

7. Interface technologies

- 7.1 ☐ Frame Relay
- 7.2 ☐ ATM
- 7.3 ☒ Ethernet V2/DIX
- 7.4 ☒ Ethernet 802.3
- 7.5 ☐ SDH
- 7.6 ☒ SONET
- 7.7 ☐ Lambda (photonic)
- 7.8 ☐ Fiber
- 7.9 ☐ FiberChannel
- 7.10 ☐ Other (describe):

8. Availability

- | | <input type="checkbox"/> [GMPLS-
RSVP] | <input type="checkbox"/> [GMPLS-
LDP] | |
|--|---|--|--|
|--|---|--|--|

9. Implementation based on: (check all that apply)

	[GMPLS- RSVP]	[GMPLS- LDP]	
9.1	<input type="checkbox"/>	<input type="checkbox"/>	Purchased code (please list source if possible)
9.2	<input type="checkbox"/>	<input type="checkbox"/>	Free code (please list source if possible)
9.3	<input type="checkbox"/>	<input type="checkbox"/>	Internal implementation (no outside code, just from specs)
9.4	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Internal implementation on top of purchased or free code
9.4.1			List portions from external source: (Identify protocol if appropriate)
9.4.2			List portions developed internally: (Identify protocol if appropriate)

10. Supported Label Types

	[GMPLS- RSVP]	[GMPLS- LDP]	
10.1	<input type="checkbox"/>	<input type="checkbox"/>	MPLS Label
10.2	<input type="checkbox"/>	<input type="checkbox"/>	Generalized Label
10.3	<input type="checkbox"/>	<input type="checkbox"/>	Waveband Label
10.4	<input checked="" type="checkbox"/>	<input type="checkbox"/>	SONET/SDH Label

11. Label Related

	[GMPLS- RSVP]	[GMPLS- LDP]	
11.1	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Suggested Label
11.2	<input type="checkbox"/>	<input type="checkbox"/>	Label Set

12. Traffic Parameters

	[GMPLS- RSVP]	[GMPLS- LDP]	
12.1	<input type="checkbox"/>		Intserv (Please list which)
12.2		<input type="checkbox"/>	CR-LDP
12.3	<input checked="" type="checkbox"/>	<input type="checkbox"/>	GMPLS Bandwidth Encoding
12.4	<input checked="" type="checkbox"/>	<input type="checkbox"/>	SONET/SDH

13. Bidirectional LSPs

	[GMPLS- RSVP]	[GMPLS- LDP]	
	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Bidirectional LSPs

14. Notification

	[GMPLS- RSVP]	[GMPLS- LDP]	
14.1	<input type="checkbox"/>	<input type="checkbox"/>	Acceptable Label Set
14.2	<input checked="" type="checkbox"/>		Notify Request Objects (GMPLS-RSVP)
14.3	<input checked="" type="checkbox"/>		Notify Message (GMPLS-RSVP)

Internet Draft [draft-ietf-ccamp-gmpls-signaling-survey-03.txt](#) October 2002

14.4 ☒ Removing State with a PathErr message (GMPLS-RSVP)

15 Other features

	[GMPLS- RSVP]	[GMPLS- LDP]	
15.1	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Explicit Label Control
15.2	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Protection Information
15.3	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Administrative Status Information
15.4	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Interface Identification
15.5	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Errored Interface Identification
15.6	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Link Fault Handling
15.7	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Nodal Fault Handling

16. Other specification(s) which apply:

17. Other features supported:

17.1 related to [\[GMPLS-RSVP\]](#)

17.2 related to [\[GMPLS-LDP\]](#)

17.3 Other

18. Currently-defined GMPLS signaling features not supported:

18.1 related to [\[GMPLS-RSVP\]](#)

18.2 related to [\[GMPLS-LDP\]](#)

18.3 related to [\[GMPLS-SONET\]](#)

18.4 Other

19. Notes (please describe purpose of project, give any information that might be useful to those interested in developing or using GMPLS)

20. If you feel the above categories are not complete, add others which will better describe your project:

=====

Person filling out this form:

Name: Same as above.

E-mail:

Tel.:

Title:

Company:

Date prepared: 9/16/2002

Internet Draft [draft-ietf-ccamp-gmpls-signaling-survey-03.txt](#) October 2002

[2.21](#). Sycamore Networks Inc.

GMPLS Signaling Implementation Survey Form

[V 1.1]

1. Organization: Sycamore Networks Inc.

1.1 Organization url(s): www.sycamorenetworks.com

2. Product title(s): SN 3000 optical switch, SN 16000 optical switch

2.1 Brief description(s):

Metro and core optical switches with STS-1 level granularity, integrated routing, signaling and management software. GMPLS is implemented using the IETF CCAMP Working Group Internet Drafts in order to support standards-based compatibility and provide the foundation for multi-vendor interoperability. Validated multiple GMPLS interoperability configurations (peer, overlay, hybrid) during the MPLS Forum-sponsored GMPLS testing activity conducted at University of New Hampshire InterOperability Lab, September 30 - October 4, 2002. Testing included signaling (RSVP-TE) and control plane interoperability with multiple (edge LSR) devices from vendors including Cisco, Juniper, Agilent, Data Connection Ltd., NetTest, and NetPlane.

3. Contact for GMPLS information

3.1 Name: Tom DiMicelli

3.2 Title: Senior Product Manager

3.3 E-mail: tdimicelli@sycamorenet.com

3.4 Organization/department: Product Management/Network Switching

3.5 Postal address: 220 Mill Road, Chelmsford, MA

3.6 Phone: 978-367-7978

3.7 Fax: 978-250-9207

4. Status:

4.1 ☐ Development

4.2 ☐ Alpha

4.3 ☒ Beta

4.4 ☐ Product

Berger, Rekhter - Editors

[Page 86]

Internet Draft [draft-ietf-ccamp-gmpls-signaling-survey-03.txt](#) October 2002

4.5 ☐ Other (describe):

5. Switching capabilities

[GMPLS- RSVP] [\[GMPLS-LDP\]](#)

5.1 ☐ ☐ PSC

5.2 ☒ ☐ TDM

5.3 ☒ ☐ LSC

5.4 ☒ ☐ FSC

6. Reference Drafts (please list, include version numbers)

6.1 ☒ [draft-ietf-mpls-generalized-signaling-07.txt](#)

6.2 ☒ [draft-ietf-mpls-generalized-rsvp-te-06.txt](#)

6.3 ☒ [draft-ietf-ccamp-gmpls-sonet-sdh-02.txt](#)

6.4 ☒ [draft-iwata-mpls-crankback-00.txt](#)

6.5 ☒ [draft-pan-mpls-restart-01.txt](#)

Drafts implemented as part of the October 2002 UNH and NGN GMPLS interoperab

. [draft-ietf-mpls-generalized-signaling-08.txt](#)

. [draft-ietf-mpls-generalized-rsvp-te-07.txt](#)

7. Interface technologies

7.1 ☐ Frame Relay

7.2 ☐ ATM

7.3 ☐ Ethernet V2/DIX

7.4 ☐ Ethernet 802.3

7.5 ☒ SDH

7.6 ☒ SONET

7.7 ☐ Lambda (photonic)

- 7.8 ☐ Fiber
- 7.9 ☐ FiberChannel
- 7.10 ☐ Other (describe):

8. Availability

[\[GMPLS-RSVP\]](#) [\[GMPLS-LDP\]](#)

- 8.1 ☐ ☐ Public and free
- 8.2 ☒ ☐ Only to selected organizations/companies but free
- 8.3 ☐ ☐ On sale.
- 8.4 ☐ ☐ For internal company use only
- 8.5 ☐ ☐ Other:

9. Implementation based on: (check all that apply)

[\[GMPLS-RSVP\]](#) [\[GMPLS-LDP\]](#)

- 9.1 ☐ ☐ Purchased code (please list source if possible)
- 9.2 ☐ ☐ Free code (please list source if possible)
- 9.3 ☐ ☐ Internal implementation (no outside code, just from internal source)
- 9.4 ☒ ☐ Internal implementation on top of purchased or free code

9.4.1 List portions from external source: (Identify protocol if appropriate)

9.4.2 List portions developed internally: (Identify protocol if appropriate)

10. Supported Label Types

[\[GMPLS-RSVP\]](#) [\[GMPLS-LDP\]](#)

- 10.1 ☐ ☐ MPLS Label
- 10.2 ☒ ☐ Generalized Label
- 10.3 ☐ ☐ Waveband Label
- 10.4 ☒ ☐ SONET/SDH Label

11. Label Related

[\[GMPLS-RSVP\]](#) [\[GMPLS-LDP\]](#)

- 11.1 ☒ ☐ Suggested Label
- 11.2 ☒ ☐ Label Set

12. Traffic Parameters

[\[GMPLS-RSVP\]](#) [\[GMPLS-LDP\]](#)

- 12.1 ☒ Intserv (Please list which)
- 12.2 ☐ CR-LDP
- 12.3 ☐ ☐ GMPLS Bandwidth Encoding
- 12.4 ☒ ☐ SONET/SDH

13. Bidirectional LSPs

[[GMPLS-RSVP](#)] [[GMPLS-LDP](#)]
[X] [] Bidirectional LSPs

14. Notification

[[GMPLS-RSVP](#)] [[GMPLS-LDP](#)]
14.1 [] [] Acceptable Label Set
14.2 [X] Notify Request Objects (GMPLS-RSVP)
14.3 [X] Notify Message (GMPLS-RSVP)
14.4 [X] Removing State with a PathErr message (GMPLS-RSVP)

15 Other features

[[GMPLS-RSVP](#)] [[GMPLS-LDP](#)]
15.1 [X] [] Explicit Label Control
15.2 [] [] Protection Information
15.3 [X] [] Administrative Status Information
15.4 [X] [] Interface Identification
15.5 [X] [] Errored Interface Identification
15.6 [X] [] Link Fault Handling
15.7 [] [] Nodal Fault Handling

16. Other specification(s) which apply:

17. Other features supported:

17.1 related to [[GMPLS-RSVP](#)]
17.2 related to [[GMPLS-LDP](#)]

17.3 Other

18. Currently-defined GMPLS signaling features not supported:

18.1 related to [[GMPLS-RSVP](#)]
18.2 related to [[GMPLS-LDP](#)]
18.3 related to [[GMPLS-SONET](#)]
18.4 Other

19. Notes (please describe purpose of project, give any information that might be useful)

20. If you feel the above categories are not complete, add others which will be helpful

Sycamore is actively engaged in the investigation and development of a variety of GMPLS signaling features.

Parallel to our interoperability activities with GMPLS, Sycamore continues t

[2.22. Tellium, Inc.](#)

GMPLS Signaling Implementation Survey Form

[V 1.0]

1. Organization: Tellium, Inc.

1.1 Organization url(s): www.tellium.com

2. Product title(s): Aurora Optical Switch, Aurora 128

2.1 Brief description(s):

Wavelength optical switch, managing wavelengths which are today
at -48 and -192 levels of granularity

3. Contact for GMPLS information

3.1 Name: Dimitrios Pendarakis

3.2 Title: Manager, Internetworking and Applications

3.3 E-mail: dpendarakis@tellium.com

3.4 Organization/department: Tellium, Inc.

3.5 Postal address: 2 Crescent Place, P.O. Box 901,
Oceanport, NJ 07757-0901

Berger, Rekhter - Editors

[Page 89]

Internet Draft [draft-ietf-ccamp-gmpls-signaling-survey-03.txt](#) October 2002

3.6 Phone: 732 923-4254

3.7 Fax: 732 728-9862

4. Status:

4.1 [] Development

- 4.2 ☒ Alpha
- 4.3 ☐ Beta
- 4.4 ☐ Product
- 4.5 ☐ Other (describe):

5. Switching capabilities

- 5.1 ☐ PSC
- 5.2 ☒ TDM
- 5.3 ☒ LSC
- 5.4 ☒ FSC

6. Reference Drafts (please list, include version numbers)

- 6.1 ☒ [draft-ietf-mpls-generalized-signaling-07.txt](#)
- 6.2 ☒ [draft-ietf-mpls-generalized-rsvp-te-06.txt](#)
- 6.3 ☒ [draft-ietf-ccamp-gmpls-sonet-sdh-03.txt](#)
- 6.4 ☒ [draft-ietf-mpls-rsvp-unnum-04.txt](#)
- 6.5 ☒ [draft-ietf-mpls-bundle-01.txt](#)
- 6.6 ☐

7. Interface technologies

- 7.1 ☐ Frame Relay
- 7.2 ☐ ATM
- 7.3 ☐ Ethernet V2/DIX
- 7.4 ☐ Ethernet 802.3
- 7.5 ☒ SDH
- 7.6 ☒ SONET
- 7.7 ☒ Lambda (photonic)
- 7.8 ☒ Fiber
- 7.9 ☐ FiberChannel
- 7.10 ☐ Other (describe):

8. Availability

- 8.1 ☐ Public and free
- 8.2 ☐ Only to selected organizations/companies but free
- 8.3 ☐ On sale.
- 8.4 ☒ For internal company use only
- 8.5 ☐ Other:

9. Implementation based on: (check all that apply)

- 9.1 ☐ Purchased code (please list source if possible)
- 9.2 ☐ Free code (please list source if possible)

- 9.3 [] Internal implementation (no outside code, just from specs)
- 9.4 [X] Internal implementation on top of purchased or free code
- 9.4.1 [] List portions from external source
- 9.4.2 [] List portions developed internally

10. Supported Label Types

- 10.1 [] MPLS Label
- 10.2 [X] Generalized Label
- 10.3 [] Waveband Label
- 10.4 [X] SONET/SDH Label

11. Label Related

- 11.1 [X] Suggested Label
- 11.2 [X] Label Set

12. Traffic Parameters

- 12.1 [] Intserv (Please list which)
- 12.2 [] CR-LDP
- 12.3 [X] GMPLS Bandwidth Encoding
- 12.4 [X] SONET/SDH

13. [X] Bidirectional LSPs

14. Notification

- 14.1 [] Acceptable Label Set
- 14.2 [X] Notify Request Objects (GMPLS-RSVP)
- 14.3 [X] Notify Message (GMPLS-RSVP)
- 14.4 [X] Removing State with a PathErr message (GMPLS-RSVP)

15 Other features

- 15.1 [X] Explicit Label Control
- 15.2 [X] Protection Information
- 15.3 [X] Administrative Status Information
- 15.4 [X] Interface Identification
- 15.5 [X] Errored Interface Identification
- 15.6 [] Link Fault Handling
- 15.7 [] Nodal Fault Handling

16. Other specification(s) which apply:

17. Other features supported:

18. Currently-defined GMPLS signaling features not supported:

19. Notes (please describe purpose of project, give any information that might be useful to those interested in developing or using GMPLS)

20. If you feel the above categories are not complete, add others which

Internet Draft [draft-ietf-ccamp-gmpls-signaling-survey-03.txt](#) October 2002

will better describe your project:

=====

Person filling out this form: Same as above

Name:

E-mail:

Tel.:

Title:

Company:

Date prepared: March 12, 2002

[2.23](#). Tropic Networks Inc

GMPLS Signaling Implementation Survey Form

[V 1.0]

1. Organization: Tropic Networks Inc

1.1 Organization url(s): <http://www.tropicnetworks.com>

2.1 Brief description(s):

The product is a switching device in the area of
Optical Packet Networking

3. Contact for GMPLS information

3.1 Name: Nabil Seddigh

3.3 E-mail: nseddigh@tropicnetworks.com

3.5 Postal address: 135 Michael Cowpland Dr

Kanata, ON K2M 2E9

3.6 Phone: 613-270-6936

4. Status:

4.1 ☒ Development

4.2 ☐ Alpha

4.3 ☐ Beta

4.4 ☐ Product

4.5 ☐ Other (describe):

5. Switching capabilities

5.1 ☒ PSC

5.2 ☐ TDM

Internet Draft [draft-ietf-ccamp-gmpls-signaling-survey-03.txt](#) October 2002

5.3 ☒ LSC

5.4 ☒ FSC

6. Reference Drafts (please list, include version numbers)

6.1 ☐ [draft-ietf-mpls-generalized-signaling-07.txt](#)

6.2 ☐ [draft-ietf-mpls-generalized-rsvp-te-06.txt](#)

6.3 ☐ [draft-ietf-mpls-rsvp-unnum-04.txt](#)

6.4 ☐ [draft-ietf-mpls-lsp-hierarchy-04.txt](#)

6.5 ☐ [draft-ietf-mpls-bundle-01.txt](#)

6.6 ☐ [RFC 3032](#)

7. Interface technologies

7.1 ☐ Frame Relay

7.2 ☐ ATM

7.3 ☐ Ethernet V2/DIX

7.4 ☒ Ethernet 802.3

7.5 ☐ SDH

7.6 ☐ SONET

7.7 ☒ Lambda (photonic)

7.8 ☒ Fiber

7.9 ☐ FiberChannel

7.10 ☐ Other (describe):

8. Availability

8.1 ☐ Public and free

8.2 ☐ Only to selected organizations/companies but free

8.3 ☐ On sale.

8.4 ☒ For internal company use only

8.5 ☐ Other:

9. Implementation based on: (check all that apply)

9.1 ☐ Purchased code (please list source if possible)

9.2 ☐ Free code (please list source if possible)

9.3 ☐ Internal implementation (no outside code, just from specs)

9.4 ☒ Internal implementation on top of purchased or free code

9.4.1 ☐ List portions from external source

9.4.2 ☐ List portions developed internally

10. Supported Label Types

- 10.1 ☒ MPLS Label
- 10.2 ☒ Generalized Label
- 10.3 ☒ Waveband Label
- 10.4 ☐ SONET/SDH Label

11. Label Related

- 11.1 ☒ Suggested Label
- 11.2 ☐ Label Set

Berger, Rekhter - Editors

[Page 93]

Internet Draft [draft-ietf-ccamp-gmpls-signaling-survey-03.txt](#) October 2002

12. Traffic Parameters

- 12.1 ☒ Intserv (Please list which)
- 12.2 ☐ CR-LDP
- 12.3 ☒ GMPLS Bandwidth Encoding
- 12.4 ☐ SONET/SDH

13. ☒ Bidirectional LSPs

14. Notification

- 14.1 ☐ Acceptable Label Set
- 14.2 ☐ Notify Request Objects (GMPLS-RSVP)
- 14.3 ☐ Notify Message (GMPLS-RSVP)
- 14.4 ☒ Removing State with a PathErr message (GMPLS-RSVP)

15 Other features

- 15.1 ☐ Explicit Label Control
- 15.2 ☐ Protection Information
- 15.3 ☐ Administrative Status Information
- 15.4 ☒ Interface Identification
- 15.5 ☒ Errored Interface Identification
- 15.6 ☒ Link Fault Handling
- 15.7 ☒ Nodal Fault Handling

=====

Person filling out this form:

Name: Nabil Seddigh
E-mail: nseddigh@tropicnetworks.com

Tel.: 613-270-6936
Company: Tropic Networks
Date prepared: March 13, 2002

2.24. Wipro Technologies

GMPLS Signaling Implementation Survey Form

[V 1.1]

1. Organization: Wipro Technologies

1.1 Organization url(s): www.wipro.com

2. Product title(s): Wipro MPLS stacks

2.1 Brief description(s):

WIP-MPLS product line offers GMPLS/MPLS control plane stacks:

Berger, Rekhter - Editors

[Page 94]

Internet Draft [draft-ietf-ccamp-gmpls-signaling-survey-03.txt](#) October 2002

GMPLS extension to CRLDP, GMPLS extension to RSVP-TE, LDP, CRLDP,
RSVP-TE and other related stacks.

3. Contact for GMPLS information

3.1 Name: Rana Pratap Sircar

3.2 Title: Architect

3.3 E-mail: rana.sircar@wipro.com

3.4 Organization/department: Wipro Technologies/Telecom and
Internetworking Solutions

3.5 Postal address: Wipro Technologies
No. 26, Hosur Main Road, Bomannahalli,
Bangalore - 560068

3.6 Phone: +91-80-5732296/3 ext 1040

3.7 Fax: +91-80-5732696 / 5732441

4. Status:

- 4.1 ☒ Development
- 4.2 ☐ Alpha
- 4.3 ☐ Beta
- 4.4 ☐ Product
- 4.5 ☐ Other (describe):

5. Switching capabilities

- | | [GMPLS-
RSVP] | [GMPLS-
LDP] | |
|-----|-------------------------------------|-------------------------------------|-----|
| 5.1 | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | PSC |
| 5.2 | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | TDM |
| 5.3 | <input type="checkbox"/> | <input type="checkbox"/> | LSC |
| 5.4 | <input type="checkbox"/> | <input type="checkbox"/> | FSC |

6. Reference Drafts (please list, include version numbers)

- 6.1 [\[draft-ietf-mpls-generalized-cr-ldp-05.txt\]](#)
- 6.2 [\[draft-ietf-mpls-generalized-signaling-07.txt\]](#)
- 6.3 [\[draft-ietf-ccamp-gmpls-architecture-02.txt\]](#)
- 6.4 [\[draft-ietf-mpls-generalized-rsvp-te-06.txt\]](#)
- 6.5 [RFC 2205 : RSVP]
- 6.6 [RFC 3209 : RSVP-TE]
- 6.7 [RFC 3212 : CR-LDP]
- 6.8 [RFC 3214 : LSP Modification Using CR-LDP]

7. Interface technologies

- 7.1 ☒ Frame Relay
- 7.2 ☒ ATM
- 7.3 ☐ Ethernet V2/DIX
- 7.4 ☒ Ethernet 802.3
- 7.5 ☒ SDH
- 7.6 ☒ SONET
- 7.7 ☐ Lambda (photonic)
- 7.8 ☐ Fiber
- 7.9 ☐ FiberChannel
- 7.10 ☐ Other (describe):

8. Availability

- | | [GMPLS-
RSVP] | [GMPLS-
LDP] |
|--|------------------|-----------------|
|--|------------------|-----------------|

- | | | | |
|-----|-------------------------------------|-------------------------------------|---|
| 8.1 | <input type="checkbox"/> | <input type="checkbox"/> | Public and free |
| 8.2 | <input type="checkbox"/> | <input type="checkbox"/> | Only to selected organizations/companies but free |
| 8.3 | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | On sale. |
| 8.4 | <input type="checkbox"/> | <input type="checkbox"/> | For internal company use only |
| 8.5 | <input type="checkbox"/> | <input type="checkbox"/> | Other: |

9. Implementation based on: (check all that apply)

- | | | | |
|-------|-------------------------------------|-------------------------------------|---|
| | [GMPLS-
RSVP] | [GMPLS-
LDP] | |
| 9.1 | <input type="checkbox"/> | <input type="checkbox"/> | Purchased code
(please list source if possible) |
| 9.2 | <input type="checkbox"/> | <input type="checkbox"/> | Free code
(please list source if possible) |
| 9.3 | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | Internal implementation
(no outside code, just from specs) |
| 9.4 | <input type="checkbox"/> | <input type="checkbox"/> | Internal implementation on top of purchased
or free code |
| 9.4.1 | | | List portions from external source:
(Identify protocol if appropriate) |
| 9.4.2 | | | List portions developed internally:
(Identify protocol if appropriate) |

10. Supported Label Types

- | | | | |
|------|-------------------------------------|-------------------------------------|-------------------|
| | [GMPLS-
RSVP] | [GMPLS-
LDP] | |
| 10.1 | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | MPLS Label |
| 10.2 | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | Generalized Label |
| 10.3 | <input type="checkbox"/> | <input type="checkbox"/> | Waveband Label |
| 10.4 | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | SONET/SDH Label |

11. Label Related

[GMPLS- RSVP]	[GMPLS- LDP]
------------------	-----------------

- | | | | |
|------|-------------------------------------|-------------------------------------|-----------------|
| 11.1 | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | Suggested Label |
| 11.2 | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | Label Set |

12. Traffic Parameters

- | | | | |
|------|--------------------------|-------------------------------------|-----------------------------|
| | [GMPLS-
RSVP] | [GMPLS-
LDP] | |
| 12.1 | <input type="checkbox"/> | | Intserv (Please list which) |
| 12.2 | | <input checked="" type="checkbox"/> | CR-LDP |

- 12.3 [\[X\]](#) [\[X\]](#) GMPLS Bandwidth Encoding
- 12.4 [\[X\]](#) [\[X\]](#) SONET/SDH

- 13. Bidirectional LSPs
 - [\[GMPLS-RSVP\]](#) [\[GMPLS-LDP\]](#)
 - [\[X\]](#) [\[X\]](#) Bidirectional LSPs

- 14. Notification
 - [\[GMPLS-RSVP\]](#) [\[GMPLS-LDP\]](#)
 - 14.1 [\[X\]](#) [\[X\]](#) Acceptable Label Set
 - 14.2 [\[X\]](#) Notify Request Objects (GMPLS-RSVP)
 - 14.3 [\[X\]](#) Notify Message (GMPLS-RSVP)
 - 14.4 [\[X\]](#) Removing State with a PathErr message (GMPLS-RSVP)

- 15 Other features
 - [\[GMPLS-RSVP\]](#) [\[GMPLS-LDP\]](#)
 - 15.1 [\[X\]](#) [\[X\]](#) Explicit Label Control
 - 15.2 [\[X\]](#) [\[X\]](#) Protection Information
 - 15.3 [\[X\]](#) [\[X\]](#) Administrative Status Information
 - 15.4 [\[X\]](#) [\[X\]](#) Interface Identification
 - 15.5 [\[X\]](#) [\[X\]](#) Errored Interface Identification
 - 15.6 [\[\]](#) [\[\]](#) Link Fault Handling
 - 15.7 [\[\]](#) [\[\]](#) Nodal Fault Handling

16. Other specification(s) which apply: Contention Resolution supported

17. Other features supported:

17.1 related to [\[GMPLS-RSVP\]](#) A Node level Admission controller and Resource Manager.

17.2 related to [\[GMPLS-LDP\]](#) A Node level Admission controller and Resource Manager.

17.3 Other

18. Currently-defined GMPLS signaling features not supported:

18.1 related to [\[GMPLS-RSVP\]](#)

18.2 related to [\[GMPLS-LDP\]](#)

18.3 related to [\[GMPLS-SONET\]](#)

18.4 Other

19. Notes (please describe purpose of project, give any information that might be useful to those interested in developing or using GMPLS)

Wipro Technologies offers a carrier-class GMPLS/MPLS protocol stacks to OEM vendors. Our product line includes source code architected, developed and tested in a well defined quality framework.

20. If you feel the above categories are not complete, add others which will better describe your project:

=====

Person filling out this form:

Name: Chetan Kumar S
E-mail: chetan.kumar@wipro.com
Tel.: +91 80 5732296
Title: Protocol Specialist
Company: Wipro Technologies
Date prepared: 28-03-02 (dd-mm-yy)

[2.25.](#) Anonymous 1

GMPLS Signaling Implementation Survey Form

[V 1.0]

4. Status:

- 4.1 ☒ Development
- 4.2 ☐ Alpha
- 4.3 ☐ Beta
- 4.4 ☐ Product
- 4.5 ☐ Other (describe):

5. Switching capabilities

- 5.1 ☐ PSC
- 5.2 ☐ TDM
- 5.3 ☒ LSC
- 5.4 ☐ FSC

6. Reference Drafts (please list, include version numbers)

- 6.1 ☐
- 6.2 ☐
- 6.3 ☐
- 6.4 ☐

6.5 []

6.6 []

7. Interface technologies

7.1 [] Frame Relay

7.2 [] ATM

7.3 [] Ethernet V2/DIX

7.4 [] Ethernet 802.3

7.5 [] SDH

7.6 [] SONET

7.7 [] Lambda (photonic)

7.8 [] Fiber

7.9 [] FiberChannel

7.10 ☒ Other (describe): Lambda O-E-O

8. Availability

8.1 [] Public and free

8.2 [] Only to selected organizations/companies but free

8.3 [] On sale.

8.4 ☒ For internal company use only

8.5 [] Other:

9. Implementation based on: (check all that apply)

9.1 [] Purchased code (please list source if possible)

9.2 [] Free code (please list source if possible)

9.3 [] Internal implementation (no outside code, just from specs)

9.4 ☒ Internal implementation on top of purchased or free code

9.4.1 [] List portions from external source

9.4.2 [] List portions developed internally

10. Supported Label Types

10.1 [] MPLS Label

10.2 ☒ Generalized Label

10.3 [] Waveband Label

10.4 [] SONET/SDH Label

11. Label Related

11.1 ☒ Suggested Label

11.2 [] Label Set

12. Traffic Parameters

12.1 [] Intserv (Please list which)

12.2 [] CR-LDP

12.3 ☒ GMPLS Bandwidth Encoding

12.4 [] SONET/SDH

13. ☒ Bidirectional LSPs

Internet Draft [draft-ietf-ccamp-gmpls-signaling-survey-03.txt](#) October 2002

14. Notification

14.1 ☐ Acceptable Label Set

14.2 ☐ Notify Request Objects (GMPLS-RSVP)

14.3 ☒ Notify Message (GMPLS-RSVP)

14.4 ☒ Removing State with a PathErr message (GMPLS-RSVP)

15 Other features

15.1 ☐ Explicit Label Control

15.2 ☐ Protection Information

15.3 ☐ Administrative Status Information

15.4 ☐ Interface Identification

15.5 ☐ Errored Interface Identification

15.6 ☒ Link Fault Handling

15.7 ☒ Nodal Fault Handling

16. Other specification(s) which apply:

17. Other features supported:

18. Currently-defined GMPLS signaling features not supported:

19. Notes (please describe purpose of project, give any information that might be useful to those interested in developing or using GMPLS)

20. If you feel the above categories are not complete, add others which will better describe your project:

[3.](#) Acknowledgments

The survey form was derived from V2.2 of the "RSVP and QoS Implementation Survey Information Form" authored by Gene Gaines <ggaines@generation.net> and Marco Festa <festa@cefriel.it>. See http://www.iit.nrc.ca/IETF/RSVP_survey/rsvp-qos_quest_980210.txt.

Scott Bradner, sob@harvard.edu, provided the "anonymous submission" service for this survey.

[4. Security Considerations](#)

This document does not address any security issues.

Internet Draft [draft-ietf-ccamp-gmpls-signaling-survey-03.txt](#) October 2002

[5. IANA Considerations](#)

No parameters are defined in this document.

[6. References](#)

- [GMPLS-LDP] Ashwood-Smith, P. et al, "Generalized MPLS Signaling - CR-LDP Extensions", Internet Draft, [draft-ietf-mpls-generalized-cr-ldp-07.txt](#), August 2002.
- [GMPLS-RSVP] Ashwood-Smith, P. et al, "Generalized MPLS Signaling - RSVP-TE Extensions", Internet Draft, [draft-ietf-mpls-generalized-rsvp-te-09.txt](#), October 2002.
- [GMPLS-SIG] Ashwood-Smith, P. et al, "Generalized MPLS - Signaling Functional Description", Internet Draft, [draft-ietf-mpls-generalized-signaling-09.txt](#), August 2002.
- [GMPLS-SONET] Ashwood-Smith, P. et al, "GMPLS - SONET / SDH Specifics", Internet Draft, [draft-ietf-ccamp-gmpls-sonet-sdh-03.txt](#), April, 2001.

[7. Editors' Addresses](#)

Lou Berger
Movaz Networks, Inc.
7926 Jones Branch Drive

Suite 615
McLean VA, 22102
Phone: +1 703 847-1801
Email: lberger@movaz.com

Yakov Rekhter
Juniper Networks, Inc.
Email: yakov@juniper.net