

Section 4.e of the Trust Legal Provisions and are provided without warranty as described in the Revised BSD License.

Table of Contents

- 1. [Introduction](#)
 - 1.1. [Terminology and Notations](#)
 - 1.2. [Tree Diagram](#)
 - 1.3. [Prefix in Data Node Names](#)
- 2. [OTN Tunnel Model Description](#)
 - 2.1. [Overview of OTN Tunnel Model](#)
 - 2.2. [Bandwidth Augmentation](#)
 - 2.3. [Label Augmentation](#)
- 3. [OTN Tunnel YANG Tree](#)
- 4. [OTN Tunnel YANG Code](#)
- 5. [Security Considerations](#)
- 6. [IANA Considerations](#)
- 7. [Acknowledgements](#)
- 8. [Contributors](#)
- 9. [References](#)
 - 9.1. [Normative References](#)
 - 9.2. [Informative References](#)

[Authors' Addresses](#)

1. Introduction

OTN transport networks, specified in [[ITU-Tg709](#)], can carry various types of client signals. In many cases, the client signal is carried over an OTN tunnel across connected domains in a multi-domain network.

This document provides YANG model for creating OTN tunnel. The model augments the generic TE Tunnel model specified in [[I-D.ietf-teas-yang-te](#)].

1.1. Terminology and Notations

Refer to [[I-D.ietf-ccamp-otn-topo-yang](#)] for the OTN specific terms terms used in this document.

The following terms are defined in [[RFC7950](#)] and are not redefined here:

*client

*server

*augment

*data model

*data node

The following terms are defined in [[RFC6241](#)] and are not redefined here:

*configuration data

*state data

The terminology for describing YANG data models is found in [[RFC7950](#)].

1.2. Tree Diagram

A simplified graphical representation of the data model is used in Section 3 of this document. The meaning of the symbols in these diagrams is defined in [[RFC8340](#)].

1.3. Prefix in Data Node Names

In this document, names of data nodes and other data model objects are prefixed using the standard prefix associated with the corresponding YANG imported modules, as shown in the following table.

Prefix	YANG module	Reference
l1-types	ietf-layer1-types	[RFCYYYY]
otntnl	ietf-otn-tunnel	[RFCXXXX]
te	ietf-te	[RFCZZZZ]

Table 1: Prefixes and Corresponding YANG Modules

RFC Editor Note: Please replace XXXX with the number assigned to the RFC once this draft becomes an RFC. Please replace YYYY with the RFC numbers assigned to [[I-D.ietf-ccamp-layer1-types](#)]. Please replace ZZZZ with the RFC numbers assigned to [[I-D.ietf-teas-yang-te](#)].

2. OTN Tunnel Model Description

2.1. Overview of OTN Tunnel Model

This document aims to describe the data model for OTN tunnel. The OTN tunnel model is using TE tunnel [[I-D.ietf-teas-yang-te](#)] as a basic model and augments it with OTN-specific parameters, including the bandwidth information and label information. Figure 1 shows the augmentation relationship.




Figure 1 - Relationship between OTN and TE tunnel models

It is also worth noting that the OTN tunnel provisioning is usually based on the OTN topology. Therefore the OTN tunnel model is usually used together with OTN topology model specified in [\[I-D.ietf-ccamp-otn-topo-yang\]](#). The OTN tunnel model also imports a few type modules, including `ietf-layer1-types`, `ietf-te-types` and `ietf-inet-types`. The OTN-specific attributes in [\[RFC7139\]](#), including the Tributary Slot (TS) and Tributary Port Number (TPN), can be used to represent the bandwidth and label information. These attributes have been specified in [\[I-D.ietf-ccamp-layer1-types\]](#) and used in this document for augmentation of the generic TE tunnel model.

More scenarios and model applications can be found in [\[I-D.ietf-ccamp-transport-nbi-app-statement\]](#) and [\[I-D.ietf-teas-actn-yang\]](#).

The YANG module `ietf-otn-tunnel` defined in this document conforms to the Network Management Datastore Architecture (NMDA) defined in [\[RFC8342\]](#).

2.2. Bandwidth Augmentation

The model augments all the occurrences of the `te-bandwidth` container with the OTN technology specific attributes using the `otn-link-bandwidth` and `otn-path-bandwidth` groupings defined in [\[I-D.ietf-ccamp-layer1-types\]](#).

2.3. Label Augmentation

The model augments all the occurrences of the `label-restriction` list with OTN technology specific attributes using the `otn-label-range-info` grouping defined in [\[I-D.ietf-ccamp-layer1-types\]](#).

Moreover, the model augments all the occurrences of the `te-label` container with the OTN technology specific attributes using the `otn-label-start-end`, `otn-label-hop` and `otn-label-step` groupings defined in [\[I-D.ietf-ccamp-layer1-types\]](#).

3. OTN Tunnel YANG Tree

module: ietf-otn-tunnel

augment /te:te/te:globals/te:named-path-constraints
/te:named-path-constraint/te:te-bandwidth/te:technology:

+--:(otn)

+--rw otn

+--rw odu-type? identityref

+--rw (oduflex-type)?

+--:(generic)

| +--rw nominal-bit-rate uint64

+--:(cbr)

| +--rw client-type identityref

+--:(gfp-n-k)

| +--rw gfp-n uint8

| +--rw gfp-k? gfp-k

+--:(flexe-client)

| +--rw flexe-client flexe-client-rate

+--:(flexe-aware)

| +--rw flexe-aware-n uint16

+--:(packet)

+--rw opuflex-payload-rate uint64

augment /te:te/te:tunnels/te:tunnel/te:te-bandwidth/te:technology:

+--:(otn)

+--rw otn

+--rw odu-type? identityref

+--rw (oduflex-type)?

+--:(generic)

| +--rw nominal-bit-rate uint64

+--:(cbr)

| +--rw client-type identityref

+--:(gfp-n-k)

| +--rw gfp-n uint8

| +--rw gfp-k? gfp-k

+--:(flexe-client)

| +--rw flexe-client flexe-client-rate

+--:(flexe-aware)

| +--rw flexe-aware-n uint16

+--:(packet)

+--rw opuflex-payload-rate uint64

augment /te:te/te:tunnels/te:tunnel/te:primary-paths

/te:primary-path/te:te-bandwidth/te:technology:

+--:(otn)

+--rw otn

+--rw odu-type? identityref

+--rw (oduflex-type)?

+--:(generic)

| +--rw nominal-bit-rate uint64

+--:(cbr)

```

    | +--rw client-type          identityref
+--:(gfp-n-k)
    | +--rw gfp-n                uint8
    | +--rw gfp-k?              gfp-k
+--:(flexe-client)
    | +--rw flexe-client         flexe-client-rate
+--:(flexe-aware)
    | +--rw flexe-aware-n        uint16
+--:(packet)
    +--rw opuflex-payload-rate   uint64
augment /te:te/te:tunnels/te:tunnel/te:primary-paths
    /te:primary-path/te:computed-paths-properties
    /te:computed-path-properties/te:path-properties
    /te:te-bandwidth/te:technology:
+--:(otn)
    +--ro otn
        +--ro odu-type?          identityref
        +--ro (oduflex-type)?
            +--:(generic)
                | +--ro nominal-bit-rate   uint64
            +--:(cbr)
                | +--ro client-type        identityref
            +--:(gfp-n-k)
                | +--ro gfp-n              uint8
                | +--ro gfp-k?            gfp-k
            +--:(flexe-client)
                | +--ro flexe-client       flexe-client-rate
            +--:(flexe-aware)
                | +--ro flexe-aware-n      uint16
            +--:(packet)
                +--ro opuflex-payload-rate uint64
augment /te:te/te:tunnels/te:tunnel/te:primary-paths
    /te:primary-path/te:primary-reverse-path/te:te-bandwidth
    /te:technology:
+--:(otn)
    +--rw otn
        +--rw odu-type?          identityref
        +--rw (oduflex-type)?
            +--:(generic)
                | +--rw nominal-bit-rate   uint64
            +--:(cbr)
                | +--rw client-type        identityref
            +--:(gfp-n-k)
                | +--rw gfp-n              uint8
                | +--rw gfp-k?            gfp-k
            +--:(flexe-client)
                | +--rw flexe-client       flexe-client-rate
            +--:(flexe-aware)
                | +--rw flexe-aware-n      uint16
            +--:(packet)
                +--rw opuflex-payload-rate uint64

```

```

        +---:(packet)
            +---rw opuflex-payload-rate    uint64
augment /te:te/te:tunnels/te:tunnel/te:primary-paths
        /te:primary-path/te:primary-reverse-path
        /te:computed-paths-properties/te:computed-path-properties
        /te:path-properties/te:te-bandwidth/te:technology:
+---:(otn)
    +---ro otn
        +---ro odu-type?                    identityref
        +---ro (oduflex-type)?
            +---:(generic)
                | +---ro nominal-bit-rate    uint64
            +---:(cbr)
                | +---ro client-type         identityref
            +---:(gfp-n-k)
                | +---ro gfp-n              uint8
                | +---ro gfp-k?            gfp-k
            +---:(flexe-client)
                | +---ro flexe-client       flexe-client-rate
            +---:(flexe-aware)
                | +---ro flexe-aware-n      uint16
            +---:(packet)
                +---ro opuflex-payload-rate uint64
augment /te:te/te:tunnels/te:tunnel/te:secondary-paths
        /te:secondary-path/te:te-bandwidth/te:technology:
+---:(otn)
    +---rw otn
        +---rw odu-type?                    identityref
        +---rw (oduflex-type)?
            +---:(generic)
                | +---rw nominal-bit-rate    uint64
            +---:(cbr)
                | +---rw client-type         identityref
            +---:(gfp-n-k)
                | +---rw gfp-n              uint8
                | +---rw gfp-k?            gfp-k
            +---:(flexe-client)
                | +---rw flexe-client       flexe-client-rate
            +---:(flexe-aware)
                | +---rw flexe-aware-n      uint16
            +---:(packet)
                +---rw opuflex-payload-rate uint64
augment /te:te/te:tunnels/te:tunnel/te:secondary-paths
        /te:secondary-path/te:computed-paths-properties
        /te:computed-path-properties/te:path-properties
        /te:te-bandwidth/te:technology:
+---:(otn)
    +---ro otn
        +---ro odu-type?                    identityref

```



```

+--ro (oduflex-type)?
  +--:(generic)
    | +--ro nominal-bit-rate      uint64
  +--:(cbr)
    | +--ro client-type          identityref
  +--:(gfp-n-k)
    | +--ro gfp-n                uint8
    | +--ro gfp-k?              gfp-k
  +--:(flexe-client)
    | +--ro flexe-client         flexe-client-rate
  +--:(flexe-aware)
    | +--ro flexe-aware-n       uint16
  +--:(packet)
    +--ro opuflex-payload-rate  uint64
augment /te:te/te:tunnels/te:tunnel/te:secondary-reverse-paths
      /te:secondary-reverse-path/te:te-bandwidth/te:technology:
+--:(otn)
  +--rw otn
    +--rw odu-type?             identityref
  +--rw (oduflex-type)?
    +--:(generic)
      | +--rw nominal-bit-rate   uint64
    +--:(cbr)
      | +--rw client-type        identityref
    +--:(gfp-n-k)
      | +--rw gfp-n              uint8
      | +--rw gfp-k?            gfp-k
    +--:(flexe-client)
      | +--rw flexe-client       flexe-client-rate
    +--:(flexe-aware)
      | +--rw flexe-aware-n     uint16
    +--:(packet)
      +--rw opuflex-payload-rate uint64
augment /te:te/te:tunnels/te:tunnel/te:secondary-reverse-paths
      /te:secondary-reverse-path/te:computed-paths-properties
      /te:computed-path-properties/te:path-properties
      /te:te-bandwidth/te:technology:
+--:(otn)
  +--ro otn
    +--ro odu-type?             identityref
  +--ro (oduflex-type)?
    +--:(generic)
      | +--ro nominal-bit-rate   uint64
    +--:(cbr)
      | +--ro client-type        identityref
    +--:(gfp-n-k)
      | +--ro gfp-n              uint8
      | +--ro gfp-k?            gfp-k
    +--:(flexe-client)

```

```

    | +--ro flexe-client          flexe-client-rate
    +--:(flexe-aware)
    | +--ro flexe-aware-n        uint16
    +--:(packet)
        +--ro opuflex-payload-rate  uint64
augment /te:te/te:globals/te:named-path-constraints
    /te:named-path-constraint/te:path-in-segment
    /te:label-restrictions/te:label-restriction:
+--rw otn-label-range
+--rw range-type?      otn-label-range-type
+--rw tsg?             identityref
+--rw odu-type-list*  identityref
+--rw priority?       uint8
augment /te:te/te:globals/te:named-path-constraints
    /te:named-path-constraint/te:path-out-segment
    /te:label-restrictions/te:label-restriction:
+--rw otn-label-range
+--rw range-type?      otn-label-range-type
+--rw tsg?             identityref
+--rw odu-type-list*  identityref
+--rw priority?       uint8
augment /te:te/te:tunnels/te:tunnel/te:primary-paths
    /te:primary-path/te:path-in-segment/te:label-restrictions
    /te:label-restriction:
+--rw otn-label-range
+--rw range-type?      otn-label-range-type
+--rw tsg?             identityref
+--rw odu-type-list*  identityref
+--rw priority?       uint8
augment /te:te/te:tunnels/te:tunnel/te:primary-paths
    /te:primary-path/te:path-out-segment
    /te:label-restrictions/te:label-restriction:
+--rw otn-label-range
+--rw range-type?      otn-label-range-type
+--rw tsg?             identityref
+--rw odu-type-list*  identityref
+--rw priority?       uint8
augment /te:te/te:tunnels/te:tunnel/te:primary-paths
    /te:primary-path/te:primary-reverse-path
    /te:path-in-segment/te:label-restrictions
    /te:label-restriction:
+--rw otn-label-range
+--rw range-type?      otn-label-range-type
+--rw tsg?             identityref
+--rw odu-type-list*  identityref
+--rw priority?       uint8
augment /te:te/te:tunnels/te:tunnel/te:primary-paths
    /te:primary-path/te:primary-reverse-path
    /te:path-out-segment/te:label-restrictions

```

```

        /te:label-restriction:
+--rw otn-label-range
  +--rw range-type?      otn-label-range-type
  +--rw tsg?             identityref
  +--rw odu-type-list*   identityref
  +--rw priority?        uint8
augment /te:te/te:tunnels/te:tunnel/te:secondary-paths
  /te:secondary-path/te:path-in-segment
  /te:label-restrictions/te:label-restriction:
+--rw otn-label-range
  +--rw range-type?      otn-label-range-type
  +--rw tsg?             identityref
  +--rw odu-type-list*   identityref
  +--rw priority?        uint8
augment /te:te/te:tunnels/te:tunnel/te:secondary-paths
  /te:secondary-path/te:path-out-segment
  /te:label-restrictions/te:label-restriction:
+--rw otn-label-range
  +--rw range-type?      otn-label-range-type
  +--rw tsg?             identityref
  +--rw odu-type-list*   identityref
  +--rw priority?        uint8
augment /te:te/te:tunnels/te:tunnel/te:secondary-reverse-paths
  /te:secondary-reverse-path/te:path-in-segment
  /te:label-restrictions/te:label-restriction:
+--rw otn-label-range
  +--rw range-type?      otn-label-range-type
  +--rw tsg?             identityref
  +--rw odu-type-list*   identityref
  +--rw priority?        uint8
augment /te:te/te:tunnels/te:tunnel/te:secondary-reverse-paths
  /te:secondary-reverse-path/te:path-out-segment
  /te:label-restrictions/te:label-restriction:
+--rw otn-label-range
  +--rw range-type?      otn-label-range-type
  +--rw tsg?             identityref
  +--rw odu-type-list*   identityref
  +--rw priority?        uint8
augment /te:te/te:globals/te:named-path-constraints
  /te:named-path-constraint
  /te:explicit-route-objects-always
  /te:route-object-exclude-always/te:type/te:label
  /te:label-hop/te:te-label/te:technology:
+--:(otn)
  +--rw otn
    +--rw tpn?           otn-tpn
    +--rw tsg?           identityref
    +--rw ts-list?      string
augment /te:te/te:globals/te:named-path-constraints

```

```

        /te:named-path-constraint
        /te:explicit-route-objects-always
        /te:route-object-include-exclude/te:type/te:label
        /te:label-hop/te:te-label/te:technology:
+--:(otn)
  +--rw otn
    +--rw tpn?      otn-tpn
    +--rw tsg?      identityref
    +--rw ts-list?  string
augment /te:te/te:globals/te:named-path-constraints
  /te:named-path-constraint/te:path-in-segment
  /te:label-restrictions/te:label-restriction
  /te:label-start/te:te-label/te:technology:
+--:(otn)
  +--rw otn
    +--rw (range-type)?
      +--:(trib-port)
        | +--rw tpn?  otn-tpn
      +--:(trib-slot)
        +--rw ts?   otn-ts
augment /te:te/te:globals/te:named-path-constraints
  /te:named-path-constraint/te:path-in-segment
  /te:label-restrictions/te:label-restriction/te:label-end
  /te:te-label/te:technology:
+--:(otn)
  +--rw otn
    +--rw (range-type)?
      +--:(trib-port)
        | +--rw tpn?  otn-tpn
      +--:(trib-slot)
        +--rw ts?   otn-ts
augment /te:te/te:globals/te:named-path-constraints
  /te:named-path-constraint/te:path-in-segment
  /te:label-restrictions/te:label-restriction/te:label-step
  /te:technology:
+--:(otn)
  +--rw otn
    +--rw (range-type)?
      +--:(trib-port)
        | +--rw tpn?  otn-tpn
      +--:(trib-slot)
        +--rw ts?   otn-ts
augment /te:te/te:globals/te:named-path-constraints
  /te:named-path-constraint/te:path-out-segment
  /te:label-restrictions/te:label-restriction
  /te:label-start/te:te-label/te:technology:
+--:(otn)
  +--rw otn
    +--rw (range-type)?

```

```

    +--:(trib-port)
    | +--rw tpn?   otn-tpn
    +--:(trib-slot)
    +--rw ts?     otn-ts
augment /te:te/te:globals/te:named-path-constraints
    /te:named-path-constraint/te:path-out-segment
    /te:label-restrictions/te:label-restriction/te:label-end
    /te:te-label/te:technology:
+--:(otn)
  +--rw otn
  +--rw (range-type)?
  +--:(trib-port)
  | +--rw tpn?   otn-tpn
  +--:(trib-slot)
  +--rw ts?     otn-ts
augment /te:te/te:globals/te:named-path-constraints
    /te:named-path-constraint/te:path-out-segment
    /te:label-restrictions/te:label-restriction/te:label-step
    /te:technology:
+--:(otn)
  +--rw otn
  +--rw (range-type)?
  +--:(trib-port)
  | +--rw tpn?   otn-tpn
  +--:(trib-slot)
  +--rw ts?     otn-ts
augment /te:te/te:tunnels/te:tunnel/te:primary-paths
    /te:primary-path/te:optimizations/te:algorithm/te:metric
    /te:optimization-metric/te:explicit-route-exclude-objects
    /te:route-object-exclude-object/te:type/te:label
    /te:label-hop/te:te-label/te:technology:
+--:(otn)
  +--rw otn
  +--rw tpn?       otn-tpn
  +--rw tsg?       identityref
  +--rw ts-list?   string
augment /te:te/te:tunnels/te:tunnel/te:primary-paths
    /te:primary-path/te:optimizations/te:algorithm/te:metric
    /te:optimization-metric/te:explicit-route-include-objects
    /te:route-object-include-object/te:type/te:label
    /te:label-hop/te:te-label/te:technology:
+--:(otn)
  +--rw otn
  +--rw tpn?       otn-tpn
  +--rw tsg?       identityref
  +--rw ts-list?   string
augment /te:te/te:tunnels/te:tunnel/te:primary-paths
    /te:primary-path/te:explicit-route-objects-always
    /te:route-object-exclude-always/te:type/te:label

```

```

        /te:label-hop/te:te-label/te:technology:
+---:(otn)
  +--rw otn
    +--rw tpn?      otn-tpn
    +--rw tsg?      identityref
    +--rw ts-list?  string
augment /te:te/te:tunnels/te:tunnel/te:primary-paths
  /te:primary-path/te:explicit-route-objects-always
  /te:route-object-include-exclude/te:type/te:label
  /te:label-hop/te:te-label/te:technology:
+---:(otn)
  +--rw otn
    +--rw tpn?      otn-tpn
    +--rw tsg?      identityref
    +--rw ts-list?  string
augment /te:te/te:tunnels/te:tunnel/te:primary-paths
  /te:primary-path/te:path-in-segment/te:label-restrictions
  /te:label-restriction/te:label-start/te:te-label
  /te:technology:
+---:(otn)
  +--rw otn
    +--rw (range-type)?
      +---:(trib-port)
      | +--rw tpn?  otn-tpn
      +---:(trib-slot)
      +--rw ts?    otn-ts
augment /te:te/te:tunnels/te:tunnel/te:primary-paths
  /te:primary-path/te:path-in-segment/te:label-restrictions
  /te:label-restriction/te:label-end/te:te-label
  /te:technology:
+---:(otn)
  +--rw otn
    +--rw (range-type)?
      +---:(trib-port)
      | +--rw tpn?  otn-tpn
      +---:(trib-slot)
      +--rw ts?    otn-ts
augment /te:te/te:tunnels/te:tunnel/te:primary-paths
  /te:primary-path/te:path-in-segment/te:label-restrictions
  /te:label-restriction/te:label-step/te:technology:
+---:(otn)
  +--rw otn
    +--rw (range-type)?
      +---:(trib-port)
      | +--rw tpn?  otn-tpn
      +---:(trib-slot)
      +--rw ts?    otn-ts
augment /te:te/te:tunnels/te:tunnel/te:primary-paths
  /te:primary-path/te:path-out-segment

```

```

        /te:label-restrictions/te:label-restriction
        /te:label-start/te:te-label/te:technology:
+--:(otn)
  +--rw otn
    +--rw (range-type)?
      +--:(trib-port)
        | +--rw tpn?   otn-tpn
      +--:(trib-slot)
        +--rw ts?     otn-ts
augment /te:te/te:tunnels/te:tunnel/te:primary-paths
  /te:primary-path/te:path-out-segment
  /te:label-restrictions/te:label-restriction/te:label-end
  /te:te-label/te:technology:
+--:(otn)
  +--rw otn
    +--rw (range-type)?
      +--:(trib-port)
        | +--rw tpn?   otn-tpn
      +--:(trib-slot)
        +--rw ts?     otn-ts
augment /te:te/te:tunnels/te:tunnel/te:primary-paths
  /te:primary-path/te:path-out-segment
  /te:label-restrictions/te:label-restriction/te:label-step
  /te:technology:
+--:(otn)
  +--rw otn
    +--rw (range-type)?
      +--:(trib-port)
        | +--rw tpn?   otn-tpn
      +--:(trib-slot)
        +--rw ts?     otn-ts
augment /te:te/te:tunnels/te:tunnel/te:primary-paths
  /te:primary-path/te:computed-paths-properties
  /te:computed-path-properties/te:path-properties
  /te:path-route-objects/te:path-route-object/te:type
  /te:label/te:label-hop/te:te-label/te:technology:
+--:(otn)
  +--ro otn
    +--ro tpn?          otn-tpn
    +--ro tsg?          identityref
    +--ro ts-list?     string
augment /te:te/te:tunnels/te:tunnel/te:primary-paths
  /te:primary-path/te:primary-reverse-path/te:optimizations
  /te:algorithm/te:metric/te:optimization-metric
  /te:explicit-route-exclude-objects
  /te:route-object-exclude-object/te:type/te:label
  /te:label-hop/te:te-label/te:technology:
+--:(otn)
  +--rw otn

```

```

    +-rw tpn?      otn-tpn
    +-rw tsg?      identityref
    +-rw ts-list?  string
augment /te:te/te:tunnels/te:tunnel/te:primary-paths
    /te:primary-path/te:primary-reverse-path/te:optimizations
    /te:algorithm/te:metric/te:optimization-metric
    /te:explicit-route-include-objects
    /te:route-object-include-object/te:type/te:label
    /te:label-hop/te:te-label/te:technology:
+--:(otn)
  +-rw otn
    +-rw tpn?      otn-tpn
    +-rw tsg?      identityref
    +-rw ts-list?  string
augment /te:te/te:tunnels/te:tunnel/te:primary-paths
    /te:primary-path/te:primary-reverse-path
    /te:explicit-route-objects-always
    /te:route-object-exclude-always/te:type/te:label
    /te:label-hop/te:te-label/te:technology:
+--:(otn)
  +-rw otn
    +-rw tpn?      otn-tpn
    +-rw tsg?      identityref
    +-rw ts-list?  string
augment /te:te/te:tunnels/te:tunnel/te:primary-paths
    /te:primary-path/te:primary-reverse-path
    /te:explicit-route-objects-always
    /te:route-object-include-exclude/te:type/te:label
    /te:label-hop/te:te-label/te:technology:
+--:(otn)
  +-rw otn
    +-rw tpn?      otn-tpn
    +-rw tsg?      identityref
    +-rw ts-list?  string
augment /te:te/te:tunnels/te:tunnel/te:primary-paths
    /te:primary-path/te:primary-reverse-path
    /te:path-in-segment/te:label-restrictions
    /te:label-restriction/te:label-start/te:te-label
    /te:technology:
+--:(otn)
  +-rw otn
    +-rw (range-type)?
    +--:(trib-port)
      | +-rw tpn?  otn-tpn
    +--:(trib-slot)
      +-rw ts?    otn-ts
augment /te:te/te:tunnels/te:tunnel/te:primary-paths
    /te:primary-path/te:primary-reverse-path
    /te:path-in-segment/te:label-restrictions

```



```

        /te:label-restriction/te:label-end/te:te-label
        /te:technology:
+--:(otn)
  +--rw otn
    +--rw (range-type)?
      +--:(trib-port)
        | +--rw tpn?   otn-tpn
      +--:(trib-slot)
        +--rw ts?    otn-ts
augment /te:te/te:tunnels/te:tunnel/te:primary-paths
  /te:primary-path/te:primary-reverse-path
  /te:path-in-segment/te:label-restrictions
  /te:label-restriction/te:label-step/te:technology:
+--:(otn)
  +--rw otn
    +--rw (range-type)?
      +--:(trib-port)
        | +--rw tpn?   otn-tpn
      +--:(trib-slot)
        +--rw ts?    otn-ts
augment /te:te/te:tunnels/te:tunnel/te:primary-paths
  /te:primary-path/te:primary-reverse-path
  /te:path-out-segment/te:label-restrictions
  /te:label-restriction/te:label-start/te:te-label
  /te:technology:
+--:(otn)
  +--rw otn
    +--rw (range-type)?
      +--:(trib-port)
        | +--rw tpn?   otn-tpn
      +--:(trib-slot)
        +--rw ts?    otn-ts
augment /te:te/te:tunnels/te:tunnel/te:primary-paths
  /te:primary-path/te:primary-reverse-path
  /te:path-out-segment/te:label-restrictions
  /te:label-restriction/te:label-end/te:te-label
  /te:technology:
+--:(otn)
  +--rw otn
    +--rw (range-type)?
      +--:(trib-port)
        | +--rw tpn?   otn-tpn
      +--:(trib-slot)
        +--rw ts?    otn-ts
augment /te:te/te:tunnels/te:tunnel/te:primary-paths
  /te:primary-path/te:primary-reverse-path
  /te:path-out-segment/te:label-restrictions
  /te:label-restriction/te:label-step/te:technology:
+--:(otn)

```

```

    +--rw otn
      +--rw (range-type)?
        +--:(trib-port)
          | +--rw tpn?   otn-tpn
          +--:(trib-slot)
            +--rw ts?   otn-ts
augment /te:te/te:tunnels/te:tunnel/te:primary-paths
  /te:primary-path/te:primary-reverse-path
  /te:computed-paths-properties/te:computed-path-properties
  /te:path-properties/te:path-route-objects
  /te:path-route-object/te:type/te:label/te:label-hop
  /te:te-label/te:technology:
+--:(otn)
  +--ro otn
    +--ro tpn?       otn-tpn
    +--ro tsg?       identityref
    +--ro ts-list?   string
augment /te:te/te:tunnels/te:tunnel/te:secondary-paths
  /te:secondary-path/te:optimizations/te:algorithm
  /te:metric/te:optimization-metric
  /te:explicit-route-exclude-objects
  /te:route-object-exclude-object/te:type/te:label
  /te:label-hop/te:te-label/te:technology:
+--:(otn)
  +--rw otn
    +--rw tpn?       otn-tpn
    +--rw tsg?       identityref
    +--rw ts-list?   string
augment /te:te/te:tunnels/te:tunnel/te:secondary-paths
  /te:secondary-path/te:optimizations/te:algorithm
  /te:metric/te:optimization-metric
  /te:explicit-route-include-objects
  /te:route-object-include-object/te:type/te:label
  /te:label-hop/te:te-label/te:technology:
+--:(otn)
  +--rw otn
    +--rw tpn?       otn-tpn
    +--rw tsg?       identityref
    +--rw ts-list?   string
augment /te:te/te:tunnels/te:tunnel/te:secondary-paths
  /te:secondary-path/te:explicit-route-objects-always
  /te:route-object-exclude-always/te:type/te:label
  /te:label-hop/te:te-label/te:technology:
+--:(otn)
  +--rw otn
    +--rw tpn?       otn-tpn
    +--rw tsg?       identityref
    +--rw ts-list?   string
augment /te:te/te:tunnels/te:tunnel/te:secondary-paths

```

```

        /te:secondary-path/te:explicit-route-objects-always
        /te:route-object-include-exclude/te:type/te:label
        /te:label-hop/te:te-label/te:technology:
+--:(otn)
  +--rw otn
    +--rw tpn?      otn-tpn
    +--rw tsg?      identityref
    +--rw ts-list?  string
augment /te:te/te:tunnels/te:tunnel/te:secondary-paths
  /te:secondary-path/te:path-in-segment
  /te:label-restrictions/te:label-restriction
  /te:label-start/te:te-label/te:technology:
+--:(otn)
  +--rw otn
    +--rw (range-type)?
      +--:(trib-port)
      | +--rw tpn?  otn-tpn
      +--:(trib-slot)
      +--rw ts?    otn-ts
augment /te:te/te:tunnels/te:tunnel/te:secondary-paths
  /te:secondary-path/te:path-in-segment
  /te:label-restrictions/te:label-restriction/te:label-end
  /te:te-label/te:technology:
+--:(otn)
  +--rw otn
    +--rw (range-type)?
      +--:(trib-port)
      | +--rw tpn?  otn-tpn
      +--:(trib-slot)
      +--rw ts?    otn-ts
augment /te:te/te:tunnels/te:tunnel/te:secondary-paths
  /te:secondary-path/te:path-in-segment
  /te:label-restrictions/te:label-restriction/te:label-step
  /te:technology:
+--:(otn)
  +--rw otn
    +--rw (range-type)?
      +--:(trib-port)
      | +--rw tpn?  otn-tpn
      +--:(trib-slot)
      +--rw ts?    otn-ts
augment /te:te/te:tunnels/te:tunnel/te:secondary-paths
  /te:secondary-path/te:path-out-segment
  /te:label-restrictions/te:label-restriction
  /te:label-start/te:te-label/te:technology:
+--:(otn)
  +--rw otn
    +--rw (range-type)?
      +--:(trib-port)

```

```

    | +--rw tpn?   otn-tpn
    +--:(trib-slot)
      +--rw ts?   otn-ts
augment /te:te/te:tunnels/te:tunnel/te:secondary-paths
  /te:secondary-path/te:path-out-segment
  /te:label-restrictions/te:label-restriction/te:label-end
  /te:te-label/te:technology:
+--:(otn)
  +--rw otn
    +--rw (range-type)?
      +--:(trib-port)
        | +--rw tpn?   otn-tpn
        +--:(trib-slot)
          +--rw ts?   otn-ts
augment /te:te/te:tunnels/te:tunnel/te:secondary-paths
  /te:secondary-path/te:path-out-segment
  /te:label-restrictions/te:label-restriction/te:label-step
  /te:technology:
+--:(otn)
  +--rw otn
    +--rw (range-type)?
      +--:(trib-port)
        | +--rw tpn?   otn-tpn
        +--:(trib-slot)
          +--rw ts?   otn-ts
augment /te:te/te:tunnels/te:tunnel/te:secondary-paths
  /te:secondary-path/te:computed-paths-properties
  /te:computed-path-properties/te:path-properties
  /te:path-route-objects/te:path-route-object/te:type
  /te:label/te:label-hop/te:te-label/te:technology:
+--:(otn)
  +--ro otn
    +--ro tpn?      otn-tpn
    +--ro tsg?      identityref
    +--ro ts-list?  string
augment /te:te/te:tunnels/te:tunnel/te:secondary-reverse-paths
  /te:secondary-reverse-path/te:optimizations/te:algorithm
  /te:metric/te:optimization-metric
  /te:explicit-route-exclude-objects
  /te:route-object-exclude-object/te:type/te:label
  /te:label-hop/te:te-label/te:technology:
+--:(otn)
  +--rw otn
    +--rw tpn?      otn-tpn
    +--rw tsg?      identityref
    +--rw ts-list?  string
augment /te:te/te:tunnels/te:tunnel/te:secondary-reverse-paths
  /te:secondary-reverse-path/te:optimizations/te:algorithm
  /te:metric/te:optimization-metric

```

```

        /te:explicit-route-include-objects
        /te:route-object-include-object/te:type/te:label
        /te:label-hop/te:te-label/te:technology:
+--:(otn)
  +--rw otn
    +--rw tpn?      otn-tpn
    +--rw tsg?      identityref
    +--rw ts-list?  string
augment /te:te/te:tunnels/te:tunnel/te:secondary-reverse-paths
  /te:secondary-reverse-path
  /te:explicit-route-objects-always
  /te:route-object-exclude-always/te:type/te:label
  /te:label-hop/te:te-label/te:technology:
+--:(otn)
  +--rw otn
    +--rw tpn?      otn-tpn
    +--rw tsg?      identityref
    +--rw ts-list?  string
augment /te:te/te:tunnels/te:tunnel/te:secondary-reverse-paths
  /te:secondary-reverse-path
  /te:explicit-route-objects-always
  /te:route-object-include-exclude/te:type/te:label
  /te:label-hop/te:te-label/te:technology:
+--:(otn)
  +--rw otn
    +--rw tpn?      otn-tpn
    +--rw tsg?      identityref
    +--rw ts-list?  string
augment /te:te/te:tunnels/te:tunnel/te:secondary-reverse-paths
  /te:secondary-reverse-path/te:path-in-segment
  /te:label-restrictions/te:label-restriction
  /te:label-start/te:te-label/te:technology:
+--:(otn)
  +--rw otn
    +--rw (range-type)?
      +--:(trib-port)
        | +--rw tpn?  otn-tpn
      +--:(trib-slot)
        +--rw ts?    otn-ts
augment /te:te/te:tunnels/te:tunnel/te:secondary-reverse-paths
  /te:secondary-reverse-path/te:path-in-segment
  /te:label-restrictions/te:label-restriction/te:label-end
  /te:te-label/te:technology:
+--:(otn)
  +--rw otn
    +--rw (range-type)?
      +--:(trib-port)
        | +--rw tpn?  otn-tpn
      +--:(trib-slot)

```

```

        +--rw ts?    otn-ts
augment /te:te/te:tunnels/te:tunnel/te:secondary-reverse-paths
        /te:secondary-reverse-path/te:path-in-segment
        /te:label-restrictions/te:label-restriction/te:label-step
        /te:technology:
+---:(otn)
  +--rw otn
    +--rw (range-type)?
      +---:(trib-port)
        | +--rw tpn?    otn-tpn
      +---:(trib-slot)
        +--rw ts?    otn-ts
augment /te:te/te:tunnels/te:tunnel/te:secondary-reverse-paths
        /te:secondary-reverse-path/te:path-out-segment
        /te:label-restrictions/te:label-restriction
        /te:label-start/te:te-label/te:technology:
+---:(otn)
  +--rw otn
    +--rw (range-type)?
      +---:(trib-port)
        | +--rw tpn?    otn-tpn
      +---:(trib-slot)
        +--rw ts?    otn-ts
augment /te:te/te:tunnels/te:tunnel/te:secondary-reverse-paths
        /te:secondary-reverse-path/te:path-out-segment
        /te:label-restrictions/te:label-restriction/te:label-end
        /te:te-label/te:technology:
+---:(otn)
  +--rw otn
    +--rw (range-type)?
      +---:(trib-port)
        | +--rw tpn?    otn-tpn
      +---:(trib-slot)
        +--rw ts?    otn-ts
augment /te:te/te:tunnels/te:tunnel/te:secondary-reverse-paths
        /te:secondary-reverse-path/te:path-out-segment
        /te:label-restrictions/te:label-restriction/te:label-step
        /te:technology:
+---:(otn)
  +--rw otn
    +--rw (range-type)?
      +---:(trib-port)
        | +--rw tpn?    otn-tpn
      +---:(trib-slot)
        +--rw ts?    otn-ts
augment /te:te/te:tunnels/te:tunnel/te:secondary-reverse-paths
        /te:secondary-reverse-path/te:computed-paths-properties
        /te:computed-path-properties/te:path-properties
        /te:path-route-objects/te:path-route-object/te:type

```

```
        /te:label/te:label-hop/te:te-label/te:technology:
+--:(otn)
  +--ro otn
    +--ro tpn?      otn-tpn
    +--ro tsg?      identityref
    +--ro ts-list?  string
augment /te:te/te:lsp/te:lsp/te:lsp-record-route-information
        /te:lsp-record-route-information/te:type/te:label
        /te:label-hop/te:te-label/te:technology:
+--:(otn)
  +--ro otn
    +--ro tpn?      otn-tpn
    +--ro tsg?      identityref
    +--ro ts-list?  string
```

4. OTN Tunnel YANG Code


```
<CODE BEGINS>file "ietf-otn-tunnel@2022-03-10.yang"
module ietf-otn-tunnel {
  yang-version 1.1;
  namespace "urn:ietf:params:xml:ns:yang:ietf-otn-tunnel";
  prefix "otn-tnl";

  import ietf-te {
    prefix "te";
    revision-date "2021-02-20";
    reference
      "I-D.ietf-teas-yang-te-19: A YANG Data Model for Traffic
      Engineering Tunnels and Interfaces. ";
  }

  import ietf-layer1-types {
    prefix "l1-types";
    reference
      "I-D.ietf-ccamp-layer1-types:
      A YANG Data Model for Layer 1 Types. ";
  }

  organization
    "IETF CCAMP Working Group";
  contact
    "WG Web: <http://tools.ietf.org/wg/ccamp/>
    WG List: <mailto:ccamp@ietf.org>

    Editor: Haomian Zheng
           <mailto:zhenghaomian@huawei.com>

    Editor: Italo Busi
           <mailto:italo.busi@huawei.com>

    Editor: Sergio Belotti
           <mailto:sergio.belotti@nokia.com>

    Editor: Victor Lopez
           <mailto:victor.lopezalvarez@telefonica.com>

    Editor: Yunbin Xu
           <mailto:xuyunbin@caict.ac.cn>";

  description
    "This module defines a model for OTN Tunnel Services.

    The model fully conforms to the Network Management
    Datastore Architecture (NMDA).

    Copyright (c) 2022 IETF Trust and the persons
    identified as authors of the code. All rights reserved.
```

Redistribution and use in source and binary forms, with or without modification, is permitted pursuant to, and subject to the license terms contained in, the Simplified BSD License set forth in Section 4.c of the IETF Trust's Legal Provisions Relating to IETF Documents (<https://trustee.ietf.org/license-info>).

This version of this YANG module is part of RFC XXXX; see the RFC itself for full legal notices.";

```
revision "2022-03-10" {
  description
    "Updated revision to align with the latest TE tunnel model.";
  reference
    "RFC XXXX: OTN Tunnel YANG Model";
  // RFC Ed.: replace XXXX with actual RFC number, update date
  // information and remove this note
}

/*
 * Data nodes
 */

/*
 * Augment TE bandwidth
 */

augment "/te:te/te:globals/te:named-path-constraints/"
  + "te:named-path-constraint/"
  + "te:te-bandwidth/te:technology" {
  description
    "Augment TE bandwidth of the named path constraint.";
  case otn {
    uses l1-types:otn-path-bandwidth;
  }
}

augment "/te:te/te:tunnels/te:tunnel/"
  + "te:te-bandwidth/te:technology" {
  description
    "Augment TE bandwidth of the tunnel.";
  case otn {
    uses l1-types:otn-path-bandwidth;
  }
}

augment "/te:te/te:tunnels/te:tunnel/"
  + "te:primary-paths/te:primary-path/"
  + "te:te-bandwidth/te:technology" {
```

```

description
  "Augment TE bandwidth of the primary path.";
case otn {
  uses l1-types:otn-path-bandwidth;
}
}

augment "/te:te/te:tunnels/te:tunnel/"
  + "te:primary-paths/te:primary-path/"
  + "te:computed-paths-properties/"
  + "te:computed-path-properties/te:path-properties/"
  + "te:te-bandwidth/te:technology" {
description
  "Augment TE bandwidth of primary path's computed path
  properties.";
case otn {
  uses l1-types:otn-path-bandwidth;
}
}

augment "/te:te/te:tunnels/te:tunnel/"
  + "te:primary-paths/te:primary-path/"
  + "te:primary-reverse-path/"
  + "te:te-bandwidth/te:technology" {
description
  "Augment TE bandwidth of the primary reverse path.";
case otn {
  uses l1-types:otn-path-bandwidth;
}
}

augment "/te:te/te:tunnels/te:tunnel/"
  + "te:primary-paths/te:primary-path/"
  + "te:primary-reverse-path/"
  + "te:computed-paths-properties/"
  + "te:computed-path-properties/te:path-properties/"
  + "te:te-bandwidth/te:technology" {
description
  "Augment TE bandwidth of the primary reverse path's computed
  path properties.";
case otn {
  uses l1-types:otn-path-bandwidth;
}
}

augment "/te:te/te:tunnels/te:tunnel/"
  + "te:secondary-paths/te:secondary-path/"
  + "te:te-bandwidth/te:technology" {
description

```

```

    "Augment TE bandwidth of the secondary path.";
  case otn {
    uses l1-types:otn-path-bandwidth;
  }
}

augment "/te:te/te:tunnels/te:tunnel/"
  + "te:secondary-paths/te:secondary-path/"
  + "te:computed-paths-properties/"
  + "te:computed-path-properties/te:path-properties/"
  + "te:te-bandwidth/te:technology" {
  description
    "Augment TE bandwidth of the secondary path's computed path
    properties.";
  case otn {
    uses l1-types:otn-path-bandwidth;
  }
}

augment "/te:te/te:tunnels/te:tunnel/"
  + "te:secondary-reverse-paths/"
  + "te:secondary-reverse-path/"
  + "te:te-bandwidth/te:technology" {
  description
    "Augment TE bandwidth of the secondary reverse path.";
  case otn {
    uses l1-types:otn-path-bandwidth;
  }
}

augment "/te:te/te:tunnels/te:tunnel/"
  + "te:secondary-reverse-paths/"
  + "te:secondary-reverse-path/"
  + "te:computed-paths-properties/"
  + "te:computed-path-properties/te:path-properties/"
  + "te:te-bandwidth/te:technology" {
  description
    "Augment TE bandwidth of the secondary reverse path's computed
    path properties.";
  case otn {
    uses l1-types:otn-path-bandwidth;
  }
}

/*
 * Augment TE label range information
 */

augment "/te:te/te:globals/te:named-path-constraints/"

```

```
    + "te:named-path-constraint/te:path-in-segment/"
    + "te:label-restrictions/te:label-restriction" {
description
    "Augment TE label range information for the ingress segment
    of the named path constraint.";
uses l1-types:otn-label-range-info;
}
```

```
augment "/te:te/te:globals/te:named-path-constraints/"
    + "te:named-path-constraint/te:path-out-segment/"
    + "te:label-restrictions/"
    + "te:label-restriction" {
description
    "Augment TE label range information for the egress segment
    of the named path constraint.";
uses l1-types:otn-label-range-info;
}
```

```
augment "/te:te/te:tunnels/te:tunnel/"
    + "te:primary-paths/te:primary-path/"
    + "te:path-in-segment/te:label-restrictions/"
    + "te:label-restriction" {
description
    "Augment TE label range information for the ingress segment
    of the primay path.";
uses l1-types:otn-label-range-info;
}
```

```
augment "/te:te/te:tunnels/te:tunnel/"
    + "te:primary-paths/te:primary-path/"
    + "te:path-out-segment/te:label-restrictions/"
    + "te:label-restriction" {
description
    "Augment TE label range information for the egress segment
    of the primay path.";
uses l1-types:otn-label-range-info;
}
```

```
augment "/te:te/te:tunnels/te:tunnel/"
    + "te:primary-paths/te:primary-path/"
    + "te:primary-reverse-path/"
    + "te:path-in-segment/te:label-restrictions/"
    + "te:label-restriction" {
description
    "Augment TE label range information for the ingress segment
    of the primay reverse path.";
uses l1-types:otn-label-range-info;
}
```

```
augment "/te:te/te:tunnels/te:tunnel/"
  + "te:primary-paths/te:primary-path/"
  + "te:primary-reverse-path/"
  + "te:path-out-segment/te:label-restrictions/"
  + "te:label-restriction" {
description
  "Augment TE label range information for the egress segment
  of the primary reverse path.";
uses l1-types:otn-label-range-info;
}
```

```
augment "/te:te/te:tunnels/te:tunnel/"
  + "te:secondary-paths/te:secondary-path/"
  + "te:path-in-segment/te:label-restrictions/"
  + "te:label-restriction" {
description
  "Augment TE label range information for the ingress segment
  of the secondary path.";
uses l1-types:otn-label-range-info;
}
```

```
augment "/te:te/te:tunnels/te:tunnel/"
  + "te:secondary-paths/te:secondary-path/"
  + "te:path-out-segment/te:label-restrictions/"
  + "te:label-restriction" {
description
  "Augment TE label range information for the egress segment
  of the secondary path.";
uses l1-types:otn-label-range-info;
}
```

```
augment "/te:te/te:tunnels/te:tunnel/"
  + "te:secondary-reverse-paths/te:secondary-reverse-path/"
  + "te:path-in-segment/te:label-restrictions/"
  + "te:label-restriction" {
description
  "Augment TE label range information for the ingress segment
  of the secondary reverse path.";
uses l1-types:otn-label-range-info;
}
```

```
augment "/te:te/te:tunnels/te:tunnel/"
  + "te:secondary-reverse-paths/te:secondary-reverse-path/"
  + "te:path-out-segment/te:label-restrictions/"
  + "te:label-restriction" {
description
  "Augment TE label range information for the egress segment
  of the secondary reverse path.";
uses l1-types:otn-label-range-info;
```

```

}

/*
 * Augment TE label.
 */

augment "/te:te/te:globals/te:named-path-constraints/"
  + "te:named-path-constraint/"
  + "te:explicit-route-objects-always/"
  + "te:route-object-exclude-always/te:type/te:label/"
  + "te:label-hop/te:te-label/te:technology" {
  description
    "Augment TE label hop for the explicit route objects always
    excluded by the path computation with the named path
    constraint.";
  case otn {
    uses l1-types:otn-label-hop;
  }
}

augment "/te:te/te:globals/te:named-path-constraints/"
  + "te:named-path-constraint/"
  + "te:explicit-route-objects-always/"
  + "te:route-object-include-exclude/te:type/te:label/"
  + "te:label-hop/te:te-label/te:technology" {
  description
    "Augment TE label hop for the explicit route objects included
    or excluded by the path computation with the named path
    constraint.";
  case otn {
    uses l1-types:otn-label-hop;
  }
}

augment "/te:te/te:globals/te:named-path-constraints/"
  + "te:named-path-constraint/te:path-in-segment/"
  + "te:label-restrictions/"
  + "te:label-restriction/te:label-start/"
  + "te:te-label/te:technology" {
  description
    "Augment TE label range start for the ingress segment
    of the named path constraint.";
  case otn {
    uses l1-types:otn-label-start-end;
  }
}

augment "/te:te/te:globals/te:named-path-constraints/"
  + "te:named-path-constraint/te:path-in-segment/"

```

```

    + "te:label-restrictions/"
    + "te:label-restriction/te:label-end/"
    + "te:te-label/te:technology" {
description
    "Augment TE label range end for the ingress segment
    of the named path constraint.";
case otn {
    uses l1-types:otn-label-start-end;
}
}

augment "/te:te/te:globals/te:named-path-constraints/"
    + "te:named-path-constraint/te:path-in-segment/"
    + "te:label-restrictions/te:label-restriction/"
    + "te:label-step/te:technology" {
description
    "Augment TE label range step for the ingress segment
    of the named path constraint.";
case otn {
    uses l1-types:otn-label-step;
}
}

augment "/te:te/te:globals/te:named-path-constraints/"
    + "te:named-path-constraint/te:path-out-segment/"
    + "te:label-restrictions/"
    + "te:label-restriction/te:label-start/"
    + "te:te-label/te:technology" {
description
    "Augment TE label range start for the egress segment
    of the named path constraint.";
case otn {
    uses l1-types:otn-label-start-end;
}
}

augment "/te:te/te:globals/te:named-path-constraints/"
    + "te:named-path-constraint/te:path-out-segment/"
    + "te:label-restrictions/"
    + "te:label-restriction/te:label-end/"
    + "te:te-label/te:technology" {
description
    "Augment TE label range end for the egress segment
    of the named path constraint.";
case otn {
    uses l1-types:otn-label-start-end;
}
}
}

```



```

augment "/te:te/te:globals/te:named-path-constraints/"
  + "te:named-path-constraint/te:path-out-segment/"
  + "te:label-restrictions/te:label-restriction/"
  + "te:label-step/te:technology" {
  description
    "Augment TE label range step for the egress segment
    of the named path constraint.";
  case otn {
    uses l1-types:otn-label-step;
  }
}

augment "/te:te/te:tunnels/te:tunnel/"
  + "te:primary-paths/te:primary-path/"
  + "te:optimizations/te:algorithm/te:metric/"
  + "te:optimization-metric/te:explicit-route-exclude-objects/"
  + "te:route-object-exclude-object/te:type/te:label/"
  + "te:label-hop/te:te-label/te:technology" {
  description
    "Augment TE label hop for the optimization of the explicit
    route objects excluded by the path computation of the primary
    path.";
  case otn {
    uses l1-types:otn-label-hop;
  }
}

augment "/te:te/te:tunnels/te:tunnel/"
  + "te:primary-paths/te:primary-path/"
  + "te:optimizations/te:algorithm/te:metric/"
  + "te:optimization-metric/te:explicit-route-include-objects/"
  + "te:route-object-include-object/te:type/te:label/"
  + "te:label-hop/te:te-label/te:technology" {
  description
    "Augment TE label hop for the optimization of the explicit
    route objects included by the path computation of the primary
    path.";
  case otn {
    uses l1-types:otn-label-hop;
  }
}

augment "/te:te/te:tunnels/te:tunnel/"
  + "te:primary-paths/te:primary-path/"
  + "te:explicit-route-objects-always/"
  + "te:route-object-exclude-always/te:type/te:label/"
  + "te:label-hop/te:te-label/te:technology" {
  description
    "Augment TE label hop for the explicit route objects always

```

```

    excluded by the path computation of the primary path.";
case otn {
    uses l1-types:otn-label-hop;
}
}

augment "/te:te/te:tunnels/te:tunnel/"
    + "te:primary-paths/te:primary-path/"
    + "te:explicit-route-objects-always/"
    + "te:route-object-include-exclude/te:type/te:label/"
    + "te:label-hop/te:te-label/te:technology" {
description
    "Augment TE label hop for the explicit route objects included
    or excluded by the path computation of the primary path.";
case otn {
    uses l1-types:otn-label-hop;
}
}

augment "/te:te/te:tunnels/te:tunnel/"
    + "te:primary-paths/te:primary-path/"
    + "te:path-in-segment/te:label-restrictions/"
    + "te:label-restriction/te:label-start/"
    + "te:te-label/te:technology" {
description
    "Augment TE label range start for the ingress segment
    of the primay path.";
case otn {
    uses l1-types:otn-label-start-end;
}
}

augment "/te:te/te:tunnels/te:tunnel/"
    + "te:primary-paths/te:primary-path/"
    + "te:path-in-segment/te:label-restrictions/"
    + "te:label-restriction/te:label-end/"
    + "te:te-label/te:technology" {
description
    "Augment TE label range end for the ingress segment
    of the primay path.";
case otn {
    uses l1-types:otn-label-start-end;
}
}

augment "/te:te/te:tunnels/te:tunnel/"
    + "te:primary-paths/te:primary-path/"
    + "te:path-in-segment/te:label-restrictions/"
    + "te:label-restriction/te:label-step/te:technology" {

```

```

description
  "Augment TE label range step for the ingress segment
  of the primay path.";
case otn {
  uses l1-types:otn-label-step;
}
}

augment "/te:te/te:tunnels/te:tunnel/"
  + "te:primary-paths/te:primary-path/"
  + "te:path-out-segment/te:label-restrictions/"
  + "te:label-restriction/te:label-start/"
  + "te:te-label/te:technology" {
description
  "Augment TE label range start for the egress segment
  of the primay path.";
case otn {
  uses l1-types:otn-label-start-end;
}
}

augment "/te:te/te:tunnels/te:tunnel/"
  + "te:primary-paths/te:primary-path/"
  + "te:path-out-segment/te:label-restrictions/"
  + "te:label-restriction/te:label-end/"
  + "te:te-label/te:technology" {
description
  "Augment TE label range end for the egress segment
  of the primay path.";
case otn {
  uses l1-types:otn-label-start-end;
}
}

augment "/te:te/te:tunnels/te:tunnel/"
  + "te:primary-paths/te:primary-path/"
  + "te:path-out-segment/te:label-restrictions/"
  + "te:label-restriction/te:label-step/te:technology" {
description
  "Augment TE label range end for the egress segment
  of the primay path.";
case otn {
  uses l1-types:otn-label-step;
}
}

augment "/te:te/te:tunnels/te:tunnel/"
  + "te:primary-paths/te:primary-path/"
  + "te:computed-paths-properties/"

```

```

    + "te:computed-path-properties/te:path-properties/"
    + "te:path-route-objects/te:path-route-object/"
    + "te:type/te:label/"
    + "te:label-hop/te:te-label/te:technology" {
description
    "Augment TE label hop for the route object of the computed
    primary path.";
case otn {
    uses l1-types:otn-label-hop;
}
}

augment "/te:te/te:tunnels/te:tunnel/"
    + "te:primary-paths/te:primary-path/"
    + "te:primary-reverse-path/"
    + "te:optimizations/te:algorithm/te:metric/"
    + "te:optimization-metric/te:explicit-route-exclude-objects/"
    + "te:route-object-exclude-object/te:type/te:label/"
    + "te:label-hop/te:te-label/te:technology" {
description
    "Augment TE label hop for the optimization of the explicit
    route objects excluded by the path computation of the primary
    reverse path.";
case otn {
    uses l1-types:otn-label-hop;
}
}

augment "/te:te/te:tunnels/te:tunnel/"
    + "te:primary-paths/te:primary-path/"
    + "te:primary-reverse-path/"
    + "te:optimizations/te:algorithm/te:metric/"
    + "te:optimization-metric/te:explicit-route-include-objects/"
    + "te:route-object-include-object/te:type/te:label/"
    + "te:label-hop/te:te-label/te:technology" {
description
    "Augment TE label hop for the optimization of the explicit
    route objects included by the path computation of the primary
    reverse path.";
case otn {
    uses l1-types:otn-label-hop;
}
}

augment "/te:te/te:tunnels/te:tunnel/"
    + "te:primary-paths/te:primary-path/"
    + "te:primary-reverse-path/"
    + "te:explicit-route-objects-always/"
    + "te:route-object-exclude-always/"

```

```

    + "te:type/te:label/"
    + "te:label-hop/te:te-label/te:technology" {
description
    "Augment TE label hop for the explicit route objects always
    excluded by the path computation of the primary reverse
    path.";
case otn {
    uses l1-types:otn-label-hop;
}
}

augment "/te:te/te:tunnels/te:tunnel/"
    + "te:primary-paths/te:primary-path/"
    + "te:primary-reverse-path/"
    + "te:explicit-route-objects-always/"
    + "te:route-object-include-exclude/"
    + "te:type/te:label/"
    + "te:label-hop/te:te-label/te:technology" {
description
    "Augment TE label hop for the explicit route objects included
    or excluded by the path computation of the primary reverse
    path.";
case otn {
    uses l1-types:otn-label-hop;
}
}

augment "/te:te/te:tunnels/te:tunnel/"
    + "te:primary-paths/te:primary-path/"
    + "te:primary-reverse-path/"
    + "te:path-in-segment/te:label-restrictions/"
    + "te:label-restriction/te:label-start/"
    + "te:te-label/te:technology" {
description
    "Augment TE label range start for the ingress segment
    of the primay reverse path.";
case otn {
    uses l1-types:otn-label-start-end;
}
}

augment "/te:te/te:tunnels/te:tunnel/"
    + "te:primary-paths/te:primary-path/"
    + "te:primary-reverse-path/"
    + "te:path-in-segment/te:label-restrictions/"
    + "te:label-restriction/te:label-end/"
    + "te:te-label/te:technology" {
description
    "Augment TE label range end for the ingress segment

```

```

    of the primay reverse path.";
case otn {
    uses l1-types:otn-label-start-end;
}
}

augment "/te:te/te:tunnels/te:tunnel/"
    + "te:primary-paths/te:primary-path/"
    + "te:primary-reverse-path/"
    + "te:path-in-segment/te:label-restrictions/"
    + "te:label-restriction/te:label-step/te:technology" {
description
    "Augment TE label range step for the ingress segment
    of the primay reverse path.";
case otn {
    uses l1-types:otn-label-step;
}
}

augment "/te:te/te:tunnels/te:tunnel/"
    + "te:primary-paths/te:primary-path/"
    + "te:primary-reverse-path/"
    + "te:path-out-segment/te:label-restrictions/"
    + "te:label-restriction/te:label-start/"
    + "te:te-label/te:technology" {
description
    "Augment TE label range start for the egress segment
    of the primay reverse path.";
case otn {
    uses l1-types:otn-label-start-end;
}
}

augment "/te:te/te:tunnels/te:tunnel/"
    + "te:primary-paths/te:primary-path/"
    + "te:primary-reverse-path/"
    + "te:path-out-segment/te:label-restrictions/"
    + "te:label-restriction/te:label-end/"
    + "te:te-label/te:technology" {
description
    "Augment TE label range end for the egress segment
    of the primay reverse path.";
case otn {
    uses l1-types:otn-label-start-end;
}
}

augment "/te:te/te:tunnels/te:tunnel/"
    + "te:primary-paths/te:primary-path/"

```

```

    + "te:primary-reverse-path/"
    + "te:path-out-segment/te:label-restrictions/"
    + "te:label-restriction/te:label-step/te:technology" {
description
    "Augment TE label range step for the egress segment
    of the primay reverse path.";
case otn {
    uses l1-types:otn-label-step;
}
}

augment "/te:te/te:tunnels/te:tunnel/"
    + "te:primary-paths/te:primary-path/"
    + "te:primary-reverse-path/"
    + "te:computed-paths-properties/te:computed-path-properties/"
    + "te:path-properties/te:path-route-objects/"
    + "te:path-route-object/te:type/te:label/"
    + "te:label-hop/te:te-label/te:technology" {
description
    "Augment TE label hop for the route object of the computed
    primary reverse path.";
case otn {
    uses l1-types:otn-label-hop;
}
}

augment "/te:te/te:tunnels/te:tunnel/"
    + "te:secondary-paths/te:secondary-path/"
    + "te:optimizations/te:algorithm/te:metric/"
    + "te:optimization-metric/te:explicit-route-exclude-objects/"
    + "te:route-object-exclude-object/te:type/te:label/"
    + "te:label-hop/te:te-label/te:technology" {
description
    "Augment TE label hop for the optimization of the explicit
    route objects excluded by the path computation of the
    secondary path.";
case otn {
    uses l1-types:otn-label-hop;
}
}

augment "/te:te/te:tunnels/te:tunnel/"
    + "te:secondary-paths/te:secondary-path/"
    + "te:optimizations/te:algorithm/te:metric/"
    + "te:optimization-metric/te:explicit-route-include-objects/"
    + "te:route-object-include-object/te:type/te:label/"
    + "te:label-hop/te:te-label/te:technology" {
description
    "Augment TE label hop for the optimization of the explicit

```

```

    route objects included by the path computation of the
    secondary path.";
case otn {
    uses l1-types:otn-label-hop;
}
}

augment "/te:te/te:tunnels/te:tunnel/"
    + "te:secondary-paths/te:secondary-path/"
    + "te:explicit-route-objects-always/"
    + "te:route-object-exclude-always/te:type/te:label/"
    + "te:label-hop/te:te-label/te:technology" {
description
    "Augment TE label hop for the explicit route objects always
    excluded by the path computation of the secondary path.";
case otn {
    uses l1-types:otn-label-hop;
}
}

augment "/te:te/te:tunnels/te:tunnel/"
    + "te:secondary-paths/te:secondary-path/"
    + "te:explicit-route-objects-always/"
    + "te:route-object-include-exclude/te:type/te:label/"
    + "te:label-hop/te:te-label/te:technology" {
description
    "Augment TE label hop for the explicit route objects included
    or excluded by the path computation of the secondary path.";
case otn {
    uses l1-types:otn-label-hop;
}
}

augment "/te:te/te:tunnels/te:tunnel/"
    + "te:secondary-paths/te:secondary-path/"
    + "te:path-in-segment/te:label-restrictions/"
    + "te:label-restriction/te:label-start/"
    + "te:te-label/te:technology" {
description
    "Augment TE label range start for the ingress segment
    of the secondary path.";
case otn {
    uses l1-types:otn-label-start-end;
}
}

augment "/te:te/te:tunnels/te:tunnel/"
    + "te:secondary-paths/te:secondary-path/"
    + "te:path-in-segment/te:label-restrictions/"

```



```

    + "te:label-restriction/te:label-end/"
    + "te:te-label/te:technology" {
description
    "Augment TE label range end for the ingress segment
    of the secondary path.";
case otn {
    uses l1-types:otn-label-start-end;
}
}
augment "/te:te/te:tunnels/te:tunnel/"
    + "te:secondary-paths/te:secondary-path/"
    + "te:path-in-segment/te:label-restrictions/"
    + "te:label-restriction/te:label-step/te:technology" {
description
    "Augment TE label range step for the ingress segment
    of the secondary path.";
case otn {
    uses l1-types:otn-label-step;
}
}

augment "/te:te/te:tunnels/te:tunnel/"
    + "te:secondary-paths/te:secondary-path/"
    + "te:path-out-segment/te:label-restrictions/"
    + "te:label-restriction/te:label-start/"
    + "te:te-label/te:technology" {
description
    "Augment TE label range start for the egress segment
    of the secondary path.";
case otn {
    uses l1-types:otn-label-start-end;
}
}

augment "/te:te/te:tunnels/te:tunnel/"
    + "te:secondary-paths/te:secondary-path/"
    + "te:path-out-segment/te:label-restrictions/"
    + "te:label-restriction/te:label-end/"
    + "te:te-label/te:technology" {
description
    "Augment TE label range end for the egress segment
    of the secondary path.";
case otn {
    uses l1-types:otn-label-start-end;
}
}

augment "/te:te/te:tunnels/te:tunnel/"
    + "te:secondary-paths/te:secondary-path/"

```

```

    + "te:path-out-segment/te:label-restrictions/"
    + "te:label-restriction/te:label-step/te:technology" {
description
  "Augment TE label range step for the egress segment
  of the secondary path.";
case otn {
  uses l1-types:otn-label-step;
}
}

augment "/te:te/te:tunnels/te:tunnel/"
  + "te:secondary-paths/te:secondary-path/"
  + "te:computed-paths-properties/"
  + "te:computed-path-properties/"
  + "te:path-properties/te:path-route-objects/"
  + "te:path-route-object/te:type/te:label/"
  + "te:label-hop/te:te-label/te:technology" {
description
  "Augment TE label hop for the route object of the computed
  secondary path.";
case otn {
  uses l1-types:otn-label-hop;
}
}

augment "/te:te/te:tunnels/te:tunnel/"
  + "te:secondary-reverse-paths/te:secondary-reverse-path/"
  + "te:optimizations/te:algorithm/te:metric/"
  + "te:optimization-metric/te:explicit-route-exclude-objects/"
  + "te:route-object-exclude-object/te:type/te:label/"
  + "te:label-hop/te:te-label/te:technology" {
description
  "Augment TE label hop for the optimization of the explicit
  route objects excluded by the path computation of the
  secondary reverse path.";
case otn {
  uses l1-types:otn-label-hop;
}
}

augment "/te:te/te:tunnels/te:tunnel/"
  + "te:secondary-reverse-paths/te:secondary-reverse-path/"
  + "te:optimizations/te:algorithm/te:metric/"
  + "te:optimization-metric/te:explicit-route-include-objects/"
  + "te:route-object-include-object/te:type/te:label/"
  + "te:label-hop/te:te-label/te:technology" {
description
  "Augment TE label hop for the optimization of the explicit
  route objects included by the path computation of the

```

```

    secondary reverse path.";
case otn {
    uses l1-types:otn-label-hop;
}
}

augment "/te:te/te:tunnels/te:tunnel/"
    + "te:secondary-reverse-paths/te:secondary-reverse-path/"
    + "te:explicit-route-objects-always/"
    + "te:route-object-exclude-always/te:type/te:label/"
    + "te:label-hop/te:te-label/te:technology" {
description
    "Augment TE label hop for the explicit route objects always
    excluded by the path computation of the secondary reverse
    path.";
case otn {
    uses l1-types:otn-label-hop;
}
}

augment "/te:te/te:tunnels/te:tunnel/"
    + "te:secondary-reverse-paths/te:secondary-reverse-path/"
    + "te:explicit-route-objects-always/"
    + "te:route-object-include-exclude/te:type/te:label/"
    + "te:label-hop/te:te-label/te:technology" {
description
    "Augment TE label hop for the explicit route objects included
    or excluded by the path computation of the secondary reverse
    path.";
case otn {
    uses l1-types:otn-label-hop;
}
}

augment "/te:te/te:tunnels/te:tunnel/"
    + "te:secondary-reverse-paths/te:secondary-reverse-path/"
    + "te:path-in-segment/te:label-restrictions/"
    + "te:label-restriction/te:label-start/"
    + "te:te-label/te:technology" {
description
    "Augment TE label range start for the ingress segment
    of the secondary reverse path.";
case otn {
    uses l1-types:otn-label-start-end;
}
}

augment "/te:te/te:tunnels/te:tunnel/"
    + "te:secondary-reverse-paths/te:secondary-reverse-path/"

```

```

    + "te:path-in-segment/te:label-restrictions/"
    + "te:label-restriction/te:label-end/"
    + "te:te-label/te:technology" {
description
    "Augment TE label range end for the ingress segment
    of the secondary reverse path.";
case otn {
    uses l1-types:otn-label-start-end;
}
}

augment "/te:te/te:tunnels/te:tunnel/"
    + "te:secondary-reverse-paths/te:secondary-reverse-path/"
    + "te:path-in-segment/te:label-restrictions/"
    + "te:label-restriction/te:label-step/te:technology" {
description
    "Augment TE label range step for the ingress segment
    of the secondary reverse path.";
case otn {
    uses l1-types:otn-label-step;
}
}

augment "/te:te/te:tunnels/te:tunnel/"
    + "te:secondary-reverse-paths/te:secondary-reverse-path/"
    + "te:path-out-segment/te:label-restrictions/"
    + "te:label-restriction/te:label-start/"
    + "te:te-label/te:technology" {
description
    "Augment TE label range start for the egress segment
    of the secondary reverse path.";
case otn {
    uses l1-types:otn-label-start-end;
}
}

augment "/te:te/te:tunnels/te:tunnel/"
    + "te:secondary-reverse-paths/te:secondary-reverse-path/"
    + "te:path-out-segment/te:label-restrictions/"
    + "te:label-restriction/te:label-end/"
    + "te:te-label/te:technology" {
description
    "Augment TE label range end for the egress segment
    of the secondary reverse path.";
case otn {
    uses l1-types:otn-label-start-end;
}
}

```

```

augment "/te:te/te:tunnels/te:tunnel/"
  + "te:secondary-reverse-paths/te:secondary-reverse-path/"
  + "te:path-out-segment/te:label-restrictions/"
  + "te:label-restriction/te:label-step/te:technology" {
description
  "Augment TE label range step for the egress segment
  of the secondary reverse path.";
case otn {
  uses l1-types:otn-label-step;
}
}

augment "/te:te/te:tunnels/te:tunnel/"
  + "te:secondary-reverse-paths/te:secondary-reverse-path/"
  + "te:computed-paths-properties/"
  + "te:computed-path-properties/"
  + "te:path-properties/te:path-route-objects/"
  + "te:path-route-object/te:type/te:label/"
  + "te:label-hop/te:te-label/te:technology" {
description
  "Augment TE label hop for the route object of the computed
  secondary reverse path.";
case otn {
  uses l1-types:otn-label-hop;
}
}

augment "/te:te/te:lsp/"
  + "te:lsp/te:lsp-record-route-information/"
  + "te:lsp-record-route-information/te:type/te:label/"
  + "te:label-hop/te:te-label/te:technology" {
description
  "Augment TE label hop for the record route of the LSP.";
case otn {
  uses l1-types:otn-label-hop;
}
}
}

```

<CODE ENDS>

5. Security Considerations

The YANG module specified in this document defines a schema for data that is designed to be accessed via network management protocols such as NETCONF [RFC6241] or RESTCONF [RFC8040]. The lowest NETCONF layer is the secure transport layer, and the mandatory-to-implement secure transport is Secure Shell (SSH) [RFC6242]. The lowest

RESTCONF layer is HTTPS, and the mandatory-to-implement secure transport is TLS [[RFC8446](#)].

The NETCONF access control model [[RFC8341](#)] provides the means to restrict access for particular NETCONF or RESTCONF users to a preconfigured subset of all available NETCONF or RESTCONF protocol operations and content.

There are a number of data nodes defined in this YANG module that are writable/creatable/deletable (i.e., config true, which is the default). These data nodes may be considered sensitive or vulnerable in some network environments. Write operations (e.g., edit-config) to these data nodes without proper protection can have a negative effect on network operations. Considerations in Section 10 of [[I-D.ietf-teas-yang-te](#)] are also applicable to their subtrees in the module defined in this document.

Some of the readable data nodes in this YANG module may be considered sensitive or vulnerable in some network environments. It is thus important to control read access (e.g., via get, get-config, or notification) to these data nodes. Considerations in Section 10 of [[I-D.ietf-teas-yang-te](#)] are also applicable to their subtrees in the module defined in this document.

6. IANA Considerations

It is proposed that IANA should assign new URIs from the "IETF XML Registry" [[RFC3688](#)] as follows:

```
URI: urn:ietf:params:xml:ns:yang:ietf-otn-tunnel
Registrant Contact: The IESG
XML: N/A; the requested URI is an XML namespace.
```

This document registers following YANG modules in the YANG Module Names registry [[RFC7950](#)].

```
name:          ietf-otn-tunnel
namespace:     urn:ietf:params:xml:ns:yang:ietf-otn-tunnel
prefix:        otn-tnl
reference:     RFC XXXX
```

RFC Editor Note: Please replace XXXX with the number assigned to the RFC once this draft becomes an RFC.

7. Acknowledgements

TBD.

8. Contributors

Aihua Guo Futurewei Email: aihuaguo.ietf@gmail.com

Anurag Sharma Google Email: ansha@google.com

Rajan Rao Infinera Email: rrao@infinera.com

Yunbo Li China Mobile Email: liyunbo@chinamobile.com

Dieter Beller Nokia Email: dieter.beller@nokia.com

Yanlei Zheng China Unicom Email: zhengyanlei@chinaunicom.cn

Xian Zhang Huawei Technologies Email: zhang.xian@huawei.com

Lei Wang China Mobile Email: wangleiyj@chinamobile.com

Oscar Gonzalez de Dios Telefonica Email:

oscar.gonzalezdedios@telefonica.com

9. References

9.1. Normative References

[I-D.ietf-ccamp-layer1-types] Zheng, H. and I. Busi, "A YANG Data Model for Layer 1 Types", Work in Progress, Internet-Draft, draft-ietf-ccamp-layer1-types-15, 23 November 2022, <<https://datatracker.ietf.org/doc/html/draft-ietf-ccamp-layer1-types-15>>.

[I-D.ietf-ccamp-otn-topo-yang] Zheng, H., Busi, I., Liu, X., Belotti, S., and O. G. de Dios, "A YANG Data Model for Optical Transport Network Topology", Work in Progress, Internet-Draft, draft-ietf-ccamp-otn-topo-yang-16, 23 November 2022, <<https://datatracker.ietf.org/doc/html/draft-ietf-ccamp-otn-topo-yang-16>>.

[I-D.ietf-teas-yang-te] Saad, T., Gandhi, R., Liu, X., Beeram, V. P., Bryskin, I., and O. G. de Dios, "A YANG Data Model for Traffic Engineering Tunnels, Label Switched Paths and Interfaces", Work in Progress, Internet-Draft, draft-ietf-teas-yang-te-32, 12 March 2023, <<https://datatracker.ietf.org/doc/html/draft-ietf-teas-yang-te-32>>.

[ITU-Tg709]

International Telecommunication Union, "Interfaces for the optical transport network", ITU-T G.709, March 2020.

[RFC3688] Mealling, M., "The IETF XML Registry", BCP 81, RFC 3688, DOI 10.17487/RFC3688, January 2004, <<https://www.rfc-editor.org/info/rfc3688>>.

[RFC6241] Enns, R., Ed., Bjorklund, M., Ed., Schoenwaelder, J., Ed., and A. Bierman, Ed., "Network Configuration Protocol (NETCONF)", RFC 6241, DOI 10.17487/RFC6241, June 2011, <<https://www.rfc-editor.org/info/rfc6241>>.

[RFC6242] Wasserman, M., "Using the NETCONF Protocol over Secure Shell (SSH)", RFC 6242, DOI 10.17487/RFC6242, June 2011, <<https://www.rfc-editor.org/info/rfc6242>>.

[RFC7139] Zhang, F., Ed., Zhang, G., Belotti, S., Ceccarelli, D., and K. Pithewan, "GMPLS Signaling Extensions for Control of Evolving G.709 Optical Transport Networks", RFC 7139, DOI 10.17487/RFC7139, March 2014, <<https://www.rfc-editor.org/info/rfc7139>>.

[RFC7950] Bjorklund, M., Ed., "The YANG 1.1 Data Modeling Language", RFC 7950, DOI 10.17487/RFC7950, August 2016, <<https://www.rfc-editor.org/info/rfc7950>>.

[RFC8040] Bierman, A., Bjorklund, M., and K. Watsen, "RESTCONF Protocol", RFC 8040, DOI 10.17487/RFC8040, January 2017, <<https://www.rfc-editor.org/info/rfc8040>>.

[RFC8341] Bierman, A. and M. Bjorklund, "Network Configuration Access Control Model", STD 91, RFC 8341, DOI 10.17487/RFC8341, March 2018, <<https://www.rfc-editor.org/info/rfc8341>>.

[RFC8342] Bjorklund, M., Schoenwaelder, J., Shafer, P., Watsen, K., and R. Wilton, "Network Management Datastore Architecture (NMDA)", RFC 8342, DOI 10.17487/RFC8342, March 2018, <<https://www.rfc-editor.org/info/rfc8342>>.

[RFC8446] Rescorla, E., "The Transport Layer Security (TLS) Protocol Version 1.3", RFC 8446, DOI 10.17487/RFC8446, August 2018, <<https://www.rfc-editor.org/info/rfc8446>>.

9.2. Informative References

[I-D.ietf-ccamp-transport-nbi-app-statement] Busi, I., King, D., Zheng, H., and Y. Xu, "Transport Northbound Interface Applicability Statement", Work in Progress, Internet-

Draft, draft-ietf-ccamp-transport-nbi-app-statement-15, 4 July 2022, <<https://datatracker.ietf.org/doc/html/draft-ietf-ccamp-transport-nbi-app-statement-15>>.

[I-D.ietf-teas-actn-yang] Lee, Y., Zheng, H., Ceccarelli, D., Yoon, B. Y., and S. Belotti, "Applicability of YANG models for Abstraction and Control of Traffic Engineered Networks", Work in Progress, Internet-Draft, draft-ietf-teas-actn-yang-11, 7 March 2023, <<https://datatracker.ietf.org/doc/html/draft-ietf-teas-actn-yang-11>>.

[RFC8340] Bjorklund, M. and L. Berger, Ed., "YANG Tree Diagrams", BCP 215, RFC 8340, DOI 10.17487/RFC8340, March 2018, <<https://www.rfc-editor.org/info/rfc8340>>.

Authors' Addresses

Haomian Zheng
Huawei Technologies
H1, Huawei Xiliu Beipo Village, Songshan Lake
Dongguan
Guangdong, 523808
China

Email: zhenghaomian@huawei.com

Italo Busi
Huawei Technologies
HUAWEI TECHNOLOGIES ITALIA Srl Centro Direzionale Milano 2
20090 Milan Milan
Italy

Email: Italo.Busi@huawei.com

Sergio Belotti
Nokia

Email: sergio.belotti@nokia.com

Victor Lopez
Nokia

Email: victor.lopez@nokia.com

Yunbin Xu
CAICT

Email: xuyunbin@caict.ac.cn