

CCAMP Working Group
Internet-Draft
Intended status: Standards Track
Expires: April 25, 2022

Y. Lee
Samsung
H. Zheng
Huawei Technologies
A. Guo
Futurewei
V. Lopez
Nokia
D. King
University of Lancaster
B. Yoon
ETRI
R. Vilalta
CTTC
October 22, 2021

A Yang Data Model for WSON Tunnel
draft-ietf-ccamp-wson-tunnel-model-06

Abstract

This document provides a YANG data model for WSON TE tunnel.

Status of This Memo

This Internet-Draft is submitted in full conformance with the provisions of [BCP 78](#) and [BCP 79](#).

Internet-Drafts are working documents of the Internet Engineering Task Force (IETF). Note that other groups may also distribute working documents as Internet-Drafts. The list of current Internet-Drafts is at <https://datatracker.ietf.org/drafts/current/>.

Internet-Drafts are draft documents valid for a maximum of six months and may be updated, replaced, or obsoleted by other documents at any time. It is inappropriate to use Internet-Drafts as reference material or to cite them other than as "work in progress."

This Internet-Draft will expire on April 25, 2022.

Copyright Notice

Copyright (c) 2021 IETF Trust and the persons identified as the document authors. All rights reserved.

This document is subject to [BCP 78](#) and the IETF Trust's Legal Provisions Relating to IETF Documents

Internet-Draft

WSON Tunnel YANG

October 2021

(<https://trustee.ietf.org/license-info>) in effect on the date of publication of this document. Please review these documents carefully, as they describe your rights and restrictions with respect to this document. Code Components extracted from this document must include Simplified BSD License text as described in Section 4.e of the Trust Legal Provisions and are provided without warranty as described in the Simplified BSD License.

Table of Contents

1.	Introduction	2
1.1.	Terminology	2
1.2.	Tree Diagram	3
1.3.	Prefixes in Data Node Names	3
2.	WSON Tunnel Model Description	4
2.1.	Overview of WSON Tunnel Model	4
2.2.	WSON-specific Parameters in Tunnel Model	4
3.	WSON Tunnel YANG Tree	4
4.	WSON Tunnel YANG Code	19
5.	Security Considerations	38
6.	IANA Considerations	39
7.	Acknowledgements	40
8.	Contributors	40
9.	References	40
9.1.	Normative References	40
9.2.	Informative References	41
	Authors' Addresses	42

[1.](#) Introduction

This document provides a YANG data model for WSON tunnel model. The YANG model described in this document is a WSON technology-specific Yang Tunnel model based on the information model developed in [[RFC7446](#)] and the two encoding documents [[RFC7579](#)] and [[RFC7581](#)] that developed protocol independent encodings based on [[RFC7446](#)].

This document augments the generic TE tunnel model [[I-D.ietf-teas-yang-te](#)].

[1.1.](#) Terminology

Refer to [[RFC7446](#)] and [[RFC7581](#)] for the key terms used in this document.

The following terms are defined in [[RFC7950](#)] and are not redefined here:

- o client

- o server
- o augment
- o data model
- o data node

The following terms are defined in [[RFC6241](#)] and are not redefined here:

- o configuration data
- o state data

The terminology for describing YANG data models is found in [[RFC7950](#)].

[1.2.](#) Tree Diagram

A simplified graphical representation of the data model is used in [Section 3](#) of this document. The meaning of the symbols in these diagrams is defined in [[RFC8340](#)].

[1.3.](#) Prefixes in Data Node Names

In this document, names of data nodes and other data model objects are prefixed using the standard prefix associated with the corresponding YANG imported modules. The module `ietf-layer0-types` specified in [[RFC9093](#)], `ietf-layer1-types` specified in [[I-D.ietf-ccamp-layer1-types](#)], `ietf-te-path-computation` specified in [[I-D.ietf-teas-yang-path-computation](#)] and `ietf-te` specified in [[I-D.ietf-teas-yang-te](#)] are imported in this module.

+-----+-----+-----+-----+

Prefix	YANG module	Reference
layer0-types	ietf-layer0-types	[RFC 9093]
layer1-types	ietf-layer1-types	[I-D.ietf-ccamp-layer1-types]
tepc	ietf-te-path-computation	[I-D.ietf-teas-yang-path-computation]
te	ietf-te	[I-D.ietf-teas-yang-te]
wson-tunnel	ietf-wson-tunnel	[RFC XXXX]

Note: The RFC Editor will replace XXXX with the number assigned to the RFC once this draft becomes an RFC.

[2.](#) WSON Tunnel Model Description

[2.1.](#) Overview of WSON Tunnel Model

The WSON tunnel model is using TE tunnel [[I-D.ietf-teas-yang-te](#)] and TE types [[RFC8776](#)] as a basic model and augment to the TE tunnel with WSON-specific parameters, including the bandwidth information and label information. It is also worth noting that the WSON tunnel provisioning is usually based on the WSON topology. Therefore the WSON tunnel model is usually used together with WSON topology model specified in [[RFC9094](#)].

More scenarios and model applications can be found in [[I-D.ietf-ccamp-transport-nbi-app-statement](#)] and [[I-D.ietf-teas-actn-yang](#)]. The current model is following the YANG language specification as [[RFC7950](#)], and the corresponding protocol is recommended to be Netconf protocol in [[RFC6241](#)] or RESTconf protocol in [[RFC8040](#)].

The YANG module `ietf-wson-tunnel` defined in this document conforms to the Network Management Datastore Architecture (NMDA) defined in [[RFC8342](#)].

[2.2.](#) WSON-specific Parameters in Tunnel Model

WSON specific parameters have been augmenting to the TE tunnel models. The attributes on both of the source and destination need to be configured when setting up the tunnel. Typical parameters, including bandwidth and grid information, are required in the WSON

tunnel model. These parameters are consistent with the framework in [RFC6163], and the specification in [RFC7579] and [RFC7581].

The WSON bandwidth information has been augmenting to various sections of TE tunnel models, including tunnel bandwidth, primary path bandwidth and so on. The WSON label information has been augmenting to label hop of a group of routing objects and also LSPs.

3. WSON Tunnel YANG Tree

```
module: ietf-wson-tunnel
```

```
augment /te:te/te:tunnels/te:tunnel:
  +--rw fec-type?          identityref
  +--rw termination-type?  identityref
  +--rw bit-stuffing?      boolean
augment /te:te/te:globals/te:named-path-constraints
  /te:named-path-constraint/te:path-in-segment
```

```
  /te:label-restrictions/te:label-restriction:
  +--rw grid-type?      identityref
  +--rw priority?       uint8
augment /te:te/te:globals/te:named-path-constraints
  /te:named-path-constraint/te:path-out-segment
  /te:label-restrictions/te:label-restriction:
  +--rw grid-type?      identityref
  +--rw priority?       uint8
augment /te:te/te:tunnels/te:tunnel/te:primary-paths
  /te:primary-path/te:path-in-segment/te:label-restrictions
  /te:label-restriction:
  +--rw grid-type?      identityref
  +--rw priority?       uint8
augment /te:te/te:tunnels/te:tunnel/te:primary-paths
  /te:primary-path/te:path-out-segment
  /te:label-restrictions/te:label-restriction:
  +--rw grid-type?      identityref
  +--rw priority?       uint8
augment /te:te/te:tunnels/te:tunnel/te:primary-paths
  /te:primary-path/te:primary-reverse-path
  /te:path-in-segment/te:label-restrictions
  /te:label-restriction:
```

```

+--rw grid-type?    identityref
+--rw priority?    uint8
augment /te:te/te:tunnels/te:tunnel/te:primary-paths
      /te:primary-path/te:primary-reverse-path
      /te:path-out-segment/te:label-restrictions
      /te:label-restriction:
+--rw grid-type?    identityref
+--rw priority?    uint8
augment /te:te/te:tunnels/te:tunnel/te:secondary-paths
      /te:secondary-path/te:path-in-segment
      /te:label-restrictions/te:label-restriction:
+--rw grid-type?    identityref
+--rw priority?    uint8
augment /te:te/te:tunnels/te:tunnel/te:secondary-paths
      /te:secondary-path/te:path-out-segment
      /te:label-restrictions/te:label-restriction:
+--rw grid-type?    identityref
+--rw priority?    uint8
augment /te:te/te:tunnels/te:tunnel/te:secondary-reverse-paths
      /te:secondary-reverse-path/te:path-in-segment
      /te:label-restrictions/te:label-restriction:
+--rw grid-type?    identityref
+--rw priority?    uint8
augment /te:te/te:tunnels/te:tunnel/te:secondary-reverse-paths
      /te:secondary-reverse-path/te:path-out-segment
      /te:label-restrictions/te:label-restriction:

```

```

+--rw grid-type?    identityref
+--rw priority?    uint8
augment /te:te/te:globals/te:named-path-constraints
      /te:named-path-constraint
      /te:explicit-route-objects-always
      /te:route-object-exclude-always/te:type/te:label
      /te:label-hop/te:te-label/te:technology:
+--:(wson)
  +--rw (grid-type)?
    +--:(dwdm)
      | +--rw (single-or-super-channel)?
      |   +--:(single)
      |     | +--rw dwdm-n?                l0-types:dwdm-n
      |     +--:(super)
      |       +--rw subcarrier-dwdm-n*    l0-types:dwdm-n

```

```

    +---:(cwdm)
      +---rw cwdm-n?          l0-types:cwdm-n
augment /te:te/te:globals/te:named-path-constraints
  /te:named-path-constraint
  /te:explicit-route-objects-always
  /te:route-object-include-exclude/te:type/te:label
  /te:label-hop/te:te-label/te:technology:
+---:(wson)
  +---rw (grid-type)?
    +---:(dwdm)
      | +---rw (single-or-super-channel)?
      |   +---:(single)
      |     | +---rw dwdm-n?          l0-types:dwdm-n
      |     +---:(super)
      |       +---rw subcarrier-dwdm-n*  l0-types:dwdm-n
    +---:(cwdm)
      +---rw cwdm-n?          l0-types:cwdm-n
augment /te:te/te:globals/te:named-path-constraints
  /te:named-path-constraint/te:path-in-segment
  /te:label-restrictions/te:label-restriction
  /te:label-start/te:te-label/te:technology:
+---:(wson)
  +---rw (grid-type)?
    +---:(dwdm)
      | +---rw dwdm-n?  l0-types:dwdm-n
    +---:(cwdm)
      +---rw cwdm-n?  l0-types:cwdm-n
augment /te:te/te:globals/te:named-path-constraints
  /te:named-path-constraint/te:path-in-segment
  /te:label-restrictions/te:label-restriction/te:label-end
  /te:te-label/te:technology:
+---:(wson)
  +---rw (grid-type)?

```

```

    +---:(dwdm)
      | +---rw dwdm-n?  l0-types:dwdm-n
    +---:(cwdm)
      +---rw cwdm-n?  l0-types:cwdm-n
augment /te:te/te:globals/te:named-path-constraints
  /te:named-path-constraint/te:path-in-segment
  /te:label-restrictions/te:label-restriction/te:label-step
  /te:technology:

```

```

+---:(wson)
  +---rw (l0-grid-type)?
    +---:(dwdm)
      | +---rw wson-dwdm-channel-spacing?  identityref
    +---:(cwdm)
      +---rw wson-cwdm-channel-spacing?  identityref
augment /te:te/te:globals/te:named-path-constraints
        /te:named-path-constraint/te:path-out-segment
        /te:label-restrictions/te:label-restriction
        /te:label-start/te:te-label/te:technology:
+---:(wson)
  +---rw (grid-type)?
    +---:(dwdm)
      | +---rw dwdm-n?  l0-types:dwdm-n
    +---:(cwdm)
      +---rw cwdm-n?  l0-types:cwdm-n
augment /te:te/te:globals/te:named-path-constraints
        /te:named-path-constraint/te:path-out-segment
        /te:label-restrictions/te:label-restriction/te:label-end
        /te:te-label/te:technology:
+---:(wson)
  +---rw (grid-type)?
    +---:(dwdm)
      | +---rw dwdm-n?  l0-types:dwdm-n
    +---:(cwdm)
      +---rw cwdm-n?  l0-types:cwdm-n
augment /te:te/te:globals/te:named-path-constraints
        /te:named-path-constraint/te:path-out-segment
        /te:label-restrictions/te:label-restriction/te:label-step
        /te:technology:
+---:(wson)
  +---rw (l0-grid-type)?
    +---:(dwdm)
      | +---rw wson-dwdm-channel-spacing?  identityref
    +---:(cwdm)
      +---rw wson-cwdm-channel-spacing?  identityref
augment /te:te/te:tunnels/te:tunnel/te:primary-paths
        /te:primary-path/te:optimizations/te:algorithm/te:metric
        /te:optimization-metric/te:explicit-route-exclude-objects
        /te:route-object-exclude-object/te:type/te:label

```

/te:label-hop/te:te-label/te:technology:


```

+---:(wson)
  +---rw (grid-type)?
    +---:(dwdm)
      | +---rw (single-or-super-channel)?
      |   +---:(single)
      |     | +---rw dwdm-n?           l0-types:dwdm-n
      |     +---:(super)
      |       +---rw subcarrier-dwdm-n*  l0-types:dwdm-n
    +---:(cwdm)
      +---rw cwdm-n?                    l0-types:cwdm-n
augment /te:te/te:tunnels/te:tunnel/te:primary-paths
        /te:primary-path/te:optimizations/te:algorithm/te:metric
        /te:optimization-metric/te:explicit-route-include-objects
        /te:route-object-include-object/te:type/te:label
        /te:label-hop/te:te-label/te:technology:
+---:(wson)
  +---rw (grid-type)?
    +---:(dwdm)
      | +---rw (single-or-super-channel)?
      |   +---:(single)
      |     | +---rw dwdm-n?           l0-types:dwdm-n
      |     +---:(super)
      |       +---rw subcarrier-dwdm-n*  l0-types:dwdm-n
    +---:(cwdm)
      +---rw cwdm-n?                    l0-types:cwdm-n
augment /te:te/te:tunnels/te:tunnel/te:primary-paths
        /te:primary-path/te:explicit-route-objects-always
        /te:route-object-exclude-always/te:type/te:label
        /te:label-hop/te:te-label/te:technology:
+---:(wson)
  +---rw (grid-type)?
    +---:(dwdm)
      | +---rw (single-or-super-channel)?
      |   +---:(single)
      |     | +---rw dwdm-n?           l0-types:dwdm-n
      |     +---:(super)
      |       +---rw subcarrier-dwdm-n*  l0-types:dwdm-n
    +---:(cwdm)
      +---rw cwdm-n?                    l0-types:cwdm-n
augment /te:te/te:tunnels/te:tunnel/te:primary-paths
        /te:primary-path/te:explicit-route-objects-always
        /te:route-object-include-exclude/te:type/te:label
        /te:label-hop/te:te-label/te:technology:
+---:(wson)
  +---rw (grid-type)?
    +---:(dwdm)
      | +---rw (single-or-super-channel)?

```

```

    |      +---:(single)
    |      |      +---rw dwdm-n?          l0-types:dwdm-n
    |      +---:(super)
    |      +---rw subcarrier-dwdm-n*    l0-types:dwdm-n
+---:(cwdm)
    +---rw cwdm-n?                      l0-types:cwdm-n
augment /te:te/te:tunnels/te:tunnel/te:primary-paths
    /te:primary-path/te:path-in-segment/te:label-restrictions
    /te:label-restriction/te:label-start/te:te-label
    /te:technology:
+---:(wson)
    +---rw (grid-type)?
    +---:(dwdm)
    | +---rw dwdm-n?    l0-types:dwdm-n
    +---:(cwdm)
    +---rw cwdm-n?    l0-types:cwdm-n
augment /te:te/te:tunnels/te:tunnel/te:primary-paths
    /te:primary-path/te:path-in-segment/te:label-restrictions
    /te:label-restriction/te:label-end/te:te-label
    /te:technology:
+---:(wson)
    +---rw (grid-type)?
    +---:(dwdm)
    | +---rw dwdm-n?    l0-types:dwdm-n
    +---:(cwdm)
    +---rw cwdm-n?    l0-types:cwdm-n
augment /te:te/te:tunnels/te:tunnel/te:primary-paths
    /te:primary-path/te:path-in-segment/te:label-restrictions
    /te:label-restriction/te:label-step/te:technology:
+---:(wson)
    +---rw (l0-grid-type)?
    +---:(dwdm)
    | +---rw wson-dwdm-channel-spacing?  identityref
    +---:(cwdm)
    +---rw wson-cwdm-channel-spacing?  identityref
augment /te:te/te:tunnels/te:tunnel/te:primary-paths
    /te:primary-path/te:path-out-segment
    /te:label-restrictions/te:label-restriction
    /te:label-start/te:te-label/te:technology:
+---:(wson)
    +---rw (grid-type)?
    +---:(dwdm)
    | +---rw dwdm-n?    l0-types:dwdm-n
    +---:(cwdm)
    +---rw cwdm-n?    l0-types:cwdm-n
augment /te:te/te:tunnels/te:tunnel/te:primary-paths

```

/te:primary-path/te:path-out-segment
/te:label-restrictions/te:label-restriction/te:label-end

```

    /te:te-label/te:technology:
+--:(wson)
  +--rw (grid-type)?
    +--:(dwdm)
      | +--rw dwdm-n?    l0-types:dwdm-n
    +--:(cwdm)
      +--rw cwdm-n?    l0-types:cwdm-n
augment /te:te/te:tunnels/te:tunnel/te:primary-paths
  /te:primary-path/te:path-out-segment
  /te:label-restrictions/te:label-restriction/te:label-step
  /te:technology:
+--:(wson)
  +--rw (l0-grid-type)?
    +--:(dwdm)
      | +--rw wson-dwdm-channel-spacing?  identityref
    +--:(cwdm)
      +--rw wson-cwdm-channel-spacing?  identityref
augment /te:te/te:tunnels/te:tunnel/te:primary-paths
  /te:primary-path/te:computed-paths-properties
  /te:computed-path-properties/te:path-properties
  /te:path-route-objects/te:path-route-object/te:type
  /te:label/te:label-hop/te:te-label/te:technology:
+--:(wson)
  +--ro (grid-type)?
    +--:(dwdm)
      | +--ro (single-or-super-channel)?
      |   +--:(single)
      |     | +--ro dwdm-n?                l0-types:dwdm-n
      |     +--:(super)
      |       +--ro subcarrier-dwdm-n*    l0-types:dwdm-n
    +--:(cwdm)
      +--ro cwdm-n?                l0-types:cwdm-n
augment /te:te/te:tunnels/te:tunnel/te:primary-paths
  /te:primary-path/te:primary-reverse-path/te:optimizations
  /te:algorithm/te:metric/te:optimization-metric
  /te:explicit-route-exclude-objects
  /te:route-object-exclude-object/te:type/te:label
  /te:label-hop/te:te-label/te:technology:
+--:(wson)
```

```

+--rw (grid-type)?
  +--:(dwdm)
  | +--rw (single-or-super-channel)?
  |   +--:(single)
  |   | +--rw dwdm-n?                               l0-types:dwdm-n
  |   +--:(super)
  |   +--rw subcarrier-dwdm-n*                       l0-types:dwdm-n
  +--:(cwdm)
  +--rw cwdm-n?                                     l0-types:cwdm-n

```

```

augment /te:te/te:tunnels/te:tunnel/te:primary-paths
  /te:primary-path/te:primary-reverse-path/te:optimizations
  /te:algorithm/te:metric/te:optimization-metric
  /te:explicit-route-include-objects
  /te:route-object-include-object/te:type/te:label
  /te:label-hop/te:te-label/te:technology:
+--:(wson)
  +--rw (grid-type)?
  +--:(dwdm)
  | +--rw (single-or-super-channel)?
  |   +--:(single)
  |   | +--rw dwdm-n?                               l0-types:dwdm-n
  |   +--:(super)
  |   +--rw subcarrier-dwdm-n*                       l0-types:dwdm-n
  +--:(cwdm)
  +--rw cwdm-n?                                     l0-types:cwdm-n
augment /te:te/te:tunnels/te:tunnel/te:primary-paths
  /te:primary-path/te:primary-reverse-path
  /te:explicit-route-objects-always
  /te:route-object-exclude-always/te:type/te:label
  /te:label-hop/te:te-label/te:technology:
+--:(wson)
  +--rw (grid-type)?
  +--:(dwdm)
  | +--rw (single-or-super-channel)?
  |   +--:(single)
  |   | +--rw dwdm-n?                               l0-types:dwdm-n
  |   +--:(super)
  |   +--rw subcarrier-dwdm-n*                       l0-types:dwdm-n
  +--:(cwdm)
  +--rw cwdm-n?                                     l0-types:cwdm-n
augment /te:te/te:tunnels/te:tunnel/te:primary-paths

```

```

    /te:primary-path/te:primary-reverse-path
    /te:explicit-route-objects-always
    /te:route-object-include-exclude/te:type/te:label
    /te:label-hop/te:te-label/te:technology:
+--:(wson)
  +--rw (grid-type)?
    +--:(dwdm)
      | +--rw (single-or-super-channel)?
      |   +--:(single)
      |     | +--rw dwdm-n?          l0-types:dwdm-n
      |     +--:(super)
      |       +--rw subcarrier-dwdm-n*  l0-types:dwdm-n
    +--:(cwdm)
      +--rw cwdm-n?          l0-types:cwdm-n
augment /te:te/te:tunnels/te:tunnel/te:primary-paths
    /te:primary-path/te:primary-reverse-path

```

```

    /te:path-in-segment/te:label-restrictions
    /te:label-restriction/te:label-start/te:te-label
    /te:technology:
+--:(wson)
  +--rw (grid-type)?
    +--:(dwdm)
      | +--rw dwdm-n?  l0-types:dwdm-n
    +--:(cwdm)
      +--rw cwdm-n?  l0-types:cwdm-n
augment /te:te/te:tunnels/te:tunnel/te:primary-paths
    /te:primary-path/te:primary-reverse-path
    /te:path-in-segment/te:label-restrictions
    /te:label-restriction/te:label-end/te:te-label
    /te:technology:
+--:(wson)
  +--rw (grid-type)?
    +--:(dwdm)
      | +--rw dwdm-n?  l0-types:dwdm-n
    +--:(cwdm)
      +--rw cwdm-n?  l0-types:cwdm-n
augment /te:te/te:tunnels/te:tunnel/te:primary-paths
    /te:primary-path/te:primary-reverse-path
    /te:path-in-segment/te:label-restrictions
    /te:label-restriction/te:label-step/te:technology:
+--:(wson)

```

```

    +---rw (l0-grid-type)?
        +---:(dwdm)
            | +---rw wson-dwdm-channel-spacing?  identityref
        +---:(cwdm)
            +---rw wson-cwdm-channel-spacing?  identityref
augment /te:te/te:tunnels/te:tunnel/te:primary-paths
        /te:primary-path/te:primary-reverse-path
        /te:path-out-segment/te:label-restrictions
        /te:label-restriction/te:label-start/te:te-label
        /te:technology:
+---:(wson)
    +---rw (grid-type)?
        +---:(dwdm)
            | +---rw dwdm-n?  l0-types:dwdm-n
        +---:(cwdm)
            +---rw cwdm-n?  l0-types:cwdm-n
augment /te:te/te:tunnels/te:tunnel/te:primary-paths
        /te:primary-path/te:primary-reverse-path
        /te:path-out-segment/te:label-restrictions
        /te:label-restriction/te:label-end/te:te-label
        /te:technology:
+---:(wson)
    +---rw (grid-type)?

```

```

    +---:(dwdm)
        | +---rw dwdm-n?  l0-types:dwdm-n
    +---:(cwdm)
        +---rw cwdm-n?  l0-types:cwdm-n
augment /te:te/te:tunnels/te:tunnel/te:primary-paths
        /te:primary-path/te:primary-reverse-path
        /te:path-out-segment/te:label-restrictions
        /te:label-restriction/te:label-step/te:technology:
+---:(wson)
    +---rw (l0-grid-type)?
        +---:(dwdm)
            | +---rw wson-dwdm-channel-spacing?  identityref
        +---:(cwdm)
            +---rw wson-cwdm-channel-spacing?  identityref
augment /te:te/te:tunnels/te:tunnel/te:primary-paths
        /te:primary-path/te:primary-reverse-path
        /te:computed-paths-properties/te:computed-path-properties
        /te:path-properties/te:path-route-objects

```

```

        /te:path-route-object/te:type/te:label/te:label-hop
        /te:te-label/te:technology:
+--:(wson)
  +--ro (grid-type)?
    +--:(dwdm)
      | +--ro (single-or-super-channel)?
      |   +--:(single)
      |     | +--ro dwdm-n?                l0-types:dwdm-n
      |     +--:(super)
      |       +--ro subcarrier-dwdm-n*    l0-types:dwdm-n
    +--:(cwdm)
      +--ro cwdm-n?                       l0-types:cwdm-n
augment /te:te/te:tunnels/te:tunnel/te:secondary-paths
        /te:secondary-path/te:optimizations/te:algorithm
        /te:metric/te:optimization-metric
        /te:explicit-route-exclude-objects
        /te:route-object-exclude-object/te:type/te:label
        /te:label-hop/te:te-label/te:technology:
+--:(wson)
  +--rw (grid-type)?
    +--:(dwdm)
      | +--rw (single-or-super-channel)?
      |   +--:(single)
      |     | +--rw dwdm-n?                l0-types:dwdm-n
      |     +--:(super)
      |       +--rw subcarrier-dwdm-n*    l0-types:dwdm-n
    +--:(cwdm)
      +--rw cwdm-n?                       l0-types:cwdm-n
augment /te:te/te:tunnels/te:tunnel/te:secondary-paths
        /te:secondary-path/te:optimizations/te:algorithm

```

```

        /te:metric/te:optimization-metric
        /te:explicit-route-include-objects
        /te:route-object-include-object/te:type/te:label
        /te:label-hop/te:te-label/te:technology:
+--:(wson)
  +--rw (grid-type)?
    +--:(dwdm)
      | +--rw (single-or-super-channel)?
      |   +--:(single)
      |     | +--rw dwdm-n?                l0-types:dwdm-n
      |     +--:(super)

```

```

    |         +---rw subcarrier-dwdm-n*   l0-types:dwdm-n
    +---:(cwdm)
        +---rw cwdm-n?                    l0-types:cwdm-n
augment /te:te/te:tunnels/te:tunnel/te:secondary-paths
    /te:secondary-path/te:explicit-route-objects-always
    /te:route-object-exclude-always/te:type/te:label
    /te:label-hop/te:te-label/te:technology:
+---:(wson)
    +---rw (grid-type)?
        +---:(dwdm)
            | +---rw (single-or-super-channel)?
            |     +---:(single)
            |         | +---rw dwdm-n?           l0-types:dwdm-n
            |         +---:(super)
            |             +---rw subcarrier-dwdm-n*   l0-types:dwdm-n
            +---:(cwdm)
                +---rw cwdm-n?                    l0-types:cwdm-n
augment /te:te/te:tunnels/te:tunnel/te:secondary-paths
    /te:secondary-path/te:explicit-route-objects-always
    /te:route-object-include-exclude/te:type/te:label
    /te:label-hop/te:te-label/te:technology:
+---:(wson)
    +---rw (grid-type)?
        +---:(dwdm)
            | +---rw (single-or-super-channel)?
            |     +---:(single)
            |         | +---rw dwdm-n?           l0-types:dwdm-n
            |         +---:(super)
            |             +---rw subcarrier-dwdm-n*   l0-types:dwdm-n
            +---:(cwdm)
                +---rw cwdm-n?                    l0-types:cwdm-n
augment /te:te/te:tunnels/te:tunnel/te:secondary-paths
    /te:secondary-path/te:path-in-segment
    /te:label-restrictions/te:label-restriction
    /te:label-start/te:te-label/te:technology:
+---:(wson)
    +---rw (grid-type)?

```

```

+---:(dwdm)
| +---rw dwdm-n?   l0-types:dwdm-n
+---:(cwdm)
    +---rw cwdm-n?   l0-types:cwdm-n

```



```

augment /te:te/te:tunnels/te:tunnel/te:secondary-paths
    /te:secondary-path/te:path-in-segment
    /te:label-restrictions/te:label-restriction/te:label-end
    /te:te-label/te:technology:
    +--:(wson)
        +--rw (grid-type)?
            +--:(dwdm)
                | +--rw dwdm-n?    l0-types:dwdm-n
            +--:(cwdm)
                +--rw cwdm-n?    l0-types:cwdm-n
augment /te:te/te:tunnels/te:tunnel/te:secondary-paths
    /te:secondary-path/te:path-in-segment
    /te:label-restrictions/te:label-restriction/te:label-step
    /te:technology:
    +--:(wson)
        +--rw (l0-grid-type)?
            +--:(dwdm)
                | +--rw wson-dwdm-channel-spacing?  identityref
            +--:(cwdm)
                +--rw wson-cwdm-channel-spacing?  identityref
augment /te:te/te:tunnels/te:tunnel/te:secondary-paths
    /te:secondary-path/te:path-out-segment
    /te:label-restrictions/te:label-restriction
    /te:label-start/te:te-label/te:technology:
    +--:(wson)
        +--rw (grid-type)?
            +--:(dwdm)
                | +--rw dwdm-n?    l0-types:dwdm-n
            +--:(cwdm)
                +--rw cwdm-n?    l0-types:cwdm-n
augment /te:te/te:tunnels/te:tunnel/te:secondary-paths
    /te:secondary-path/te:path-out-segment
    /te:label-restrictions/te:label-restriction/te:label-end
    /te:te-label/te:technology:
    +--:(wson)
        +--rw (grid-type)?
            +--:(dwdm)
                | +--rw dwdm-n?    l0-types:dwdm-n
            +--:(cwdm)
                +--rw cwdm-n?    l0-types:cwdm-n
augment /te:te/te:tunnels/te:tunnel/te:secondary-paths
    /te:secondary-path/te:path-out-segment
    /te:label-restrictions/te:label-restriction/te:label-step
    /te:technology:

```

```

+---:(wson)
  +---rw (l0-grid-type)?
    +---:(dwdm)
      | +---rw wson-dwdm-channel-spacing?  identityref
    +---:(cwdm)
      +---rw wson-cwdm-channel-spacing?  identityref
augment /te:te/te:tunnels/te:tunnel/te:secondary-paths
  /te:secondary-path/te:computed-paths-properties
  /te:computed-path-properties/te:path-properties
  /te:path-route-objects/te:path-route-object/te:type
  /te:label/te:label-hop/te:te-label/te:technology:
+---:(wson)
  +---ro (grid-type)?
    +---:(dwdm)
      | +---ro (single-or-super-channel)?
      |   +---:(single)
      |     | +---ro dwdm-n?                l0-types:dwdm-n
      |     +---:(super)
      |       +---ro subcarrier-dwdm-n*    l0-types:dwdm-n
    +---:(cwdm)
      +---ro cwdm-n?                        l0-types:cwdm-n
augment /te:te/te:tunnels/te:tunnel/te:secondary-reverse-paths
  /te:secondary-reverse-path/te:optimizations/te:algorithm
  /te:metric/te:optimization-metric
  /te:explicit-route-exclude-objects
  /te:route-object-exclude-object/te:type/te:label
  /te:label-hop/te:te-label/te:technology:
+---:(wson)
  +---rw (grid-type)?
    +---:(dwdm)
      | +---rw (single-or-super-channel)?
      |   +---:(single)
      |     | +---rw dwdm-n?                l0-types:dwdm-n
      |     +---:(super)
      |       +---rw subcarrier-dwdm-n*    l0-types:dwdm-n
    +---:(cwdm)
      +---rw cwdm-n?                        l0-types:cwdm-n
augment /te:te/te:tunnels/te:tunnel/te:secondary-reverse-paths
  /te:secondary-reverse-path/te:optimizations/te:algorithm
  /te:metric/te:optimization-metric
  /te:explicit-route-include-objects
  /te:route-object-include-object/te:type/te:label
  /te:label-hop/te:te-label/te:technology:
+---:(wson)
  +---rw (grid-type)?
    +---:(dwdm)
      | +---rw (single-or-super-channel)?

```

| +--:(single)

Internet-Draft

WSON Tunnel YANG

October 2021

```

| | +--rw dwdm-n? |0-types:dwdm-n
| | +--:(super)
| | +--rw subcarrier-dwdm-n* |0-types:dwdm-n
+--:(cwdm)
  +--rw cwdm-n? |0-types:cwdm-n
augment /te:te/te:tunnels/te:tunnel/te:secondary-reverse-paths
  /te:secondary-reverse-path
  /te:explicit-route-objects-always
  /te:route-object-exclude-always/te:type/te:label
  /te:label-hop/te:te-label/te:technology:
+--:(wson)
  +--rw (grid-type)?
  +--:(dwdm)
  | +--rw (single-or-super-channel)?
  | +--:(single)
  | | +--rw dwdm-n? |0-types:dwdm-n
  | | +--:(super)
  | | +--rw subcarrier-dwdm-n* |0-types:dwdm-n
  +--:(cwdm)
  +--rw cwdm-n? |0-types:cwdm-n
augment /te:te/te:tunnels/te:tunnel/te:secondary-reverse-paths
  /te:secondary-reverse-path
  /te:explicit-route-objects-always
  /te:route-object-include-exclude/te:type/te:label
  /te:label-hop/te:te-label/te:technology:
+--:(wson)
  +--rw (grid-type)?
  +--:(dwdm)
  | +--rw (single-or-super-channel)?
  | +--:(single)
  | | +--rw dwdm-n? |0-types:dwdm-n
  | | +--:(super)
  | | +--rw subcarrier-dwdm-n* |0-types:dwdm-n
  +--:(cwdm)
  +--rw cwdm-n? |0-types:cwdm-n
augment /te:te/te:tunnels/te:tunnel/te:secondary-reverse-paths
  /te:secondary-reverse-path/te:path-in-segment
  /te:label-restrictions/te:label-restriction
  /te:label-start/te:te-label/te:technology:
+--:(wson)
```

```

    +--rw (grid-type)?
      +--:(dwdm)
        | +--rw dwdm-n?   l0-types:dwdm-n
      +--:(cwdm)
        +--rw cwdm-n?   l0-types:cwdm-n
augment /te:te/te:tunnels/te:tunnel/te:secondary-reverse-paths
      /te:secondary-reverse-path/te:path-in-segment
      /te:label-restrictions/te:label-restriction/te:label-end

```

```

      /te:te-label/te:technology:
    +--:(wson)
      +--rw (grid-type)?
        +--:(dwdm)
          | +--rw dwdm-n?   l0-types:dwdm-n
        +--:(cwdm)
          +--rw cwdm-n?   l0-types:cwdm-n
augment /te:te/te:tunnels/te:tunnel/te:secondary-reverse-paths
      /te:secondary-reverse-path/te:path-in-segment
      /te:label-restrictions/te:label-restriction/te:label-step
      /te:technology:
    +--:(wson)
      +--rw (l0-grid-type)?
        +--:(dwdm)
          | +--rw wson-dwdm-channel-spacing?  identityref
        +--:(cwdm)
          +--rw wson-cwdm-channel-spacing?  identityref
augment /te:te/te:tunnels/te:tunnel/te:secondary-reverse-paths
      /te:secondary-reverse-path/te:path-out-segment
      /te:label-restrictions/te:label-restriction
      /te:label-start/te:te-label/te:technology:
    +--:(wson)
      +--rw (grid-type)?
        +--:(dwdm)
          | +--rw dwdm-n?   l0-types:dwdm-n
        +--:(cwdm)
          +--rw cwdm-n?   l0-types:cwdm-n
augment /te:te/te:tunnels/te:tunnel/te:secondary-reverse-paths
      /te:secondary-reverse-path/te:path-out-segment
      /te:label-restrictions/te:label-restriction/te:label-end
      /te:te-label/te:technology:
    +--:(wson)
      +--rw (grid-type)?

```

```

    +---:(dwdm)
    |   +---rw dwdm-n?   l0-types:dwdm-n
    +---:(cwdm)
    |   +---rw cwdm-n?   l0-types:cwdm-n
augment /te:te/te:tunnels/te:tunnel/te:secondary-reverse-paths
    /te:secondary-reverse-path/te:path-out-segment
    /te:label-restrictions/te:label-restriction/te:label-step
    /te:technology:
+---:(wson)
+---rw (l0-grid-type)?
+---:(dwdm)
|   +---rw wson-dwdm-channel-spacing?   identityref
+---:(cwdm)
|   +---rw wson-cwdm-channel-spacing?   identityref
augment /te:te/te:tunnels/te:tunnel/te:secondary-reverse-paths

```

```

    /te:secondary-reverse-path/te:computed-paths-properties
    /te:computed-path-properties/te:path-properties
    /te:path-route-objects/te:path-route-object/te:type
    /te:label/te:label-hop/te:te-label/te:technology:
+---:(wson)
+---ro (grid-type)?
+---:(dwdm)
|   +---ro (single-or-super-channel)?
|       +---:(single)
|       |   +---ro dwdm-n?   l0-types:dwdm-n
|       +---:(super)
|           +---ro subcarrier-dwdm-n*   l0-types:dwdm-n
+---:(cwdm)
|   +---ro cwdm-n?   l0-types:cwdm-n
augment /te:te/te:lsps/te:lsp/te:lsp-record-route-information
    /te:lsp-record-route-information/te:type/te:label
    /te:label-hop/te:te-label/te:technology:
+---:(wson)
+---ro (grid-type)?
+---:(dwdm)
|   +---ro (single-or-super-channel)?
|       +---:(single)
|       |   +---ro dwdm-n?   l0-types:dwdm-n
|       +---:(super)
|           +---ro subcarrier-dwdm-n*   l0-types:dwdm-n
+---:(cwdm)

```

4. WSON Tunnel YANG Code

```
<CODE BEGINS>file "ietf-wson-tunnel@2021-10-19.yang"
module ietf-wson-tunnel {
  yang-version 1.1;
  namespace "urn:ietf:params:xml:ns:yang:ietf-wson-tunnel";
  prefix "wson-tnl";

  import ietf-te {
    prefix "te";
    revision-date "2021-02-20";
    reference
      "I-D.ietf-teas-yang-te-19: A YANG Data Model for Traffic
      Engineering Tunnels and Interfaces. ";
  }

  import ietf-layer0-types {
    prefix "l0-types";
```

}

```
import ietf-layer0-types-ext {
  prefix "l0-types-ext";
}
```

```
organization
  "IETF CCAMP Working Group";
```

```
contact
  "WG Web: <http://tools.ietf.org/wg/ccamp/>
  WG List: <mailto:ccamp@ietf.org>
```

```
Editor: Young Lee
       <leeyoung.tx@gmail.com>
```

```
Editor: Haomian Zheng
       <zhenghaomian@huawei.com>
```

Editor: Aihua Guo
<aihuaguo.ietf@gmail.com>
Editor: Victor Lopez
<victor.lopez@nokia.com>
Editor: Daniel King
<d.king@lancaster.ac.uk>
Editor: Bin Yeong Yoon
<byyun@etri.re.kr>
Editor: Ricard Vilalta
<ricard.vilalta@cttc.es>;

description

"This module defines a model for WSON Tunnel Services.

The model fully conforms to the Network Management
Datastore Architecture (NMDA).

Copyright (c) 2021 IETF Trust and the persons
identified as authors of the code. All rights reserved.
Redistribution and use in source and binary forms, with or
without modification, is permitted pursuant to, and subject
to the license terms contained in, the Simplified BSD License
set forth in [Section 4.c](#) of the IETF Trust's Legal Provisions
Relating to IETF Documents
(<https://trustee.ietf.org/license-info>).

This version of this YANG module is part of RFC XXXX; see
the RFC itself for full legal notices.";

```
revision "2021-10-19" {  
  description  
    "Initial Revision";  
  reference  
    "RFC XXXX: A Yang Data Model for WSON Tunnel";  
  // RFC Ed.: replace XXXX with actual RFC number, update date  
  // information and remove this note  
}
```

```

/*
 * Data nodes
 */

augment "/te:te/te:tunnels/te:tunnel" {
  description
    "Augment with additional parameters required for flexi-grid
    media channel.";
  uses l0-types-ext:l0-tunnel-attributes;
}

/*
 * Augment TE label range information
 */

augment "/te:te/te:globals/te:named-path-constraints/"
  + "te:named-path-constraint/te:path-in-segment/"
  + "te:label-restrictions/te:label-restriction" {
  description
    "Augment TE label range information for the ingress segment
    of the named path constraint.";
  uses l0-types:l0-label-range-info;
}

augment "/te:te/te:globals/te:named-path-constraints/"
  + "te:named-path-constraint/te:path-out-segment/"
  + "te:label-restrictions/"
  + "te:label-restriction" {
  description
    "Augment TE label range information for the egress segment
    of the named path constraint.";
  uses l0-types:l0-label-range-info;
}

augment "/te:te/te:tunnels/te:tunnel/"
  + "te:primary-paths/te:primary-path/"

```

```

  + "te:path-in-segment/te:label-restrictions/"
  + "te:label-restriction" {
  description
    "Augment TE label range information for the ingress segment
    of the primay path.";

```



```

    uses l0-types:l0-label-range-info;
}

augment "/te:te/te:tunnels/te:tunnel/"
  + "te:primary-paths/te:primary-path/"
  + "te:path-out-segment/te:label-restrictions/"
  + "te:label-restriction" {
  description
    "Augment TE label range information for the egress segment
    of the primay path.";
  uses l0-types:l0-label-range-info;
}

augment "/te:te/te:tunnels/te:tunnel/"
  + "te:primary-paths/te:primary-path/"
  + "te:primary-reverse-path/"
  + "te:path-in-segment/te:label-restrictions/"
  + "te:label-restriction" {
  description
    "Augment TE label range information for the ingress segment
    of the primay reverse path.";
  uses l0-types:l0-label-range-info;
}

augment "/te:te/te:tunnels/te:tunnel/"
  + "te:primary-paths/te:primary-path/"
  + "te:primary-reverse-path/"
  + "te:path-out-segment/te:label-restrictions/"
  + "te:label-restriction" {
  description
    "Augment TE label range information for the egress segment
    of the primay reverse path.";
  uses l0-types:l0-label-range-info;
}

augment "/te:te/te:tunnels/te:tunnel/"
  + "te:secondary-paths/te:secondary-path/"
  + "te:path-in-segment/te:label-restrictions/"
  + "te:label-restriction" {
  description
    "Augment TE label range information for the ingress segment
    of the secondary path.";
  uses l0-types:l0-label-range-info;
}

```

```

}

augment "/te:te/te:tunnels/te:tunnel/"
  + "te:secondary-paths/te:secondary-path/"
  + "te:path-out-segment/te:label-restrictions/"
  + "te:label-restriction" {
  description
    "Augment TE label range information for the egress segment
    of the secondary path.";
  uses l0-types:l0-label-range-info;
}

augment "/te:te/te:tunnels/te:tunnel/"
  + "te:secondary-reverse-paths/te:secondary-reverse-path/"
  + "te:path-in-segment/te:label-restrictions/"
  + "te:label-restriction" {
  description
    "Augment TE label range information for the ingress segment
    of the secondary reverse path.";
  uses l0-types:l0-label-range-info;
}

augment "/te:te/te:tunnels/te:tunnel/"
  + "te:secondary-reverse-paths/te:secondary-reverse-path/"
  + "te:path-out-segment/te:label-restrictions/"
  + "te:label-restriction" {
  description
    "Augment TE label range information for the egress segment
    of the secondary reverse path.";
  uses l0-types:l0-label-range-info;
}

/*
 * Augment TE label.
 */

augment "/te:te/te:globals/te:named-path-constraints/"
  + "te:named-path-constraint/"
  + "te:explicit-route-objects-always/"
  + "te:route-object-exclude-always/te:type/te:label/"
  + "te:label-hop/te:te-label/te:technology" {
  description
    "Augment TE label hop for the explicit route objects always
    excluded by the path computation with the named path
    constraint.";
  case wson {
    uses l0-types:wson-label-hop;
  }
}

```

Internet-Draft

WSOY Tunnel YANG

October 2021

```
}

augment "/te:te/te:globals/te:named-path-constraints/"
  + "te:named-path-constraint/"
  + "te:explicit-route-objects-always/"
  + "te:route-object-include-exclude/te:type/te:label/"
  + "te:label-hop/te:te-label/te:technology" {
  description
    "Augment TE label hop for the explicit route objects included
    or excluded by the path computation with the named path
    constraint.";
  case wson {
    uses l0-types:wson-label-hop;
  }
}

augment "/te:te/te:globals/te:named-path-constraints/"
  + "te:named-path-constraint/te:path-in-segment/"
  + "te:label-restrictions/"
  + "te:label-restriction/te:label-start/"
  + "te:te-label/te:technology" {
  description
    "Augment TE label range start for the ingress segment
    of the named path constraint.";
  case wson {
    uses l0-types:wson-label-start-end;
  }
}

augment "/te:te/te:globals/te:named-path-constraints/"
  + "te:named-path-constraint/te:path-in-segment/"
  + "te:label-restrictions/"
  + "te:label-restriction/te:label-end/"
  + "te:te-label/te:technology" {
  description
    "Augment TE label range end for the ingress segment
    of the named path constraint.";
  case wson {
    uses l0-types:wson-label-start-end;
  }
}
```

```
augment "/te:te/te:globals/te:named-path-constraints/"
  + "te:named-path-constraint/te:path-in-segment/"
  + "te:label-restrictions/te:label-restriction/"
  + "te:label-step/te:technology" {
description
  "Augment TE label range step for the ingress segment
```

```
    of the named path constraint.";
  case wson {
    uses l0-types:wson-label-step;
  }
}

augment "/te:te/te:globals/te:named-path-constraints/"
  + "te:named-path-constraint/te:path-out-segment/"
  + "te:label-restrictions/"
  + "te:label-restriction/te:label-start/"
  + "te:te-label/te:technology" {
description
  "Augment TE label range start for the egress segment
  of the named path constraint.";
  case wson {
    uses l0-types:wson-label-start-end;
  }
}

augment "/te:te/te:globals/te:named-path-constraints/"
  + "te:named-path-constraint/te:path-out-segment/"
  + "te:label-restrictions/"
  + "te:label-restriction/te:label-end/"
  + "te:te-label/te:technology" {
description
  "Augment TE label range end for the egress segment
  of the named path constraint.";
  case wson {
    uses l0-types:wson-label-start-end;
  }
}

augment "/te:te/te:globals/te:named-path-constraints/"
  + "te:named-path-constraint/te:path-out-segment/"
  + "te:label-restrictions/te:label-restriction/"
```

```

    + "te:label-step/te:technology" {
description
  "Augment TE label range step for the egress segment
  of the named path constraint.";
case wson {
  uses l0-types:wson-label-step;
}
}

augment "/te:te/te:tunnels/te:tunnel/"
  + "te:primary-paths/te:primary-path/"
  + "te:optimizations/te:algorithm/te:metric/"
  + "te:optimization-metric/te:explicit-route-exclude-objects/"

```

```

    + "te:route-object-exclude-object/te:type/te:label/"
    + "te:label-hop/te:te-label/te:technology" {
description
  "Augment TE label hop for the optimization of the explicit
  route objects excluded by the path computation of the primary
  path.";
case wson {
  uses l0-types:wson-label-hop;
}
}

augment "/te:te/te:tunnels/te:tunnel/"
  + "te:primary-paths/te:primary-path/"
  + "te:optimizations/te:algorithm/te:metric/"
  + "te:optimization-metric/te:explicit-route-include-objects/"
  + "te:route-object-include-object/te:type/te:label/"
  + "te:label-hop/te:te-label/te:technology" {
description
  "Augment TE label hop for the optimization of the explicit
  route objects included by the path computation of the primary
  path.";
case wson {
  uses l0-types:wson-label-hop;
}
}

augment "/te:te/te:tunnels/te:tunnel/"
  + "te:primary-paths/te:primary-path/"

```

```

    + "te:explicit-route-objects-always/"
    + "te:route-object-exclude-always/te:type/te:label/"
    + "te:label-hop/te:te-label/te:technology" {
description
  "Augment TE label hop for the explicit route objects always
  excluded by the path computation of the primary path.";
case wson {
  uses l0-types:wson-label-hop;
}
}

augment "/te:te/te:tunnels/te:tunnel/"
  + "te:primary-paths/te:primary-path/"
  + "te:explicit-route-objects-always/"
  + "te:route-object-include-exclude/te:type/te:label/"
  + "te:label-hop/te:te-label/te:technology" {
description
  "Augment TE label hop for the explicit route objects included
  or excluded by the path computation of the primary path.";
case wson {

```

```

  uses l0-types:wson-label-hop;
}
}

augment "/te:te/te:tunnels/te:tunnel/"
  + "te:primary-paths/te:primary-path/"
  + "te:path-in-segment/te:label-restrictions/"
  + "te:label-restriction/te:label-start/"
  + "te:te-label/te:technology" {
description
  "Augment TE label range start for the ingress segment
  of the primay path.";
case wson {
  uses l0-types:wson-label-start-end;
}
}

augment "/te:te/te:tunnels/te:tunnel/"
  + "te:primary-paths/te:primary-path/"
  + "te:path-in-segment/te:label-restrictions/"
  + "te:label-restriction/te:label-end/"

```

```

    + "te:te-label/te:technology" {
description
  "Augment TE label range end for the ingress segment
  of the primay path.";
case wson {
  uses l0-types:wson-label-start-end;
}
}

augment "/te:te/te:tunnels/te:tunnel/"
  + "te:primary-paths/te:primary-path/"
  + "te:path-in-segment/te:label-restrictions/"
  + "te:label-restriction/te:label-step/te:technology" {
description
  "Augment TE label range step for the ingress segment
  of the primay path.";
case wson {
  uses l0-types:wson-label-step;
}
}

augment "/te:te/te:tunnels/te:tunnel/"
  + "te:primary-paths/te:primary-path/"
  + "te:path-out-segment/te:label-restrictions/"
  + "te:label-restriction/te:label-start/"
  + "te:te-label/te:technology" {
description

```

```

  "Augment TE label range start for the egress segment
  of the primay path.";
case wson {
  uses l0-types:wson-label-start-end;
}
}

augment "/te:te/te:tunnels/te:tunnel/"
  + "te:primary-paths/te:primary-path/"
  + "te:path-out-segment/te:label-restrictions/"
  + "te:label-restriction/te:label-end/"
  + "te:te-label/te:technology" {
description
  "Augment TE label range end for the egress segment

```

```

    of the primay path.";
  case wson {
    uses l0-types:wson-label-start-end;
  }
}

augment "/te:te/te:tunnels/te:tunnel/"
  + "te:primary-paths/te:primary-path/"
  + "te:path-out-segment/te:label-restrictions/"
  + "te:label-restriction/te:label-step/te:technology" {
description
  "Augment TE label range end for the egress segment
  of the primay path.";
  case wson {
    uses l0-types:wson-label-step;
  }
}

augment "/te:te/te:tunnels/te:tunnel/"
  + "te:primary-paths/te:primary-path/"
  + "te:computed-paths-properties/"
  + "te:computed-path-properties/te:path-properties/"
  + "te:path-route-objects/te:path-route-object/"
  + "te:type/te:label/"
  + "te:label-hop/te:te-label/te:technology" {
description
  "Augment TE label hop for the route object of the computed
  primary path.";
  case wson {
    uses l0-types:wson-label-hop;
  }
}

augment "/te:te/te:tunnels/te:tunnel/"

```

```

  + "te:primary-paths/te:primary-path/"
  + "te:primary-reverse-path/"
  + "te:optimizations/te:algorithm/te:metric/"
  + "te:optimization-metric/te:explicit-route-exclude-objects/"
  + "te:route-object-exclude-object/te:type/te:label/"
  + "te:label-hop/te:te-label/te:technology" {
description

```



```

    "Augment TE label hop for the optimization of the explicit
    route objects excluded by the path computation of the primary
    reverse path.";
  case wson {
    uses l0-types:wson-label-hop;
  }
}

augment "/te:te/te:tunnels/te:tunnel/"
  + "te:primary-paths/te:primary-path/"
  + "te:primary-reverse-path/"
  + "te:optimizations/te:algorithm/te:metric/"
  + "te:optimization-metric/te:explicit-route-include-objects/"
  + "te:route-object-include-object/te:type/te:label/"
  + "te:label-hop/te:te-label/te:technology" {
  description
    "Augment TE label hop for the optimization of the explicit
    route objects included by the path computation of the primary
    reverse path.";
  case wson {
    uses l0-types:wson-label-hop;
  }
}

augment "/te:te/te:tunnels/te:tunnel/"
  + "te:primary-paths/te:primary-path/"
  + "te:primary-reverse-path/"
  + "te:explicit-route-objects-always/"
  + "te:route-object-exclude-always/"
  + "te:type/te:label/"
  + "te:label-hop/te:te-label/te:technology" {
  description
    "Augment TE label hop for the explicit route objects always
    excluded by the path computation of the primary reverse
    path.";
  case wson {
    uses l0-types:wson-label-hop;
  }
}

augment "/te:te/te:tunnels/te:tunnel/"

```

```

    + "te:primary-paths/te:primary-path/"
    + "te:primary-reverse-path/"
    + "te:explicit-route-objects-always/"
    + "te:route-object-include-exclude/"
    + "te:type/te:label/"
    + "te:label-hop/te:te-label/te:technology" {
description
    "Augment TE label hop for the explicit route objects included
    or excluded by the path computation of the primary reverse
    path.";
case wson {
    uses l0-types:wson-label-hop;
}
}

augment "/te:te/te:tunnels/te:tunnel/"
    + "te:primary-paths/te:primary-path/"
    + "te:primary-reverse-path/"
    + "te:path-in-segment/te:label-restrictions/"
    + "te:label-restriction/te:label-start/"
    + "te:te-label/te:technology" {
description
    "Augment TE label range start for the ingress segment
    of the primay reverse path.";
case wson {
    uses l0-types:wson-label-start-end;
}
}

augment "/te:te/te:tunnels/te:tunnel/"
    + "te:primary-paths/te:primary-path/"
    + "te:primary-reverse-path/"
    + "te:path-in-segment/te:label-restrictions/"
    + "te:label-restriction/te:label-end/"
    + "te:te-label/te:technology" {
description
    "Augment TE labelrange end for the ingress segment
    of the primay reverse path.";
case wson {
    uses l0-types:wson-label-start-end;
}
}

augment "/te:te/te:tunnels/te:tunnel/"
    + "te:primary-paths/te:primary-path/"
    + "te:primary-reverse-path/"
    + "te:path-in-segment/te:label-restrictions/"
    + "te:label-restriction/te:label-step/te:technology" {

```

Internet-Draft

WSON Tunnel YANG

October 2021

```
description
  "Augment TE label range step for the ingress segment
  of the primay reverse path.";
case wson {
  uses l0-types:wson-label-step;
}
}

augment "/te:te/te:tunnels/te:tunnel/"
  + "te:primary-paths/te:primary-path/"
  + "te:primary-reverse-path/"
  + "te:path-out-segment/te:label-restrictions/"
  + "te:label-restriction/te:label-start/"
  + "te:te-label/te:technology" {
description
  "Augment TE label range start for the egress segment
  of the primay reverse path.";
case wson {
  uses l0-types:wson-label-start-end;
}
}

augment "/te:te/te:tunnels/te:tunnel/"
  + "te:primary-paths/te:primary-path/"
  + "te:primary-reverse-path/"
  + "te:path-out-segment/te:label-restrictions/"
  + "te:label-restriction/te:label-end/"
  + "te:te-label/te:technology" {
description
  "Augment TE label range end for the egress segment
  of the primay reverse path.";
case wson {
  uses l0-types:wson-label-start-end;
}
}

augment "/te:te/te:tunnels/te:tunnel/"
  + "te:primary-paths/te:primary-path/"
  + "te:primary-reverse-path/"
  + "te:path-out-segment/te:label-restrictions/"
  + "te:label-restriction/te:label-step/te:technology" {
description
  "Augment TE label range step for the egress segment
```

```
    of the primay reverse path.";
  case wson {
    uses l0-types:wson-label-step;
  }
}
```

```
augment "/te:te/te:tunnels/te:tunnel/"
  + "te:primary-paths/te:primary-path/"
  + "te:primary-reverse-path/"
  + "te:computed-paths-properties/te:computed-path-properties/"
  + "te:path-properties/te:path-route-objects/"
  + "te:path-route-object/te:type/te:label/"
  + "te:label-hop/te:te-label/te:technology" {
  description
    "Augment TE label hop for the route object of the computed
    primary reverse path.";
  case wson {
    uses l0-types:wson-label-hop;
  }
}

augment "/te:te/te:tunnels/te:tunnel/"
  + "te:secondary-paths/te:secondary-path/"
  + "te:optimizations/te:algorithm/te:metric/"
  + "te:optimization-metric/te:explicit-route-exclude-objects/"
  + "te:route-object-exclude-object/te:type/te:label/"
  + "te:label-hop/te:te-label/te:technology" {
  description
    "Augment TE label hop for the optimization of the explicit
    route objects excluded by the path computation of the
    secondary path.";
  case wson {
    uses l0-types:wson-label-hop;
  }
}

augment "/te:te/te:tunnels/te:tunnel/"
  + "te:secondary-paths/te:secondary-path/"
  + "te:optimizations/te:algorithm/te:metric/"
  + "te:optimization-metric/te:explicit-route-include-objects/"
  + "te:route-object-include-object/te:type/te:label/"
  + "te:label-hop/te:te-label/te:technology" {
```

```

description
  "Augment TE label hop for the optimization of the explicit
  route objects included by the path computation of the
  secondary path.";
case wson {
  uses l0-types:wson-label-hop;
}
}

augment "/te:te/te:tunnels/te:tunnel/"
  + "te:secondary-paths/te:secondary-path/"
  + "te:explicit-route-objects-always/"

```

```

  + "te:route-object-exclude-always/te:type/te:label/"
  + "te:label-hop/te:te-label/te:technology" {
description
  "Augment TE label hop for the explicit route objects always
  excluded by the path computation of the secondary path.";
case wson {
  uses l0-types:wson-label-hop;
}
}

augment "/te:te/te:tunnels/te:tunnel/"
  + "te:secondary-paths/te:secondary-path/"
  + "te:explicit-route-objects-always/"
  + "te:route-object-include-exclude/te:type/te:label/"
  + "te:label-hop/te:te-label/te:technology" {
description
  "Augment TE label hop for the explicit route objects included
  or excluded by the path computation of the secondary path.";
case wson {
  uses l0-types:wson-label-hop;
}
}

augment "/te:te/te:tunnels/te:tunnel/"
  + "te:secondary-paths/te:secondary-path/"
  + "te:path-in-segment/te:label-restrictions/"
  + "te:label-restriction/te:label-start/"
  + "te:te-label/te:technology" {
description

```

```

    "Augment TE label range start for the ingress segment
    of the secondary path.";
  case wson {
    uses l0-types:wson-label-start-end;
  }
}

augment "/te:te/te:tunnels/te:tunnel/"
  + "te:secondary-paths/te:secondary-path/"
  + "te:path-in-segment/te:label-restrictions/"
  + "te:label-restriction/te:label-end/"
  + "te:te-label/te:technology" {
  description
    "Augment TE label range end for the ingress segment
    of the secondary path.";
  case wson {
    uses l0-types:wson-label-start-end;
  }
}

```

```

augment "/te:te/te:tunnels/te:tunnel/"
  + "te:secondary-paths/te:secondary-path/"
  + "te:path-in-segment/te:label-restrictions/"
  + "te:label-restriction/te:label-step/te:technology" {
  description
    "Augment TE label range step for the ingress segment
    of the secondary path.";
  case wson {
    uses l0-types:wson-label-step;
  }
}

augment "/te:te/te:tunnels/te:tunnel/"
  + "te:secondary-paths/te:secondary-path/"
  + "te:path-out-segment/te:label-restrictions/"
  + "te:label-restriction/te:label-start/"
  + "te:te-label/te:technology" {
  description
    "Augment TE label range start for the egress segment
    of the secondary path.";
  case wson {
    uses l0-types:wson-label-start-end;
  }
}

```

```

    }
  }

  augment "/te:te/te:tunnels/te:tunnel/"
    + "te:secondary-paths/te:secondary-path/"
    + "te:path-out-segment/te:label-restrictions/"
    + "te:label-restriction/te:label-end/"
    + "te:te-label/te:technology" {
    description
      "Augment TE label range end for the egress segment
      of the secondary path.";
    case wson {
      uses l0-types:wson-label-start-end;
    }
  }
}

```

```

  augment "/te:te/te:tunnels/te:tunnel/"
    + "te:secondary-paths/te:secondary-path/"
    + "te:path-out-segment/te:label-restrictions/"
    + "te:label-restriction/te:label-step/te:technology" {
    description
      "Augment TE label range step for the egress segment
      of the secondary path.";
    case wson {
      uses l0-types:wson-label-step;
    }
  }
}

```

```

}

augment "/te:te/te:tunnels/te:tunnel/"
  + "te:secondary-paths/te:secondary-path/"
  + "te:computed-paths-properties/"
  + "te:computed-path-properties/"
  + "te:path-properties/te:path-route-objects/"
  + "te:path-route-object/te:type/te:label/"
  + "te:label-hop/te:te-label/te:technology" {
  description
    "Augment TE label hop for the route object of the computed
    secondary path.";
  case wson {
    uses l0-types:wson-label-hop;
  }
}

```

```

}

augment "/te:te/te:tunnels/te:tunnel/"
  + "te:secondary-reverse-paths/te:secondary-reverse-path/"
  + "te:optimizations/te:algorithm/te:metric/"
  + "te:optimization-metric/te:explicit-route-exclude-objects/"
  + "te:route-object-exclude-object/te:type/te:label/"
  + "te:label-hop/te:te-label/te:technology" {
description
  "Augment TE label hop for the optimization of the explicit
  route objects excluded by the path computation of the
  secondary reverse path.";
case wson {
  uses l0-types:wson-label-hop;
}
}

augment "/te:te/te:tunnels/te:tunnel/"
  + "te:secondary-reverse-paths/te:secondary-reverse-path/"
  + "te:optimizations/te:algorithm/te:metric/"
  + "te:optimization-metric/te:explicit-route-include-objects/"
  + "te:route-object-include-object/te:type/te:label/"
  + "te:label-hop/te:te-label/te:technology" {
description
  "Augment TE label hop for the optimization of the explicit
  route objects included by the path computation of the
  secondary reverse path.";
case wson {
  uses l0-types:wson-label-hop;
}
}

augment "/te:te/te:tunnels/te:tunnel/"

```

```

  + "te:secondary-reverse-paths/te:secondary-reverse-path/"
  + "te:explicit-route-objects-always/"
  + "te:route-object-exclude-always/te:type/te:label/"
  + "te:label-hop/te:te-label/te:technology" {
description
  "Augment TE label hop for the explicit route objects always
  excluded by the path computation of the secondary reverse
  path.";

```



```

    case wson {
      uses l0-types:wson-label-hop;
    }
  }

augment "/te:te/te:tunnels/te:tunnel/"
  + "te:secondary-reverse-paths/te:secondary-reverse-path/"
  + "te:explicit-route-objects-always/"
  + "te:route-object-include-exclude/te:type/te:label/"
  + "te:label-hop/te:te-label/te:technology" {
description
  "Augment TE label hop for the explicit route objects included
  or excluded by the path computation of the secondary reverse
  path.";
case wson {
  uses l0-types:wson-label-hop;
}
}

augment "/te:te/te:tunnels/te:tunnel/"
  + "te:secondary-reverse-paths/te:secondary-reverse-path/"
  + "te:path-in-segment/te:label-restrictions/"
  + "te:label-restriction/te:label-start/"
  + "te:te-label/te:technology" {
description
  "Augment TE label range start for the ingress segment
  of the secondary reverse path.";
case wson {
  uses l0-types:wson-label-start-end;
}
}

augment "/te:te/te:tunnels/te:tunnel/"
  + "te:secondary-reverse-paths/te:secondary-reverse-path/"
  + "te:path-in-segment/te:label-restrictions/"
  + "te:label-restriction/te:label-end/"
  + "te:te-label/te:technology" {
description
  "Augment TE label range end for the ingress segment
  of the secondary reverse path.";
}

```

```

case wson {

```

```

    uses l0-types:wson-label-start-end;
  }
}

augment "/te:te/te:tunnels/te:tunnel/"
  + "te:secondary-reverse-paths/te:secondary-reverse-path/"
  + "te:path-in-segment/te:label-restrictions/"
  + "te:label-restriction/te:label-step/te:technology" {
description
  "Augment TE label range step for the ingress segment
  of the secondary reverse path.";
case wson {
  uses l0-types:wson-label-step;
}
}

augment "/te:te/te:tunnels/te:tunnel/"
  + "te:secondary-reverse-paths/te:secondary-reverse-path/"
  + "te:path-out-segment/te:label-restrictions/"
  + "te:label-restriction/te:label-start/"
  + "te:te-label/te:technology" {
description
  "Augment TE label range start for the egress segment
  of the secondary reverse path.";
case wson {
  uses l0-types:wson-label-start-end;
}
}

augment "/te:te/te:tunnels/te:tunnel/"
  + "te:secondary-reverse-paths/te:secondary-reverse-path/"
  + "te:path-out-segment/te:label-restrictions/"
  + "te:label-restriction/te:label-end/"
  + "te:te-label/te:technology" {
description
  "Augment TE label range end for the egress segment
  of the secondary reverse path.";
case wson {
  uses l0-types:wson-label-start-end;
}
}

augment "/te:te/te:tunnels/te:tunnel/"
  + "te:secondary-reverse-paths/te:secondary-reverse-path/"
  + "te:path-out-segment/te:label-restrictions/"
  + "te:label-restriction/te:label-step/te:technology" {
description

```

```
    "Augment TE label range step for the egress segment
    of the secondary reverse path.";
  case wson {
    uses l0-types:wson-label-step;
  }
}

augment "/te:te/te:tunnels/te:tunnel/"
  + "te:secondary-reverse-paths/te:secondary-reverse-path/"
  + "te:computed-paths-properties/"
  + "te:computed-path-properties/"
  + "te:path-properties/te:path-route-objects/"
  + "te:path-route-object/te:type/te:label/"
  + "te:label-hop/te:te-label/te:technology" {
  description
    "Augment TE label hop for the route object of the computed
    secondary reverse path.";
  case wson {
    uses l0-types:wson-label-hop;
  }
}

augment "/te:te/te:lsps/"
  + "te:lsp/te:lsp-record-route-information/"
  + "te:lsp-record-route-information/te:type/te:label/"
  + "te:label-hop/te:te-label/te:technology" {
  description
    "Augment TE label hop for the record route of the LSP.";
  case wson {
    uses l0-types:wson-label-hop;
  }
}
}

<CODE ENDS>
```

5. Security Considerations

The YANG module specified in this document defines a schema for data that is designed to be accessed via network management protocols such as NETCONF [RFC6241] or RESTCONF [RFC8040]. The lowest NETCONF layer is the secure transport layer, and the mandatory-to-implement secure transport is Secure Shell (SSH) [RFC6242]. The lowest RESTCONF layer is HTTPS, and the mandatory-to-implement secure transport is TLS

The NETCONF protocol over Secure Shell (SSH) specification [RFC6242] describes a method for invoking and running NETCONF within a Secure Shell (SSH) session as an SSH subsystem. The NETCONF access control model [RFC8341] provides the means to restrict access for particular NETCONF or RESTCONF users to a preconfigured subset of all available NETCONF or RESTCONF protocol operations and content.

There are a number of data nodes defined in this YANG module that are writable/creatable/deletable (i.e., config true, which is the default). These data nodes may be considered sensitive or vulnerable in some network environments. Write operations (e.g., edit-config) to these data nodes without proper protection can have a negative effect on network operations. Considerations in Section 8 of [I-D.ietf-teas-yang-te] are also applicable to the module defined in this document.

Some of the readable data nodes in this YANG module may be considered sensitive or vulnerable in some network environments. It is thus important to control read access (e.g., via get, get-config, or notification) to these data nodes. Considerations in Section 8 of [I-D.ietf-teas-yang-te] are also applicable to the module defined in this document.

Finally, the YANG module described in this document augments the "ietf-te" YANG module [I-D.ietf-teas-yang-te] by adding data nodes. The security considerations for the subtrees described in those RFCs apply equally to the new data nodes that this module adds.

6. IANA Considerations

It is proposed that IANA should assign new URIs from the "IETF XML Registry" [RFC3688] as follows:

URI: urn:ietf:params:xml:ns:yang:ietf-wson-tunnel
Registrant Contact: The IESG
XML: N/A; the requested URI is an XML namespace.

This document registers following YANG modules in the YANG Module Names registry [[RFC7950](#)].

Lee, et al.

Expires April 25, 2022

[Page 39]

Internet-Draft

WSON Tunnel YANG

October 2021

name: ietf-wson-tunnel
namespace: urn:ietf:params:xml:ns:yang:ietf-wson-tunnel
prefix: wson-tnl
reference: RFC XXXX

[7.](#) Acknowledgements

TBD.

[8.](#) Contributors

Dhruv Dhody
Huawei Technologies
Email: dhruv.ietf@gmail.com

Italo Busi
Huawei Technologies
Email: Italo.Busi@huawei.com

[9.](#) References

[9.1.](#) Normative References

[I-D.ietf-ccamp-layer1-types]

Zheng, H. and I. Busi, "A YANG Data Model for Layer 1 Types", [draft-ietf-ccamp-layer1-types-11](#) (work in progress), September 2021.

[I-D.ietf-teas-yang-path-computation]

Busi, I., Belotti, S., Lopez, V., Sharma, A., and Y. Shi,

"YANG Data Model for requesting Path Computation", [draft-ietf-teas-yang-path-computation-16](#) (work in progress), September 2021.

[I-D.ietf-teas-yang-te]

Saad, T., Gandhi, R., Liu, X., Beeram, V. P., Bryskin, I., and O. G. D. Dios, "A YANG Data Model for Traffic Engineering Tunnels, Label Switched Paths and Interfaces", [draft-ietf-teas-yang-te-27](#) (work in progress), July 2021.

[RFC6241] Enns, R., Ed., Bjorklund, M., Ed., Schoenwaelder, J., Ed., and A. Bierman, Ed., "Network Configuration Protocol (NETCONF)", [RFC 6241](#), DOI 10.17487/RFC6241, June 2011, <<https://www.rfc-editor.org/info/rfc6241>>.

Lee, et al.

Expires April 25, 2022

[Page 40]

Internet-Draft

WSN Tunnel YANG

October 2021

[RFC6242] Wasserman, M., "Using the NETCONF Protocol over Secure Shell (SSH)", [RFC 6242](#), DOI 10.17487/RFC6242, June 2011, <<https://www.rfc-editor.org/info/rfc6242>>.

[RFC8040] Bierman, A., Bjorklund, M., and K. Watsen, "RESTCONF Protocol", [RFC 8040](#), DOI 10.17487/RFC8040, January 2017, <<https://www.rfc-editor.org/info/rfc8040>>.

[RFC8340] Bjorklund, M. and L. Berger, Ed., "YANG Tree Diagrams", [BCP 215](#), [RFC 8340](#), DOI 10.17487/RFC8340, March 2018, <<https://www.rfc-editor.org/info/rfc8340>>.

[RFC8341] Bierman, A. and M. Bjorklund, "Network Configuration Access Control Model", STD 91, [RFC 8341](#), DOI 10.17487/RFC8341, March 2018, <<https://www.rfc-editor.org/info/rfc8341>>.

[RFC8342] Bjorklund, M., Schoenwaelder, J., Shafer, P., Watsen, K., and R. Wilton, "Network Management Datastore Architecture (NMDA)", [RFC 8342](#), DOI 10.17487/RFC8342, March 2018, <<https://www.rfc-editor.org/info/rfc8342>>.

[RFC8446] Rescorla, E., "The Transport Layer Security (TLS) Protocol Version 1.3", [RFC 8446](#), DOI 10.17487/RFC8446, August 2018, <<https://www.rfc-editor.org/info/rfc8446>>.

- [RFC8776] Saad, T., Gandhi, R., Liu, X., Beeram, V., and I. Bryskin, "Common YANG Data Types for Traffic Engineering", [RFC 8776](#), DOI 10.17487/RFC8776, June 2020, <<https://www.rfc-editor.org/info/rfc8776>>.
- [RFC9093] Zheng, H., Lee, Y., Guo, A., Lopez, V., and D. King, "A YANG Data Model for Layer 0 Types", [RFC 9093](#), DOI 10.17487/RFC9093, August 2021, <<https://www.rfc-editor.org/info/rfc9093>>.
- [RFC9094] Zheng, H., Lee, Y., Guo, A., Lopez, V., and D. King, "A YANG Data Model for Wavelength Switched Optical Networks (WSONs)", [RFC 9094](#), DOI 10.17487/RFC9094, August 2021, <<https://www.rfc-editor.org/info/rfc9094>>.

[9.2.](#) Informative References

- [I-D.ietf-ccamp-transport-nbi-app-statement]
Busi, I., King, D., Zheng, H., and Y. Xu, "Transport Northbound Interface Applicability Statement", [draft-ietf-ccamp-transport-nbi-app-statement-13](#) (work in progress), September 2021.

Lee, et al.

Expires April 25, 2022

[Page 41]

Internet-Draft

WSON Tunnel YANG

October 2021

- [I-D.ietf-teas-actn-yang]
Lee, Y., Zheng, H., Ceccarelli, D., Yoon, B. Y., and S. Belotti, "Applicability of YANG models for Abstraction and Control of Traffic Engineered Networks", [draft-ietf-teas-actn-yang-08](#) (work in progress), September 2021.
- [RFC3688] Mealling, M., "The IETF XML Registry", [BCP 81](#), [RFC 3688](#), DOI 10.17487/RFC3688, January 2004, <<https://www.rfc-editor.org/info/rfc3688>>.
- [RFC6163] Lee, Y., Ed., Bernstein, G., Ed., and W. Imajuku, "Framework for GMPLS and Path Computation Element (PCE) Control of Wavelength Switched Optical Networks (WSONs)", [RFC 6163](#), DOI 10.17487/RFC6163, April 2011, <<https://www.rfc-editor.org/info/rfc6163>>.
- [RFC7446] Lee, Y., Ed., Bernstein, G., Ed., Li, D., and W. Imajuku, "Routing and Wavelength Assignment Information Model for

Wavelength Switched Optical Networks", [RFC 7446](#),
DOI 10.17487/RFC7446, February 2015,
<<https://www.rfc-editor.org/info/rfc7446>>.

[RFC7579] Bernstein, G., Ed., Lee, Y., Ed., Li, D., Imajuku, W., and
J. Han, "General Network Element Constraint Encoding for
GMPLS-Controlled Networks", [RFC 7579](#),
DOI 10.17487/RFC7579, June 2015,
<<https://www.rfc-editor.org/info/rfc7579>>.

[RFC7581] Bernstein, G., Ed., Lee, Y., Ed., Li, D., Imajuku, W., and
J. Han, "Routing and Wavelength Assignment Information
Encoding for Wavelength Switched Optical Networks",
[RFC 7581](#), DOI 10.17487/RFC7581, June 2015,
<<https://www.rfc-editor.org/info/rfc7581>>.

[RFC7950] Bjorklund, M., Ed., "The YANG 1.1 Data Modeling Language",
[RFC 7950](#), DOI 10.17487/RFC7950, August 2016,
<<https://www.rfc-editor.org/info/rfc7950>>.

Authors' Addresses

Young Lee
Samsung
Seoul
South Korea

Email: younglee.tx@gmail.com

Lee, et al.

Expires April 25, 2022

[Page 42]

Internet-Draft

WSO Tunnel YANG

October 2021

Haomian Zheng
Huawei Technologies
H1, Huawei Industrial Base, Songshan Lake
Dongguan, Guangdong 523808
China

Email: zhenghaomian@huawei.com

Aihua Guo
Futurewei

Email: aihuaguo.ietf@gmail.com

Victor Lopez
Nokia

Email: victor.lopez@nokia.com

Daniel King
University of Lancaster

Email: d.king@lancaster.ac.uk

Bin Yeong Yoon
ETRI
218 Gaijeongro, Yuseong-gu
Daejeon
Korea

Email: byyun@etri.re.kr

Ricard Vilalta
CTTC

Email: ricard.vilalta@cttc.es