

Internet Engineering Task Force  
Internet-Draft  
Updates: [4253](#), [4432](#) (if approved)  
Intended status: Standards Track  
Expires: September 28, 2017

M. Baushke  
Juniper Networks, Inc.  
March 27, 2017

More Modular Exponential (MODP) Diffie-Hellman (DH) Key Exchange (KEX)  
Groups for Secure Shell (SSH)  
draft-ietf-curdle-ssh-modp-dh-sha2-03

## Abstract

This document defines added Modular Exponential (MODP) Groups for the Secure Shell (SSH) protocol using SHA-2 hashes.

## Status of This Memo

This Internet-Draft is submitted in full conformance with the provisions of [BCP 78](#) and [BCP 79](#).

Internet-Drafts are working documents of the Internet Engineering Task Force (IETF). Note that other groups may also distribute working documents as Internet-Drafts. The list of current Internet-Drafts is at <http://datatracker.ietf.org/drafts/current/>.

Internet-Drafts are draft documents valid for a maximum of six months and may be updated, replaced, or obsoleted by other documents at any time. It is inappropriate to use Internet-Drafts as reference material or to cite them other than as "work in progress."

This Internet-Draft will expire on September 28, 2017.

## Copyright Notice

Copyright (c) 2017 IETFTrust and the persons identified as the document authors. All rights reserved.

This document is subject to [BCP 78](#) and the IETF Trust's Legal Provisions Relating to IETF Documents (<http://trustee.ietf.org/license-info>) in effect on the date of publication of this document. Please review these documents carefully, as they describe your rights and restrictions with respect to this document. Code Components extracted from this document must include Simplified BSD License text as described in Section 4.e of the Trust Legal Provisions and are provided without warranty as described in the Simplified BSD License.

Internet-Draft

More MODP DH KEX Groups for SSH

March 2017

## 1. Overview and Rationale

Secure Shell (SSH) is a common protocol for secure communication on the Internet. Due to recent security concerns with SHA-1 [[RFC6194](#)] and with MODP groups with less than 2048 bits [[NIST-SP-800-131Ar1](#)] implementer and users request support for larger Diffie Hellman (DH) MODP group sizes with data integrity verification using the SHA-2 family of secure hash algorithms as well as MODP groups providing more security.

The United States Information Assurance Directorate at the National Security Agency has published a FAQ [[MFQ-U-00-815099-15](#)] suggesting both: a) DH groups using less than 3072-bits, and b) the use of SHA-2 based hashes less than SHA2-384, are no longer sufficient for transport of Top Secret information. For this reason, the new MODP groups are being introduced starting with the MODP 3072-bit group 15 are all using SHA2-512 as the hash algorithm.

The DH 2048-bit MODP group 14 is already present in most SSH implementations and most implementations already have a SHA2-256 implementation, so diffie-hellman-group14-sha256 is provided as an easy to implement and faster to use key exchange for small embedded applications.

[TO BE REMOVED: Please send comments on this draft to [curdle@ietf.org](mailto:curdle@ietf.org).]

## 2. Requirements Language

The key words "MUST", "MUST NOT", "REQUIRED", "SHALL", "SHALL NOT", "SHOULD", "SHOULD NOT", "RECOMMENDED", "MAY", and "OPTIONAL" in this document are to be interpreted as described in [[RFC2119](#)].

## 3. Key Exchange Algorithms

This memo adopts the style and conventions of [[RFC4253](#)] in specifying how the use of new data key exchange is indicated in SSH.

The following new key exchange algorithms are defined:

Key Exchange Method Name

diffie-hellman-group14-sha256

diffie-hellman-group15-sha512

diffie-hellman-group16-sha512  
diffie-hellman-group17-sha512  
diffie-hellman-group18-sha512

Figure 1

The SHA-2 family of secure hash algorithms are defined in [\[FIPS-180-4\]](#).

The method of key exchange used for the name "diffie-hellman-group14-sha256" is the same as that for "diffie-hellman-group14-sha1" except that the SHA2-256 hash algorithm is used.

The group15 through group18 names are the same as those specified in [\[RFC3526\]](#) 3071-bit MODP Group 15, 4096-bit MODP Group 16, 6144-bit MODP Group 17, and 8192-bit MODP Group 18.

The SHA2-512 algorithm is to be used when "sha512" is specified as a part of the key exchange method name.

#### [4.](#) IANA Considerations

This document augments the Key Exchange Method Names in [\[RFC4253\]](#).

IANA is requested to add to the Key Exchange Method Names algorithm registry with the following entries:

Key Exchange Method Name	Reference
-----	-----
diffie-hellman-group14-sha256	This Draft
diffie-hellman-group15-sha512	This Draft
diffie-hellman-group16-sha512	This Draft
diffie-hellman-group17-sha512	This Draft
diffie-hellman-group18-sha512	This Draft

[TO BE REMOVED: This registration should take place at the following location: <<http://www.iana.org/assignments/ssh-parameters/ssh-parameters.xhtml#ssh-parameters-16>>]

#### [5.](#) Security Considerations

The security considerations of [\[RFC4253\]](#) apply to this document.

The security considerations of [RFC3526] suggest that these MODP groups have security strengths given in this table. They are based on [RFC3766] Determining Strengths For Public Keys Used For Exchanging Symmetric Keys.

Group modulus security strength estimates (RFC3526)

Group	Modulus	Strength Estimate 1		Strength Estimate 2	
		in bits		in bits	
		exponent size	exponent size	exponent size	exponent size
14	2048-bit	110	220-	160	320-
15	3072-bit	130	260-	210	420-
16	4096-bit	150	300-	240	480-
17	6144-bit	170	340-	270	540-
18	8192-bit	190	380-	310	620-

Figure 2

## 6. References

### 6.1. Normative References

[FIPS-180-4]

National Institute of Standards and Technology, "Secure Hash Standard (SHS)", FIPS PUB 180-4, August 2015, <<http://nvlpubs.nist.gov/nistpubs/FIPS/NIST.FIPS.180-4.pdf>>.

[RFC2119]

Bradner, S., "Key words for use in RFCs to Indicate Requirement Levels", [BCP 14](#), [RFC 2119](#),

DOI 10.17487/RFC2119, March 1997,  
<<http://www.rfc-editor.org/info/rfc2119>>.

[RFC3526] Kivinen, T. and M. Kojo, "More Modular Exponential (MODP) Diffie-Hellman groups for Internet Key Exchange (IKE)", [RFC 3526](#), DOI 10.17487/RFC3526, May 2003, <<http://www.rfc-editor.org/info/rfc3526>>.

[RFC4253] Ylonen, T. and C. Lonvick, Ed., "The Secure Shell (SSH) Transport Layer Protocol", [RFC 4253](#), DOI 10.17487/RFC4253, January 2006, <<http://www.rfc-editor.org/info/rfc4253>>.

## 6.2. Informative References

Baushke

Expires September 28, 2017

[Page 4]

---

Internet-Draft

More MODP DH KEX Groups for SSH

March 2017

[MFQ-U-00-815099-15]

"National Security Agency/Central Security Service", "CNSA Suite and Quantum Computing FAQ", January 2016, <<https://www.iad.gov/iad/library/ia-guidance/ia-solutions-for-classified/algorithm-guidance/cnsa-suite-and-quantum-computing-faq.cfm>>.

[NIST-SP-800-131Ar1]

Barker, and Roginsky, "Transitions: Recommendation for the Transitioning of the Use of Cryptographic Algorithms and Key Lengths", NIST Special Publication 800-131A Revision 1, November 2015, <<http://nvlpubs.nist.gov/nistpubs/SpecialPublications/NIST.SP.800-131Ar1.pdf>>.

[RFC3766] Orman, H. and P. Hoffman, "Determining Strengths For Public Keys Used For Exchanging Symmetric Keys", [BCP 86](#), [RFC 3766](#), DOI 10.17487/RFC3766, April 2004, <<http://www.rfc-editor.org/info/rfc3766>>.

[RFC6194] Polk, T., Chen, L., Turner, S., and P. Hoffman, "Security Considerations for the SHA-0 and SHA-1 Message-Digest

Algorithms", [RFC 6194](#), DOI 10.17487/RFC6194, March 2011,  
<<http://www.rfc-editor.org/info/rfc6194>>.

#### Author's Address

Mark D. Baushke  
Juniper Networks, Inc.  
1133 Innovation Way  
Sunnyvale, CA 94089-1228  
US

Phone: +1 408 745 2952  
Email: [mdb@juniper.net](mailto:mdb@juniper.net)  
URI: <http://www.juniper.net/>