

DSTM Ports Option for DHCPv6
draft-ietf-dhc-dhcpv6-opt-dstm-ports-01.txt

Status of this Memo

This document is an Internet-Draft and is in full conformance with all provisions of [Section 10 of RFC2026](#).

Internet-Drafts are working documents of the Internet Engineering Task Force (IETF), its areas, and its working groups. Note that other groups may also distribute working documents as Internet-Drafts.

Internet-Drafts are draft documents valid for a maximum of six months and may be updated, replaced, or obsoleted by other documents at any time. It is inappropriate to use Internet-Drafts as reference material or to cite them other than as "work in progress."

The list of current Internet-Drafts can be accessed at <http://www.ietf.org/ietf/lid-abstracts.txt>.

The list of Internet-Draft Shadow Directories can be accessed at <http://www.ietf.org/shadow.html>.

This Internet-Draft will expire on August 2002.

Copyright Notice

Copyright (C) The Internet Society (2002). All Rights Reserved.

Abstract

The DSTM Ports Option provides DSTM (Dual Stack Transition Mechanism) configuration information to DHCPv6 hosts.

1. Introduction

This document describes the Ports Option for DHCPv6 [2] that provide information for hosts using the "Dual Stack Transition Mechanism" (DSTM) [3].

2. Requirements

Shin

Expires December 2002

[Page 1]

Internet-Draft

DSTM Ports Option

June 2002

The key words "MUST", "MUST NOT", "REQUIRED", "SHALL", "SHALL NOT", "SHOULD", "SHOULD NOT", "RECOMMENDED", "MAY", and "OPTIONAL" in this document are to be interpreted as described in [RFC 2119](#) [1].

3. Terminology

This document uses terminology specific to IPv6 and DHCPv6 as defined in section "Terminology" of the DHCPv6 specification.

4. DSTM Ports Option

The DSTM Ports option carries a port range that is to be used for the associated IPv4-mapped IPv6 address in an IA_DSTM option [5].

The format of the DSTM Ports option is:

```

      0                   1                   2                   3
      0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1
+---+---+---+---+---+---+---+---+---+---+---+---+---+---+---+---+---+
|          OPTION_DSTM_PORTS          |          option-length          |
+---+---+---+---+---+---+---+---+---+---+---+---+---+---+---+---+---+
|          start port                  |          end port                |
+---+---+---+---+---+---+---+---+---+---+---+---+---+---+---+---+---+
```

option-code: OPTION_DSTM_PORTS (TBD)

option-length: 4

start port: The start port number for the associated IPv4-mapped IPv6 address.

end port: The end port number for the associated IPv4-mapped IPv6 address.

A DSTM Ports option MAY be encapsulated in an IA_DSTM option [5] to specify the port range associated with the IPv4-mapped IPv6 address.

A DSTM Ports option MUST NOT be used except when encapsulated in an IA_DSTM option [5].

5. Appearance of these options

The DSTM Ports option MUST only appear as an encapsulated option in an IA_DSTM option [5].

6. Security Considerations

The DSTM Ports option may be used by an intruder DHCP server to

Shin

Expires December 2002

[Page 2]

Internet-Draft

DSTM Ports Option

June 2002

assign an invalid port range to a DHCP client in a denial of service attack.

To avoid this security hazard, a DHCP client MUST use authenticated DHCP to confirm that it is exchanging the DSTM options with an authorized DHCP server.

7. IANA Considerations

IANA is requested to assign an option code to this option from the option-code space defined in section "DHCP Option" of the DHCPv6 specification [2].

References

- [1] Bradner, S., "Key words for use in RFCs to Indicate Requirement Levels", [BCP 14](#), [RFC 2119](#), March 1997.
- [2] Bound, J., Carney, M., Perkins, C., Lemon, T., Volz, B. and R. Droms (ed.), "Dynamic Host Configuration Protocol for IPv6 (DHCPv6)", [draft-ietf-dhc-dhcpv6-26](#) (work in progress), June 2002.
- [3] Bound, J., "Dual Stack Transition Mechanism (DSTM)", [draft-ietf-](#)

[ngtrans-dstm-07](#) (work in progress), February 2002.

- [4] Hinden, R. and S. Deering, "IP Version 6 Addressing Architecture", [RFC 2373](#), July 1998.
- [5] Volz, B. et al., "DSTM Options for DHCPv6", [draft-ietf-dhc-dhcpv6-opt-dstm-01.txt](#), (work in progress), April 2002.

Authors' Addresses

Myung-Ki Shin
ETRI PEC
161 Kajong-Dong, Yusong-Gu, Taejon 305-350, Korea
Tel : +82 42 860 4847
Fax : +82 42 861 5404
E-mail : mkshin@pec.etri.re.kr

Full Copyright Statement

Copyright (C) The Internet Society (2002). All Rights Reserved.

This document and translations of it may be copied and furnished to

Shin

Expires December 2002

[Page 3]

Internet-Draft

DSTM Ports Option

June 2002

others, and derivative works that comment on or otherwise explain it or assist in its implementation may be prepared, copied, published and distributed, in whole or in part, without restriction of any kind, provided that the above copyright notice and this paragraph are included on all such copies and derivative works. However, this document itself may not be modified in any way, such as by removing the copyright notice or references to the Internet Society or other Internet organizations, except as needed for the purpose of developing Internet standards in which case the procedures for copyrights defined in the Internet Standards process must be followed, or as required to translate it into languages other than English.

The limited permissions granted above are perpetual and will not be

revoked by the Internet Society or its successors or assigns.

This document and the information contained herein is provided on an "AS IS" basis and THE INTERNET SOCIETY AND THE INTERNET ENGINEERING TASK FORCE DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY THAT THE USE OF THE INFORMATION HEREIN WILL NOT INFRINGE ANY RIGHTS OR ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

Acknowledgement

Funding for the RFC Editor function is currently provided by the Internet Society.