

Network Working Group
Internet-Draft
Expires: November 10, 2002

A.K. Vijayabhaskar
Hewlett-Packard
10 May 2002

Time Configuration Options for DHCPv6
draft-ietf-dhc-dhcpv6-opt-timeconfig-01.txt

Status of this Memo

This document is an Internet-Draft and is in full conformance with all provisions of [Section 10 of RFC2026](#).

Internet-Drafts are working documents of the Internet Engineering Task Force (IETF), its areas, and its working groups. Note that other groups may also distribute working documents as Internet-Drafts.

Internet-Drafts are draft documents valid for a maximum of six months and may be updated, replaced, or obsoleted by other documents at any time. It is inappropriate to use Internet-Drafts as reference material or to cite them other than as "work in progress."

The list of current Internet-Drafts can be accessed at <http://www.ietf.org/ietf/lid-abstracts.txt>.

The list of Internet-Draft Shadow Directories can be accessed at <http://www.ietf.org/shadow.html>.

This Internet-Draft will expire on August 17, 2002.

Copyright Notice

Copyright (C) The Internet Society (2002). All Rights Reserved.

Abstract

This document describes the options for Time related configuration information in DHCPv6: NTP Servers and IEEE 1003.1 POSIX Timezone specifier.

1. Introduction

This document describes the options for time related configuration information in DHCPv6 [[4](#)].

2. Requirements

The keywords MUST, MUST NOT, REQUIRED, SHALL, SHALL NOT, SHOULD, SHOULD NOT, RECOMMENDED, MAY, and OPTIONAL, when they appear in this

5. IEEE 1003.1 POSIX Timezone option

The IEEE 1003.1 POSIX Timezone option is used by the server to convey client's timezone information to the client.

The format of the IEEE 1003.1 POSIX Timezone option is:

```

      0                1                2                3
      0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1
+---+---+---+---+---+---+---+---+---+---+---+---+---+---+---+---+---+
|           OPTION_TIME_ZONE           |           option-len           |
+---+---+---+---+---+---+---+---+---+---+---+---+---+---+---+---+---+
|                                     time-zone                             |
|                                     ...                                 |
+---+---+---+---+---+---+---+---+---+---+---+---+---+---+---+---+---+

```

option-code: OPTION_TIME_ZONE (tbd)

option-len: Length of the 'time-zone' field in octets

time-zone: Time zone of the client in IEEE 1003.1 POSIX Timezone format [3].

The format of the IEEE 1003.1 POSIX timezone string is specified as follows:

StdOffset[Dst[Offset],[Start[/Time],End[/Time]]]

where '[' and ']' enclose optional fields, '|' indicates choice of exactly one of the alternatives, ',' and '/' represent literal characters present in the string.

Std Three or more octets for the standard timezone (Std). Any character (or case) except a leading colon, digits, comma, minus or plus sign is allowed.

Offset Indicates the value one must add to local time to arrive at UTC, of the form: [+|-]hh[:mm[:ss]]. Offset following Std is required. Digits are always interpreted as decimal number. If preceded by a '-', the timezone is east of the Prime Meridian, otherwise it is west ('+' is optional) The permissible values for hh[:mm[:ss]] are as

follows:

hh 0 <= hh <= 23

mm 0 <= mm <= 60

ss 0 <= ss <= 60

Offset has no default value.

- Dst Three or more octets for the daylight savings timezone. If Dst is missing, then daylight savings time does not apply in this locale. If no Offset follows Dst, then Dst is assumed to be one hour ahead of standard time. Any character (or case) except a leading colon, digits, comma, minus or plus sign is allowed.
- Start Indicates the day of the year, in one of the formats indicated below, when to change to daylight savings time. The ``Time'' field (which follows immediately after a ``/'' character, if present) indicates when the change is made, in local time.
- End Indicates the day of the year, in one of the formats indicated below, when to change back from daylight savings time. The ``Time'' field (which follows immediately after a ``/'' character, if present) indicates when the change is made, in local time.

- Time Time has the same format as Offset, except that no leading ``-' or ``+' is permitted. The default is 02:00:00.

The day of the year needs to be given in any of the following formats:

- Jn The julian day n, (1 <= n <= 365). Leap days are not counted.
- n Zero-based julian day, (0 <= n <= 365). Leap days are counted so it is possible to refer to Feb 29.
- Mm.n.d The ``d''th day, (0 <= d <= 6) of week ``n'' of month

``m'' of the year ($1 \leq n \leq 5$, $1 \leq m \leq 12$, where week 5 means last ``d'' day in month ``m'' which may occur in either the fourth or the fifth week. Week ``1'' is the first week in which the ``d'' day occurs.

An Example:

For Eastern USA time zone, 1986, the Posix timezone string is as shown below:

```
EST5EDT4,116/02:00:00,298/02:00:00
```

In this case, ``5'' is the Offset for Std, and ``4'' is the Offset for Dst. Start is the 116th day at 2am, and End is 298th day at 2am.

6. Appearance of these option

The NTP servers and IEEE 1003.1 POSIX Timezone options MUST appear only in the following messages: Solicit, Advertise, Request, Confirm, Renew, Rebind, Information-Request, Reply.

7. Security Considerations

The NTP servers option may be used by an intruder DHCP server to cause DHCP clients to contact an intruder NTP server, resulting in invalid synchronization of time in client and finally leading to time critical applications running inaccurately in client machine.

The IEEE 1003.1 POSIX Timezone option may be used by an intruder DHCP server to assign invalid time zones, leading to timing issues for the applications running on the client machine.

To avoid attacks through these options, the DHCP client SHOULD use authenticated DHCP (see section "Authentication of DHCP messages" in the DHCPv6 specification [[4](#)]).

8. IANA Considerations

IANA is requested to assign an option code to these options from the option-code space defined in section "DHCPv6 Options" of the DHCPv6 specification [4].

References

- [1] Bradner, S., "Key words for use in RFCs to Indicate Requirement Levels", [BCP 14](#), [RFC 2119](#), March 1997.
- [2] D. Mills. Simple Network Time Protocol (SNTP) Version 4 for IPv4, IPv6 and OSI. Request for Comments (Informational) [2030](#), Internet Engineering Task Force, October 1996.
- [3] IEEE, "1003.1 POSIX Timezone Specification", 1988.
- [4] Bound, J., Carney, M., Perkins, C., Lemon, T., Volz, B. and R. Droms (ed.), "Dynamic Host Configuration Protocol for IPv6 (DHCPv6)", [draft-ietf-dhc-dhcpv6-23](#) (work in progress), February 2002.

Author's Addresses

Vijayabhaskar A K
Hewlett-Packard ESD-I
29, Cunningham Road
Bangalore - 560052
India

Phone: +91-80-2051424
E-Mail: vijayak@india.hp.com

Internet-Draft Time Configuration Options for DHCPv6

May 2002

Full Copyright Statement

Copyright (C) The Internet Society (2002). All Rights Reserved.

This document and translations of it may be copied and furnished to others, and derivative works that comment on or otherwise explain it or assist in its implementation may be prepared, copied, published and distributed, in whole or in part, without restriction of any kind, provided that the above copyright notice and this paragraph are included on all such copies and derivative works. However, this document itself may not be modified in any way, such as by removing the copyright notice or references to the Internet Society or other Internet organizations, except as needed for the purpose of developing Internet standards in which case the procedures for copyrights defined in the Internet Standards process must be followed, or as required to translate it into languages other than English.

The limited permissions granted above are perpetual and will not be revoked by the Internet Society or its successors or assigns.

This document and the information contained herein is provided on an "AS IS" basis and THE INTERNET SOCIETY AND THE INTERNET ENGINEERING TASK FORCE DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY THAT THE USE OF THE INFORMATION HEREIN WILL NOT INFRINGE ANY RIGHTS OR ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

Acknowledgement

Funding for the RFC Editor function is currently provided by the Internet Society. Thanks to the DHC Working Group for their time and input into the specification. In particular, thanks to Jim Bound and Ralph Droms for their thorough review. Thanks to Mike Carney for his abstract on Time Zone option.

