

DHC working group
Internet Draft
August 1998
Expires: February 1999

Baiju V. Patel, Intel Corp.
Munil Shah, Microsoft Corp.
Stephen R. Hanna, Sun Microsystems, Inc.
[draft-ietf-dhc-multopt-03.txt](#)

Multicast Address Allocation Configuration Options

Status of this memo

This document is an Internet Draft. Internet Drafts are working documents of the Internet Engineering Task Force (IETF), its Areas, and its Working Groups. Note that other groups may also distribute working documents as Internet Drafts.

Internet Drafts are draft documents valid for a maximum of six months. Internet Drafts may be updated, replaced, or obsoleted by other documents at any time. It is not appropriate to use Internet Drafts as reference material or to cite them other than as a "working draft" or "work in progress".

To learn the current status of any Internet-Draft, please check the `1id-abstracts.txt` listing contained in the Internet-Drafts Shadow Directories on `ds.internic.net`, `nic.nordu.net`, `ftp.isi.edu`, or `munari.oz.au`.

A revised version of this draft document will be submitted to the RFC editor as a Proposed Standard for the Internet Community. Discussion and suggestions for improvement are requested. This document will expire before February 1999. Distribution of this draft is unlimited.

Abstract

This document describes DHCP options that may be used to provide access to Multicast Address Allocation servers, such as MDHCP servers.

1. Terminology

The key words "MUST", "MUST NOT", "REQUIRED", "SHALL", "SHALL NOT", "SHOULD", "SHOULD NOT", "RECOMMENDED", "MAY", and "OPTIONAL" in this document are to be interpreted as described in [RFC 2119](#).

This document uses the following terms:

- o "DHCP client"

A DHCP client is an Internet host using DHCP to obtain configuration parameters such as a network address.

o "DHCP server"

A DHCP server is an Internet host that returns configuration parameters to DHCP clients.

o "MDHCP client"

An MDHCP client is an Internet host requesting multicast address allocation services via MDHCP.

o "MDHCP server"

An MDHCP server is an Internet host providing multicast address allocation services via MDHCP.

2. Multicast Address Allocation Configuration Options

The MDHCP protocol [3] allows hosts (known as MDHCP clients) to request multicast address allocation services from multicast address allocation servers (known as MDHCP servers). One way that MDHCP clients communicate with MDHCP servers is by sending multicast messages to an MDHCP Server Multicast Address.

This document defines a DHCP option (as described in [1] and [2]) that may be used to configure MDHCP clients with an appropriate MDHCP Server Multicast Address and TTL.

2.1. MDHCP Server Multicast Address option

The MDHCP Server Multicast Address option specifies a multicast address and TTL that MDHCP clients SHOULD use to contact MDHCP servers.

A DHCP client can obtain this parameter as part of the normal DHCP protocol message exchange or separately via DHCPINFORM.

Code	Len	Multicast Address				TTL
TBD	5	i1	i2	i3	i4	ttl

The code for this option is TBD and the length is 5.

3. References

[1] Droms, R., "Dynamic Host Configuration Protocol", [RFC 2131](#), March 1997.

- [2] Alexander, S., and R. Droms, "DHCP Options and BOOTP Vendor Extensions", [RFC 2132](#), March 1997.
- [3] Patel, B., M. Shah, and S. Hanna, "Multicast address allocation based on the Dynamic Host Configuration Protocol", [draft-ietf-malloc-mdhcp-00.txt](#), August 1998.

4. Authors' Addresses

Baiju V. Patel
Intel Corp.
2111 NE 25th Ave.
Hillsboro, OR 97124

Phone: 503 264 2422
EMail: baiju.v.patel@intel.com

Munil Shah
Microsoft Corporation
One Microsoft Way
Redmond, WA 98052

Phone: 425 703 3924
Email: munils@microsoft.com

Stephen R. Hanna
Sun Microsystems, Inc.
2 Elizabeth Drive, M/S UCHL03-205
Chelmsford, MA 01824

Phone: +1.978.442.0166
Email: steve.hanna@sun.com

