

The Name Service Search Option for DHCP
<[draft-ietf-dhc-nss0-05.txt](#)>

Status of this Memo

This document is an Internet-Draft and is in full conformance with all provisions of [Section 10 of RFC2026](#). Internet-Drafts are working documents of the Internet Engineering Task Force (IETF), its areas, and its working groups. Note that other groups may also distribute working documents as Internet-Drafts.

Internet-Drafts are draft documents valid for a maximum of six months and may be updated, replaced, or obsoleted by other documents at any time. It is inappropriate to use Internet-Drafts as reference material or to cite them other than as "work in progress".

The list of current Internet-Drafts can be accessed at
<http://www.ietf.org/ietf/1id-abstracts.txt>

The list of Internet-Draft Shadow Directories can be accessed at
<http://www.ietf.org/shadow.html>.

To view the entire list of current Internet-Drafts, please check the "1id-abstracts.txt" listing contained in the Internet-Drafts Shadow Directories on ftp.is.co.za (Africa), ftp.nordu.net (Northern Europe), ftp.nic.it (Southern Europe), munnari.oz.au (Pacific Rim), ftp.ietf.org (US East Coast), or ftp.isi.edu (US West Coast).

Abstract

This document defines a new DHCP option which is passed from the DHCP Server to the DHCP Client to specify the order in which name services should be consulted when resolving hostnames and other information.

Introduction

The Dynamic Host Configuration Protocol (DHCP)[[1](#)] provides a framework for passing configuration information to hosts on a TCP/IP network. [RFC 2132](#) [[2](#)] allows DHCP servers to specify configuration information for various kinds of name services to be passed to DHCP clients. Many clients use multiple name services and have crafted their own conventions that allow an individual host to express the

order among the various name services with which lookups are done. However, no search order can be specified via DHCP. The purpose of this document is to allow DHCP servers to specify the search order to be used by DHCP clients. To avoid the need for inventing and maintaining a separate name space for this option, we rely on the

existence of previously-defined DHCP options that specify the IP address(es) of servers which provide name services whose order we wish to express.

Definitions

The key words "MUST", "MUST NOT", "REQUIRED", "SHALL", "SHALL NOT", "SHOULD", "SHOULD NOT", "RECOMMENDED", "MAY" and "OPTIONAL" in this document are to be interpreted as described in [RFC 2119](#) [3]. This document also uses the following terms:

"DHCP client"


DHCP client or "client" is an Internet host using DHCP to obtain configuration parameters such as a network address.

"DHCP server"

A DHCP server or "server" is an Internet host that returns configuration parameters to DHCP clients.

Name Service Search Option Format

The code for this option is TBD, and its minimum length is 2 bytes. A DHCP server SHOULD return, in its preferred order, the 16-bit, network byte order (big-endian [4]) integer option code for the name services (the earlier in the list, the more preferred the name service).



In the above diagram, ns1 and ns2 are 16-bit integers corresponding to two DHCP options which specify the IP addresses of two different types of name server. The current list of name services and their DHCP option codes, taken from [RFC 2132](#), includes

Name Service	Value
Domain Name Server Option	6
Network Information Servers Option	41
NetBIOS over TCP/IP Name Server Option	44

Network Information Service+ Servers Option 65

A name service option code of 0 is used to indicate that the client should refer to local naming information (e.g. an /etc/hosts file on a UNIX machine).

A DHCP server wishing to express that a client should first search DNS, then NIS+, would send

```

      0               1               2               3
    0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1
+--+--+--+--+--+--+--+--+--+--+--+--+--+--+--+--+--+--+--+--+--+
|      TBD      |      4      |      6      |
+--+--+--+--+--+--+--+--+--+--+--+--+--+--+--+--+--+--+--+--+--+
|      65      |
+--+--+--+--+--+--+--+--+--+--+--+--+--+--+--+--+--+--+--+--+--+

```

DHCP Client Behavior

The DHCP client will use this option to create a search list for name resolution. The client may receive name services in this option that it does not support or has not been configured to access. Likewise, a client may receive an option that lists name services for which no corresponding DHCP option was supplied. Clients will interpret this option in a system-specific manner whose specification is outside the scope of this document.

Security Considerations

DHCP currently provides no authentication or security mechanisms. Potential exposures to attack are discussed in [section 7](#) of the DHCP protocol specification [1].

IANA Considerations

IANA has assigned a value of TBD for the DHCP option code described in this document.

References

- [1] Droms, R., "Dynamic Host Configuration Protocol", [RFC 2131](#), March 1997.
- [2] Alexander, S. and Droms, R., "DHCP Options and BOOTP Vendor Extensions", [RFC 2132](#), March 1997.
- [3] Bradner, S., "Key words for use in RFCs to indicate requirement levels", [RFC 2119](#), March 1997.
- [4] Cohen, D., "On Holy Wars and a Plea for Peace", Computer, IEEE,

October 1981.

Author Information

Carl Smith
Sun Microsystems, Inc.
901 San Antonio Road
Palo Alto, CA 94043
email: cs@Eng.Sun.COM

Expiration

This document will expire on January 15, 2001.

Full Copyright Statement

Copyright (C) The Internet Society (1999). All Rights Reserved.

This document and translations of it may be copied and furnished to others, and derivative works that comment on or otherwise explain it or assist in its implementation may be prepared, copied, published and distributed, in whole or in part, without restriction of any kind, provided that the above copyright notice and this paragraph are included on all such copies and derivative works. However, this document itself may not be modified in any way, such as by removing the copyright notice or references to the Internet Society or other Internet organizations, except as needed for the purpose of developing Internet standards in which case the procedures for copyrights defined in the Internet Standards process must be followed, or as required to translate it into languages other than English.

The limited permissions granted above are perpetual and will not be revoked by the Internet Society or its successors or assigns.

This document and the information contained herein is provided on an "AS IS" basis and THE INTERNET SOCIETY AND THE INTERNET ENGINEERING TASK FORCE DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY THAT THE USE OF THE INFORMATION HEREIN WILL NOT INFRINGE ANY RIGHTS OR ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

