

Network Working Group
Internet Draft
Expires in sixth months

William A. Arbaugh
Angelos D. Keromytis
University of Pennsylvania
January 2000

DHCP Continuation Option Code
<[draft-ietf-dhc-options-cont-01.txt](#)>

Status of this memo

This document is an Internet-Draft and is in full conformance with all provisions of [Section 10 of RFC2026](#).

Please direct comments to one of the authors (for the authors contact information, see the end of this document), and/or to the trustmgt@east.isi.edu mailing list.

Internet Drafts are working documents of the Internet Engineering Task Force (IETF), its areas, and its working Groups. Note that other groups may also distribute working documents as Internet Drafts.

Internet-Drafts draft documents are valid for a maximum of six months and may be updated, replaced, or obsoleted by other documents at any time. It is inappropriate to use Internet-Drafts as reference material or to cite them other than as "work in progress".

The list of current Internet-Drafts can be accessed at <http://www.ietf.org/ietf/lid-abstracts.txt>

The list of Internet-Draft Shadow Directories can be accessed at <http://www.ietf.org/shadow.html>.

Distribution of this memo is unlimited.

Abstract

The Dynamic Host Configuration Protocol (DHCP) provides a framework for passing configuration information to hosts on a TCP/IP network. Currently options are limited to an information size of 256 bytes because of the one-octet size of the length field. This document defines a new option that permits the continuation of the previous option information.

1. Introduction

The Dynamic Host Configuration Protocol (DHCP) [1] provides a framework for passing configuration information to hosts on a TCP/IP network. Configuration parameters and other control information are carried in tagged data items that are stored in the 'options' field of the DHCP message. The data items themselves are also called "options."

Each option is assigned a one-octet option code and an one-octet size field. The one-octet size field limits the information contained in an option to 256 bytes. While there exist options that permit the use of the sname and file fields of the header, these options only add an additional 192 bytes when the fields are not in use. This document describes a new DHCP option for continuing the information from the previous option. This option MUST not appear as the first option in a message. The option preceding this one MUST have a size of 256 bytes.

2. Definition of option [TBD]

Option code [TBD] indicates that the data contained in the option is a continuation of the previous option.

		Continuation	
Code	Len	option code	Data...
TBD	XXX		Continuation of previous option data

The example below shows how the option would work with a hypothetical authentication option that requires more than 255 bytes of information.

		Auth			
Code	Len	option	Data...		
90	256	04	d1	d2	d4 ... d255

Code	Len	Data...			
TBD	20	d257 d258 d259 d260 ... d276			

3. References

- [1] Droms, R., "Dynamic Host Configuration Protocol", [RFC 2131](#), Bucknell University, March 1997.
- [2] Alexander, S. and R. Droms, "DHCP Options and BOOTP Vendor Extensions", [RFC 2132](#), Lachman Associates, March 1997.

4. Security Considerations

DHCP currently provides no authentication or security mechanisms. Potential exposures to attack are discussed in [section 7](#) of the DHCP protocol specification [[1](#)]. One of the reasons for this definition is to provide support for the exchange of public key certificates are which usually larger than 256 bytes.

5. Authors' Address

William A. Arbaugh
Angelos D. Keromytis
Distributed Systems Lab -- 102 Moore
Department of Computer and Information Sciences
University of Pennsylvania
200 South 33rd St.
Philadelphia, PA. 19104-6389

Email: {waa, angelos}@dsl.cis.upenn.edu