

Network Working Group  
Internet-Draft  
Expires: January 1, 2007

L. Morand (Ed.)  
France Telecom R&D  
S. Kumar  
Samsung India Software Operations  
A. Yegin  
Samsung Advanced Institute of  
Technology  
S. Madanapalli  
Samsung India Software Operations  
June 30, 2006

DHCP options for PANA Authentication Agents  
draft-ietf-dhc-paa-option-03

Status of this Memo

By submitting this Internet-Draft, each author represents that any applicable patent or other IPR claims of which he or she is aware have been or will be disclosed, and any of which he or she becomes aware will be disclosed, in accordance with [Section 6 of BCP 79](#).

Internet-Drafts are working documents of the Internet Engineering Task Force (IETF), its areas, and its working groups. Note that other groups may also distribute working documents as Internet-Drafts.

Internet-Drafts are draft documents valid for a maximum of six months and may be updated, replaced, or obsoleted by other documents at any time. It is inappropriate to use Internet-Drafts as reference material or to cite them other than as "work in progress."

The list of current Internet-Drafts can be accessed at <http://www.ietf.org/ietf/1id-abstracts.txt>.

The list of Internet-Draft Shadow Directories can be accessed at <http://www.ietf.org/shadow.html>.

This Internet-Draft will expire on January 1, 2007.

Copyright Notice

Copyright (C) The Internet Society (2006).

Abstract

This document defines new DHCPv4 and DHCPv6 options that contain a list of IP addresses to locate one or more of PANA Authentication

Agents. This is one of the many methods that a PANA Client can use to locate PANA Authentication Agents.

Requirements Language

The key words "MUST", "MUST NOT", "REQUIRED", "SHALL", "SHALL NOT", "SHOULD", "SHOULD NOT", "RECOMMENDED", "MAY", and "OPTIONAL" in this document are to be interpreted as described in [RFC 2119](#) [[RFC2119](#)].

Table of Contents

- [1.](#) Introduction . . . . . [3](#)
- [2.](#) Terminology . . . . . [3](#)
- [3.](#) Requirements . . . . . [3](#)
- [4.](#) DHCP Specification Dependency . . . . . [3](#)
- [5.](#) PANA Authentication Agent DHCPv4 Option . . . . . [4](#)
- [6.](#) PANA Authentication Agent DHCPv6 Option . . . . . [4](#)
- [7.](#) IANA Considerations . . . . . [5](#)
- [8.](#) Security Considerations . . . . . [6](#)
- [9.](#) Acknowledgements . . . . . [6](#)
- [10.](#) Normative References . . . . . [6](#)
- Authors' Addresses . . . . . [7](#)
- Intellectual Property and Copyright Statements . . . . . [8](#)

## 1. Introduction

The Protocol for carrying Authentication for Network Access (PANA) [[I-D.ietf-pana-pana](#)] defines a new Extensible Authentication Protocol (EAP) lower layer that uses IP between the protocol end points.

The PANA protocol is run between a PANA Client (PaC) and a PANA Authentication Agent (PAA) in order to perform authentication and authorization for the network access service.

This document specifies DHCPv4 [[RFC2131](#)] and DHCPv6 [[RFC3315](#)] options that allow PANA client (PaC) to discover PANA Authentication Agents (PAA). This is one of the many methods for locating PANA Authentication Agents: manual configuration is an example of another one.

## 2. Terminology

This document uses the PANA terminology defined in [[I-D.ietf-pana-pana](#)].

This document uses the DHCP terminology defined in [[RFC2131](#)], [[RFC2132](#)] and [[RFC3315](#)].

## 3. Requirements

The keywords MUST, MUST NOT, REQUIRED, SHALL, SHALL NOT, SHOULD, SHOULD NOT, RECOMMENDED, MAY, and OPTIONAL, when they appear in this document, are to be interpreted as described in [[RFC2119](#)].

## 4. DHCP Specification Dependency

This document describes new options for DHCPv4 and DHCPv6 for

obtaining a list of IP addresses to locate a PANA Authentication Agent.

This document should be read in conjunction with the DHCPv4 specifications [[RFC2131](#)], [[RFC2132](#)] and DHCPv6 specification [[RFC3315](#)].

Definitions for terms and acronyms not specifically defined in this document are defined in [[RFC2131](#)], [[RFC2132](#)] and [[RFC3315](#)].

### 5. PANA Authentication Agent DHCPv4 Option

This section defines a DHCPv4 option that carries a list of 32-bit (binary) IPv4 addresses indicating one or more PANA Authentication Agents (PAA) available to the PANA client.

The DHCPv4 option for PANA Authentication Agent has the format shown in Fig. 1.




Figure 1: PAA DHCPv4 option

option-code:           OPTION\_PANA\_AGENT (TBD)

option-length:       Length of the 'options' field in octets;  
                          Must be a multiple of four (4)

PAA IPv4 Address:     IPv4 address of a PAA for the client to use.  
                          The PAAs are listed in the order of preference



PAA IPv6 Address: IPv6 address of a PAA for the client to use. The PAAs are listed in the order of preference for use by the client.

A DHCPv6 client requests the PAA DHCPv6 option in an Options Request Option (ORO) as described in the DHCPv6 specification [[RFC3315](#)].

The DHCPv6 client MUST try the records in the order listed in the PAA DHCPv6 option.

## [7.](#) IANA Considerations

The following DHCPv4 option code for PANA Authentication Agent option must be assigned by IANA:

Option Name	Value	Described in
OPTION_PANA_AGENT	TBD	<a href="#">Section 5</a>

The following DHCPv6 option codes for PANA Authentication Agent options must be assigned by IANA:

Morand (Ed.), et al. Expires January 1, 2007 [Page 5]

---

Internet-Draft PAA DHCP options June 2006

Option Name	Value	Described in
OPTION_PANA_AGENT	TBD	<a href="#">Section 6</a>

## [8.](#) Security Considerations

The security considerations in [[RFC2131](#)], [[RFC2132](#)] and [[RFC3315](#)] apply. If an adversary manages to modify the response from a DHCP server or insert its own response, a PANA Client could be led to contact a rogue PANA Agent, possibly one that then intercepts call requests or denies service.

## [9.](#) Acknowledgements

Thanks to Ralph Droms, Stig Venaas, Ted Lemon, Andre Kostur and Bernie Volz for their valuable comments.

## 10. Normative References

- [I-D.ietf-pana-pana]  
Forsberg, D., "Protocol for Carrying Authentication for Network Access (PANA)", [draft-ietf-pana-pana-11](#) (work in progress), March 2006.
- [RFC2119] Bradner, S., "Key words for use in RFCs to Indicate Requirement Levels", [BCP 14](#), [RFC 2119](#), March 1997.
- [RFC2131] Droms, R., "Dynamic Host Configuration Protocol", [RFC 2131](#), March 1997.
- [RFC2132] Alexander, S. and R. Droms, "DHCP Options and BOOTP Vendor Extensions", [RFC 2132](#), March 1997.
- [RFC2434] Narten, T. and H. Alvestrand, "Guidelines for Writing an IANA Considerations Section in RFCs", [BCP 26](#), [RFC 2434](#), October 1998.
- [RFC3315] Droms, R., Bound, J., Volz, B., Lemon, T., Perkins, C., and M. Carney, "Dynamic Host Configuration Protocol for IPv6 (DHCPv6)", [RFC 3315](#), July 2003.

### Authors' Addresses

Lionel Morand  
France Telecom R&D  
38-40 rue du general Leclerc  
92794 Issy-Les-Moulineaux Cedex 9  
France

Phone: +33 1 45296257  
Email: lionel.morand@orange-ft.com

Suraj Kumar  
Samsung India Software Operations  
No. 66/1, BAGMANE TECH PARK, C V RAMAN NAGAR  
Bangalore  
India

Phone: +91 80 41819999  
Email: suraj.kumar@samsung.com

Alper E. Yegin  
Samsung Advanced Institute of Technology  
75 West Plumeria Drive  
San Jose, CA 95134  
USA

Phone: +1 408 544 5656  
Email: alper.yegin@samsung.com

Syam Madanapalli  
Samsung India Software Operations  
No. 66/1, BAGMANE TECH PARK, C V RAMAN NAGAR  
Bangalore  
India

Phone: +91 80 41819999  
Email: syam@samsung.com



The IETF takes no position regarding the validity or scope of any Intellectual Property Rights or other rights that might be claimed to pertain to the implementation or use of the technology described in this document or the extent to which any license under such rights might or might not be available; nor does it represent that it has made any independent effort to identify any such rights. Information on the procedures with respect to rights in RFC documents can be found in [BCP 78](#) and [BCP 79](#).

Copies of IPR disclosures made to the IETF Secretariat and any assurances of licenses to be made available, or the result of an attempt made to obtain a general license or permission for the use of such proprietary rights by implementers or users of this specification can be obtained from the IETF on-line IPR repository at <http://www.ietf.org/ipr>.

The IETF invites any interested party to bring to its attention any copyrights, patents or patent applications, or other proprietary rights that may cover technology that may be required to implement this standard. Please address the information to the IETF at [ietf-ipr@ietf.org](mailto:ietf-ipr@ietf.org).

#### Disclaimer of Validity

This document and the information contained herein are provided on an "AS IS" basis and THE CONTRIBUTOR, THE ORGANIZATION HE/SHE REPRESENTS OR IS SPONSORED BY (IF ANY), THE INTERNET SOCIETY AND THE INTERNET ENGINEERING TASK FORCE DISCLAIM ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY THAT THE USE OF THE INFORMATION HEREIN WILL NOT INFRINGE ANY RIGHTS OR ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

#### Copyright Statement

Copyright (C) The Internet Society (2006). This document is subject to the rights, licenses and restrictions contained in [BCP 78](#), and except as set forth therein, the authors retain all their rights.

#### Acknowledgment

Funding for the RFC Editor function is currently provided by the Internet Society.