DNS Extensions working group
Internet-Draft
Expires: July 5, 2006

J. Jansen
NLnet Labs

January 2006

Use of RSA/SHA-256 DNSKEY and RRSIG Resource Records in DNSSEC
draft-ietf-dnsext-dnssec-rsasha256-00

Status of this Memo

By submitting this Internet-Draft, each author represents that any applicable patent or other IPR claims of which he or she is aware have been or will be disclosed, and any of which he or she becomes aware will be disclosed, in accordance with Section 6 of BCP 79.

Internet-Drafts are working documents of the Internet Engineering Task Force (IETF), its areas, and its working groups. Note that other groups may also distribute working documents as Internet-Drafts.

Internet-Drafts are draft documents valid for a maximum of six months and may be updated, replaced, or obsoleted by other documents at any time. It is inappropriate to use Internet-Drafts as reference material or to cite them other than as "work in progress."

The list of current Internet-Drafts can be accessed at http://www.ietf.org/ietf/1id-abstracts.txt.

The list of Internet-Draft Shadow Directories can be accessed at http://www.ietf.org/shadow.html.

This Internet-Draft will expire on July 5, 2006.

Copyright Notice

Copyright (C) The Internet Society (2006).

Abstract

This document describes how to produce RSA/SHA-256 DNSKEY and RRSIG resource records for use in the Domain Name System Security Extensions (DNSSEC, RFC4033, RFC4034, and RFC4035).

Table of Contents

1. Introduction 3
2. RSA/SHA-256 DNSKEY Resource Records 3
3. RSA/SHA-256 RRSIG Resource Records 3
4. Implementation Considerations 4
5. IANA Considerations 4
6. Security Considerations 4
7. Acknowledgments 5
8. References 5
8.1. Normative References 5
8.2. Informative References 5
Author's Address 6
Intellectual Property and Copyright Statements 7

1. Introduction

The Domain Name System (DNS) is the global hierarchical distributed database for Internet Addressing. The DNS has been extended to use digital signatures and cryptographic keys for the verification of data. RFC4033 [1], RFC4034 [2], and RFC4035 [3] describe these DNS Security Extensions.

RFC4034 describes how to store DNSKEY and RRSIG resource records, and specifies a list of cryptographic algorithms to use. This document extends that list with the algorithm RSA/SHA-256, and specifies how to store RSA/SHA-256 DNSKEY data and how to produce RSA/SHA-256 RRSIG resource records.

Familiarity with the RSA [7] and SHA-256 [5] algorithms is assumed in this document.

2. RSA/SHA-256 DNSKEY Resource Records

RSA public keys for use with RSA/SHA-256 are stored in DNSKEY resource records (RRs) with the algorithm number [TBA].

The format of the DNSKEY RR can be found in RFC4034 [2] and RFC3110 [6].

3. RSA/SHA-256 RRSIG Resource Records

RSA/SHA-256 signatures are stored in the DNS using RRSIG resource records (RRs) with algorithm number [TBA].

The value of the signature field in the RRSIG RR is calculated as follows. The values for the fields that precede the signature data are specified in RFC4034 [2].

hash = SHA-256(data)

signature = (00 | 01 | FF* | 00 | prefix | hash) ** e (mod n)

Where SHA-256 is the message digest algorithm as specified in FIPS 180 [5], | is concatenation, 00, 01, FF and 00 are fixed octets of corresponding hexadecimal value, "e" is the private exponent of the signing RSA key, and "n" is the public modulus of the signing key. The FF octet MUST be repeated the maximum number of times so that the total length of the signature equals the length of the modulus of the signer's public key ("n"). "data" is the data of the resource record set that is signed, as specified in RFC4034 [2].

The prefix is the ASN.1 BER SHA-256 algorithm designator prefix as specified in PKCS 2.1 [4]:

hex 30 31 30 0d 06 09 60 86 48 01 65 03 04 02 01 05 00 04 20

This prefix should make the use of standard cryptographic libraries easier. These specifications are taken directly from PKCS #1 v2.1 section 9.2 [4].

4. Implementation Considerations

DNSSEC aware implementations MUST be able to support RRSIG resource records with the RSA/SHA-256 algorithm.

If both RSA/SHA-256 and RSA/SHA-1 RRSIG resource records are available for a certain rrset, with a secure path to their keys, the validator SHOULD ignore the SHA-1 signature. If the RSA/SHA-256 signature does not verify the data, and the RSA/SHA-1 does, the validator SHOULD mark the data with the security status from the RSA/SHA-256 signature.

5. IANA Considerations

IANA has not yet assigned an algorithm number for RSA/SHA-256.

The algorithm list from RFC4034 Appendix A.1 [2] is extended with the following entry:

Value	Algorithm	[Mnemonic]	Zone Signing	References	Status
[tba]	RSA/SHA-256	[RSASHA256]	y	[TBA]	MANDATORY

6. Security Considerations

Recently, weaknesses have been discovered in the SHA-1 hashing algorithm. It is therefore strongly encouraged to deploy SHA-256 where SHA-1 is used now, as soon as the DNS software supports it.

SHA-256 is considered sufficiently strong for the immediate future, but predictions about future development in cryptography and cryptanalysis are beyond the scope of this document.

7. Acknowledgments

This document is a minor extension to RFC4034 [2]. Also, we try to follow the documents RFC3110 [6] and draft-ietf-dnsext-ds-sha256.txt [8] for consistency. The authors of and contributors to these documents are gratefully acknowledged for their hard work.

The following people provided additional feedback and text: Jaap Akkerhuis, Miek Gieben and Wouter Wijngaards.

8. References

8.1. Normative References

[1] Arends, R., Austein, R., Larson, M., Massey, D., and S. Rose, "DNS Security Introduction and Requirements", RFC 4033, March 2005.

[2] Arends, R., Austein, R., Larson, M., Massey, D., and S. Rose, "Resource Records for the DNS Security Extensions", RFC 4034, March 2005.

[3] Arends, R., Austein, R., Larson, M., Massey, D., and S. Rose, "Protocol Modifications for the DNS Security Extensions", RFC 4035, March 2005.

[4] Jonsson, J. and B. Kaliski, "Public-Key Cryptography Standards (PKCS) #1: RSA Cryptography Specifications Version 2.1", RFC 3447, February 2003.

[5] National Institute of Standards and Technology, "Secure Hash Standard", FIPS PUB 180-2, August 2002.

[6] Eastlake, D., "RSA/SHA-1 SIGs and RSA KEYs in the Domain Name System (DNS)", RFC 3110, May 2001.

8.2. Informative References

[7] Schneier, B., "Applied Cryptography Second Edition: protocols, algorithms, and source code in C", Wiley and Sons , ISBN 0-471-11709-9, 1996.

[8] Hardaker, W., "Use of SHA-256 in DNSSEC Delegation Signer (DS) Resource Records (RRs)", Work in Progress Feb 2006.

Author's Address

Jelte Jansen
NLnet Labs
Kruislaan 419
Amsterdam 1098VA
NL

Email: jelte@NLnetLabs.nl
URI: http://www.nlnetlabs.nl/

Intellectual Property Statement

The IETF takes no position regarding the validity or scope of any Intellectual Property Rights or other rights that might be claimed to pertain to the implementation or use of the technology described in this document or the extent to which any license under such rights might or might not be available; nor does it represent that it has made any independent effort to identify any such rights. Information on the procedures with respect to rights in RFC documents can be found in BCP 78 and BCP 79.

Copies of IPR disclosures made to the IETF Secretariat and any assurances of licenses to be made available, or the result of an attempt made to obtain a general license or permission for the use of such proprietary rights by implementers or users of this specification can be obtained from the IETF on-line IPR repository at http://www.ietf.org/ipr.

The IETF invites any interested party to bring to its attention any copyrights, patents or patent applications, or other proprietary rights that may cover technology that may be required to implement this standard. Please address the information to the IETF at ietf-ipr@ietf.org.

Disclaimer of Validity

This document and the information contained herein are provided on an "AS IS" basis and THE CONTRIBUTOR, THE ORGANIZATION HE/SHE REPRESENTS OR IS SPONSORED BY (IF ANY), THE INTERNET SOCIETY AND THE INTERNET ENGINEERING TASK FORCE DISCLAIM ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY THAT THE USE OF THE INFORMATION HEREIN WILL NOT INFRINGE ANY RIGHTS OR ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

Copyright Statement

Copyright (C) The Internet Society (2006). This document is subject to the rights, licenses and restrictions contained in BCP 78, and except as set forth therein, the authors retain all their rights.

Acknowledgment

Funding for the RFC Editor function is currently provided by the Internet Society.