

dnsop
Internet-Draft
Intended status: Standards Track
Expires: May 20, 2019

D. Crocker
Brandenburg InternetWorking
November 16, 2018

**DNS Scoped Data Through "Underscore" Naming of Attribute Leaves
draft-ietf-dnsop-attrleaf-16**

Abstract

Formally, any DNS resource record may occur under any domain name. However some services use an operational convention for defining specific interpretations of an RRset, by locating the records in a DNS branch, under the parent domain to which the RRset actually applies. The top of this subordinate branch is defined by a naming convention that uses a reserved node name, which begins with an underscore. The underscored naming construct defines a semantic scope for DNS record types that are associated with the parent domain, above the underscored branch. This specification explores the nature of this DNS usage and defines the "DNS Global Underscore Scoped Entry Registry" with IANA. The purpose of the Underscore registry is to avoid collisions resulting from the use of the same underscore-based name, for different services.

Status of This Memo

This Internet-Draft is submitted in full conformance with the provisions of [BCP 78](#) and [BCP 79](#).

Internet-Drafts are working documents of the Internet Engineering Task Force (IETF). Note that other groups may also distribute working documents as Internet-Drafts. The list of current Internet-Drafts is at <https://datatracker.ietf.org/drafts/current/>.

Internet-Drafts are draft documents valid for a maximum of six months and may be updated, replaced, or obsoleted by other documents at any time. It is inappropriate to use Internet-Drafts as reference material or to cite them other than as "work in progress."

This Internet-Draft will expire on May 20, 2019.

Copyright Notice

Copyright (c) 2018 IETF Trust and the persons identified as the document authors. All rights reserved.

This document is subject to [BCP 78](#) and the IETF Trust's Legal Provisions Relating to IETF Documents (<https://trustee.ietf.org/license-info>) in effect on the date of publication of this document. Please review these documents carefully, as they describe your rights and restrictions with respect to this document. Code Components extracted from this document must include Simplified BSD License text as described in Section 4.e of the Trust Legal Provisions and are provided without warranty as described in the Simplified BSD License.

Table of Contents

1.	Introduction	2
1.1.	Underscore Scoping	3
1.2.	Scaling Benefits	4
1.3.	"Global" Underscored Node Names	5
1.4.	Interaction with DNS wildcards	5
1.5.	History	5
2.	DNS Underscore Scoped Entry Registries Function	6
3.	RRset Use Registration Template	7
4.	IANA Considerations	8
4.1.	DNS Underscore Global Scoped Entry Registry	8
4.2.	DNS Underscore Global Scoped Entry Registry Definition	8
4.3.	Initial entries	9
4.4.	_ta	10
4.5.	_example	10
4.6.	Enumservices Registrations Registry	11
5.	Guidance for Expert Review	11
6.	Security Considerations	11
7.	References	11
7.1.	Normative References	11
7.2.	References - Informative	14
7.3.	URIs	14
Appendix A.	Acknowledgements	14
	Author's Address	15

[1.](#) Introduction

The core Domain Name System (DNS) technical specifications assign no semantics to domain names or their parts, and no constraints upon which resource record (RR) types are permitted to be stored under particular names [[RFC1035](#)], [[RFC2181](#)]. Over time, some leaf node names, such as "www" and "ftp" have come to imply support for particular services, but this is a matter of operational convention, rather than defined protocol semantics. This freedom in the basic technology has permitted a wide range of administrative and semantic policies to be used -- in parallel. DNS data semantics have been limited to the specification of particular resource record types, on

Crocker

Expires May 20, 2019

[Page 2]

the expectation that new resource record types would be added as needed. Unfortunately, the addition of new resource record types has proven extremely challenging, over the life of the DNS, with significant adoption and use barriers.

1.1. Underscore Scoping

As an alternative to defining a new RR type, some DNS service enhancements call for using an existing resource record type, but specify a restricted scope for its occurrence. Scope is meant as a static property, not one dependent on the nature of the query. It is an artifact of the DNS name. That scope is a leaf node, containing the specific resource record sets can be formally defined and constrained.

The leaf occurs in a branch having a distinguished naming convention: There is a parent domain name to which the scoped data applies. The branch is under this name. The sub-branch is indicated by a sequence of one or more reserved DNS node names; at least the first (highest) of these names begins with an underscore ("_").

Because the DNS rules for a "host" (host name) do not allow use of the underscore character, this distinguishes the underscored name from all legal host names [[RFC952](#)]. Effectively, this convention for leaf node naming creates a space for the listing of "attributes" -- in the form of resource record types -- that are associated with the parent domain, above the underscored sub-branch.

The scoping feature is particularly useful when generalized resource record types are used -- notably "TXT", "SRV", and "URI" [[RFC1035](#)], [[RFC2782](#)], [[RFC6335](#)], [[RFC7553](#)]. It provides efficient separation of one use of them from others. Absent this separation, an undifferentiated mass of these RRsets is returned to the DNS client, which then must parse through the internals of the records in the hope of finding ones that are relevant. Worse, in some cases the results are ambiguous because a record type might not adequately self-identify its specific purpose. With underscore-based scoping, only the relevant RRsets are returned.

A simple example is DKIM [[RFC6376](#)] , which uses "_domainkey" for defining a place to hold a TXT record containing signing information for the parent domain.

This specification formally defines how underscored labels are used as "attribute" enhancements for their parent domain names. For example, domain name "_domainkey.example." acts as an attribute of the parent domain name "example." To avoid collisions resulting from

the use of the same underscore-based labels for different applications using the same resource record type, this document establishes the DNS Underscore Global Scoped Entry IANA Registry. Use of such node names, which begin with underscore, are reserved when they are the underscored name closest to the DNS root; they are considered "global". Underscore-based names that are farther down the hierarchy are handled within the scope of the global underscore name.

Discussion Venue: Discussion about this draft should be directed to the dnsop@ietf.org [1] mailing list.

NOTE TO RFC EDITOR: Please remove "Discussion Venue" paragraph prior to publication.

The key words "MUST", "MUST NOT", "REQUIRED", "SHALL", "SHALL NOT", "SHOULD", "SHOULD NOT", "RECOMMENDED", "NOT RECOMMENDED", "MAY", and "OPTIONAL" in this document are to be interpreted as described in [BCP14](#) [RFC2119] [RFC8174] when, and only when, they appear in all capitals, as shown here.

1.2. Scaling Benefits

Some resource record types are used in a fashion that can create scaling problems, if an entire RRset associated with a domain name is aggregated in the leaf node for that name. An increasingly-popular approach, with excellent scaling properties, places the RRset under a specially named branch, which is in turn under the node name that would otherwise contain the RRset. The rules for naming that branch define the context for interpreting the RRset. That is, rather than:

```
domain-name.example
/
RRset
```

the arrangement is:

```
_branch.domain-name.example
/
RRset
```

A direct lookup to the subordinate leaf node produces only the desired record types, at no greater cost than a typical DNS lookup.

1.3. "Global" Underscored Node Names

As defined in [\[RFC1034\]](#) the DNS uses names organized in a tree-structured, or hierarchical fashion. A domain name might have multiple node names that begin with an underscore. A "global" underscored node name is the one that is closest to the root of the DNS hierarchy, also called the highest-level or top-most. In the presentation convention described in [Section 3.1 of \[RFC1034\]](#) this is the right-most name beginning with an underscore. In other presentation environments it might be positioned differently. To avoid concern for the presentation variations, the qualifier "global" is used here.

1.4. Interaction with DNS wildcards

DNS wildcards interact poorly with underscored names in two ways. Since wildcards only are interpreted as leaf names, one cannot create the equivalent of a wildcard name for prefixed names. A name such as `label*.example.com` is not a wildcard.

Conversely, a wildcard such as `*.example.com` can match any name including an underscored name. So, a wildcard might match an underscored name, returning a record that is the type controlled by the underscored name but is not intended to be used in the underscored context and does not conform to its rules.

1.5. History

Originally different uses of underscore-based node names developed largely without coordination. For TXT records, there is no consistent, internal syntax that permits distinguishing among the different uses. In the case of the SRV RR and URI RR, distinguishing among different types of use was part of the design [\[RFC2782\]](#), [\[RFC7553\]](#). The SRV and URI specifications serve as templates, defining RRs that might only be used for specific applications when there is an additional specification. The template definition included reference to two levels of tables of names from which underscore-names should be drawn. The lower-level (local scope) set of `"_service"` names is defined in terms of other IANA tables, namely any table with symbolic names. The upper-level (global scope) SRV naming field is `"_proto"`, although its pool of names is not explicitly defined.

The aggregate effect of these independent efforts was a long list of underscore-based names that were reserved without coordination, which invites an eventual name-assignment collision. The remedy is this base document, which defines a registry for these names, and attempts to register all those already in use, with a companion document

[attrleaf-fix] developed to direct changes to the pre-registry specifications that used underscore-based (global) node names.

2. DNS Underscore Scoped Entry Registries Function

A registry for "global" DNS node names that begin with an underscore is defined here. The purpose of the Underscore Global Registry is to avoid collisions resulting from the use of the same underscore-based name, for different applications.

- o If a public specification calls for use of an underscore-prefixed domain node name, the "global" underscored name -- the underscored name that is closest to the DNS root -- MUST be entered into this registry.

An underscored name defines the scope of use for specific resource record types, which are associated with the domain name that is the "parent" to the branch defined by the underscored name. A given name defines a specific, constrained context for one or more RR types, where use of such record types conforms to the defined constraints.

- o Within an underscore scoped leaf, other RRsets that are not specified as part of the scope MAY be used.

Structurally, the registry is defined as a single, flat table of RR types, under node names beginning with underscore. In some cases, such as for use of an SRV record, the full scoping name might be multi-part, as a sequence of underscored names. Semantically, that sequence represents a hierarchical model and it is theoretically reasonable to allow re-use of a subordinate underscored name in a different, global underscored context; that is, a subordinate name is meaningful only within the scope of the global underscored name. Therefore they are ignored by this DNS Underscore Global Scoped Entry Registry. This registry is for the definition of highest-level -- ie, global -- underscored node name used.

NAME
_service1
_protoB._service2
_protoB._service3
_protoC._service3
_useX._protoD._service4
_protoE._region._authority

Table 1: Examples of Underscored Names

Only global underscored names are registered in the IANA Underscore Global table. From the example, that would mean registering "_service3", "_service4", and "_authority" are registered in the IANA _service1, _service2, _service3, _service 4, and _authority.

- o The use of underscored node names is specific to each RRTYPE that is being scoped. Each name defines a place, but does not define the rules for what appears underneath that place, either as additional underscored naming or as a leaf node with resource records. Details for those rules are provided by specifications for individual RRTYPES. The sections below describe the way that existing underscore labels are used with the RRTYPES that they name.
- o Definition and registration of subordinate, underscore node names is the responsibility of the specification that creates the global registry entry.

That is, if a scheme using a global underscore node name has one or more subordinate levels of underscore node naming, the namespaces from which names for those lower levels are chosen are controlled by the parent underscore node name. Each globally-registered underscore name owns a distinct, subordinate name space.

3. RRset Use Registration Template

This section provides a basic template that can be used to register new entries in the IANA DNS Underscore Global Scoped Entry Registry, if the global underscored name above the RRTYPE is not already registered. The text can be added to specifications using RRTYPE/_Node-name combinations that have not already been registered:

Per {RFC Attrleaf} please add the following entry to the DNS Underscore Global Scoped Entry Registry:

+-----+	+-----+	+-----+	+-----+
RR Type	_NODE NAME	REFERENCE	
+-----+	+-----+	+-----+	+-----+
{RRTYPE}	_{DNS global node	{citation for the document making	
	name}	the addition.}	
+-----+	+-----+	+-----+	+-----+

Table 2: Underscore Global Registry Entry Template

Note to RFC Editor: Please replace the above "{RFC Attrleaf}" text with a reference to this document's RFC number. /d

4. IANA Considerations

Per [\[RFC8126\]](#) IANA is requested to establish the:

DNS Underscore Global Scoped Entry Registry

This section describes actions requested of IANA. The guidance in [\[IANA\]](#) is used.

4.1. DNS Underscore Global Scoped Entry Registry

The DNS Global Underscore Scoped Entry Registry is any DNS node name that begin with the underscore character ("_", ASCII 0x5F) and is the underscored node name closest to the root; that is it defines the highest-level of a DNS branch, under a "parent" domain name.

- o This registry is to operate under the IANA rules for "Expert Review" registration; see [Section 5](#).
- o The contents of each entry in the Global registry are defined in [Section 4.2](#).
- o Each entry in the registry MUST contain values for all of the fields specified in [Section 4.2](#).
- o Within the registry, the combination of RR Type and _Node Name MUST be unique.
- o The table is to be maintained with entries sorted by the first column (RR Type) and, within that, the second column (_Node Name).
- o The required Reference for an entry MUST have a stable resolution to the organization controlling that registry entry.

4.2. DNS Underscore Global Scoped Entry Registry Definition

A registry entry contains:

RR Type: Lists an RR type that is defined for use within this scope.

_Node Name: Specifies a single, underscored name that defines a reserved name; this name is the "global" entry name for the scoped resource record types that are associated

with that name; for characters in the name that have an upper-case form and a lower-case form, the character MUST be recorded as lower-case, to simplify name comparisons.

References: Lists the specification that defines a record type and its use under this _Node Name. The organization producing the specification retains control over the registry entry for the _Node Name.

Each RR type that is to be used with a _Node Name MUST have a separate registry entry.

4.3. Initial entries

Initial entries in the registry are:

RR Type	_NODE NAME	REFERENCE
*	_example	Section 4.5
NULL	_ta-* { Section 4.4 }	[RFC8145]
OPENPGPKEY	_openpgpkey	[RFC7929]
SMIMEA	_smimecert	[RFC8162]
SRV	_dccp	[RFC2782]
SRV	_http	[RFC4386]
SRV	_ipv6	[RFC5026]
SRV	_ldap	[RFC4386]
SRV	_ocsp	[RFC4386]
SRV	_sctp	[RFC2782]
SRV	_sip	[RFC5509]
SRV	_tcp	[RFC2782]
SRV	_udp	[RFC2782]
SRV	_xmpp	[RFC3921]
TLSA	_dane	[RFC7671]
TLSA	_sctp	[RFC6698]
TLSA	_tcp	[RFC6698]
TLSA	_udp	[RFC6698]
TXT	_acme-challenge	[ACME]
TXT	_dmarc	[RFC7489]
TXT	_domainkey	[RFC6376]
TXT	_mta-sts	[MTA-STS]
TXT	_spf	[RFC7208]
TXT	_tcp	[RFC6763]
TXT	_udp	[RFC6763]
TXT	_vouch	[RFC5518]
URI	_acct	[RFC6118]
URI	_dccp	[RFC7566]

URI	_email	[RFC6118]	
URI	_ems	[RFC6118]	
URI	_fax	[RFC6118]	
URI	_ft	[RFC6118]	
URI	_h323	[RFC6118]	
URI	_iax	[RFC6118]	
URI	_ical-access	[RFC6118]	
URI	_ical-sched	[RFC6118]	
URI	_ifax	[RFC6118]	
URI	_im	[RFC6118]	
URI	_mms	[RFC6118]	
URI	_pres	[RFC6118]	
URI	_pstn	[RFC6118]	
URI	_sctp	[RFC6118]	
URI	_sip	[RFC6118]	
URI	_sms	[RFC6118]	
URI	_tcp	[RFC6118]	
URI	_udp	[RFC6118]	
URI	_unifmsg	[RFC6118]	
URI	_vcard	[RFC6118]	
URI	_videomsg	[RFC6118]	
URI	_voice	[RFC6118]	
URI	_voicemail	[RFC6118]	
URI	_vpim	[RFC6118]	
URI	_web	[RFC6118]	
URI	_xmpp	[RFC6118]	
+-----+-----+-----+			

Table 3: Underscore Global Registry (initial entries)

NOTE: Under the NULL RR, the entry "_ta-*" denotes all node names beginning with the string "_ta-". It does NOT refer to a DNS wildcard specification.

[4.4.](#) **_ta**

Under the NULL RR, the entry "_ta-*" denotes all node names beginning with the string "_ta-". It does NOT refer to a DNS wildcard specification.

[4.5.](#) **_example**

The node name "_example" is reserved across all RRsets

4.6. Enumservices Registrations Registry

Please add a note to the Enumservice Registrations registry with the following -- or similar -- language:

"When adding an entry to this registry, strong consideration should be given to also adding an entry to the 'DNS Underscore Global Scoped Entry Registry'."

5. Guidance for Expert Review

This section provides guidance for expert review of registration requests in the DNS Underscore Global Scoped Entry Registry.

This review is solely to determine adequacy of a requested entry in this Registry, and does not include review of other aspects of the document specifying that entry. For example such a document might also contain a definition of the resource record type that is referenced by the requested entry. Any required review of that definition is separate from the expert review required here.

The review is for the purposes of ensuring that:

- o The details for creating the registry entry are sufficiently clear, precise and complete
- o The combination of the underscored name, under which the listed resource record type is used, and the resource record type, is unique in the table

For the purposes of this Expert Review, other matters of the specification's technical quality, adequacy or the like are outside of scope.

6. Security Considerations

This memo raises no security issues.

7. References

7.1. Normative References

- [ACME] Barnes, R., Hoffman-Andrews, J., McCarney, D., and J. Kasten, "Automatic Certificate Management Environment (ACME)", I-D [draft-ietf-acme-acme-11](#), March 2018.

- [IANA] M. Cotton, B. Leiba, and T. Narten, "Guidelines for Writing an IANA Considerations Section in RFCs", [RFC 8126](#), June 2017.
- [MTA-STS] Margolis, D., Risher, M., Ramakrishnan, B., Brotman, A., and J. Jones, "SMTP MTA Strict Transport Security (MTA-STS)", I-D [draft-ietf-uta-mta-sts](#).
- [RFC1034] Mockapetris, P., "Domain Names - Concepts and Facilities", STD 13, [RFC 1034](#), November 1987.
- [RFC1035] Mockapetris, P., "Domain Names - Implementation and Specification", STD 13, [RFC 1035](#), November 1987.
- [RFC2119] Bradner, S., "Key words for use in RFCs to Indicate Requirement Levels", [BCP 14](#), [RFC 2119](#), March 1997.
- [RFC2181] Elz, R. and R. Bush, "Clarifications to the DNS Specification", [RFC 2181](#), July 1997.
- [RFC2782] Gulbrandsen, A., Vixie, P., and L. Esibov, "A DNS RR for specifying the location of services (DNS SRV)", [RFC 2782](#), February 2000.
- [RFC3921] Saint-Andre, P., Ed., "Extensible Messaging and Presence Protocol (XMPP): Instant Messaging and Presence", [RFC 3921](#), DOI 10.17487/RFC3921, October 2004, <<https://www.rfc-editor.org/info/rfc3921>>.
- [RFC4386] Boeyen, S. and P. Hallam-Baker, "Internet X.509 Public Key Infrastructure Repository Locator Service", [RFC 4386](#), DOI 10.17487/RFC4386, February 2006, <<https://www.rfc-editor.org/info/rfc4386>>.
- [RFC5026] Giarretta, G., Ed., Kempf, J., and V. Devarapalli, Ed., "Mobile IPv6 Bootstrapping in Split Scenario", [RFC 5026](#), DOI 10.17487/RFC5026, October 2007, <<https://www.rfc-editor.org/info/rfc5026>>.
- [RFC5509] Loreto, S., "Internet Assigned Numbers Authority (IANA) Registration of Instant Messaging and Presence DNS SRV RRs for the Session Initiation Protocol (SIP)", [RFC 5509](#), DOI 10.17487/RFC5509, April 2009, <<https://www.rfc-editor.org/info/rfc5509>>.
- [RFC5518] Hoffman, P., Levine, J., and A. Hathcock, "Vouch By Reference", [RFC 5518](#), April 2009.

- [RFC6118] Hoeneisen, B. and A. Mayrhofer, "Update of Legacy IANA Registrations of Enumservices", [RFC 6118](#), DOI 10.17487/RFC6118, March 2011, <<https://www.rfc-editor.org/info/rfc6118>>.
- [RFC6335] Cotton, M., Eggert, L., Tsuchioka, J., Westerlund, M., and S. Cheshire, "Internet Assigned Numbers Authority (IANA) Procedures for the Management of the Service Name and Transport Protocol Port Number Registry", [RFC 6335](#), Aug 2011.
- [RFC6376] Crocker, D., Hansen, T., and M. Kucherawy, "DomainKeys Identified Mail (DKIM) Signatures", [RFC 6376](#), Sept 2011.
- [RFC6698] Hoffman, J. and J. Schlyter, "The DNS-Based Authentication of Named Entities (DANE) Transport Layer Security (TLS) Protocol: TLSA", [RFC 6698](#), August .
- [RFC6763] Cheshire, S. and M. Krochmal, "DNS-Based Service Discovery", [RFC 6763](#), DOI 10.17487/RFC6763, February 2013, <<https://www.rfc-editor.org/info/rfc6763>>.
- [RFC7208] Kitterman, S., "Sender Policy Framework (SPF) for Authorizing Use of Domains in E-Mail, Version 1", [RFC 7208](#), April 2014.
- [RFC7489] Kucherawy, M., Ed. and E. Zwicky, Ed., "Domain-based Message Authentication, Reporting, and Conformance (DMARC)", [RFC 7489](#), March 2015.
- [RFC7553] Falstrom, P. and O. Kolkman, "The Uniform Resource Identifier (URI) DNS Resource Record", [RFC 7553](#), ISSN 2070-1721, June 2015.
- [RFC7566] Goix, L. and K. Li, "Enumservice Registration for 'acct' URI", [RFC 7566](#), DOI 10.17487/RFC7566, June 2015, <<https://www.rfc-editor.org/info/rfc7566>>.
- [RFC7671] Dukhovni, V. and W. Hardaker, "The DNS-Based Authentication of Named Entities (DANE) Protocol: Updates and Operational Guidance", [RFC 7671](#), DOI 10.17487/RFC7671, October 2015, <<https://www.rfc-editor.org/info/rfc7671>>.
- [RFC7929] Wouters, P., , [RFC 7929](#), August 2016.
- [RFC8126] Cotton, M., Leiba, B., and T. Narten, "Guidelines for Writing an IANA Considerations Section in RFCs", [RFC 8126](#), June 2017.

- [RFC8145] Wessels, D., Kumari, W., and P. Hoffman, "Signaling Trust Anchor Knowledge in DNS Security Extensions (DNSSEC)", [RFC 8145](#), April 2017.
- [RFC8162] Hoffman, P. and J. Schlyter, "Using Secure DNS to Associate Certificates with Domain Names for S/MIME", [RFC 8162](#), May 2017.
- [RFC8174] Leiba, B., "Ambiguity of Uppercase vs Lowercase in [RFC 2119](#) Key Words", [BCP 14](#), [RFC 8174](#), DOI 10.17487/RFC8174, May 2017, <<https://www.rfc-editor.org/info/rfc8174>>.
- [RFC952] Harrenstien, K., Stahl, M., and E. Feinler, "DOD Internet Host Table Specification", [RFC 952](#), October 1985.

7.2. References - Informative

- [attrleaf-fix]
Crocker, D., "Changes to Rationalize Underscore DNS Node Names", I-D [draft-crocker-attrleaf-simplification-00](#), 2017.

7.3. URIs

- [1] <mailto:dnsoop@ietf.org>

[Appendix A](#). Acknowledgements

Thanks go to Bill Fenner, Dick Franks, Tony Hansen, Martin Hoffmann, Paul Hoffman, Peter Koch, Olaf Kolkman, Murray Kucherawy, John Levine, Benno Overeinder, and Andrew Sullivan for diligent review of the (much) earlier drafts. For the later enhancements, thanks to: Stephane Bortzmeyer, Alissa Cooper, Bob Harold, Benjamin Kaduk, Mirja Kuehlewind, Warren Kumari, John Levine, Joel Jaeggli, Benno Overeinder, Eric Rescorla, Adam Roach, Petr Špaček, Ondřej Sury, Paul Vixie, Tim Wicinski, and Paul Wouters.

Special thanks to Ray Bellis for his persistent encouragement to continue this effort, as well as the suggestion for an essential simplification to the registration model.

NOTE TO RFC EDITOR: The listed names Petr Špaček, Ondřej Sury -- Petr Špaček, Ondřej Sury -- render properly in xml-to-html conversion but the production xml2rfc engine does not render it properly to text. Making the xml version match the documented form for txt will mean that the names are not properly rendered for output formats that can support extended character sets. /d

Author's Address

Dave Crocker
Brandenburg InternetWorking
675 Spruce Dr.
Sunnyvale, CA 94086
USA

Phone: +1.408.246.8253
Email: dcrocker@bbiw.net
URI: <http://bbiw.net/>