

DNSOP Working Group
Internet-Draft
Intended status: Standards Track
Expires: 25 November 2021

L. Lhotka
CZ.NIC
P. Spacek
Internet Systems Consortium
24 May 2021

YANG Types for DNS Classes and Resource Record Types
draft-ietf-dnsop-iana-class-type-yang-03

Abstract

This document introduces the YANG module "iana-dns-class-rr-type" that contains derived types reflecting two IANA registries: DNS CLASSES and Resource Record (RR) TYPES. These YANG types are intended as a minimum basis for future data modeling work.

Status of This Memo

This Internet-Draft is submitted in full conformance with the provisions of [BCP 78](#) and [BCP 79](#).

Internet-Drafts are working documents of the Internet Engineering Task Force (IETF). Note that other groups may also distribute working documents as Internet-Drafts. The list of current Internet-Drafts is at <https://datatracker.ietf.org/drafts/current/>.

Internet-Drafts are draft documents valid for a maximum of six months and may be updated, replaced, or obsoleted by other documents at any time. It is inappropriate to use Internet-Drafts as reference material or to cite them other than as "work in progress."

This Internet-Draft will expire on 25 November 2021.

Copyright Notice

Copyright (c) 2021 IETF Trust and the persons identified as the document authors. All rights reserved.

This document is subject to [BCP 78](#) and the IETF Trust's Legal Provisions Relating to IETF Documents (<https://trustee.ietf.org/license-info>) in effect on the date of publication of this document. Please review these documents carefully, as they describe your rights and restrictions with respect to this document. Code Components extracted from this document must include Simplified BSD License text as described in Section 4.e of the [Trust Legal Provisions](#) and are provided without warranty as described in the Simplified BSD License.

Internet-Draft

iana-dns-class-rr-type-yang

May 2021

Table of Contents

1.	Introduction	2
2.	Terminology	3
3.	YANG Design Considerations	3
4.	IANA Considerations	5
4.1.	URI Registrations	6
4.2.	YANG Module Registrations	6
5.	Security Considerations	7
6.	Normative References	7
7.	Informative References	7
Appendix A.	XSLT Stylesheet	8
	Authors' Addresses	13

[1.](#) Introduction

YANG [[RFC7950](#)] has become a de facto standard as a language for modeling configuration and state data, as well as specifying management operations and asynchronous notifications. It is reasonable to expect that the approach based on utilizing such data models along with standard management protocols such as NETCONF and RESTCONF can be effectively used in DNS operations, too. In fact, several efforts are currently underway that attempt to use NETCONF or RESTCONF for configuring and managing

- * authoritative servers
- * resolvers
- * zone data.

While it is possible to use the management protocols mentioned above with ad hoc or proprietary data models, their real potential can be realized only if there is a (completely or partly) unified data model supported by multiple DNS software implementations. Operators can then, for instance, run several different DNS server implementations in parallel, and use a common configuration and management interface and data for all of them. Also, it becomes considerably easier to migrate to another implementation.

Based on the previous experience from the IETF Routing Area, it is to be expected that the development of unified data models for DNS will be a lengthy and complicated process that will require active

cooperation and compromises from the vendors and developers of major DNS server platforms. Nevertheless, it is likely that any DNS-related data modeling effort will need to use various DNS parameters and enumerations that are specified in several IANA registries. For use with YANG, these parameters and enumerations have to be

translated into corresponding YANG types or other structures. Such translations should be straightforward and relatively uncontroversial.

This document provides a translation of two fundamental DNS-related IANA registries to YANG. It contains the initial revision of the YANG module "iana-dns-class-rr-type" that defines derived types for the common parameters of DNS resource records (RR): class and type. These YANG types, "dns-class" and "rr-type", reflect the IANA registries "DNS CLASSES" and "Resource Record (RR) TYPES" [[IANA-DNS-PARAMETERS](#)].

[Appendix A](#) contains an XSLT 1.0 stylesheet that is intended to be used by IANA for generating the initial revision of the "iana-dns-class-rr-type" YANG module. Subsequently, whenever a new class or RR type is added to the above registries, IANA will also update the "iana-dns-class-rr-type" YANG module, following the instructions in [Section 4](#) below.

2. Terminology

The key words "MUST", "MUST NOT", "REQUIRED", "SHALL", "SHALL NOT", "SHOULD", "SHOULD NOT", "RECOMMENDED", "NOT RECOMMENDED", "MAY", and "OPTIONAL" in this document are to be interpreted as described in [BCP 14](#) [[RFC2119](#)] [[RFC8174](#)] when, and only when, they appear in all capitals, as shown here.

The terminology for describing YANG data models is found in [[RFC7950](#)].

3. YANG Design Considerations

The IANA document "Domain Name System (DNS) Parameters" [[IANA-DNS-PARAMETERS](#)] contains altogether thirteen registries. The YANG module "iana-dns-class-rr-type" defines derived types corresponding to only two of the registries that are essential for

data models involving zone data, namely "DNS CLASSes" and "Resource Record (RR) TYPEs". It is expected that the remaining registries in [[IANA-DNS-PARAMETERS](#)], as well as other DNS-related IANA registries, will be analogically reflected in future YANG modules as necessary. This way, an appropriate combination of YANG modules can be chosen depending on which YANG types are needed for a given data modeling purpose.

The registries "DNS CLASSes" and "Resource Record (RR) TYPEs" are transformed into YANG enumeration types "dns-class-name" and "rr-type-name", respectively. This is the initial fragment of the former:

```
typedef dns-class-name {
  type enumeration {
    enum IN {
      value 1;
      description
        "Internet (IN)";
      reference
        "RFC 1035";
    }
    ...
  }
  ...
}
```

The other derived type, "rr-type-name", is defined analogically.

[RFC3597] introduced the option of specifying a class or RR type via its assigned decimal number, as an alternative to the mnemonic name. For example, the "IN" class can be equivalently written as "CLASS1", and "AAAA" type can be written as "TYPE28".

Accordingly, the derived types "dns-class" and "rr-type" are defined in the YANG module as a union of two member types:

- * 16-bit decimal integer ("uint16")
- * mnemonic name belonging to the enumerations "dns-class-name" and "rr-type-name", respectively.

For instance, the "rr-type" type is defined as follows:

```
typedef rr-type {
  type union {
    type uint16;
    type rr-type-name;
  }
  description
    "This type allows for referring to a DNS resource record type
    using either the assigned mnemonic name or numeric value.";
}
```

As unassigned and reserved class and RR type values are not included in the mnemonic name enumerations, they can only be specified using their decimal values.

[4.](#) IANA Considerations

RFC Editor: In this section, replace all occurrences of "XXXX" with the actual RFC number (and remove this note).

This section deals with actions and processes necessary for IANA to undertake to maintain the "iana-dns-class-rr-type" YANG module. This YANG module is intended to reflect the "DNS CLASSes" and "Resource Record (RR) TYPEs" registries in [[IANA-DNS-PARAMETERS](#)]. The most recent revision of the YANG module is available from the "YANG Parameters" registry [[IANA-YANG-PARAMETERS](#)].

Upon publication of this document, the initial revision of the "iana-dns-class-rr-type" YANG module SHALL be created by applying the XSLT stylesheet from [Appendix A](#) to the XML version of [[IANA-DNS-PARAMETERS](#)].

IANA SHALL add this note to the "iana-dns-class-rr-type" item of the "YANG Module Names" registry [[IANA-YANG-PARAMETERS](#)]:

| Classes and types of DNS resource records must not be directly
| added to the "iana-dns-class-rr-type" YANG module. They must

| instead be added to the "DNS CLASSes" and "Resource Record (RR)
| TYPEs" registries, respectively.

When a new DNS class or RR type is added to the "DNS CLASSes" or "Resource Record (RR) TYPEs" registry, a new "enum" statement SHALL be added to the "dns-class-name" or "rr-type-name" type, respectively. The assigned name defined by the "enum" statement SHALL be the same as the mnemonic name of the new class or type. The following substatements to the "enum" statement SHALL be defined:

"value": Use the decimal value from the registry.

"status": Include only if a class or type registration has been deprecated or obsoleted. In both cases, use the value "obsolete" as the argument of the "status" statement.

"description": Replicate the corresponding information from the registry, namely the full name of the new DNS class, or the meaning of the new RR type, if any.

"reference": Replicate the reference(s) from the registry.

Unassigned or reserved values SHALL NOT be included in the "dns-class-name" and "rr-type-name" enumeration types.

Each time the "iana-dns-class-rr-type" YANG module is updated, a new "revision" statement SHALL be added before the existing "revision" statements.

IANA SHALL add this new note to the "DNS CLASSes" and "Resource Record (RR) TYPEs" registries:

| When this registry is modified, the YANG module "iana-dns-class-
| rr-type" must be updated as defined in RFC XXXX.

The "Reference" text in the "DNS CLASSes" registry SHALL be updated as follows:

| OLD:
| [[RFC6895](#)]

```
|
| NEW:
|   [RFC6895] [RFCXXXX]
```

The "Reference" text in the "Resource Record (RR) TYPES" registry SHALL be updated as follows:

```
| OLD:
|   [RFC6895] [RFC1035]
|
| NEW:
|   [RFC6895] [RFC1035] [RFCXXXX]
```

[4.1.](#) URI Registrations

This document registers a URI in the "IETF XML Registry" [[RFC3688](#)]. The following registration has been made:

```
|   URI: urn:ietf:params:xml:ns:yang:iana-dns-class-rr-type
|   Registrant Contact: The IESG.
|   XML: N/A, the requested URI is an XML namespace.
```

[4.2.](#) YANG Module Registrations

This document registers a YANG module in the "YANG Module Names" registry [[RFC6020](#)]. The following registration has been made:

```
|   name:      iana-dns-class-rr-type
|   namespace: urn:ietf:params:xml:ns:yang:iana-dns-class-rr-type
|   prefix:    dnsct
|   reference: RFC XXXX
```

[5.](#) Security Considerations

This document translates two IANA registries into YANG data types and otherwise introduces no technology or protocol. Consequently, there are no security issues to be considered for this document.

[6.](#) Normative References

- [IANA-DNS-PARAMETERS]
Internet Assigned Numbers Authority, "Domain Name System (DNS) Parameters",
<<https://www.iana.org/assignments/dns-parameters>>.
- [IANA-YANG-PARAMETERS]
Internet Assigned Numbers Authority, "YANG Parameters",
<<https://www.iana.org/assignments/yang-parameters>>.
- [RFC2119] Bradner, S., "Key words for use in RFCs to Indicate Requirement Levels", [BCP 14](#), [RFC 2119](#), DOI 10.17487/RFC2119, March 1997,
<<https://www.rfc-editor.org/info/rfc2119>>.
- [RFC3688] Mealling, M., "The IETF XML Registry", [BCP 81](#), [RFC 3688](#), DOI 10.17487/RFC3688, January 2004,
<<https://www.rfc-editor.org/info/rfc3688>>.
- [RFC6020] Bjorklund, M., Ed., "YANG - A Data Modeling Language for the Network Configuration Protocol (NETCONF)", [RFC 6020](#), DOI 10.17487/RFC6020, October 2010,
<<https://www.rfc-editor.org/info/rfc6020>>.
- [RFC7950] Bjorklund, M., Ed., "The YANG 1.1 Data Modeling Language", [RFC 7950](#), DOI 10.17487/RFC7950, August 2016,
<<https://www.rfc-editor.org/info/rfc7950>>.
- [RFC8174] Leiba, B., "Ambiguity of Uppercase vs Lowercase in [RFC 2119](#) Key Words", [BCP 14](#), [RFC 8174](#), DOI 10.17487/RFC8174, May 2017, <<https://www.rfc-editor.org/info/rfc8174>>.
- [W3C.REC-xslt-19991116]
Clark, J., "XSL Transformations (XSLT) Version 1.0", World Wide Web Consortium Recommendation REC-xslt-19991116, 16 November 1999,
<<https://www.w3.org/TR/1999/REC-xslt-19991116>>.

7. Informative References

Lhotka & Spacek Expires 25 November 2021 [Page 7]

Internet-Draft iana-dns-class-rr-type-yang May 2021

- [RFC3597] Gustafsson, A., "Handling of Unknown DNS Resource Record

(RR) Types", [RFC 3597](https://www.rfc-editor.org/info/rfc3597), DOI 10.17487/RFC3597, September 2003, <<https://www.rfc-editor.org/info/rfc3597>>.

[Appendix A](#). XSLT Stylesheet

RFC Editor: In this section, replace all occurrences of "XXXX" with the actual RFC number (and remove this note).

This appendix contains an XSLT 1.0 stylesheet [[W3C.REC-xslt-19991116](#)] that is intended to be used for generating the initial revision of the "iana-dns-class-rr-type" YANG module. This is achieved by applying the stylesheet to the XML version of the IANA registry "Domain Name System (DNS) Parameters" [[IANA-DNS-PARAMETERS](#)] that was current at the time when this document was published.

Using the ubiquitous xsltproc tool, the YANG module text can be generated with this command:

```
$ xsltproc iana-dns-class-rr-type.xsl dns-parameters.xml

<CODE BEGINS> file "iana-dns-class-rr-type.xsl"
<?xml version="1.0" standalone="yes"?>
<stylesheet xmlns="http://www.w3.org/1999/XSL/Transform"
            xmlns:iana="http://www.iana.org/assignments"
            version="1.0">
  <output method="text"/>
  <strip-space elements="*/>

  <variable name="dq">"</variable>
  <variable name="sq">'</variable>
  <variable name="lf">&#xA;</variable>

  <variable name="module-intro">
    <text>module iana-dns-class-rr-type {
  yang-version 1.1;
  namespace "urn:ietf:params:xml:ns:yang:iana-dns-class-rr-type";
  prefix dnsct;

  organization
    "Internet Assigned Numbers Authority (IANA)";

  contact
    "      Internet Assigned Numbers Authority

    Postal: ICANN
    4676 Admiralty Way, Suite 330
    Marina del Rey, CA 90292
```

Tel: +1 310 823 9358

<mailto:iana@iana.org>;

description

"This YANG module translates IANA registries 'DNS CLASSES' and 'Resource Record (RR) TYPES' to YANG derived types.

Copyright (c) 2020 IETF Trust and the persons identified as authors of the code. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, is permitted pursuant to, and subject to the license terms contained in, the Simplified BSD License set forth in [Section 4.c](#) of the IETF Trust's Legal Provisions Relating to IETF Documents (<https://trustee.ietf.org/license-info>).

This initial version of this YANG module was generated from the corresponding IANA registries using a XSLT stylesheet from [Appendix A](#) of RFC XXXX (<https://tools.ietf.org/html/rfcXXXX>); see the RFC itself for full legal notices.";

reference

"IANA 'Domain Name System (DNS) Parameters' registry
<https://www.iana.org/assignments/dns-parameters>";</text>
<text>

</text>

</variable>

<template name="enum">

<param name="id"/>

<value-of select="concat(' enum ', \$id)"/>

<text> {
 value </text>

<value-of select="concat(iana:value, '
')"/>

<if test="contains(iana:description, 'OBSOLETE')">

<text> status obsolete;
</text>

</if>

<apply-templates select="iana:description"/>

<variable name="xrefs" select="iana:xref[@type!='note']"/>

<if test="\$xrefs">

<text> reference
 "</text>

<if test="count(\$xrefs)>1">- </if>

<apply-templates select="iana:xref[@type!='note']"/>

</if>

<text> }
</text>

</template>

```
<template match="/">
  <value-of select="$module-intro"/>
  <apply-templates select="iana:registry[@id='dns-parameters']"/>
  <text>}&#xA;</text>
</template>

<template match="iana:registry[@id='dns-parameters']">
  <apply-templates select="iana:updated"/>
  <apply-templates
    select="iana:registry[@id='dns-parameters-2']"/>
  <apply-templates
    select="iana:registry[@id='dns-parameters-4']"/>
</template>

<template match="iana:updated">
  <value-of select="concat(' revision ', ., ' {')"/>
  <text>
description
  "Initial revision.";
reference
  "RFC XXXX: YANG Types for DNS Classes and Resource Record
  Types";
}

/* Typedefs */&#xA;&#xA;</text>
</template>

<template match="iana:registry[@id='dns-parameters-2']">
  <text> typedef dns-class-name {&#xA;</text>
  <text>   type enumeration {&#xA;</text>
  <apply-templates
    select="iana:record[not(iana:description='Unassigned' or
      starts-with(iana:description,'Reserved'))]"
    mode="class"/>
  <text>   }
description
  "This enumeration type defines mnemonic names and corresponding
  numeric values of DNS classes.";
reference
```

```

    "RFC 6895: Domain Name System (DNS) IANA Considerations";
}

typedef dns-class {
    type union {
        type uint16;
        type dns-class-name;
    }
    description

```

```

    "This type allows for referring to a DNS class using either the
    assigned mnemonic name or numeric value.";
}&#xA;&#xA;</text>
</template>

<template match="iana:registry[@id='dns-parameters-4']">
  <text> typedef rr-type-name {&#xA;</text>
  <text>   type enumeration {&#xA;</text>
  <apply-templates
    select="iana:record[iana:type!='Unassigned' and
      iana:type!='Private use' and iana:type!='Reserved']"
    mode="rr-type"/>
  <text>   }
  description
    "This enumeration type defines mnemonic names and corresponding
    numeric values of DNS resource record types.";
  reference
    "- RFC 6895: Domain Name System (DNS) IANA Considerations
    - RFC 1035: Domain Names - Implementation and Specification";
  }
}

typedef rr-type {
  type union {
    type uint16;
    type rr-type-name;
  }
  description
    "This type allows for referring to a DNS resource record type
    using either the assigned mnemonic name or numeric value.";
}&#xA;</text>
</template>

```

```

<template match="iana:record" mode="class">
  <call-template name="enum">
    <with-param name="id">
      <choose>
        <when test="contains(iana:description,'(')">
          <value-of select="substring-before(substring-after(
            iana:description, '('), ')')"/>
        </when>
        <otherwise>
          <value-of
            select="substring-after(iana:description, ' ')" />
        </otherwise>
      </choose>
    </with-param>
  </call-template>

```

Lhotka & Spacek

Expires 25 November 2021

[Page 11]

Internet-Draft

iana-dns-class-rr-type-yang

May 2021

```

</template>

```

```

<template match="iana:record" mode="rr-type">
  <call-template name="enum">
    <with-param name="id" select="iana:type"/>
  </call-template>
</template>

```

```

<template match="iana:description">
  <text>          description&#xA;          </text>
  <value-of select="concat($dq, ., $dq, '&#xA;')"/>
</template>

```

```

<template match="iana:xref">
  <choose>
    <when test="@type='rfc'">
      <value-of
        select="concat('RFC ', substring-after(@data, 'rfc'))"/>
    </when>
    <when test="@type='person'">
      <apply-templates
        select="/iana:registry/iana:people/iana:person[
          @id=current()/@data]"/>
    </when>
    <when test="@type='text'">

```

```

    <value-of select="translate(., $dq, $sq)"/>
  </when>
  <otherwise>
    <value-of select="@data"/>
  </otherwise>
</choose>
<choose>
  <when test="position()=last()">
    <text>"&#xA;</text>
  </when>
  <otherwise>
    <text>&#xA;          - </text>
  </otherwise>
</choose>
</template>

<template match="iana:person">
  <value-of select="concat(iana:name, ' &lt;', iana:uri, '&gt;')"/>
</template>

</stylesheet>
<CODE ENDS>

```

Lhotka & Spacek

Expires 25 November 2021

[Page 12]

Internet-Draft

iana-dns-class-rr-type-yang

May 2021

Authors' Addresses

Ladislav Lhotka
 CZ.NIC
 Czech Republic

Email: ladislav.lhotka@nic.cz

Petr Spacek
 Internet Systems Consortium
 Czech Republic

Email: pspacek@isc.org

