

Workgroup: Building Blocks for HTTP APIs
Internet-Draft:
draft-ietf-httpapi-link-template-00
Published: 28 April 2022
Intended Status: Standards Track
Expires: 30 October 2022
Authors: M. Nottingham

The Link-Template HTTP Header Field

Abstract

This specification defines the Link-Template HTTP header field, providing a means for describing the structure of a link between two resources, so that new links can be generated.

About This Document

This note is to be removed before publishing as an RFC.

The latest revision of this draft can be found at <https://ietf-wg-httpapi.github.io/link-template/draft-ietf-httpapi-link-template.html>. Status information for this document may be found at <https://datatracker.ietf.org/doc/draft-ietf-httpapi-link-template/>.

Discussion of this document takes place on the Building Blocks for HTTP APIs Working Group mailing list (<mailto:httpapi@ietf.org>), which is archived at <https://mailarchive.ietf.org/arch/browse/httpapi/>.

Source for this draft and an issue tracker can be found at <https://github.com/ietf-wg-httpapi/link-template>.

Status of This Memo

This Internet-Draft is submitted in full conformance with the provisions of BCP 78 and BCP 79.

Internet-Drafts are working documents of the Internet Engineering Task Force (IETF). Note that other groups may also distribute working documents as Internet-Drafts. The list of current Internet-Drafts is at <https://datatracker.ietf.org/drafts/current/>.

Internet-Drafts are draft documents valid for a maximum of six months and may be updated, replaced, or obsoleted by other documents at any time. It is inappropriate to use Internet-Drafts as reference material or to cite them other than as "work in progress."

This Internet-Draft will expire on 30 October 2022.

Copyright Notice

Copyright (c) 2022 IETF Trust and the persons identified as the document authors. All rights reserved.

This document is subject to BCP 78 and the IETF Trust's Legal Provisions Relating to IETF Documents (<https://trustee.ietf.org/license-info>) in effect on the date of publication of this document. Please review these documents carefully, as they describe your rights and restrictions with respect to this document. Code Components extracted from this document must include Revised BSD License text as described in Section 4.e of the Trust Legal Provisions and are provided without warranty as described in the Revised BSD License.

Table of Contents

- [1. Introduction](#)
 - [1.1. Notational Conventions](#)
- [2. The Link-Template Header Field](#)
 - [2.1. The 'var-base' parameter](#)
- [3. Security Considerations](#)
- [4. IANA Considerations](#)
- [5. Normative References](#)
- [Author's Address](#)

1. Introduction

[[URI-TEMPLATE](#)] defines a syntax for templates that, when expanded using a set of variables, results in a URI [[URI](#)].

This specification defines a HTTP header field [[HTTP](#)] for conveying templates for links in the headers of a HTTP message. It is complimentary to the Link header field defined in [Section 3](#) of [[WEB-LINKING](#)], which carries links directly.

1.1. Notational Conventions

The key words "MUST", "MUST NOT", "REQUIRED", "SHALL", "SHALL NOT", "SHOULD", "SHOULD NOT", "RECOMMENDED", "NOT RECOMMENDED", "MAY", and "OPTIONAL" in this document are to be interpreted as described in BCP 14 [[RFC2119](#)] [[RFC8174](#)] when, and only when, they appear in all capitals, as shown here.

This document uses the Augmented BNF defined in [[HTTP](#)] to specify valid protocol elements. Additionally, it uses the modified "parameter" rule from [[RFC5987](#)] and the "URI-Template" rule from [[URI-TEMPLATE](#)].

2. The Link-Template Header Field

The Link-Template header field provides a means for serialising one or more links into HTTP message metadata. It is semantically equivalent to the Link header field defined in [Section 3](#) of [\[WEB-LINKING\]](#), except that it uses URI Templates [\[URI-TEMPLATE\]](#) to convey the structure of links.

```
Link-Template = "Link-Template" ":" #templated-link
templated-link = "<" URI-Template ">" *( ";" parameter )
```

For example:

```
Link-Template: </{username}>; rel="https://example.org/rel/user"
```

indicates that a resource with the relation type "https://example.org/rel/user" can be found by interpolating the "username" variable into the template given.

The target for the link (as defined in [Section 2](#) of [\[WEB-LINKING\]](#)) is the result of expanding the URI Template [\[URI-TEMPLATE\]](#) (being converted to an absolute URI after expansion, if necessary).

The context, relation type and target attributes for the link are determined as defined for the Link header field in [Section 3](#) of [\[WEB-LINKING\]](#).

Parameters on a templated-link have identical semantics to those of a Link header field. This includes (but is not limited to) the use of the "rel" parameter to convey the relation type, the "anchor" parameter to modify the context IRI, and so on.

Likewise, the requirements for parameters on templated-links are the same as those for a Link header field; in particular, the "rel" parameter **MUST NOT** appear more than once, and if it does, the templated-link **MUST** be ignored by parsers.

This specification defines additional semantics for the "var-base" parameter on templated-links; see below.

2.1. The 'var-base' parameter

When a templated-link has a 'var-base' parameter, its value conveys a URI-reference that is used as a base URI for the variable names in the URI template. This allows template variables to be globally identified, rather than specific to the context of use.

Dereferencing the URI for a particular variable might lead to more information about the syntax or semantics of that variable; specification of particular formats for this information is out of scope for this document.

To determine the URI for a given variable, the value given is used as a base URI in reference resolution (as specified in [URI]). If the resulting URI is still relative, the context of the link is used as the base URI in a further resolution; see [WEB-LINKING].

For example:

```
Link-Template: </widgets/{widget_id}>;
               rel="https://example.org/rel/widget";
               var-base="https://example.org/vars/"
```

indicates that a resource with the relation type "https://example.org/rel/widget" can be found by interpolating the "https://example.org/vars/widget_id" variable into the template given.

If the current context of the message that the header appears within is "https://example.org/", the same information could be conveyed by this header field:

```
Link-Template: </widgets/{widget_id}>;
               rel="https://example.org/rel/widget";
               var-base="/vars/"
```

3. Security Considerations

The security consideration for the Link header field in [WEB-LINKING] and those for URI Templates [URI-TEMPLATE] both apply.

4. IANA Considerations

This specification enters the "Link-Template" into the Hypertext Transfer Protocol (HTTP) Field Name Registry.

Field Name: Link-Template

Status: permanent

Specification document: [this document]

5. Normative References

[HTTP] Fielding, R. T., Nottingham, M., and J. Reschke, "HTTP Semantics", Work in Progress, Internet-Draft, draft-ietf-

httpbis-semantics-19, 12 September 2021, <<https://datatracker.ietf.org/doc/html/draft-ietf-httpbis-semantics-19>>.

- [RFC2119] Bradner, S., "Key words for use in RFCs to Indicate Requirement Levels", BCP 14, RFC 2119, DOI 10.17487/RFC2119, March 1997, <<https://www.rfc-editor.org/rfc/rfc2119>>.
- [RFC5987] Reschke, J., "Character Set and Language Encoding for Hypertext Transfer Protocol (HTTP) Header Field Parameters", RFC 5987, DOI 10.17487/RFC5987, August 2010, <<https://www.rfc-editor.org/rfc/rfc5987>>.
- [RFC8174] Leiba, B., "Ambiguity of Uppercase vs Lowercase in RFC 2119 Key Words", BCP 14, RFC 8174, DOI 10.17487/RFC8174, May 2017, <<https://www.rfc-editor.org/rfc/rfc8174>>.
- [URI] Berners-Lee, T., Fielding, R., and L. Masinter, "Uniform Resource Identifier (URI): Generic Syntax", STD 66, RFC 3986, DOI 10.17487/RFC3986, January 2005, <<https://www.rfc-editor.org/rfc/rfc3986>>.
- [URI-TEMPLATE] Gregorio, J., Fielding, R., Hadley, M., Nottingham, M., and D. Orchard, "URI Template", RFC 6570, DOI 10.17487/RFC6570, March 2012, <<https://www.rfc-editor.org/rfc/rfc6570>>.
- [WEB-LINKING] Nottingham, M., "Web Linking", RFC 8288, DOI 10.17487/RFC8288, October 2017, <<https://www.rfc-editor.org/rfc/rfc8288>>.

Author's Address

Mark Nottingham
Prahran
Australia

Email: mnot@mnot.net
URI: <https://www.mnot.net/>