

HTTPbis Working Group	J. F. Reschke
Internet-Draft	greenbytes
Updates: 2616 (if approved)	March 14, 2011
Intended status: Standards Track	
Expires: September 15, 2011	

Use of the Content-Disposition Header Field in the
Hypertext Transfer Protocol (HTTP)
draft-ietf-httpbis-content-disp-07

Abstract

RFC 2616 defines the Content-Disposition response header field, but points out that it is not part of the HTTP/1.1 Standard. This specification takes over the definition and registration of Content-Disposition, as used in HTTP, and clarifies internationalization aspects.

Editorial Note (To be removed by RFC Editor before publication)

This specification is expected to replace the definition of Content-Disposition in the HTTP/1.1 specification, as currently revised by the IETF HTTPbis working group. See also <http://trac.tools.ietf.org/wg/httpbis/trac/ticket/123>.

Discussion of this draft should take place on the HTTPBIS working group mailing list (ietf-http-wg@w3.org). The current issues list is at <http://trac.tools.ietf.org/wg/httpbis/trac/query?component=content-disp> and related documents (including fancy diffs) can be found at <http://tools.ietf.org/wg/httpbis/>.

The changes in this draft are summarized in [Appendix Appendix E.11](#).

Status of this Memo

This Internet-Draft is submitted in full conformance with the provisions of BCP 78 and BCP 79.

Internet-Drafts are working documents of the Internet Engineering Task Force (IETF). Note that other groups may also distribute working documents as Internet-Drafts. The list of current Internet-Drafts is at <http://datatracker.ietf.org/drafts/current/>.

Internet-Drafts are draft documents valid for a maximum of six months and may be updated, replaced, or obsoleted by other documents at any time. It is inappropriate to use Internet-Drafts as reference material or to cite them other than as "work in progress."

This Internet-Draft will expire on September 15, 2011.

Copyright Notice

Copyright (c) 2011 IETF Trust and the persons identified as the document authors. All rights reserved.

This document is subject to BCP 78 and the IETF Trust's Legal Provisions Relating to IETF Documents (<http://trustee.ietf.org/license-info>) in effect on the date of publication of this document. Please review these documents carefully, as they describe your rights and restrictions with respect to this document. Code Components extracted from this document must include Simplified BSD License text as described in Section 4.e of the Trust Legal Provisions and are provided without warranty as described in the Simplified BSD License.

[Table of Contents](#)

- *1. [Introduction](#)
- *2. [Notational Conventions](#)
- *3. [Conformance and Error Handling](#)
- *4. [Header Field Definition](#)
 - *4.1. [Grammar](#)
 - *4.2. [Disposition Type](#)
 - *4.3. [Disposition Parameter: 'Filename'](#)
 - *4.4. [Disposition Parameter: Extensions](#)
 - *4.5. [Extensibility](#)
- *5. [Examples](#)
- *6. [Internationalization Considerations](#)
- *7. [Security Considerations](#)
- *8. [IANA Considerations](#)
 - *8.1. [Registry for Disposition Values and Parameter](#)
 - *8.2. [Header Field Registration](#)
- *9. [Acknowledgements](#)
- *10. [References](#)
 - *10.1. [Normative References](#)
 - *10.2. [Informative References](#)
- *Appendix A. [Changes from the RFC 2616 Definition](#)

- *Appendix B. [Differences compared to RFC 2183](#)
- *Appendix C. [Alternative Approaches to Internationalization](#)
- *Appendix C.1. [RFC 2047 Encoding](#)
- *Appendix C.2. [Percent Encoding](#)
- *Appendix C.3. [Encoding Sniffing](#)
- *Appendix C.4. [Implementations \(to be removed by RFC Editor before publication\)](#)
- *Appendix D. [Advice on Generating Content-Disposition Header Fields](#)
- *Appendix E. [Change Log \(to be removed by RFC Editor before publication\)](#)
- *Appendix E.1. [Since draft-reschke-rfc2183-in-http-00](#)
- *Appendix E.2. [Since draft-reschke-rfc2183-in-http-01](#)
- *Appendix E.3. [Since draft-reschke-rfc2183-in-http-02](#)
- *Appendix E.4. [Since draft-reschke-rfc2183-in-http-03](#)
- *Appendix E.5. [Since draft-ietf-httpbis-content-disp-00](#)
- *Appendix E.6. [Since draft-ietf-httpbis-content-disp-01](#)
- *Appendix E.7. [Since draft-ietf-httpbis-content-disp-02](#)
- *Appendix E.8. [Since draft-ietf-httpbis-content-disp-03](#)
- *Appendix E.9. [Since draft-ietf-httpbis-content-disp-04](#)
- *Appendix E.10. [Since draft-ietf-httpbis-content-disp-05](#)
- *Appendix E.11. [Since draft-ietf-httpbis-content-disp-06](#)
- *[Author's Address](#)

1. Introduction

RFC 2616 defines the Content-Disposition response header field in Section 19.5.1 of [\[RFC2616\]](#), but points out that it is not part of the HTTP/1.1 Standard (Section 15.5):

*Content-Disposition is not part of the HTTP standard, but since it is widely implemented, we are documenting its use and risks for implementers.

This specification takes over the definition and registration of Content-Disposition, as used in HTTP. Based on interoperability testing with existing User Agents, it fully defines a profile of the features defined in the Multipurpose Internet Mail Extensions (MIME) variant ([\[RFC2183\]](#)) of the header field, and also clarifies internationalization aspects.

*Note: this document does not apply to Content-Disposition header fields appearing in payload bodies transmitted over HTTP, such as when using the media type "multipart/form-data" ([\[RFC2388\]](#)).

2. Notational Conventions

The key words "MUST", "MUST NOT", "REQUIRED", "SHALL", "SHALL NOT", "SHOULD", "SHOULD NOT", "RECOMMENDED", "MAY", and "OPTIONAL" in this document are to be interpreted as described in [\[RFC2119\]](#). This specification uses the augmented BNF notation defined in Section 2.1 of [\[RFC2616\]](#), including its rules for implied linear whitespace (LWS).

3. Conformance and Error Handling

This specification defines conformance criteria for both senders (usually, HTTP origin servers) and recipients (usually, HTTP user agents) of the Content-Disposition header field. An implementation is considered conformant if it complies with all of the requirements associated with its role.

This specification also defines certain forms of the header field-value to be invalid, using both ABNF and prose requirements, but it does not define special handling of these invalid field-values.

Senders MUST NOT generate Content-Disposition header fields that are invalid.

Recipients MAY take steps to recover a usable field-value from an invalid header field, but SHOULD NOT reject the message outright, unless this is explicitly desirable behaviour (e.g., the implementation is a validator). As such, the default handling of invalid fields is to ignore them.

4. Header Field Definition

The Content-Disposition response header field is used to convey additional information about how to process the response payload, and also can be used to attach additional metadata, such as the filename to use when saving the response payload locally.

[4.1. Grammar](#)

```
content-disposition = "Content-Disposition" ":"  
                    disposition-type *( ";" disposition-parm )  
  
disposition-type    = "inline" | "attachment" | disp-ext-type  
                    ; case-insensitive  
disp-ext-type       = token  
  
disposition-parm    = filename-parm | disp-ext-parm  
  
filename-parm       = "filename" "=" value  
                    | "filename*" "=" ext-value  
  
disp-ext-parm       = token "=" value  
                    | ext-token "=" ext-value  
ext-token           = <the characters in token, followed by "*">
```

Defined in [\[RFC2616\]](#):

```
token               = <token, defined in [RFC2616], Section 2.2>  
quoted-string       = <quoted-string, defined in [RFC2616], Section 2.2>  
value               = <value, defined in [RFC2616], Section 3.6>  
                    ; token | quoted-string
```

Defined in [\[RFC5987\]](#):

```
ext-value           = <ext-value, defined in [RFC5987], Section 3.2>
```

Header field values with multiple instances of the same parameter name are invalid.

Note that due to the rules for implied linear whitespace (Section 2.1 of [\[RFC2616\]](#)), OPTIONAL whitespace can appear between words (token or quoted-string) and separator characters.

Furthermore note that the format used for ext-value allows specifying a natural language; this is of limited use for filenames and is likely to be ignored by recipients.

[4.2. Disposition Type](#)

If the disposition type matches "attachment" (case-insensitively), this indicates that the recipient should prompt the user to save the response locally, rather than process it normally (as per its media type).

On the other hand, if it matches "inline" (case-insensitively), this implies default processing. Therefore, the disposition type "inline" is only useful when it is augmented with additional parameters, such as the filename (see below).

Unknown or unhandled disposition types SHOULD be handled by recipients the same way as "attachment" (see also [\[RFC2183\]](#), Section 2.8).

4.3. Disposition Parameter: 'Filename'

The parameters "filename" and "filename*", to be matched case-insensitively, provide information on how to construct a filename for storing the message payload.

Depending on the disposition type, this information might be used right away (in the "save as..." interaction caused for the "attachment" disposition type), or later on (for instance, when the user decides to save the contents of the current page being displayed).

The parameters "filename" and "filename*" differ only in that "filename*" uses the encoding defined in [\[RFC5987\]](#), allowing the use of characters not present in the ISO-8859-1 character set ([\[ISO-8859-1\]](#)). Many user agent implementations predating this specification do not understand the "filename*" parameter. Therefore, when both "filename" and "filename*" are present in a single header field value, recipients SHOULD pick "filename*" and ignore "filename". This way, senders can avoid special-casing specific user agents by sending both the more expressive "filename*" parameter, and the "filename" parameter as fallback for legacy recipients (see [Section 5](#) for an example). It is essential that recipients treat the specified filename as advisory only, thus be very careful in extracting the desired information. In particular:

- *When the value contains path separator characters ("\" or "/"), recipients SHOULD ignore all but the last path segment. This prevents unintentional overwriting of well-known file system locations (such as "/etc/passwd").

- *Many platforms do not use Internet Media Types ([\[RFC2046\]](#)) to hold type information in the file system, but rely on filename extensions instead. Trusting the server-provided file extension could introduce a privilege escalation when the saved file is later opened (consider ".exe"). Thus, recipients SHOULD ensure that a file extension is used that is safe, optimally matching the media type of the received payload.

- *Recipients SHOULD strip or replace character sequences that are known to cause confusion both in user interfaces and in filenames, such as control characters and leading and trailing whitespace.

- *Other aspects recipients need to be aware of are names that have a special meaning in the file system or in shell commands, such as "." and "..", "~", "|", and also device names. Recipients SHOULD ignore or substitute names like these.

*Note: Many user agents do not properly handle the escape character "\" when using the quoted-string form. Furthermore, some user agents erroneously try to perform unescaping of "percent" escapes (see [Appendix Appendix C.2](#)), and thus might misinterpret filenames containing the percent character followed by two hex digits.

[4.4. Disposition Parameter: Extensions](#)

To enable future extensions, recipients SHOULD ignore unrecognized parameters (see also [\[RFC2183\]](#), Section 2.8).

[4.5. Extensibility](#)

Note that Section 9 of [\[RFC2183\]](#) defines IANA registries both for disposition types and disposition parameters. This registry is shared by different protocols using Content-Disposition, such as MIME and HTTP. Therefore, not all registered values may make sense in the context of HTTP.

[5. Examples](#)

Direct UA to show "save as" dialog, with a filename of "example.html":

```
Content-Disposition: Attachment; filename=example.html
```

Direct UA to behave as if the Content-Disposition header field wasn't present, but to remember the filename "an example.html" for a subsequent save operation:

```
Content-Disposition: INLINE; FILENAME= "an example.html"
```

Note: this uses the quoted-string form so that the space character can be included.

Direct UA to show "save as" dialog, with a filename containing the Unicode character U+20AC (EURO SIGN):

```
Content-Disposition: attachment;  
                    filename*= UTF-8' '%e2%82%ac%20rates
```

Here, the encoding defined in [\[RFC5987\]](#) is also used to encode the non-ISO-8859-1 character.

Same as above, but adding the "filename" parameter for compatibility with user agents not implementing RFC 5987:

```
Content-Disposition: attachment;  
    filename="EURO rates";  
    filename*=utf-8'%e2%82%ac%20rates
```

Note: those user agents that do not support the RFC 5987 encoding ignore "filename*" when it occurs after "filename".

[6. Internationalization Considerations](#)

The "filename*" parameter ([Section 4.3](#)), using the encoding defined in [\[RFC5987\]](#), allows the server to transmit characters outside the ISO-8859-1 character set, and also to optionally specify the language in use.

Future parameters might also require internationalization, in which case the same encoding can be used.

[7. Security Considerations](#)

Using server-supplied information for constructing local filenames introduces many risks. These are summarized in [Section 4.3](#).

Furthermore, implementers also ought to be aware of the Security Considerations applying to HTTP (see Section 15 of [\[RFC2616\]](#)), and also the parameter encoding defined in [\[RFC5987\]](#) (see Section 5).

[8. IANA Considerations](#)

[8.1. Registry for Disposition Values and Parameter](#)

This specification does not introduce any changes to the registration procedures for disposition values and parameters that are defined in Section 9 of [\[RFC2183\]](#).

[8.2. Header Field Registration](#)

This document updates the definition of the Content-Disposition HTTP header field in the permanent HTTP header field registry (see [\[RFC3864\]](#)).

Header field name: Content-Disposition

Applicable protocol: http

Status: standard

Author/Change controller: IETF

Specification document: this specification ([Section 4](#))

9. Acknowledgements

Thanks to Adam Barth, Rolf Eike Beer, Bjoern Hoehrmann, Alfred Hoenes, Roar Lauritzsen, Henrik Nordstrom, and Mark Nottingham for their valuable feedback.

10. References

10.1. Normative References

[RFC2119]	Bradner, S. , " Key words for use in RFCs to Indicate Requirement Levels ", BCP 14, RFC 2119, March 1997.
[RFC2616]	Fielding, R. , Gettys, J. , Mogul, J. , Frystyk, H. , Masinter, L. , Leach, P. and T. Berners-Lee , " Hypertext Transfer Protocol -- HTTP/1.1 ", RFC 2616, June 1999.
[RFC5987]	Reschke, J. F. , " Character Set and Language Encoding for Hypertext Transfer Protocol (HTTP) Header Field Parameters ", RFC 5987, August 2010.
[ISO-8859-1]	International Organization for Standardization, "Information technology -- 8-bit single-byte coded graphic character sets -- Part 1: Latin alphabet No. 1", ISO/IEC 8859-1:1998, 1998.

10.2. Informative References

[RFC2046]	Freed, N. and N. Borenstein , " Multipurpose Internet Mail Extensions (MIME) Part Two: Media Types ", RFC 2046, November 1996.
[RFC2047]	Moore, K. , " MIME (Multipurpose Internet Mail Extensions) Part Three: Message Header Extensions for Non-ASCII Text ", RFC 2047, November 1996.
[RFC2183]	Troost, R. , Dorner, S. and K. Moore , " Communicating Presentation Information in Internet Messages: The Content-Disposition Header Field ", RFC 2183, August 1997.
[RFC2231]	Freed, N. and K. Moore , " MIME Parameter Value and Encoded Word Extensions: Character Sets, Languages, and Continuations ", RFC 2231, November 1997.
[RFC2388]	Masinter, L. , " Returning Values from Forms: multipart/form-data ", RFC 2388, August 1998.
[RFC3864]	Klyne, G. , Nottingham, M. and J. Mogul , " Registration Procedures for Message Header Fields ", BCP 90, RFC 3864, September 2004.
[RFC3986]	Berners-Lee, T. , Fielding, R. and L. Masinter , " Uniform Resource Identifier (URI): Generic Syntax ", STD 66, RFC 3986, January 2005.

[Appendix A. Changes from the RFC 2616 Definition](#)

Compared to Section 19.5.1 of [\[RFC2616\]](#), the following normative changes reflecting actual implementations have been made:

- *According to RFC 2616, the disposition type "attachment" only applies to content of type "application/octet-stream". This restriction has been removed, because recipients in practice do not check the content type, and it also discourages properly declaring the media type.
- *RFC 2616 only allows "quoted-string" for the filename parameter. This would be an exceptional parameter syntax, and also doesn't reflect actual use.
- *The definition for the disposition type "inline" ([\[RFC2183\]](#), Section 2.1) has been re-added with a suggestion for its processing.
- *This specification requires support for the extended parameter encoding defined in [\[RFC5987\]](#).

[Appendix B. Differences compared to RFC 2183](#)

Section 2 of [\[RFC2183\]](#) defines several additional disposition parameters: "creation-date", "modification-date", "quoted-date-time", and "size". The majority of user agents does not implement these, thus they have been omitted from this specification.

[Appendix C. Alternative Approaches to Internationalization](#)

By default, HTTP header field parameters cannot carry characters outside the ISO-8859-1 ([\[ISO-8859-1\]](#)) character encoding (see [\[RFC2616\]](#), Section 2.2). For the "filename" parameter, this of course is an unacceptable restriction. Unfortunately, user agent implementers have not managed to come up with an interoperable approach, although the IETF Standards Track specifies exactly one solution ([\[RFC2231\]](#), clarified and profiled for HTTP in [\[RFC5987\]](#)). For completeness, the sections below describe the various approaches that have been tried, and explains how they are inferior to the RFC 5987 encoding used in this specification.

[Appendix C.1. RFC 2047 Encoding](#)

RFC 2047 defines an encoding mechanism for header fields, but this encoding is not supposed to be used for header field parameters - see Section 5 of [\[RFC2047\]](#):

- *An 'encoded-word' MUST NOT appear within a 'quoted-string'.

* ...

*An 'encoded-word' MUST NOT be used in parameter of a MIME Content-Type or Content-Disposition field, or in any structured field body except within a 'comment' or 'phrase'.

In practice, some user agents implement the encoding, some do not (exposing the encoded string to the user), and some get confused by it.

[Appendix C.2. Percent Encoding](#)

Some user agents accept percent encoded ([\[RFC3986\]](#), Section 2.1) sequences of characters. The character encoding being used for decoding depends on various factors, including the encoding of the referring page, the user agent's locale, its configuration, and also the actual value of the parameter.

In practice, this is hard to use because those user agents that do not support it will display the escaped character sequence to the user. For those user agents that do implement this it is difficult to predict what character encoding they actually expect.

[Appendix C.3. Encoding Sniffing](#)

Some user agents inspect the value (which defaults to ISO-8859-1 for the quoted-string form) and switch to UTF-8 when it seems to be more likely to be the correct interpretation.

As with the approaches above, this is not interoperable and furthermore risks misinterpreting the actual value.

[Appendix C.4. Implementations \(to be removed by RFC Editor before publication\)](#)

Unfortunately, as of March 2011, neither the encoding defined in RFCs 2231 and 5987, nor any of the alternate approaches discussed above was implemented interoperably. Thus, this specification recommends the approach defined in RFC 5987, which at least has the advantage of actually being specified properly.

The table below shows the implementation support for the various approaches:

User Agent	RFC 2231/5987	RFC 2047	Percent Encoding	Encoding Sniffing
Chrome	yes	yes	yes	yes
Firefox	yes (*)	yes	no	yes
Internet Explorer	yes (**)	no	yes	no
Konqueror	yes	no	no	no

User Agent	RFC 2231/5987	RFC 2047	Percent Encoding	Encoding Sniffing
Opera	yes	no	no	no
Safari	no	no	no	yes

(*) Does not implement the fallback behavior to "filename" described in [Section 4.3](#); a fix is planned for Firefox 5.

(**) Starting with IE9RC, but only implements UTF-8.

[Appendix D. Advice on Generating Content-Disposition Header Fields](#)

To successfully interoperate with existing and future user agents, senders of the Content-Disposition header field are advised to:

- *Include a "filename" parameter when US-ASCII is sufficiently expressive.

- *Use the 'token' form of the filename parameter only when it does not contain disallowed characters (e.g., spaces); in such cases, the quoted-string form should be used.

- *Avoid including the percent character followed by two hexadecimal characters (e.g., %A9) in the filename parameter, since some existing implementations consider it to be an escape character, while others will pass it through unchanged.

- *Avoid including the "\" character in the quoted-string form of the filename parameter, as escaping is not implemented by some user agents, and can be considered as an illegal path character.

- *Avoid using non-ASCII characters in the filename parameter. Although most existing implementations will decode them as ISO-8859-1, some will apply heuristics to detect UTF-8, and thus might fail on certain names.

- *Include a "filename*" parameter where the desired filename cannot be expressed faithfully using the "filename" form. Note that legacy user agents will not process this, and will fall back to using the "filename" parameter's content.

- *When a "filename*" parameter is sent, to also generate a "filename" parameter as a fallback for user agents that do not support the "filename*" form, if possible. This can be done by substituting characters with US-ASCII sequences (e.g., Unicode character point U+00E4 (LATIN SMALL LETTER A WITH DIAERESIS) by "ae"). Note that this may not be possible in some locales.

- *When a "filename" parameter is included as a fallback (as per above), "filename" should occur first, due to parsing problems in some existing implementations.

Use UTF-8 as the encoding of the "filename" parameter, when present, because at least one existing implementation only implements that encoding.

Note that this advice is based upon UA behaviour at the time of writing, and might be superseded. <http://purl.org/NET/http/content-disposition-tests> provides an overview of current levels of support in various implementations.

Appendix E. Change Log (to be removed by RFC Editor before publication)

Note: the issues names in the change log entries for draft-reschke-rfc2183-in-http refer to <http://greenbytes.de/tech/webdav/draft-reschke-rfc2183-in-http-issues.html>.

Appendix E.1. Since draft-reschke-rfc2183-in-http-00

Adjust terminology ("header" -> "header field"). Update rfc2231-in-http reference.

Appendix E.2. Since draft-reschke-rfc2183-in-http-01

Update rfc2231-in-http reference. Actually define the "filename" parameter. Add internationalization considerations. Add examples using the RFC 5987 encoding. Add overview over other approaches, plus a table reporting implementation status. Add and resolve issue "nodep2183". Add issues "asciivsiso", "deplboth", "quoted", and "registry".

Appendix E.3. Since draft-reschke-rfc2183-in-http-02

Add and close issue "docfallback". Close issues "asciivsiso", "deplboth", "quoted", and "registry".

Appendix E.4. Since draft-reschke-rfc2183-in-http-03

Updated to be a Working Draft of the IETF HTTPbis Working Group.

Appendix E.5. Since draft-ietf-httpbis-content-disp-00

Closed issues:

*<http://tools.ietf.org/wg/httpbis/trac/ticket/242>: "handling of unknown disposition types"

Slightly updated the notes about the proposed fallback behavior.

Appendix E.6. Since draft-ietf-httpbis-content-disp-01

Various editorial improvements.

[Appendix E.7. Since draft-ietf-httpbis-content-disp-02](#)

Closed issues:

- *<http://tools.ietf.org/wg/httpbis/trac/ticket/244>: "state that repeating parameters are invalid"
- *<http://tools.ietf.org/wg/httpbis/trac/ticket/245>: "warn about %xx in filenames being misinterpreted"
- *<http://tools.ietf.org/wg/httpbis/trac/ticket/246>: "mention control chars when talking about postprocessing the filename parameter"

Update [Appendix C.4](#); Opera 10.63 RC implements the recommended fallback behavior.

[Appendix E.8. Since draft-ietf-httpbis-content-disp-03](#)

Closed issues:

- *<http://tools.ietf.org/wg/httpbis/trac/ticket/252>: "'modification-date' *is* implemented in Konq 4.5"
- *<http://tools.ietf.org/wg/httpbis/trac/ticket/253>: "clarify what LWS means for the Content-Disp grammar"
- *<http://tools.ietf.org/wg/httpbis/trac/ticket/258>: "Avoid passive voice in message requirements"
- *<http://tools.ietf.org/wg/httpbis/trac/ticket/263>: "text about historical percent-decoding unclear"
- *<http://tools.ietf.org/wg/httpbis/trac/ticket/264>: "add explanation of language tagging"
- *<http://tools.ietf.org/wg/httpbis/trac/ticket/265>: "Clarify that C-D spec does not apply to multipart upload"

[Appendix E.9. Since draft-ietf-httpbis-content-disp-04](#)

Updated implementation information (Chrome 9 implements RFC 5987, IE 9 RC implements it for UTF-8 only).

Clarify who requirements are on, add a section discussing conformance and handling of invalid field values in general.

Closed issues:

- *<http://trac.tools.ietf.org/wg/httpbis/trac/ticket/243>: "avoid stating ISO-8859-1 default for header param" (the default is still mentioned, but it was clarified what it applies to).

*<http://tools.ietf.org/wg/httpbis/trac/ticket/272>: "Path Separator Characters"

[Appendix E.10. Since draft-ietf-httpbis-content-disp-05](#)

Editorial changes: Fixed two typos where the new Conformance section said "Content-Location" instead of "Content-Disposition". Cleaned up terminology ("user agent", "recipient", "sender", "message body", ...). Stated what the escape character for quoted-string is. Explained a use case for "inline" disposition type. Updated implementation notes with respect to the fallback behavior.

Added appendix "Advice on Generating Content-Disposition Header Fields".

[Appendix E.11. Since draft-ietf-httpbis-content-disp-06](#)

Closed issues:

*<http://trac.tools.ietf.org/wg/httpbis/trac/ticket/278>:
"conformance language"

[Author's Address](#)

Julian F. Reschke Reschke greenbytes GmbH Hafenweg 16 Muenster, NW
48155 Germany EMail: julian.reschke@greenbytes.de URI: [http://
greenbytes.de/tech/webdav/](http://greenbytes.de/tech/webdav/)