

INTERNET-DRAFT

<[draft-ietf-ipp-job-prog-01.txt](#)>

Category: standards track

T. Hastings  
Xerox Corporation  
H. Lewis  
IBM Printing Company  
R. Bergman  
Hitachi Koki Imaging Solutions  
August 30, 2000

Internet Printing Protocol (IPP):  
Job Progress Attributes

Copyright (C) The Internet Society (2000). All Rights Reserved.

Status of this Memo

This document is an Internet-Draft and is in full conformance with all provisions of [Section 10 of \[RFC2026\]](#). Internet-Drafts are working documents of the Internet Engineering Task Force (IETF), its areas, and its working groups. Note that other groups may also distribute working documents as Internet-Drafts.

Internet-Drafts are draft documents valid for a maximum of six months and may be updated, replaced, or obsoleted by other documents at any time. It is inappropriate to use Internet-Drafts as reference material or to cite them other than as "work in progress".

The list of current Internet-Drafts can be accessed at  
<http://www.ietf.org/ietf/lid-abstracts.txt>

The list of Internet-Draft Shadow Directories can be accessed as  
<http://www.ietf.org/shadow.html>.

Abstract

This document defines four new Job Description attributes for monitoring job progress to be registered as extensions to IPP/1.0 [[RFC2566](#)] and IPP/1.1 [[ipp-mod](#)]. These attributes are drawn from the PWG Job Monitoring MIB [[rfc2707](#)]. The new Job Description attributes are:

- "job-collation-type" (type2 enum)
- "sheet-completed-copy-number" (integer(0:MAX))
- "sheet-completed-document-number" (integer(0:MAX))
- "impressions-completed-current-copy" (integer(0:MAX))

This document also defines a new "sheet-collate" Job Template attribute to control sheet collation and to help with the interpretation of the job progress attributes. These new attributes may also be used by themselves in combination with the IPP/1.1 "job-impressions-completed"

attribute as useful job progress monitoring attributes and/or may be passed in an IPP Notification (see [[ipp-ntfy](#)]).

Expires March 1, 2001

INTERNET-DRAFT

IPP: Job Progress Attributes

August 30, 2000

The full set of IPP documents includes:

- Design Goals for an Internet Printing Protocol [[RFC2567](#)]
- Rationale for the Structure and Model and Protocol for the Internet Printing Protocol [[RFC2568](#)]
- Internet Printing Protocol/1.1: Model and Semantics [[ipp-mod](#)]
- Internet Printing Protocol/1.1: Encoding and Transport [[ipp-pro](#)]
- Internet Printing Protocol/1.1: Implementer's Guide [[ipp-iig](#)]
- Mapping between LPD and IPP Protocols [[RFC2569](#)]
- Internet Printing Protocol/1.0 & 1.1: Event Notification Specification [[ipp-ntfy](#)]

The "Design Goals for an Internet Printing Protocol" document takes a broad look at distributed printing functionality, and it enumerates real-life scenarios that help to clarify the features that need to be included in a printing protocol for the Internet. It identifies requirements for three types of users: end users, operators, and administrators. It calls out a subset of end user requirements that are satisfied in IPP/1.0. A few OPTIONAL operator operations have been added to IPP/1.1.

The "Rationale for the Structure and Model and Protocol for the Internet Printing Protocol" document describes IPP from a high level view, defines a roadmap for the various documents that form the suite of IPP specification documents, and gives background and rationale for the IETF working group's major decisions.

The "Internet Printing Protocol/1.1: Model and Semantics" document describes a simplified model with abstract objects, their attributes, and their operations that are independent of encoding and transport. It introduces a Printer and a Job object. The Job object optionally supports multiple documents per Job. It also addresses security,

internationalization, and directory issues.

The "Internet Printing Protocol/1.1: Encoding and Transport" document is a formal mapping of the abstract operations and attributes defined in the model document onto HTTP/1.1 [[RFC2616](#)]. It defines the encoding rules for a new Internet MIME media type called "application/ipp". This document also defines the rules for transporting over HTTP a message body whose Content-Type is "application/ipp". This document defines a new scheme named 'ipp' for identifying IPP printers and jobs.

The "Internet Printing Protocol/1.1: Implementer's Guide" document gives insight and advice to implementers of IPP clients and IPP objects. It is intended to help them understand IPP/1.1 and some of the considerations that may assist them in the design of their client and/or IPP object implementations. For example, a typical order of processing requests is given, including error checking. Motivation for some of the specification decisions is also included.

The "Mapping between LPD and IPP Protocols" document gives some advice to implementers of gateways between IPP and LPD (Line Printer Daemon) implementations.

Expires March 1, 2001

The "Event Notification Specification" document defines OPTIONAL operations that allow a client to subscribe to printing related events. Subscriptions include "Per-Job subscriptions" and "Per-Printer subscriptions". Subscriptions are modeled as Subscription objects. Four other operations are defined for subscription objects: get attributes, get subscriptions, renew a subscription, and cancel a subscription.

Expires March 1, 2001

## TABLE OF CONTENTS

<a href="#">1</a>	New Job Template attribute.....	<a href="#">5</a>
<a href="#">1.1</a>	"sheet-collate" (type2 keyword).....	<a href="#">5</a>
<a href="#">2</a>	IPP Job Description attributes for monitoring Job Progress.....	<a href="#">7</a>
<a href="#">2.1</a>	"job-collation-type" (type2 enum).....	<a href="#">10</a>
<a href="#">2.2</a>	"sheet-completed-copy-number" (integer(0:MAX)).....	<a href="#">11</a>
<a href="#">2.3</a>	"sheet-completed-document-number" (integer(0:MAX)).....	<a href="#">11</a>
<a href="#">2.4</a>	"impressions-completed-current-copy" (integer(0:MAX))....	<a href="#">12</a>
<a href="#">3</a>	Conformance Requirements.....	<a href="#">12</a>
<a href="#">4</a>	IANA Considerations.....	<a href="#">12</a>
<a href="#">5</a>	Internationalization Considerations.....	<a href="#">12</a>
<a href="#">6</a>	Security Considerations.....	<a href="#">12</a>
<a href="#">7</a>	References.....	<a href="#">12</a>
<a href="#">8</a>	Author's Addresses.....	<a href="#">13</a>
<a href="#">9</a>	Full Copyright Statement.....	<a href="#">14</a>

Expires March 1, 2001

INTERNET-DRAFT

IPP: Job Progress Attributes

August 30, 2000

## 1 New Job Template attribute

### 1.1 "sheet-collate" (type2 keyword)

Job Attribute	Printer: Default Value Attribute	Printer: Supported Values Attribute
sheet-collate (type2 keyword)	sheet-collate-default (type2 keyword)	sheet-collate- supported (1setOf type2 keyword)

This attribute specifies whether or not the media sheets of each copy of each printed document in a job are to be in sequence, when multiple copies of the document are specified by the 'copies' attribute.

Standard keyword values are:

'uncollated': each print-stream sheet is printed a number of times in succession equal to the value of the 'copies' attribute, followed by the next print-stream sheet.

'collated': each copy of each document is printed with the print-stream sheets in sequence, followed by the next document copy.

For example, suppose a document produces two media sheets as output, and "copies" is equal to '6', For the 'uncollated' case, six copies of the first media sheet are printed followed by six copies of the second media sheet. For the 'collated' case, one copy of each of the six sheets are printed followed by another copy of each of the six media sheets.

Whether the effect of sheet collation is achieved by placing copies of a document in multiple output bins or in the same output bin with implementation defined document separation is implementation dependent. Also whether it is achieved by making multiple passes over the job or by using an output sorter is implementation dependent.

Note: IPP/1.0 [[RFC2566](#)] and IPP/1.1 [[ipp-mod](#)] is silent on whether or not sheets within documents are collated. The "sheet-collate-supported" Printer attribute permits a Printer object to indicate whether or not it collates sheets with each document and whether it allows the client to control sheet collation. An implementation is able to indicate that it supports uncollated sheets, collated sheets, or both, using the 'uncollated', 'collated', or both 'uncollated' and 'collated' values, respectively.

This attribute is affected by "multiple-document-handling." The "multiple-document-handling" attribute describes the collation of documents, and the "sheet-collate" attribute describes the semantics of collating individual pages within a document. To better explain the interaction between these two attributes the term "set" is introduced. A "set" is a logical boundary between the delivered media sheets of a printed job. For-example, in the case of a ten page single document with collated pages and a request for 50 copies, each of the 50 printed

---

Expires March 1, 2001

copies of the document constitutes a "set." In the above example if the pages were uncollated, then 50 copies of each of the individual pages within the document would represent each "set".

The following table describes the interaction of "sheet-collate" with multiple document handling.

"sheet-	"multiple-	Semantics
---------	------------	-----------

collate"	document- handling"	
'collated'	'single- document'	Each copy of the concatenated documents, with their pages in sequence, represents a "set."
'collated'	'single- document-new- sheet'	Each copy of the concatenated documents, with their pages in sequence, represents a "set."
'collated'	'separate- documents- collated- copies'	Each copy of each separate document, with its pages in sequence, represents a "set."
'collated'	'separate- documents- uncollated- copies'	Each copy of each separate document, with its pages in sequence, represents a "set."
'uncollated'	'single- document'	Each media sheet of the document is printed a number of times equal to the "copies" attribute; which constitutes a "set."
'uncollated'	'single- document-new- sheet'	Each media sheet of the concatenated documents is printed a number of times equal to the "copies" attribute; which constitutes a "set."
'uncollated'	'separate- documents- collated- copies'	This is a degenerate case, and the printer object MUST reject the job and return the status, "client-error-conflicting-attributes."
'uncollated'	'separate- documents- uncollated- copies'	This is a degenerate case, and the printer object MUST reject the job and return the status "client-error-conflicting-attributes."

From the above table it is obvious that the implicit value of the "sheet-collate" attribute in a printer that does not support the "sheet-collate" attribute, is 'collated.' The semantics of "multiple-document-handling" are otherwise nonsensical in the case of separate documents.

---

Expires March 1, 2001

INTERNET-DRAFT

IPP: Job Progress Attributes

August 30, 2000

## 2 IPP Job Description attributes for monitoring Job Progress

The following IPP Job Description attributes are proposed to be added to IPP through the type2 registration procedures. They are useful for monitoring the progress of a job. They are also used at attributes in the notification content in a notification report [[ipp-ntfy](#)].

There are a number of Job Description attributes for monitoring the progress of a job. These objects and attributes count the number of K octets, impressions, sheets, and pages requested or completed. For impressions and sheets, "completed" means stacked, unless the implementation is unable to detect when each sheet is stacked, in which case stacked is approximated when processing of each sheet completes. There are objects and attributes for the overall job and for the current copy of the document currently being stacked. For the latter, the rate at which the various objects and attributes count depends on the sheet and document collation of the job.

Consider the following four Job Description attributes that are used to monitor the progress of a job's impressions:

- 1."job-impressions-completed" - counts the total number of impressions stacked for the job (see [[ipp-mod](#)] [section 4.3.18.2](#))
- 2."impressions-completed-current-copy" - counts the number of impressions stacked for the current document copy
- 3."sheet-completed-copy-number" - identifies the number of the copy for the current document being stacked where the first copy is 1.
- 4."sheet-completed-document-number" - identifies the current document within the job that is being stacked where the first document in a job is 1. NOTE: this attribute SHOULD NOT be implemented for implementations that only support one document per job.

For each of the three types of job collation, a job with three copies of two documents (1, 2), where each document consists of 3 impressions, the

four variables have the following values as each sheet is stacked for one-sided printing:

Hastings, Lewis, Bergman

[page 7]

---

Expires March 1, 2001

INTERNET-DRAFT

IPP: Job Progress Attributes

August 30, 2000

"job-collation-type" = 'uncollated-sheets(3)'

"job- impressions- completed"	"impressions- completed- current-copy"	"sheet- completed- copy-number"	"sheet- completed- document- number"
0	0	0	0
1	1	1	1
2	1	2	1
3	1	3	1
4	2	1	1
5	2	2	1
6	2	3	1
7	3	1	1
8	3	2	1
9	3	3	1

10	1	1	2
11	1	2	2
12	1	3	2
13	2	1	2
14	2	2	2
15	2	3	2
16	3	1	2
17	3	2	2
18	3	3	2

Expires March 1, 2001

INTERNET-DRAFT

IPP: Job Progress Attributes

August 30, 2000

"job-collation-type" = 'collated-documents(4)'

"job-  
impressions-  
completed"

"impressions-  
completed-  
current-copy"

"sheet-  
completed-  
copy-number"

"sheet-  
completed-  
document-  
number"

0	0	0	0
1	1	1	1
2	2	1	1
3	3	1	1
4	1	1	2
5	2	1	2
6	3	1	2
7	1	2	1
8	2	2	1
9	3	2	1
10	1	2	2
11	2	2	2
12	3	2	2
13	1	3	1
14	2	3	1
15	3	3	1
16	1	3	2
17	2	3	2
18	3	3	2

---

Expires March 1, 2001

INTERNET-DRAFT

IPP: Job Progress Attributes

August 30, 2000

"job-collation-type" = 'uncollated-documents(5)'

"job- impressions- completed"	"impressions- completed- current-copy"	"sheet- completed- copy-number"	"sheet- completed- document- number"
0	0	0	0
1	1	1	1
2	2	1	1
3	3	1	1
4	1	2	1
5	2	2	1
6	3	2	1
7	1	3	1
8	2	3	1
9	3	3	1
10	1	1	2
11	2	1	2
12	3	1	2
13	1	2	2
14	2	2	2
15	3	2	2
16	1	3	2
17	2	3	2
18	3	3	2

## [2.1](#) "job-collation-type" (type2 enum)

Job Collation includes sheet collation and document collation. Sheet collation is defined to be the ordering of sheets within a document copy. Document collation is defined to be ordering of document copies within a multi-document job. The value of the "job-collation-type" is affected by the value of the "sheet-collate" Job Template attribute (see [section 1.1](#)), if supplied and supported.

The Standard enum values are:

- '1' 'other': not one of the defined values
- '2' 'unknown': the collation type is unknown
- '3' 'uncollated-sheets': No collation of the sheets within each document copy, i.e., each sheet of a document that is to produce multiple copies is replicated before the next sheet in the document is processed and stacked. If the device has an output bin collator, the 'uncollated-sheets(3)' value may actually produce collated sheets as far as the user is concerned (in the output bins). However, when the job collation is the 'uncollated-sheets(3)' value, job progress is indistinguishable to a

Expires March 1, 2001

monitoring application between a device that has an output bin collator and one that does not.

- '4' 'collated-documents': Collation of the sheets within each document copy is performed within the printing device by making multiple passes over either the source or an intermediate representation of the document. In addition, when there are multiple documents per job, the i'th copy of each document is stacked before the j'th copy of each document, i.e., the documents are collated within each job copy. For example, if a job is submitted with documents, A and B, the job is made available to the end user as: A, B, A, B, ... The 'collated-documents(4)' value corresponds to the IPP [[ipp-mod](#)] 'separate-documents-collated-copies' keyword value of the "multiple-document-handling" attribute.

If the job's "copies" attribute is '1' (or not supplied), then the "job-collation-type" attribute is defined to be '4'.

'5' 'uncollated-documents': Collation of the sheets within each document copy is performed within the printing device by making multiple passes over either the source or an intermediate representation of the document. In addition, when there are multiple documents per job, all copies of the first document in the job are stacked before the any copied of the next document in the job, i.e., the documents are uncollated within the job. For example, if a job is submitted with documents, A and B, the job is mad available to the end user as: A, A, ..., B, B, .... The 'uncollated-documents(5)' value corresponds to the IPP [[ipp-mod](#)] 'separate-documents-uncollated-copies' keyword value of the "multiple-document-handling" attribute.

## [2.2](#) "sheet-completed-copy-number" (integer(0:MAX))

The number of the copy being stacked for the current document. This number starts at 0, is set to 1 when the first sheet of the first copy for each document is being stacked and is equal to n where n is the nth sheet stacked in the current document copy. If the value is unknown, the Printer MUST return the 'unknown' out-of-band value (see [[ipp-mod](#)] [section 4.1](#)), rather than the -2 value used in some MIBs [[rfc2707](#)].

## [2.3](#) "sheet-completed-document-number" (integer(0:MAX))

The ordinal number of the document in the job that is currently being stacked. This number starts at 0, increments to 1 when the first sheet of the first document in the job is being stacked, and is equal to n where n is the nth document in the job, starting with 1. If the value is unknown, the Printer MUST return the 'unknown' out-of-band value (see [[ipp-mod](#)] [section 4.1](#)), rather than the -2 value used in some MIBs [[rfc2707](#)].

Implementations that only support one document jobs SHOULD NOT implement this attribute.

#### [2.4](#) "impressions-completed-current-copy" (integer(0:MAX))

The number of impressions completed by the device for the current copy of the current document so far. For printing, the impressions completed includes interpreting, marking, and stacking the output. For other types of job services, the number of impressions completed includes the number of impressions processed. If the value is unknown, the Printer MUST return the 'unknown' out-of-band value (see [[ipp-mod](#)] [section 4.1](#)), rather than the -2 value used in some MIBs [[rfc2707](#)].

This value SHALL be reset to 0 for each document in the job and for each document copy.

### [3](#) Conformance Requirements

This section summarizes the Conformance Requirements detailed in the definitions in this document. In general each of the attributes defined in this document are OPTIONAL for a Printer to support, so that Printer implementers MAY implement any combination of attributes.

### [4](#) IANA Considerations

IANA will be called on to register the attributes defined in this document, using the procedures outlined in [[ipp-mod](#)].

### [5](#) Internationalization Considerations

The IPP extensions defined in this document require the same internationalization considerations as any of the Job Template and Job Descriptions attributes defined in IPP/1.1 [[ipp-mod](#)].

### [6](#) Security Considerations

The IPP extensions defined in this document require the same security considerations as any of the Job Template attributes and Job Descriptions attributes defined in IPP/1.1 [[ipp-mod](#)].

### [7](#) References

[[ipp-iig](#)]

Hastings, T., Manros, C., "Internet Printing Protocol/1.1: [draft-ietf-ipp-implementers-guide-v11-01.txt](#), work in progress, May 9,

2000.

[ipp-mod]

deBry, R., , Hastings, T., Herriot, R., Isaacson, S., Powell, P., "Internet Printing Protocol/1.1: Model and Semantics", <[draft-ietf-ipp-model-v11-07.txt](#)>, work in progress, May 22, 2000.

Hastings, Lewis, Bergman

[page 12]

---

Expires March 1, 2001

INTERNET-DRAFT          IPP: Job Progress Attributes          August 30, 2000

[ipp-ntfy]

Isaacson, S., Martin, J., deBry, R., Hastings, T., Shepherd, M., Bergman, R., " IPP Event Notification Specification", <[draft-ietf-ipp-not-spec-04.txt](#)>, work in progress, August 30, 2000.

[ipp-pro]

Herriot, R., Butler, S., Moore, P., Tuner, R., "Internet Printing Protocol/1.1: Encoding and Transport", [draft-ietf-ipp-protocol-v11-06.txt](#), May 30, 2000.

[RFC2565]

Herriot, R., Butler, S., Moore, P., Tuner, R., "Internet Printing Protocol/1.0: Encoding and Transport", [RFC 2565](#), April 1999.

[RFC2566]

deBry, R., , Hastings, T., Herriot, R., Isaacson, S., Powell, P., "Internet Printing Protocol/1.0: Model and Semantics", [RFC 2566](#), April 1999.

[RFC2567]

Wright, D., "Design Goals for an Internet Printing Protocol", [RFC 2567](#), April 1999.

[RFC2568]

Zilles, S., "Rationale for the Structure and Model and Protocol for the Internet Printing Protocol", [RFC 2568](#), April 1999.

[RFC2569]

Herriot, R., Hastings, T., Jacobs, N., Martin, J., "Mapping between LPD and IPP Protocols", [RFC 2569](#), April 1999.

[RFC2707]

Bergman, R., Hastings, T., Isaacson, S., Lewis, H. "PWG Job Monitoring MIB - V1", [RFC 2707](#), November, 1999.

## [8](#) Author's Addresses

Tom Hastings  
Xerox Corporation  
737 Hawaii St. ESAE 231  
El Segundo, CA 90245  
Phone: 310-333-6413  
Fax: 310-333-5514  
e-mail: [hastings@cp10.es.xerox.com](mailto:hastings@cp10.es.xerox.com)

Harry Lewis

Hastings, Lewis, Bergman

[page 13]

---

Expires March 1, 2001

INTERNET-DRAFT

IPP: Job Progress Attributes

August 30, 2000

IBM  
P.O. Box 1900  
Boulder, CO 80301-9191

Phone: (303) 924-5337  
FAX:  
e-mail: [harryl@us.ibm.com](mailto:harryl@us.ibm.com)

Ron Bergman (Editor)  
Hitachi Koki Imaging Solutions  
1757 Tapo Canyon Road  
Simi Valley, CA 93063-3394

Phone: 805-578-4421  
Fax: 805-578-4001  
Email: [rbergma@hitachi-hkis.com](mailto:rbergma@hitachi-hkis.com)

## 9 Full Copyright Statement

Copyright (C) The Internet Society (2000). All Rights Reserved.

This document and translations of it may be copied and furnished to others, and derivative works that comment on or otherwise explain it or assist in its implementation may be prepared, copied, published and distributed, in whole or in part, without restriction of any kind, provided that the above copyright notice and this paragraph are included on all such copies and derivative works. However, this document itself may not be modified in any way, such as by removing the copyright notice or references to the Internet Society or other Internet organizations, except as needed for the purpose of developing Internet standards in which case the procedures for copyrights defined in the Internet Standards process must be followed, or as required to translate it into languages other than English.

The limited permissions granted above are perpetual and will not be revoked by the Internet Society or its successors or assigns.

This document and the information contained herein is provided on an "AS IS" basis and THE INTERNET SOCIETY AND THE INTERNET ENGINEERING TASK FORCE DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY THAT THE USE OF THE INFORMATION HEREIN WILL NOT INFRINGE ANY RIGHTS OR ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

---

Expires March 1, 2001