JMAP Internet-Draft Intended status: Standards Track Expires: June 8, 2019

A JSON Meta Application Protocol (JMAP) Subprotocol for WebSocket draft-ietf-jmap-websocket-00

Abstract

This document defines a binding for the JSON Meta Application Protocol (JMAP) over a WebSocket transport layer. A WebSocket binding for JMAP provides higher performance than the current HTTP binding for JMAP.

Open Issues

o What mechanism should be used to allow the client to choose what types of objects for which is wishes to receive push notifications over the WS connection? Shoul this be done via a new method type or can it be done with header fields and/or query parameters on the WS handshake?

Status of This Memo

This Internet-Draft is submitted in full conformance with the provisions of <u>BCP 78</u> and <u>BCP 79</u>.

Internet-Drafts are working documents of the Internet Engineering Task Force (IETF). Note that other groups may also distribute working documents as Internet-Drafts. The list of current Internet-Drafts is at <u>https://datatracker.ietf.org/drafts/current/</u>.

Internet-Drafts are draft documents valid for a maximum of six months and may be updated, replaced, or obsoleted by other documents at any time. It is inappropriate to use Internet-Drafts as reference material or to cite them other than as "work in progress."

This Internet-Draft will expire on June 8, 2019.

Copyright Notice

Copyright (c) 2018 IETF Trust and the persons identified as the document authors. All rights reserved.

This document is subject to $\frac{\text{BCP }78}{\text{Provisions}}$ and the IETF Trust's Legal Provisions Relating to IETF Documents

(https://trustee.ietf.org/license-info) in effect on the date of publication of this document. Please review these documents carefully, as they describe your rights and restrictions with respect to this document. Code Components extracted from this document must include Simplified BSD License text as described in Section 4.e of the Trust Legal Provisions and are provided without warranty as described in the Simplified BSD License.

Table of Contents

$\underline{1}$. Introduction
2. Conventions Used in This Document
3. Discovering Support for JMAP over WebSocket 3
$\underline{4}$. JMAP Subprotocol
<u>4.1</u> . Handshake
<u>4.2</u> . WebSocket Messages
<u>4.3</u> . Examples
5. Security Considerations
<u>6</u> . IANA Considerations
6.1. Registration of the WebSocket JMAP Subprotocol
<u>7</u> . Acknowledgments
<u>7</u> . Acknowledgments <u>8</u> . References <u>8</u> . $10.23.23.23.23.23.23.23.23.23.23.23.23.23.$
Z. Acknowledgments Acknowledgments
7. Acknowledgments
7. Acknowledgments
7. Acknowledgments
7. Acknowledgments

1. Introduction

JMAP over HTTP requires that every JMAP API request be authenticated. Depending on the type of authentication used by the JMAP client and the configuration of the JMAP server, authentication could be an expensive operation both in time and resources. In such circumstances, authenticating every JMAP API request may harm performance.

The WebSocket binding for JMAP eliminates this performance hit by authenticating just the WebSocket handshake request and having those credentials remain in effect for the duration of the WebSocket connection.

Furthermore, the WebSocket binding for JMAP can optionally compress [<u>RFC7692</u>] JMAP API requests. Although compression of HTTP responses is ubiquitous, compression of HTTP requests has very low, if any deployment, and therefore isn't a viable option for JMAP API requests over HTTP.

[Page 2]

Internet-Draft

JMAP Over WebSocket

2. Conventions Used in This Document

The key words "MUST", "MUST NOT", "REQUIRED", "SHALL", "SHALL NOT", "SHOULD", "SHOULD NOT", "RECOMMENDED", "NOT RECOMMENDED", "MAY", and "OPTIONAL" in this document are to be interpreted as described in <u>BCP</u> <u>14</u> [<u>1</u>] [<u>RFC2119</u>] [<u>RFC8174</u>] when, and only when, they appear in all capitals, as shown here.

The same terminology is used in this document as in the core JMAP specification.

3. Discovering Support for JMAP over WebSocket

The capabilities object is returned as part of the standard JMAP Session object (see Section 2 of [<u>I-D.ietf-jmap-core</u>]). Servers supporting this specification MUST add a property called "urn:ietf:params:jmap:websocket" to the capabilities object. The value of this property is an object which MUST contain the following information on server capabilities:

wsUrl: "String" The URL to use for JMAP over WebSocket.

<u>4</u>. JMAP Subprotocol

The term WebSocket subprotocol refers to an application-level protocol layered on top of a WebSocket connection. This document specifies the WebSocket JMAP subprotocol for carrying JMAP API requests, responses, and push notifications through a WebSocket connection. Binary data MUST NOT be uploaded or downloaded through a WebSocket JMAP connection.

4.1. Handshake

The JMAP WebSocket client and JMAP WebSocket server negotiate the use of the WebSocket JMAP subprotocol during the WebSocket handshake, either via a HTTP/1.1 Upgrade request (see <u>Section 1.3 of [RFC6455]</u>) or a HTTP/2 Extended CONNECT request (see <u>Section 5 of [RFC8441]</u>).

Regardless of the method used for the WebSocket handshake, the client MUST make an authenticated [RFC7235] HTTP request on the JMAP 'wsURL' (Section 3), and the client MUST include the value 'jmap' in the list of protocols for the 'Sec-WebSocket-Protocol' header field. The reply from the server MUST also contain 'jmap' in its corresponding 'Sec-WebSocket-Protocol' header field in order for a JMAP subprotocol connection to be established.

If a client receives a handshake response that does not include 'jmap' in the 'Sec-WebSocket-Protocol' header, then a JMAP

[Page 3]

subprotocol WebSocket connection was not established and the client MUST close the WebSocket connection.

Once the handshake has successfully completed, the WebSocket connection is established and can be used for JMAP API requests, responses, and push notifications. Any other message types MUST NOT be transmitted over this connection.

The credentials used for authenticating the HTTP request to initiate the handshake remain in effect for the duration of the WebSocket connection.

<u>4.2</u>. WebSocket Messages

Data frame messages in the JMAP subprotocol MUST be of the text type and contain UTF-8 encoded data. The messages MUST be in the form of a single JMAP Request object (see Section 3.2 of [<u>I-D.ietf-jmap-core</u>]) when sent from the client to the server, and in the form of a single JMAP Response object, JSON Problem Details object, or JMAP StateChange object (see Sections <u>3.3</u>, <u>3.5.1</u>, and <u>7.1</u> respectively of [<u>I-D.ietf-jmap-core</u>]) when sent from the server to the client.

4.2.1. JMAP Requests

JMAP over WebSocket allows out of order processing of requests, thereby requiring a mechanism for the client to correlate requests and responses.

To this end, this specification adds one extra argument to the request object:

o *id*: "String" (default:) A client-specified identifier for the request.

Additionally, the "maxConcurrentRequests" field in the "capabilities" object (see Section 2 of [<u>I-D.ietf-jmap-core</u>]) limits the number of inflight requests over the WebSocket.

4.2.2. JMAP Responses

This specification adds two extra arguments to the Response object:

o *@type*: "String" A string having value "Response" to identify the JSON object as a JMAP Response.

Expires June 8, 2019

[Page 4]

o *requestId*: "String|null" The client-specified identifier in the corresponding request. If "null", no identifier was provided in the request.

4.2.3. JMAP Request-level Errors

This specification adds two extra arguments to the Problem Details object:

- o *@type*: "String" A string having value "RequestError" to identify the JSON object as a JSON Problem Details object.
- o *requestId*: "String|null" The client-specified identifier in the corresponding request. If "null", no identifier was provided in the request.

4.2.4. JMAP Push Notifications

This specification adds one extra argument to the StateChange object:

o *@type*: "String" A string having value "StateChange" to identify the JSON object as a JMAP StateChange object.

4.3. Examples

The following examples show WebSocket JMAP opening handshakes, a JMAP Core/echo request and response, and a subsequent closing handshake. The examples assume that the JMAP 'wsURL' has been advertised in the JMAP Session object as '/jmap/ws/'. Note that folding of header fields is for editorial purposes only.

WebSocket JMAP connection via HTTP/1.1:

[[From Client]]

[[From Server]]

GET /jmap/ws/ HTTP/1.1 Host: server.example.com Upgrade: websocket Connection: Upgrade Authorization: Basic Zm9vOmJhcg== Sec-WebSocket-Key: dGhlIHNhbXBsZSBub25jZQ== Sec-WebSocket-Protocol: jmap Sec-WebSocket-Version: 13 Origin: http://www.example.com

> HTTP/1.1 101 Switching Protocols Upgrade: websocket

Expires June 8, 2019

[Page 5]

```
Connection: Upgrade
                                    Sec-WebSocket-Accept:
                                      s3pPLMBiTxaQ9kYGzzhZRbK+x0o=
                                    Sec-WebSocket-Protocol: jmap
[WebSocket connection established]
WS_DATA
{
  "id": "R1",
  "using": [ "urn:ietf:params:jmap:core" ],
  "methodCalls": [
    [
      "Core/echo", {
       "hello": true,
        "high": 5
      },
      "b3ff"
    ]
  ]
}
                                    WS_DATA
                                    {
                                      "@type": "Response",
                                      "requestId": "R1",
                                      "methodResponses": [
                                        Γ
                                          "Core/echo", {
                                            "hello": true,
                                            "high": 5
                                          },
                                          "b3ff"
                                        ]
                                      ]
                                    }
WS_DATA
The quick brown fox jumps
over the lazy dog.
                                    WS_DATA
                                    {
                                      "@type": "RequestError",
                                      "requestId": "null",
                                      "type":
                              "urn:ietf:params:jmap:error:notJSON",
                                      "status": 400,
```

[Page 6]

```
"detail":
"The request did not parse as I-JSON."
}
WS_DATA
{
    "@type": "StateChange",
    "changed": {
        "a123": {
            "Ailbox": "0af7a512ce70",
        }
      }
}
```

WS_CLOSE

WS_CLOSE

[WebSocket connection closed]

Expires June 8, 2019 [Page 7]

JMAP Over WebSocket

WebSocket JMAP connection on a HTTP/2 stream which also negotiates compression [<u>RFC7692</u>]:

[[From Client]]

[[From Server]]

SETTINGS SETTINGS_ENABLE_CONNECT_PROTOCOL = 1

```
HEADERS + END_HEADERS
:method = CONNECT
:protocol = websocket
:scheme = https
:path = /jmap/
:authority = server.example.com
authorization = Basic Zm9vOmJhcg==
sec-websocket-protocol = jmap
sec-websocket-version = 13
sec-websocket-extensions =
permessage-deflate
origin = http://www.example.com
```

```
HEADERS + END_HEADERS
:status = 200
sec-websocket-protocol = jmap
sec-websocket-extensions =
    permessage-deflate
```

[WebSocket connection established]

DATA WS_DATA [compressed text]

```
DATA
WS_DATA
[compressed text]
```

. . .

DATA + END_STREAM WS_CLOSE

> DATA + END_STREAM WS_CLOSE

[WebSocket connection closed] [HTTP/2 stream closed]

[Page 8]

JMAP Over WebSocket

<u>5</u>. Security Considerations

The security considerations for both WebSocket (see <u>Section 10 of</u> [RFC6455]) and JMAP (see Section 8 of [I-D.ietf-jmap-core]) apply to the WebSocket JMAP subprotocol.

<u>6</u>. IANA Considerations

6.1. Registration of the WebSocket JMAP Subprotocol

This specification requests IANA to register the WebSocket JMAP subprotocol under the "WebSocket Subprotocol Name" Registry with the following data:

Subprotocol Identifier: JMAP

Subprotocol Common Name: WebSocket Transport for JMAP (JSON Meta Application Protocol)

Subprotocol Definition: RFCXXXX (this document)

7. Acknowledgments

The author would like to thank the following individuals for contributing their ideas and support for writing this specification: Neil Jenkins and Robert Mueller.

8. References

8.1. Normative References

- [I-D.ietf-jmap-core] Jenkins, N. and C. Newman, "JSON Meta Application Protocol", <u>draft-ietf-jmap-core-12</u> (work in progress), December 2018.
- [RFC2119] Bradner, S., "Key words for use in RFCs to Indicate Requirement Levels", <u>BCP 14</u>, <u>RFC 2119</u>, DOI 10.17487/RFC2119, March 1997, <<u>https://www.rfc-editor.org/info/rfc2119></u>.
- [RFC6455] Fette, I. and A. Melnikov, "The WebSocket Protocol", <u>RFC 6455</u>, DOI 10.17487/RFC6455, December 2011, <<u>https://www.rfc-editor.org/info/rfc6455</u>>.

Murchison Expires June 8, 2019 [Page 9]

- [RFC7235] Fielding, R., Ed. and J. Reschke, Ed., "Hypertext Transfer Protocol (HTTP/1.1): Authentication", <u>RFC 7235</u>, DOI 10.17487/RFC7235, June 2014, <<u>https://www.rfc-editor.org/info/rfc7235</u>>.
- [RFC8174] Leiba, B., "Ambiguity of Uppercase vs Lowercase in <u>RFC</u> 2119 Key Words", <u>BCP 14</u>, <u>RFC 8174</u>, DOI 10.17487/RFC8174, May 2017, <<u>https://www.rfc-editor.org/info/rfc8174</u>>.
- [RFC8441] McManus, P., "Bootstrapping WebSockets with HTTP/2", <u>RFC 8441</u>, DOI 10.17487/RFC8441, September 2018, <<u>https://www.rfc-editor.org/info/rfc8441</u>>.

8.2. Informative References

- [I-D.ietf-jmap-mail] Jenkins, N. and C. Newman, "JMAP for Mail", draft-ietfjmap-mail-12 (work in progress), December 2018.
- [RFC7692] Yoshino, T., "Compression Extensions for WebSocket", <u>RFC 7692</u>, DOI 10.17487/RFC7692, December 2015, <<u>https://www.rfc-editor.org/info/rfc7692</u>>.

8.3. URIS

[1] <u>https://tools.ietf.org/html/bcp14</u>

<u>Appendix A</u>. Change History (To be removed by RFC Editor before publication)

Changes since murchison-02:

- o Renamed as a JMAP WG document.
- o Allow out of order processing.
- o Allow push notifications.
- o Modified examples.
- o Add Security Considerations text.
- o Minor Editorial changes.

Changes since murchison-01:

o Updated WebSocket over HTTP/2 reference to <u>RFC8144</u>.

Murchison Expires June 8, 2019 [Page 10]

Changes since murchison-00:

- Fleshed out section on discovery of support for JMAP over WebSocket.
- o Allow JSON Problem Details objects to be returned by the server for toplevel errors.
- o Mentioned the ability to compress JMAP API requests.
- o Minor Editorial changes.

Author's Address

Kenneth Murchison FastMail US LLC 1429 Walnut Street - Suite 1201 Philadelphia, PA 19102 USA

Email: murch@fastmailteam.com

Murchison Expires June 8, 2019 [Page 11]