

MILE  
Internet-Draft  
Intended status: Informational  
Expires: May 24, 2015

C. Inacio  
CMU  
D. Miyamoto  
UTokyo  
November 20, 2014

MILE Implementation Report  
draft-ietf-mile-implementreport-01

## Abstract

This document is a collection of implementation reports from vendors, consortiums, and researchers who have implemented one or more of the standards published from the IETF INCident Handling (INCH) and Management Incident Lightweight Exchange (MILE) working groups.

## Status of This Memo

This Internet-Draft is submitted in full conformance with the provisions of [BCP 78](#) and [BCP 79](#).

Internet-Drafts are working documents of the Internet Engineering Task Force (IETF). Note that other groups may also distribute working documents as Internet-Drafts. The list of current Internet-Drafts is at <http://datatracker.ietf.org/drafts/current/>.

Internet-Drafts are draft documents valid for a maximum of six months and may be updated, replaced, or obsoleted by other documents at any time. It is inappropriate to use Internet-Drafts as reference material or to cite them other than as "work in progress."

This Internet-Draft will expire on May 24, 2015.

## Copyright Notice

Copyright (c) 2014 IETF Trust and the persons identified as the document authors. All rights reserved.

This document is subject to [BCP 78](#) and the IETF Trust's Legal Provisions Relating to IETF Documents (<http://trustee.ietf.org/license-info>) in effect on the date of publication of this document. Please review these documents carefully, as they describe your rights and restrictions with respect to this document. Code Components extracted from this document must include Simplified BSD License text as described in Section 4.e of the Trust Legal Provisions and are provided without warranty as described in the Simplified BSD License.

Internet-Draft

Abbreviated Title

November 2014

## Table of Contents

<a href="#">1.</a>	Introduction . . . . .	<a href="#">2</a>
<a href="#">2.</a>	Consortiums and Information Sharing and Analysis Centers (ISACs) . . . . .	<a href="#">3</a>
<a href="#">2.1.</a>	Anti-Phishing Working Group . . . . .	<a href="#">3</a>
<a href="#">2.2.</a>	Advanced Cyber Defence Centre (ACDC) . . . . .	<a href="#">3</a>
<a href="#">3.</a>	Open Source Implementations . . . . .	<a href="#">3</a>
<a href="#">3.1.</a>	EMC/RSA RID Agent . . . . .	<a href="#">3</a>
<a href="#">3.2.</a>	NICT IODEF-SCI implementation . . . . .	<a href="#">4</a>
<a href="#">4.</a>	Vendor Implementations . . . . .	<a href="#">4</a>
<a href="#">4.1.</a>	Deep Secure . . . . .	<a href="#">4</a>
<a href="#">4.2.</a>	IncMan Suite, DFLabs . . . . .	<a href="#">5</a>
<a href="#">4.3.</a>	Surevine Proof of Concept . . . . .	<a href="#">6</a>
<a href="#">4.4.</a>	MANTIS Cyber-Intelligence Management Framework . . . . .	<a href="#">7</a>
<a href="#">5.</a>	Vendors with Planned Support . . . . .	<a href="#">7</a>
<a href="#">5.1.</a>	Threat Central, HP . . . . .	<a href="#">7</a>
<a href="#">6.</a>	Other Implementations . . . . .	<a href="#">7</a>
<a href="#">6.1.</a>	Collaborative Incident Management System . . . . .	<a href="#">7</a>
<a href="#">6.2.</a>	n6 . . . . .	<a href="#">8</a>
<a href="#">7.</a>	Implementation Guide . . . . .	<a href="#">9</a>
<a href="#">7.1.</a>	Code Generators . . . . .	<a href="#">9</a>
<a href="#">7.2.</a>	Usability . . . . .	<a href="#">10</a>
<a href="#">8.</a>	Acknowledgements . . . . .	<a href="#">10</a>
<a href="#">9.</a>	IANA Considerations . . . . .	<a href="#">11</a>
<a href="#">10.</a>	Security Considerations . . . . .	<a href="#">11</a>
<a href="#">11.</a>	Informative References . . . . .	<a href="#">11</a>
	Authors' Addresses . . . . .	<a href="#">12</a>

[1.](#) Introduction

This document is a collection of implementation reports from vendors and researchers who have implemented one or more of the standards published from the INCH and MILE working groups. The standards include:

- o Incident Object Description Exchange Format (IODEF) v1, [RFC5070](#),
- o Incident Object Description Exchange Format (IODEF) v2, [RFC5070](#)-bis,
- o Extensions to the IODEF-Document Class for Reporting Phishing, [RFC5901](#)

- o Sharing Transaction Fraud Data, [RFC5941](#)
- o IODEF-extension for Structured Cybersecurity Information, RFCXXXX

Internet-Draft

Abbreviated Title

November 2014

- o Real-time Inter-network Defense (RID), [RFC6545](#)
- o Transport of Real-time Inter-network Defense (RID) Messages over HTTP/TLS, [RFC6546](#).

The implementation reports included in this document have been provided by the team or product responsible for the implementations of the mentioned RFCs. Additional submissions are welcome and should be sent to the draft editor. A more complete list of implementations, including open source efforts and vendor products, can also be found at the following location:

<http://siis.realmv6.org/implementations/>

## [2.](#) Consortiums and Information Sharing and Analysis Centers (ISACs)

### [2.1.](#) Anti-Phishing Working Group

Description of how IODEF is used will be provided in a future revision.

### [2.2.](#) Advanced Cyber Defence Centre (ACDC)

Description of how IODEF is used will be provided in a future revision. <http://www.botfree.eu/>

## [3.](#) Open Source Implementations

### [3.1.](#) EMC/RSA RID Agent

The EMC/RSA RID agent is an open source implementation of the Internet Engineering Task Force (IETF) standards for the exchange of incident and indicator data. The code has been released under an MIT license and development will continue with the open source community at the Github site for RSA Intelligence Sharing:

<https://github.com/RSAIntelShare/RID-Server.git>

The code implements the [RFC6545](#), Real-time Inter-network Defense (RID) and [RFC6546](#), Transport of RID over HTTP/TLS protocol. The code supports the evolving [RFC5070](#)-bis Incident Object Description Exchange Format (IODEF) data model from the work in the IETF working group Managed Incident Lightweight Exchange (MILE).

Inacio & Miyamoto

Expires May 24, 2015

[Page 3]

---

Internet-Draft

Abbreviated Title

November 2014

### [3.2.](#) NICT IODEF-SCI implementation

Japan's National Institute of Information and Communications Technology (NICT) Network Security Research Institute implemented open source tools for exchanging, accumulating, and locating IODEF-SCI documents.

Three tools are available in GitHub. They assist the exchange of IODEF-SCI documents between parties. IODEF-SCI is the IETF draft that extends IODEF so that IODEF document can embed structured cybersecurity information (SCI). For instance, it can embed MMDEF, CEE, MAEC in XML and CVE identifiers.

The three tools are generator, exchanger, and parser. The generator generates IODEF-SCI document or appends an XML to existing IODEF document. The exchanger sends the IODEF document to its correspondent node. The parser receives, parses, and stores the IODEF-SCI document. It also equips the interface that enable users to locate IODEF-SCI documents it has ever received. The code has been released under an MIT license and development will continue here.

Note that users can enjoy this software with their own responsibility.

Available Online:

<https://github.com/TakeshiTakahashi/IODEF-SCI>

## [4.](#) Vendor Implementations

### [4.1.](#) Deep Secure

Deep-Secure Guards are built to protect a trusted domain from:

- o releasing sensitive data that does not meet the organisational security policy
- o applications receiving badly constructed or malicious data which could exploit a vulnerability (known or unknown)

Deep-Secure Guards support HTTPS and XMPP (optimised server to server protocol) transports. The Deep-Secure Guards support transfer of XML based business content by creating a schema to translate the known good content to and from the intermediate format. This means that the Deep-Secure Guards can be used to protect:

- o IODEF/RID using the HTTPS transport binding ([RFC 6546](#))

- o IODEF/RID using an XMPP binding
- o ROLIE using HTTPS transport binding ([draft-field-mile-rolie-02](#))
- o STIX/TAXII using the HTTPS transport binding

Deep-Secure Guards also support the SMTP transport and perform deep content inspection of content including XML attachments. The Mail Guard supports S/MIME and Deep Secure are working on support for the upcoming PLASMA standard which enables information centric policy enforcement of data.

### [4.2.](#) IncMan Suite, DFLabs

The Incident Object Description Exchange Format, documented in the [RFC 5070](#), defines a data representation that provides a framework for sharing information commonly exchanged by Computer Security Incident Response Teams (CSIRTs) about computer security incidents. IncMan Suite implements the IODEF standard for exchanging details about incidents, either for exporting and importing activities. This has been introduced to enhance the capabilities of the various CSIRT, to facilitate collaboration and sharing of useful experiences, conveying

awareness on specific cases.

The IODEF implementation is specified as an XML schema, therefore all data are stored in an xml file: in this file all data of an incident are organized in a hierarchical structure to describe the various objects and their relationships.

IncMan Suite relies on IODEF as a transport format, composed by various classes for describing the entities which are part of the incident description: for instance the various relevant timestamps (detect time , start time, end time, report time), the techniques used by the intruders to perpetrate the incident, the impact of the incident, either technical and non-technical (time and monetary) and obviously all systems involved in the incident.

#### [4.2.1.](#) Exporting Incidents

Each incident defined in IncMan Suite can be exported via a User Interface feature and it will populate an xml document. Due to the nature of the data processed, the IODEF extraction might be considered privacy sensitive by the parties exchanging the information or by those described by it. For this reason, specific care needs to be taken in ensuring the distribution to an appropriate audience or third party, either during the document exchange and subsequent processing.

The xml document generated will include description and details of the incident along with all the systems involved and the related information. At this stage it can be distributed for import into a remote system.

#### [4.2.2.](#) Importing Incidents

IncMan Suite provides a functionality to import incidents stored in files and transported via IODEF-compliant xml documents. The importing process comprises of two steps: firstly, the file is inspected to validate if well formed, then all data are uploaded inside the system.

If an incident is already existing in the system with the same incident id, the new one being imported will be created under a new

id. This approach prevents from accidentally overwriting existing info or merging inconsistent data.

IncMan Suite includes also a feature to upload incidents from emails.

The incident, described in xml format, can be stored directly into the body of the email message or transported as an attachment of the email. At regular intervals, customizable by the user, IncMan Suite monitors for incoming emails, filtered by a configurable white-list and black-list mechanism on the sender's email account, then a parser processes the received email and a new incident is created automatically, after having validated the email body or the attachment to ensure it is a well formed format.

#### 4.3. Surevine Proof of Concept

XMPP is enhanced and extended through the XMPP Extension Protocols (or XEPs). XEP-0268 (<http://xmpp.org/extensions/xep-0268.html>) describes incident management (using IODEF) of the XMPP network itself, effectively supporting self-healing the XMPP network. In order to more generically cover incident management of a network and over a network, XEP-0268 requires some updates. We are working on these changes together with a new XEP that supports "social networking" over XMPP, enhancing the publish-and-subscribe XEP (XEP-0060). This now allows nodes to publish any type of content and subscribe to and therefore receive the content. XEP-0268 will be used to describe IODEF content. We now have an alpha version of the server-side software and client-side software required to demonstrate the "social networking" capability and are currently enhancing this to support Cyber Incident management in real-time.

#### 4.4. MANTIS Cyber-Intelligence Management Framework

MANTIS provides an example implementation of a framework for managing cyber threat intelligence expressed in standards such as STIX, CybOX, IODEF, etc. The aims of providing such an example implementation are:

- o To aide discussions about emerging standards such as STIX, CybOX

et al. with respect to questions regarding tooling: how would a certain aspect be implemented, how do changes affect an implementation? Such discussions become much easier and have a better basis if they can be lead in the context of example tooling that is known to the community.

- o To lower the entrance barrier for organizations and teams (esp. CERT teams) in using emerging standards for cyber-threat intelligence management and exchange.
- o To provide a platform on the basis of which research and community-driven development in the area of cyber-threat intelligence management can occur.

## 5. Vendors with Planned Support

### 5.1. Threat Central, HP

HP has developed HP Threat Central, a security intelligence platform that enables automated, real-time collaboration between organizations to combat today's increasingly sophisticated cyber attacks. One way automated sharing of threat indicators is achieved is through close integration with the HP ArcSight SIEM for automated upload and consumption of information from the Threat Central Server. In addition HP Threat Central supports open standards for sharing threat information so that participants who do not use HP Security Products can participate in the sharing ecosystem. General availability of Threat Central will be in 2014. It is planned that future versions also support IODEF for the automated upload and download of threat information.

## 6. Other Implementations

### 6.1. Collaborative Incident Management System

Collaborative Incident Management System (CIMS) is a proof-of-concept system for collaborative incident handling and for the sharing of cyber defence situational awareness information between the participants, developed for the Cyber Coalition 2013 (CC13) exercise organized by NATO. CIMS was implemented based on Request Tracker

response by many CERTs and CSIRTs.

One of the functionality implemented in CIMS was the ability to import and export IODEF messages in the body of emails. The intent was to verify the suitability of IODEF to achieve the objective of collaborative incident handling. The customized version of RT could be configured to send an email message containing an IODEF message whenever an incident ticket was created, modified or deleted. These IODEF messages would then be imported into other incident handling systems in order to allow participating CSIRTs to use their usual means for incident handling, while still interacting with those using the proof-of-concept CIMS. Having an IODEF message generated for every change made to the incident information in RT (and for the system to allow incoming IODEF email messages to be associated to an existing incident) would in some way allow all participating CSIRTs to actually work on a "common incident ticket", at least at the conceptual level. Of particular importance was the ability for users to exchange information between each other concerning actions taken in the handling of a particular incident, thus creating a sort of common action log, as well as requesting/tasking others to provide information or perform specified action and correlating received responses to the original request or tasking. As well, a specific "profile" was developed to identify a subset of the IODEF classes that would be used during the exercise, in an attempt to channel all users into a common usage pattern of the otherwise flexible IODEF standard.

## [6.2.](#) n6

n6 is a platform for processing security-related information, developed by NASK, CERT Polska. Its API provides a common and unified way of representing data across the different sources that participate in knowledge management.

n6 exposes a REST-ful API over HTTPS with mandatory authentication via TLS client certificates, to ensure confidential and trustworthy communications. Moreover, it uses an event-based data model for representation of all types of security information.

Each event is represented as a JSON object with a set of mandatory and optional attributes. It also supports alternative output data formats for keeping compatibility with existing systems - IODEF and CSV - although they lack some of the attributes that may be present in the native JSON format.

## [7.](#) Implementation Guide

The section aims at sharing the tips for development of IODEF-capable systems.

### [7.1.](#) Code Generators

For implementing IODEF-capable systems, it is feasible to employ code generators for XML Schema Document (XSD). The generators are used to save development costs since they automatically create useful libraries for accessing XML attributes, composing messages, and/or validating XML objects. The IODEF XSD was defined in [section 8 of RFC 5070](#), and is available at <http://www.iana.org/assignments/xml-registry/schema/iodef-1.0.xsd>.

However, there still remains some problem. Due to the complexity of IODEF XSD, some code generators could not generate from the XSD file. The tested code generators were as follows.

- o XML::Pastor [XSD:Perl] (Perl)
- o RXSD [XSD:Ruby] (Ruby)
- o PyXB [XSD:Python] (Python)
- o JAXB [XSD:Java] (Java)
- o CodeSynthesis XSD [XSD:Cxx] (C++)
- o Xsd.exe [XSD:CS] (C#)

For instance, we have used XML::Pastor, but it could not properly understand its schema due to the complexity of IODEF XSD. The same applies to RXSD and JAXB. Only PyXB, CodeSynthesis XSD and Xsd.exe were able to understand the schema.

There is no recommended workaround, however, a double conversion of XSD file is one option to go through the situation; it means XSD is serialized to XML, and it is again converted to XSD. The resultant XSD was process-able by the all tools above.

It should be noted that IODEF uses '-' (hyphen) symbols in its classes or attributes, listed as follows.

- o IODEF-Document Class; it is the top level class in the IODEF data model described in [section 3.1 of \[RFC5070\]](#).

Internet-Draft

Abbreviated Title

November 2014

- o The vlan-name and vlan-num Attribute; according to [section 3.16.2 of \[RFC5070\]](#), they are the name and number of Virtual LAN and are the attributes for Address class.
- o Extending the Enumerated Values of Attribute; according to [section 5.1 of \[RFC5070\]](#), it is a extension techniques to add new enumerated values to an attribute, and has a prefix of "ext-", e.g., ext-value, ext-category, ext-type, and so on.

According to the language specification, many programming language prohibit to contain '-' symbols in the name of class. The code generators must replace or remove '-' when building the libraries. They should have the name space to restore '-' when outputting the XML along with IODEF XSD.

## [7.2.](#) Usability

Here notes some tips to avoid problems.

- o IODEF has category attribute for NodeRole class. Though various categories are described, they are not enough. For example, in the case of web mail servers, you should choose either "www" or "mail". One suggestion is selecting "mail" as the category attribute and adding "www" for another attribute.
- o The numbering of Incident ID needs to be considered. Otherwise, information, such as the number of incidents within certain period could be observed by document receivers. For instance, we could randomize the assignment of the numbers.

## [8.](#) Acknowledgements

The MILE Implementation report has been compiled through the submissions of implementers of INCH and MILE working group standards. A special note of thanks to the following contributors:

John Atherton, Surevine

Humphrey Browning, Deep-Secure

Dario Forte, DFLabs

Tomas Sander, HP

Ulrich Seldeslachts, ACDC

Takeshi Takahashi, National Institute of Information and  
Communications Technology Network Security Research Institute

Inacio & Miyamoto

Expires May 24, 2015

[Page 10]

---

Internet-Draft

Abbreviated Title

November 2014

Kathleen Moriarty, EMC

Bernd Grobauer, Siemens

Dandurand Luc, NATO

Pawel Pawlinski, NASK

## 9. IANA Considerations

This memo includes no request to IANA.

## 10. Security Considerations

This draft provides a summary of implementation reports from researchers and vendors who have implemented RFCs and drafts from the MILE and INCH working groups. There are no security considerations added in this draft because of the nature of the document.

## 11. Informative References

- [RFC5070] Danyliw, R., Meijer, J., and Y. Demchenko, "The Incident Object Description Exchange Format", [RFC 5070](#), December 2007.
- [RFC5901] Cain, P. and D. Jevans, "Extensions to the IODEF-Document Class for Reporting Phishing", [RFC 5901](#), July 2010.
- [RFC5941] M'Raihi, D., Boeyen, S., Grandcolas, M., and S. Bajaj, "Sharing Transaction Fraud Data", [RFC 5941](#), August 2010.
- [RFC6545] Moriarty, K., "Real-time Inter-network Defense (RID)", [RFC](#)

[6545](#), April 2012.

[RFC6546] Trammell, B., "Transport of Real-time Inter-network Defense (RID) Messages over HTTP/TLS", [RFC 6546](#), April 2012.

[XSD:CS] Microsoft, "XML Schema Definition Tool (Xsd.exe)", <<http://www.codesynthesis.com/>>.

[XSD:Cxx] CodeSynthesis, "XSD - XML Data Binding for C++", <<http://www.codesynthesis.com/>>.

[XSD:Java] Project Kenai, "JAXB Reference Implementation", <<https://jaxb.java.net/>>.

Inacio & Miyamoto

Expires May 24, 2015

[Page 11]

---

Internet-Draft

Abbreviated Title

November 2014

[XSD:Perl] Ulsoy, A., "XML::Pastor", <<http://search.cpan.org/~aulusoy/XML-Pastor-1.0.4/>>.

[XSD:Python] Bigot, P., "PyXB: Python XML Schema Bindings", <<https://pypi.python.org/pypi/PyXB>>.

[XSD:Ruby] Morsi, M., "RXSD - XSD / Ruby Translator", <<https://github.com/movitto/RXSD>>.

#### Authors' Addresses

Chris Inacio  
Carnegie Mellon University  
4500 5th Ave., SEI 4108  
Pittsburgh, PA 15213  
US

Email: [inacio@andrew.cmu.edu](mailto:inacio@andrew.cmu.edu)

Daisuke Miyamoto  
The University of Tokyo

2-11-16 Yayoi, Bunkyo  
Tokyo 113-8658  
JP

Email: [daisu-mi@nc.u-tokyo.ac.jp](mailto:daisu-mi@nc.u-tokyo.ac.jp)