

Cross Session Stream Identification in the Session Description Protocol
[draft-ietf-mmusic-msid-00](#)

Abstract

This document specifies a grouping mechanism for RTP media streams that can be used to specify relations between media streams within different RTP sessions as well as within a single RTP session, and independently of whether these media streams are described within one SDP m-line or in multiple m-lines.

This mechanism is used to signal the association between the RTP concept of SSRC and the WebRTC concept of "MediaStream" / "MediaStreamTrack" using SDP signaling.

This document is a work item of the MMUSIC WG, whose discussion list is mmusic@ietf.org.

Requirements Language

The key words "MUST", "MUST NOT", "REQUIRED", "SHALL", "SHALL NOT", "SHOULD", "SHOULD NOT", "RECOMMENDED", "MAY", and "OPTIONAL" in this document are to be interpreted as described in [RFC 2119](#) [[RFC2119](#)].

Status of this Memo

This Internet-Draft is submitted in full conformance with the provisions of [BCP 78](#) and [BCP 79](#).

Internet-Drafts are working documents of the Internet Engineering Task Force (IETF). Note that other groups may also distribute working documents as Internet-Drafts. The list of current Internet-Drafts is at <http://datatracker.ietf.org/drafts/current/>.

Internet-Drafts are draft documents valid for a maximum of six months and may be updated, replaced, or obsoleted by other documents at any time. It is inappropriate to use Internet-Drafts as reference material or to cite them other than as "work in progress."

This Internet-Draft will expire on August 14, 2013.

Copyright Notice

Copyright (c) 2013 IETF Trust and the persons identified as the document authors. All rights reserved.

This document is subject to [BCP 78](#) and the IETF Trust's Legal Provisions Relating to IETF Documents (<http://trustee.ietf.org/license-info>) in effect on the date of publication of this document. Please review these documents carefully, as they describe your rights and restrictions with respect to this document. Code Components extracted from this document must include Simplified BSD License text as described in Section 4.e of the Trust Legal Provisions and are provided without warranty as described in the Simplified BSD License.

Table of Contents

1.	Introduction	3
1.1.	Structure Of This Document	3
1.2.	Why A New Mechanism Is Needed	3
1.3.	Application to the WEBRTC MediaStream	4
2.	The Msid Mechanism	5
3.	The Msid-Semantic Attribute	6
4.	Applying Msid to WebRTC MediaStreams	6
4.1.	Handling of non-signalled tracks	7
5.	IANA Considerations	8
6.	Security Considerations	9
7.	Acknowledgements	10
8.	References	10
8.1.	Normative References	10
8.2.	Informative References	10
Appendix A.	Design considerations, open questions and and alternatives	11
Appendix B.	Change log	11
B.1.	Changes from rtcweb-msid-00 to -01	12
B.2.	Changes from alvestrand-rtcweb-msid-01 to -02	12
B.3.	Changes from alvestrand-rtcweb-msid-02 to mmusic-msid-00	12
B.4.	Changes from alvestrand-mmusic-msid-00 to -01	12
B.5.	Changes from alvestrand-mmusic-msid-01 to -02	12
B.6.	Changes from alvestrand-mmusic-msid-02 to ietf-mmusic-00	13
	Author's Address	13

1. Introduction

1.1. Structure Of This Document

This document extends the SSRC grouping framework [[RFC5888](#)] by adding a new grouping relation that can cross RTP session boundaries if needed.

[Section 1.2](#) gives the background on why a new mechanism is needed.

[Section 2](#) gives the definition of the new mechanism.

[Section 4](#) gives the application of the new mechanism for providing necessary semantic information for the association of `MediaStreamTracks` to `MediaStreams` in the WebRTC API .

1.2. Why A New Mechanism Is Needed

When media is carried by RTP [[RFC3550](#)], each RTP media stream is distinguished inside an RTP session by its SSRC; each RTP session is distinguished from all other RTP sessions by being on a different transport association (strictly speaking, 2 transport associations, one used for RTP and one used for RTCP, unless RTCP multiplexing [[RFC5761](#)] is used).

There exist cases where an application using RTP and SDP needs to signal some relationship between RTP media streams that may be carried in either the same RTP session or different RTP sessions. For instance, there may be a need to signal a relationship between a video track in one RTP session and an audio track in another RTP session. In traditional SDP, it is not possible to signal that these two tracks should be carried in one session, so they are carried in different RTP sessions.

Traditionally, SDP was used to describe the RTP sessions, with one m-line being used to describe each RTP session. With the advent of extensions like BUNDLE [[I-D.ietf-mmusic-sdp-bundle-negotiation](#)], this association may be more complex, with multiple m-lines being used to describe one RTP session; the rest of this document therefore talks about m-lines, not RTP sessions, when describing the signalling mechanism.

The SSRC grouping mechanism ("a=ssrc-group") [[RFC5576](#)] can be used to associate RTP media streams when those RTP media streams are described by the same m-line. The semantics of this mechanism prevent the association of RTP media streams that are spread across different m-lines.

The SDP grouping framework [[RFC5888](#)] can be used to group m-lines. When an m-line describes one and only one RTP media stream, it is possible to associate RTP media streams across different m-lines. However, if an m-line has multiple RTP media streams, using multiple SSRCs, the SDP grouping framework cannot be used for this purpose.

There are use cases (some of which are discussed in [[I-D.westerlund-avtcore-multiplex-architecture](#)]) where neither of these approaches is appropriate; In those cases, a new mechanism is needed.

In addition, there is sometimes the need for an application to specify some application-level information about the association between the SSRC and the group. This is not possible using either of the frameworks above.

1.3. Application to the WEBRTC MediaStream

The W3C WebRTC API specification [[W3C.WD-webrtc-20120209](#)] specifies that communication between WebRTC entities is done via MediaStreams, which contain MediaStreamTracks. A MediaStreamTrack is generally carried using a single SSRC in an RTP session (forming an RTP media stream. The collision of terminology is unfortunate.) There might possibly be additional SSRCs, possibly within additional RTP sessions, in order to support functionality like forward error correction or simulcast. This complication is ignored below.

In the RTP specification, media streams are identified using the SSRC field. Streams are grouped into RTP Sessions, and also carry a CNAME. Neither CNAME nor RTP session correspond to a MediaStream. Therefore, the association of an RTP media stream to MediaStreams need to be explicitly signaled.

The marking needs to be on a per-SSRC basis, since one RTP session can carry media from multiple MediaStreams, and one MediaStream can have media in multiple RTP sessions. This means that the [[RFC4574](#)] "label" attribute, which is used to label m-lines, is not usable for this purpose.

The marking needs to also carry the unique identifier of the RTP media stream as a MediaStreamTrack within the media stream; this is done using a single letter to identify whether it belongs in the video or audio track list, and the MediaStreamTrack's position within that array.

This usage is described in [Section 4](#).

2. The Msid Mechanism

This document extends the Source-Specific Media Attributes framework [[RFC5576](#)] by adding a new "msid" attribute that can be used with the "a=ssrc" SDP attribute. This new attribute allows endpoints to associate RTP media streams that are carried in the same or different m-lines, as well as allowing application-specific information to the association.

The value of the "msid" attribute consists of an identifier and optional application-specific data, according to the following ABNF [[RFC5234](#)] grammar:

```
; "attribute" is defined in RFC 4566.  
; This attribute should be used with the ssrc-attr from RFC 5576.  
attribute =/ msid-attr  
msid-attr = "msid:" identifier [ " " appdata ]  
identifier = token  
appdata = token
```

An example MSID value for the SSRC 1234 might look like this:

```
a=ssrc:1234 msid:examplefoo v1
```

The identifier is a string of ASCII characters chosen from 0-9, a-z, A-Z and - (hyphen), consisting of between 1 and 64 characters. It MUST be unique among the identifier values used in the same SDP session. It is RECOMMENDED that is generated using a random-number generator.

Application data is carried on the same line as the identifier, separated from the identifier by a space.

The identifier uniquely identifies a group within the scope of an SDP description.

There may be multiple msid attributes on a single SSRC. There may also be multiple SSRCS that have the same value for identifier and application data.

Endpoints can update the associations between SSRCS as expressed by msid attributes at any time; the semantics and restrictions of such grouping and ungrouping are application dependent.

3. The Msid-Semantic Attribute

In order to fully reproduce the semantics of the SDP and SSRC grouping frameworks, a session-level attribute is defined for signaling the semantics associated with an msid grouping.

This OPTIONAL attribute gives the group identifier and its group semantic; it carries the same meaning as the ssrc-group-attr of [RFC 5576 section 4.2](#), but uses the identifier of the group rather than a list of SSRC values.

An empty list of identifiers is an indication that the sender understands the indicated semantic, but has no msid groupings of the given type in the present SDP.

The ABNF of msid-semantic is:

```
attribute =/ msid-semantic-attr
msid-semantic-attr = "msid-semantic:" token (" " identifier)*
token = <as defined in RFC 4566>
```

The semantic field may hold values from the IANA registries "Semantics for the "ssrc-group" SDP Attribute" and "Semantics for the "group" SDP Attribute".

An example msid-semantic might look like this:

```
a=msid-semantic:LS xyzyz forolow
```

This means that the SDP description has two lip sync groups, with the group identifiers xyzyz and forolow, respectively.

4. Applying Msid to WebRTC MediaStreams

This section creates a new semantic for use with the framework defined in [Section 2](#), to be used for associating SSRCs representing MediaStreamTracks within MediaStreams as defined in [\[W3C.WD-webrtc-20120209\]](#).

The semantic token for this semantic is "WMS" (short for WebRTC Media Stream).

The value of the msid corresponds to the "id" attribute of a MediaStream.

In a WebRTC-compatible SDP description, all SSRCs intending to be sent from one peer will be identified in the SDP generated by that

entity.

The appdata for a WebRTC MediaStreamTrack consists of the "id" attribute of a MediaStreamTrack.

If two different SSRCS have the same value for identifier and appdata, it means that these two SSRCS are both intended for the same MediaStreamTrack. This may occur if the sender wishes to use simulcast or forward error correction, or if the sender intends to switch between multiple codecs on the same MediaStreamTrack.

When an SDP description is updated, a specific msid continues to refer to the same MediaStream. Once negotiation has completed on a session, there is no memory; an msid value that appears in a later negotiation will be taken to refer to a new MediaStream.

The following are the rules for handling updates of the list of SSRCS and their msid values.

- o When a new msid value occurs in the description, the recipient can signal to its application that a new MediaStream has been added.
- o When a description is updated to have more SSRCS with the same msid value, but different appdata values, the recipient can signal to its application that new media stream tracks have been added to the media stream.
- o When a description is updated to no longer list the msid value on a specific ssrc, the recipient can signal to its application that the corresponding media stream track has been closed.
- o When a description is updated to no longer list the msid value on any ssrc, the recipient can signal to its application that the media stream has been closed.

In addition to signaling that the track is closed when it disappears from the SDP, the track will also be signaled as being closed when the SSRC disappears by the rules of [\[RFC3550\] section 6.3.4](#) (BYE packet received) and 6.3.5 (timeout).

4.1. Handling of non-signalled tracks

Pre-WebRTC entities will not send msid. This means that there will be some incoming RTP packets with SSRCS where the recipient does not know about a corresponding MediaStream id.

Handling will depend on whether or not any SSRCS are signaled in the relevant m-line(s). There are two cases:

- o No SSRC is signaled with an msid attribute. The SDP session is assumed to be a backwards-compatible session. All incoming SSRCs, on all m-lines that are part of the SDP session, are assumed to belong to independent media streams, each with one track. The identifier of this media stream and of the media stream track is a randomly generated string; the label of this media stream will be set to "Non-WMS stream".
- o Some SSRCs are signaled with an msid attribute. In this case, the session is WebRTC compatible, and the newly arrived SSRCs are either caused by a bug or by timing skew between the arrival of the media packets and the SDP description. These packets MAY be discarded, or they MAY be buffered for a while in order to allow immediate startup of the media stream when the SDP description is updated. The arrival of media packets MUST NOT cause a new `MediaStreamTrack` to be signaled.

If a WebRTC entity sends a description, it MUST include the `msid-semantic:WMS` attribute, even if no media streams are sent. This allows us to distinguish between the case of no media streams at the moment and the case of legacy SDP generation.

It follows from the above that the WebRTC entity must have the SDP of the other party before it can decide correctly whether or not a "default" `MediaStream` should be created. RTP media packets that arrive before the remote party's SDP MUST be buffered or discarded, and MUST NOT cause a new `MediaStreamTrack` to be signalled.

It follows from the above that media stream tracks in the "default" media stream cannot be closed by signaling; the application must instead signal these as closed when the SSRC disappears according to the rules of [RFC 3550 section 6.3.4](#) and 6.3.5.

NOTE IN DRAFT: Previous versions of this memo suggested adding all incoming SSRCs to a single `MediaStream`. This is problematic because we do not know if the SSRCs are synchronized or not before we learn the CNAME of the SSRCs, which only happens when an RTCP packet arrives. How to identify a non-WMS stream is still open for discussion - including whether it's necessary to do so. Using the stream label seems like an easy thing to do for debuggability - it's not signalled, and is intended for human consumption anyway.

5. IANA Considerations

This document requests IANA to register the "msid" attribute in the "att-field (source level)" registry within the SDP parameters registry, according to the procedures of [\[RFC5576\]](#)

The required information is:

- o Contact name, email: IETF, contacted via mmusic@ietf.org, or a successor address designated by IESG
- o Attribute name: msid
- o Long-form attribute name: Media stream group Identifier
- o The attribute value contains only ASCII characters, and is therefore not subject to the charset attribute.
- o The attribute gives an association over a set of SSRCS, potentially in different m-lines. It can be used to signal the relationship between a WebRTC MediaStream and a set of SSRCS.
- o The details of appropriate values are given in RFC XXXX.

This document requests IANA to create a new registry called "Semantics for the msid-semantic SDP attribute", which should have exactly the same rules as for the "Semantics for the ssrc-group SDP attribute" registry (Expert Review), and to register the "WMS" semantic within this new registry.

The required information is:

- o Description: WebRTC Media Stream, as given in RFC XXXX.
- o Token: WMS
- o Standards track reference: RFC XXXX

IANA is requested to replace "RFC XXXX" with the RFC number of this document upon publication.

6. Security Considerations

An adversary with the ability to modify SDP descriptions has the ability to switch around tracks between media streams. This is a special case of the general security consideration that modification of SDP descriptions needs to be confined to entities trusted by the application.

If implementing buffering as mentioned in section [Section 4.1](#), the amount of buffering should be limited to avoid memory exhaustion attacks.

No other attacks that are relevant to the browser's security have been identified that depend on this mechanism.

7. Acknowledgements

This note is based on sketches from, among others, Justin Uberti and Cullen Jennings.

Special thanks to Miguel Garcia and Paul Kyzivat for their work in reviewing this draft, with many specific language suggestions.

8. References

8.1. Normative References

- [RFC2119] Bradner, S., "Key words for use in RFCs to Indicate Requirement Levels", [BCP 14](#), [RFC 2119](#), March 1997.
- [RFC3550] Schulzrinne, H., Casner, S., Frederick, R., and V. Jacobson, "RTP: A Transport Protocol for Real-Time Applications", [RFC 3550](#), July 2003.
- [RFC5234] Crocker, D. and P. Overell, "Augmented BNF for Syntax Specifications: ABNF", [RFC 5234](#), January 2008.
- [RFC5576] Lennox, J., Ott, J., and T. Schierl, "Source-Specific Media Attributes in the Session Description Protocol (SDP)", [RFC 5576](#), June 2009.
- [W3C.WD-webrtc-20120209]
Bergkvist, A., Burnett, D., Narayanan, A., and C. Jennings, "WebRTC 1.0: Real-time Communication Between Browsers", World Wide Web Consortium WD WD-webrtc-20120209, February 2012,
<<http://www.w3.org/TR/2012/WD-webrtc-20120209>>.

8.2. Informative References

- [I-D.ietf-mmusic-sdp-bundle-negotiation]
Holmberg, C. and H. Alvestrand, "Multiplexing Negotiation Using Session Description Protocol (SDP) Port Numbers", [draft-ietf-mmusic-sdp-bundle-negotiation-01](#) (work in progress), August 2012.
- [I-D.westerlund-avtcore-multiplex-architecture]
Westerlund, M., Burman, B., Perkins, C., and H.

Alvestrand, "Guidelines for using the Multiplexing Features of RTP",
[draft-westerlund-avtcore-multiplex-architecture-02](#) (work in progress), July 2012.

- [RFC4574] Levin, O. and G. Camarillo, "The Session Description Protocol (SDP) Label Attribute", [RFC 4574](#), August 2006.
- [RFC5761] Perkins, C. and M. Westerlund, "Multiplexing RTP Data and Control Packets on a Single Port", [RFC 5761](#), April 2010.
- [RFC5888] Camarillo, G. and H. Schulzrinne, "The Session Description Protocol (SDP) Grouping Framework", [RFC 5888](#), June 2010.

[Appendix A.](#) Design considerations, open questions and alternatives

This appendix should be deleted before publication as an RFC.

One suggested mechanism has been to use CNAME instead of a new attribute. This was abandoned because CNAME identifies a synchronization context; one can imagine both wanting to have tracks from the same synchronization context in multiple MediaStreams and wanting to have tracks from multiple synchronization contexts within one MediaStream (but the latter is impossible, since a MediaStream is defined to impose synchronization on its members).

Another suggestion has been to put the msid value within an attribute of RTCP SR (sender report) packets. This doesn't offer the ability to know that you have seen all the tracks currently configured for a media stream.

There has been a suggestion that this mechanism could be used to mute tracks too. This is not done at the moment.

Discarding of incoming data when the SDP description isn't updated yet ([section 3](#)) may cause clipping. However, the same issue exists when crypto keys aren't available. Input sought.

There's been a suggestion that acceptable SSRCs should be signaled in a response, giving a recipient the ability to say "no" to certain SSRCs. This is not supported in the current version of this document.

[Appendix B.](#) Change log

This appendix should be deleted before publication as an RFC.

B.1. Changes from rtcweb-msid-00 to -01

Added track identifier.

Added inclusion-by-reference of [draft-lennox-mmusic-source-selection](#) for track muting.

Some rewording.

B.2. Changes from alvestrand-rtcweb-msid-01 to -02

Split document into sections describing a generic grouping mechanism and sections describing the application of this grouping mechanism to the WebRTC MediaStream concept.

Removed the mechanism for muting tracks, since this is not central to the MSID mechanism.

B.3. Changes from alvestrand-rtcweb-msid-02 to mmusic-msid-00

Changed the draft name according to the wishes of the MMUSIC group chairs.

Added text indicting cases where it's appropriate to have the same appdata for multiple SSRCS.

Minor textual updates.

B.4. Changes from alvestrand-mmusic-msid-00 to -01

Increased the amount of explanatory text, much based on a review by Miguel Garcia.

Removed references to BUNDLE, since that spec is under active discussion.

Removed distinguished values of the MSID identifier.

B.5. Changes from alvestrand-mmusic-msid-01 to -02

Changed the order of the "msid-semantic: " attribute's value fields and allowed multiple identifiers. This makes the attribute useful as a marker for "I understand this semantic".

Changed the syntax for "identifier" and "appdata" to be "token".

Changed the registry for the "msid-semantic" attribute values to be a new registry, based on advice given in Atlanta.

B.6. Changes from alvestrand-mmusic-msid-02 to ietf-mmusic-00

Updated terminology to refer to m-lines rather than RTP sessions when discussing SDP formats and the ability of other linking mechanisms to refer to SSRCs.

Changed the "default" mechanism to return independent streams after considering the synchronization problem.

Removed the space from between "msid-semantic" and its value, to be consistent with [RFC 5576](#).

Author's Address

Harald Alvestrand
Google
Kungsbron 2
Stockholm, 11122
Sweden

Email: harald@alvestrand.no

