

MPLS
Internet-Draft
Intended status: Standards Track
Expires: September 6, 2010

S. Boutros
S. Bryant, Ed.
S. Sivabalan
G. Swallow
Cisco Systems
D. Ward
Juniper Networks
V. Manral
IP Infusion Inc.
March 5, 2010

Definition of ACH TLV Structure
draft-ietf-mpls-tp-ach-tlv-02

Abstract

In some application of the associated channel header (ACH), it is necessary to have the ability to include a set of TLVs to provide additional context information for the ACH payload. This document defines a number of TLV types.

This document is a product of a joint Internet Engineering Task Force (IETF) / International Telecommunications Union Telecommunications Standardization Sector (ITU-T) effort to include an MPLS Transport Profile within the IETF MPLS and PWE3 architectures to support the capabilities and functionalities of a packet transport network as defined by the ITU-T.

Requirements Language

The key words "MUST", "MUST NOT", "REQUIRED", "SHALL", "SHALL NOT", "SHOULD", "SHOULD NOT", "RECOMMENDED", "MAY", and "OPTIONAL" in this document are to be interpreted as described in [RFC2119](#) [1].

Status of this Memo

This Internet-Draft is submitted to IETF in full conformance with the provisions of [BCP 78](#) and [BCP 79](#).

Internet-Drafts are working documents of the Internet Engineering Task Force (IETF), its areas, and its working groups. Note that other groups may also distribute working documents as Internet-Drafts.

Internet-Drafts are draft documents valid for a maximum of six months and may be updated, replaced, or obsoleted by other documents at any time. It is inappropriate to use Internet-Drafts as reference

Internet-Draft

ACH TLV

March 2010

material or to cite them other than as "work in progress."

The list of current Internet-Drafts can be accessed at
<http://www.ietf.org/ietf/lid-abstracts.txt>.

The list of Internet-Draft Shadow Directories can be accessed at
<http://www.ietf.org/shadow.html>.

This Internet-Draft will expire on September 6, 2010.

Copyright Notice

Copyright (c) 2010 IETF Trust and the persons identified as the document authors. All rights reserved.

This document is subject to [BCP 78](#) and the IETF Trust's Legal Provisions Relating to IETF Documents (<http://trustee.ietf.org/license-info>) in effect on the date of publication of this document. Please review these documents carefully, as they describe your rights and restrictions with respect to this document. Code Components extracted from this document must include Simplified BSD License text as described in Section 4.e of the Trust Legal Provisions and are provided without warranty as described in the BSD License.


Internet-Draft

ACH TLV

March 2010

Table of Contents

1.	Introduction	4
2.	ACH TLV Object Definitions	4
2.1.	The Null TLV Object	4
2.2.	IPv4 Source Address	4
2.3.	IPv6 Source Address	5
2.4.	ITU-T Carrier Code	5
2.5.	Global Identifier	6
2.6.	Network Interface Identifier	6
2.7.	Authentication	7
3.	Security Considerations	7
4.	IANA Considerations	7
5.	References	8
5.1.	Normative References	8
5.2.	Informative References	8
	Authors' Addresses	9






Figure 1: Null TLV Object

2.2. IPv4 Source Address

This TLV specifies the IPv4 [2] source address (SAv4) of an ACH packet.

Where the packet is associated with a maintenance request/response operation it refers to the requester of the operation, i.e. It is the address of the Maintenance End Point that initiated the operation being either requested, or is being responded to.




Figure 2: IPv4 Source Address

2.3. IPv6 Source Address

This TLV specifies the IPv6 [3] source address (SAv6) of an ACH packet.

Where the packet is associated with a maintenance request/response operation it refers to the requester of the operation, i.e. It is the address of the Maintenance End Point that initiated the operation being either requested, or is being responded to.




Figure 3: IPv4 Source Address

2.4. ITU-T Carrier Code

This TLV is used to carry an ITU-T Carrier Code Identifier (ICC) as defined in M.1400 [4].




Figure 4: ITU-T Carrier Code

The ICC is encoded in ASCII in a fixed format 6 byte field, with unused trailing bytes set to NULL (0).

2.5. Global Identifier

This TLV is used to carry a Global Identifier (Global_ID) [5] .





Figure 5: Global_ID TLV

2.6. Network Interface Identifier

This TLV is used to carry Network Interface ID (IF_ID) [5] . As defined in [5], an IF_ID consists of a node identifier (Node_ID) and a Logical Interface Handle (LIH), both of which are 32 bit identifiers.



```

+---+---+---+---+---+---+---+---+---+---+---+---+---+---+---+---+---+---+---+---+---+---+

```

Figure 6: IF_ID TLV

2.7. Authentication

The structure of the ACH authentication (auth) TLV is as follows:

```

      0               1               2               3
    0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1
+---+---+---+---+---+---+---+---+---+---+---+---+---+---+---+---+---+---+---+---+---+---+
|      AchTlvType   = 6      |      Length      |
+---+---+---+---+---+---+---+---+---+---+---+---+---+---+---+---+---+---+---+---+---+---+
|  Auth Type   |  Auth Len   |  Authentication Data...  |
+---+---+---+---+---+---+---+---+---+---+---+---+---+---+---+---+---+---+---+---+---+---+

```

The authentication procedures and data format used is the same as that defined in Sections [4.1](#), [4.2](#), [4.3](#) and [4.4](#) of [9] .

Each document which defines a channel type needs to define whether an authentication TLV is required, permitted, or disallowed, and the actions to be taken in normal and error situations.

An application not supporting data origin authentication MAY use this mechanism instead of defining its own proprietary mechanism.

3. Security Considerations

This specification defines a mechanism to identify a set of protocol parameters. The necessary security considerations will be described in the definition of the protocols that uses these parameters.

4. IANA Considerations

IANA is requested to create a new registry in the pseudowire name spaces: the ACH TLV Registry.

The ACH TLV Registry should be initialized with the following

entries. The allocation policy for this registry is IETF consensus.

Name	Type	Length (octets)	Description	Reference
Null	0	3	Null TLV	This Draft
SAv4	1	4	IPv4 Source Address	This Draft
SAv6	2	16	IPv6 Source Address	This Draft
ICC	3	6	ITU-T Carrier Code	This Draft
Global_ID	4	4	Global Identifier	This Draft
IF_ID	5	8	Network Interface ID	This Draft
Auth	6	var	Authentication	This Draft

[5. References](#)

[5.1. Normative References](#)

- [1] Bradner, S., "Key words for use in RFCs to Indicate Requirement Levels", [BCP 14](#), [RFC 2119](#), March 1997.
- [2] Postel, J., "Internet Protocol", STD 5, [RFC 791](#), September 1981.
- [3] Deering, S. and R. Hinden, "Internet Protocol, Version 6 (IPv6) Specification", [RFC 2460](#), December 1998.
- [4] "ITU-T Recommendation M.1400, "Designations for interconnections among operators' networks"", 2006.
- [5] Bocci, M. and G. Swallow, "MPLS-TP Identifiers", [draft-ietf-mpls-tp-identifiers-00](#) (work in progress), November 2009.

[5.2. Informative References](#)

- [6] Bocci, M., Vigoureux, M., and S. Bryant, "MPLS Generic Associated Channel", [RFC 5586](#), June 2009.
- [7] Niven-Jenkins, B., Brungard, D., Betts, M., Sprecher, N., and S. Ueno, "Requirements of an MPLS Transport Profile", [RFC 5654](#), September 2009.
- [8] Bocci, M., Bryant, S., Frost, D., Levrau, L., and L. Berger, "A Framework for MPLS in Transport Networks", [draft-ietf-mpls-tp-framework-10](#) (work in progress), February 2010.
- [9] Katz, D. and D. Ward, "Bidirectional Forwarding Detection", [draft-ietf-bfd-base-11](#) (work in progress), January 2010.

Authors' Addresses

Sami Boutros
Cisco Systems

Email: sboutros@cisco.com

Stewart Bryant (editor)
Cisco Systems

Email: stbryant@cisco.com

Siva Sivabalan
Cisco Systems

Email: msiva@cisco.com

George Swallow
Cisco Systems

Email: swallow@cisco.com

David Ward
Juniper Networks

Email: dward@Juniper.net

Vishwas Manral
IP Infusion Inc.
Bamankhola,
Bangali,, Almora, Uttaranchal 263601
India

Email: vishwas.ietf@gmail.com

