

NETMOD Working Group
Internet-Draft
Intended status: Best Current Practice
Expires: May 9, 2019

K. Watsen
Juniper Networks
Q. Wu
Huawei Technologies
A. Farrel
Old Dog Consulting
B. Claise
Cisco Systems, Inc.
November 5, 2018

Handling Long Lines in Artwork in Internet-Drafts and RFCs
draft-ietf-netmod-artwork-folding-00

Abstract

This document introduces a simple and yet time-proven strategy for handling long lines in artwork in drafts using a backslash ('\') character where line-folding has occurred. The strategy works on any text based artwork, but is primarily intended for sample text and formatted examples and code, rather than for graphical artwork. The approach produces consistent results regardless of the content and uses a per-artwork header. The strategy is both self-documenting and enables automated reconstitution of the original artwork.

Status of This Memo

This Internet-Draft is submitted in full conformance with the provisions of [BCP 78](#) and [BCP 79](#).

Internet-Drafts are working documents of the Internet Engineering Task Force (IETF). Note that other groups may also distribute working documents as Internet-Drafts. The list of current Internet-Drafts is at <https://datatracker.ietf.org/drafts/current/>.

Internet-Drafts are draft documents valid for a maximum of six months and may be updated, replaced, or obsoleted by other documents at any time. It is inappropriate to use Internet-Drafts as reference material or to cite them other than as "work in progress."

This Internet-Draft will expire on May 9, 2019.

Copyright Notice

Copyright (c) 2018 IETF Trust and the persons identified as the document authors. All rights reserved.

This document is subject to [BCP 78](#) and the IETF Trust's Legal Provisions Relating to IETF Documents (<https://trustee.ietf.org/license-info>) in effect on the date of publication of this document. Please review these documents carefully, as they describe your rights and restrictions with respect to this document. Code Components extracted from this document must include Simplified BSD License text as described in Section 4.e of the Trust Legal Provisions and are provided without warranty as described in the Simplified BSD License.

Table of Contents

1.	Introduction	2
2.	Requirements Language	3
3.	Goals	3
3.1.	Automated Folding of Long Lines in Artwork	3
3.2.	Automated Reconstitution of Original Artwork	4
4.	Limitations	4
4.1.	Not Recommended for Graphical Artwork	4
4.2.	Doesn't Work as Well as Format-Specific Options	4
5.	Folded Structure	5
5.1.	Header	5
5.2.	Body	5
6.	Algorithm	6
6.1.	Automated Folding	6
6.1.1.	Manual Folding	7
6.2.	Automated Unfolding	7
7.	Considerations for xml2rfc v3	8
8.	Examples	8
8.1.	Simple Example Showing Boundary Conditions	8
8.2.	Example Showing Multiple Wraps of a Single Line	9
8.3.	Example With Native Backslash	9
8.4.	Example With Native Whitespace	9
8.5.	Example of Manual Wrapping	9
9.	Security Considerations	10
10.	IANA Considerations	10
11.	References	10
11.1.	Normative References	10
11.2.	Informative References	10
Appendix A.	POSIX Shell Script	12
	Acknowledgements	16
	Authors' Addresses	17

[1.](#) Introduction

[[RFC7994](#)] sets out the requirements for plain-text RFCs and states that each line of an RFC (and hence of an Internet-Draft) must be

limited to 72 characters followed by the character sequence that denotes an end-of-line (EOL).

Internet-Drafts and RFCs often include example text or code fragments. In order to render the formatting of such text it is usually presented as a figure using the "<artwork>" element in the source XML. Many times the example text or code exceeds the 72 character line-length limit and the "xml2rfc" utility does not attempt to wrap the content of artwork, simply issuing a warning whenever artwork lines exceed 69 characters. According to the RFC Editor, there is currently no convention in place for how to handle long lines, other than advising authors to clearly indicate what manipulation has occurred.

This document introduces a simple and yet time-proven strategy for handling long lines using a backslash ('\') character where line-folding has occurred. The strategy works on any text based artwork, but is primarily intended for sample text and formatted examples and code, rather than for graphical artwork. The approach produces consistent results regardless of the content and uses a per-artwork header. The strategy is both self-documenting and enables automated reconstitution of the original artwork.

Note that text files are represent as lines having their first character in column 1, and a line length of N where the last character is in the Nth column and is immediately followed by an end of line character sequence.

2. Requirements Language

The key words "MUST", "MUST NOT", "REQUIRED", "SHALL", "SHALL NOT", "SHOULD", "SHOULD NOT", "RECOMMENDED", "NOT RECOMMENDED", "MAY", and "OPTIONAL" in this document are to be interpreted as described in [BCP 14](#) [[RFC2119](#)] [[RFC8174](#)] when, and only when, they appear in all capitals, as shown here.

3. Goals

3.1. Automated Folding of Long Lines in Artwork

Automated folding of long lines is needed in order to support draft compilations that entail a) validation of source input files (e.g., XML, JSON, ABNF, ASN.1) and/or b) dynamic generation of output, using a tool that doesn't observe line lengths, that is stitched into the final document to be submitted.

Generally, in order for tooling to be able to process input files, the files must be in their original/natural state, which may include

having some long lines. Thus, these source files need to be modified before inclusion in the document in order to satisfy the line length limits. This modification SHOULD be automated to reduce effort and errors resulting from manual effort.

Similarly, dynamically generated output (e.g., tree diagrams) must also be modified, if necessary, in order for the resulting document to satisfy the line length limits. When needed, this effort again SHOULD be automated to reduce effort and errors resulting from manual effort.

3.2. Automated Reconstitution of Original Artwork

Automated reconstitution of the original artwork is needed to support validation of artwork extracted from documents. YANG [[RFC7950](#)] modules are already extracted from Internet-Drafts and validated as part of the [draft-submission](#) process. Additionally, there has been some discussion regarding needing to do the same for example YANG fragments contained within Internet-Drafts ([\[yang-doctors-thread\]](#)). Thus, it SHOULD be possible to mechanically reconstitute artwork in order to satisfy the tooling input parsers.

4. Limitations

4.1. Not Recommended for Graphical Artwork

While the solution presented in this document will work on any kind of text-based artwork, it is most useful on artwork that represents sourcecode (XML, JSON, etc.) or, more generally, on artwork that has not been laid out in two dimensions (e.g., diagrams).

Fundamentally, the issue is whether the artwork remains readable once folded. Artwork that is unpredictable is especially susceptible to looking bad when folded; falling into this category are most UML diagrams.

It is NOT RECOMMENDED to use the solution presented in this document on graphical artwork.

4.2. Doesn't Work as Well as Format-Specific Options

The solution presented in this document works generically for all artwork, as it only views artwork as plain text. However, various formats sometimes have built-in mechanisms that can be used to prevent long lines.

For instance, both the ``pyang`` and ``yanglint`` utilities have the command line option `"--tree-line-length"` that can be used to indicate

a desired maximum line length for when generating tree diagrams [[RFC8340](#)].

In another example, some source formats (e.g., YANG [[RFC7950](#)]) allow any quoted string to be broken up into substrings separated by a concatenation character (e.g., '+'), any of which can be on a different line.

In yet another example, some languages allow factoring chunks of code into call outs, such as functions. Using such call outs is especially helpful when in some deeply-nested code, as they typically reset the indentation back to the first column.

As such, it is RECOMMENDED that authors do as much as possible within the selected format to avoid long lines.

5. Folded Structure

Artwork that has been folded as specified by this document MUST contain the following structure.

5.1. Header

The header is two lines long.

The first line is the following 46-character string that MAY be surrounded by any number of printable characters. This first line cannot itself be folded.

NOTE: '\\' line wrapping per BCP XX (RFC XXXX)

[Note to RFC Editor: Please replace XX and XXXX with the numbers assigned to this document and delete this note. Please make this change in multiple places in this document.]

The second line is a blank line. This line provides visual separation for readability.

5.2. Body

The character encoding is the same as described in [Section 2 of \[RFC7994\]](#), except that, per [[RFC7991](#)], tab characters are prohibited.

Lines that have a backslash ('\') occurring as the last character in a line immediately followed by the end of line character sequence, when the subsequent line starts with a backslash ('\') as the first non-space (' ') character, are considered "folded".

Really long lines may be folded multiple times.

6. Algorithm

6.1. Automated Folding

Determine the desired maximum line length from input. If no value is explicitly specified, the value "69" SHOULD be used.

Ensure that the desired maximum line length is not less than the minimum header, which is 46 characters. If the desired maximum line length is less than this minimum, exit (this artwork can not be folded).

Scan the artwork to see if any line exceeds the desired maximum. If no line exceeds the desired maximum, exit (this artwork does not need to be folded).

Scan the artwork for horizontal tab characters. If any horizontal tab characters appear, either resolve them to space characters or exit, forcing the input provider to convert them to space characters themselves first.

Scan the artwork to ensure no existing lines already end with a backslash ('\') character when the subsequent line starts with a backslash ('\') character as the first non-space (' ') character, as this would lead to an ambiguous result. If such a line is found, exit (this artwork cannot be folded).

For each line in the artwork, from top-to-bottom, if the line exceeds the desired maximum, then fold the line at the desired maximum column by 1) inserting the character backslash ('\') character at the maximum column, 2) inserting the end of line character sequence, inserting any number of space (' ') characters, and 4) inserting a further backslash ('\') character.

The result of this previous operation is that the next line starts with an arbitrary number of space (' ') characters, followed by a backslash ('\') character, immediately followed by the character that was previously in the maximum column.

Continue in this manner until reaching the end of the artwork. Note that this algorithm naturally addresses the case where the remainder of a folded line is still longer than the desired maximum, and hence needs to be folded again, ad infinitum.

6.1.1. Manual Folding

Authors may choose to fold text examples and source code by hand to produce a document that is more pleasant for a human reader but which can still be automatically unfolded (as described in [Section 6.2](#)) to produce single lines that are longer than the maximum document line length.

For example, an author may choose to make the fold at convenient gaps between words such that the backslash is placed in a lower column number than the artwork's maximum column value.

Additionally, an author may choose to indent the start of a continuation line by inserting space characters before the line continuation marker backslash character.

Manual folding may also help handle the cases that cannot be automatically folded as described in [Section 6](#).

6.2. Automated Unfolding

All unfolding is assumed to be automated although a reader will mentally perform the act of unfolding the text to understand the true nature of the artwork or source code.

Scan the beginning of the artwork for the header described in [Section 5.1](#). If the header is not present, starting on the first line of the artwork, exit (this artwork does not need to be unfolded).

Remove the 2-line header from the artwork.

For each line in the artwork, from top-to-bottom, if the line has a backslash ('\') character immediately followed by the end of line character sequence, and if the next line has a backslash ('\') character as the first non-space (' ') character, then the lines can be unfolded. Remove the first backslash ('\') character, the end of line character sequence, any leading space (' ') characters, and the second backslash ('\') character, which will bring up the next line. Then continue to scan each line in the artwork starting with the current line (in case it was multiply folded).

Continue in this manner until reaching the end of the artwork.

7. Considerations for xml2rfc v3

[RFC7991] introduces the vocabulary for version 3 of the xml2rfc tool. This includes a new element, "<sourcecode>" used to present sourcecode examples and fragments and to distinguish them from general artwork and in particular figures and graphics.

The folding and unfolding described in this document is applicable to the "<artwork>" element in both v2 and v3 of xml2rfc, and is equally applicable to the "<sourcecode>" element in xml2rfc v3.

8. Examples

The following self-documenting examples illustrate a folded document.

The source artwork cannot be presented here, as it would again need to be folded. Alas, only the result can be provided.

The examples in Sections [8.1](#) through [8.4](#) were automatically folded on column 69, the default value. [Section 8.5](#) shows an example of manual folding.

8.1. Simple Example Showing Boundary Conditions

This example illustrates a boundary condition test using numbers for counting purposes. The input contains 5 lines, each line one character longer than the previous.

Any printable character (including ' ' and '\') can be used as a substitute for any number, except for on the 4th row, the trailing '9' is not allowed to be a '\' character if the first non-space character of the next line is a '\' character, as that would lead to an ambiguous result.

===== NOTE: '\\' line wrapping per BCP XX (RFC XXXX) =====

```
12345678901234567890123456789012345678901234567890123456
123456789012345678901234567890123456789012345678901234567
1234567890123456789012345678901234567890123456789012345678
12345678901234567890123456789012345678901234567890123456789
1234567890123456789012345678901234567890123456789012345678\
\90
1234567890123456789012345678901234567890123456789012345678\
\901
1234567890123456789012345678901234567890123456789012345678\
\9012
```


8.2. Example Showing Multiple Wraps of a Single Line

This example illustrates one very long line (280 characters).

Any printable character (including ' ' and '\') can be used as a substitute for any number.

===== NOTE: '\\' line wrapping per BCP XX (RFC XXXX) =====

```
1234567890123456789012345678901234567890123456789012345678\
\901234567890123456789012345678901234567890123456789012345\
\678901234567890123456789012345678901234567890123456789012\
\345678901234567890123456789012345678901234567890123456789\
\01234567890
```

8.3. Example With Native Backslash

This example has a '\' character in the wrapping column. The native text includes the sequence "fish\fowl" with the '\' character occurring on the 69th column.

```
string1="The quick brown dog jumps over the lazy dog which is a fish\
\\fowl as appropriate"
```

8.4. Example With Native Whitespace

This example has whitespace spanning the wrapping column. The native input contains 15 space (' ') characters between "like" and "white".

===== NOTE: '\\' line wrapping per BCP XX (RFC XXXX) =====

```
Sometimes our strings include multiple spaces such as "We like      \
\           white space."
```

8.5. Example of Manual Wrapping

This example was manually wrapped to cause the folding to occur after each term, putting each term on its own line. Indentation is used to additionally improve readability. Also note that the mandatory header is surrounded by different printable characters than shown in the other examples.

[NOTE: '\\' line wrapping per BCP XX (RFC XXXX)]

```
<request>::= <RP> \  
    \<END-POINTS> \  
    \[<LSPA>] \  
    \[<BANDWIDTH>] \  
    \[<metric-list>] \  
    \[<RRO>[<BANDWIDTH>]] \  
    \[<IRO>] \  
    \[<LOAD-BALANCING>]
```

The manual folding produces a more readable result than the following equivalent folding that contains no indentation.

===== NOTE: '\\' line wrapping per BCP XX (RFC XXXX) =====

```
<request>::= <RP> <END-POINTS> [<LSPA>] [<BANDWIDTH>] [<metric-list>\  
\  
] [<RRO>[<BANDWIDTH>]] [<IRO>] [<LOAD-BALANCING>]
```

9. Security Considerations

This BCP has no Security Considerations.

10. IANA Considerations

This BCP has no IANA Considerations.

11. References

11.1. Normative References

- [RFC2119] Bradner, S., "Key words for use in RFCs to Indicate Requirement Levels", [BCP 14](#), [RFC 2119](#), DOI 10.17487/RFC2119, March 1997, <<https://www.rfc-editor.org/info/rfc2119>>.
- [RFC8174] Leiba, B., "Ambiguity of Uppercase vs Lowercase in [RFC 2119](#) Key Words", [BCP 14](#), [RFC 8174](#), DOI 10.17487/RFC8174, May 2017, <<https://www.rfc-editor.org/info/rfc8174>>.

11.2. Informative References

- [RFC7950] Bjorklund, M., Ed., "The YANG 1.1 Data Modeling Language", [RFC 7950](#), DOI 10.17487/RFC7950, August 2016, <<https://www.rfc-editor.org/info/rfc7950>>.

- [RFC7991] Hoffman, P., "The "xml2rfc" Version 3 Vocabulary", [RFC 7991](#), DOI 10.17487/RFC7991, December 2016, <<https://www.rfc-editor.org/info/rfc7991>>.
- [RFC7994] Flanagan, H., "Requirements for Plain-Text RFCs", [RFC 7994](#), DOI 10.17487/RFC7994, December 2016, <<https://www.rfc-editor.org/info/rfc7994>>.
- [RFC8340] Bjorklund, M. and L. Berger, Ed., "YANG Tree Diagrams", [BCP 215](#), [RFC 8340](#), DOI 10.17487/RFC8340, March 2018, <<https://www.rfc-editor.org/info/rfc8340>>.
- [yang-doctors-thread]
" [yang-doctors] automating yang doctor reviews",
<<https://mailarchive.ietf.org/arch/msg/yang-doctors/DCfBqgfZPAD7afzeDFlQ1Xm2X3g>>.

Appendix A. POSIX Shell Script

This non-normative appendix section includes a shell script that can both fold and unfold artwork.

===== NOTE: '\\' line wrapping per BCP XX (RFC XXXX) =====

```
#!/bin/bash
```

```
print_usage() {
    echo
    echo "Folds the text file, only if needed, at the specified"
    echo "column, according to BCP XX."
    echo
    echo "Usage: $0 [-c <col>] [-r] -i <infile> -o <outfile>"
    echo
    echo "  -c: column to fold on (default: 69)"
    echo "  -r: reverses the operation"
    echo "  -i: the input filename"
    echo "  -o: the output filename"
    echo "  -d: show debug messages"
    echo "  -h: show this message"
    echo
    echo "Exit status code: zero on success, non-zero otherwise."
    echo
}
```

```
# global vars, do not edit
debug=0
reversed=0
infile=""
outfile=""
maxcol=69 # default, may be overridden by param
hdr_txt="NOTE: '\\\\' line wrapping per BCP XX (RFC XXXX)"
equal_chars="======"
space_chars=""
```

```
fold_it() {
    # since upcoming tests are >= (not >)
    testcol=`expr "$maxcol" + 1`

    # check if file needs folding
    grep ".$testcol" $infile >> /dev/null 2>&1
    if [ $? -ne 0 ]; then
        if [[ $debug -eq 1 ]]; then
            echo "nothing to do"
        fi
    fi
}
```



```

        cp $infile $outfile
        return -1
    fi

    foldcol=`expr "$maxcol" - 1` # for the inserted '\' char

    # ensure input file doesn't contain a TAB
    grep $'\t' $infile >> /dev/null 2>&1
    if [ $? -eq 0 ]; then
        echo
        echo "Error: infile contains a TAB character, which is not allow\
\ed."
        echo
        return 1
    fi

    # ensure input file doesn't contain the fold-sequence already
    pcregrep -M "\\\n[\ ]*\\\\" $infile >> /dev/null 2>&1
    if [ $? -eq 0 ]; then
        echo
        echo "Error: infile has a line ending with a '\' character follo\
\wed"
        echo "      by '\' as the first non-space character on the next\
\ line."
        echo "      This file cannot be folded."
        echo
        return 1
    fi

    # center header text
    length=`expr ${#hdr_txt} + 2`
    left_sp=`expr \( "$maxcol" - "$length" \) / 2`
    right_sp=`expr "$maxcol" - "$length" - "$left_sp"`
    header=`printf "%.s %s %.s" "$left_sp" "$equal_chars" "$hdr_txt"\
\ "$right_sp" "$equal_chars"`

    # fold using recursive passes ('g' didn't work)
    if [ -z "$1" ]; then
        # init recursive env
        cp $infile /tmp/wip
    fi
    gsed "/.\{$testcol\}/s/\(.\{$foldcol\}\)/\1\\\\n\\\\/" < /tmp/wip\
\ >> /tmp/wip2
    diff /tmp/wip /tmp/wip2 > /dev/null 2>&1
    if [ $? -eq 1 ]; then
        mv /tmp/wip2 /tmp/wip
        fold_it "recursing"
    else

```



```

    echo "$header" > $outfile
    echo "" >> $outfile
    cat /tmp/wip2 >> $outfile
    rm /tmp/wip*
fi

## following two lines represent a non-functional variant to the r\
\recursive
## logic presented in the block above. It used to work before the\
\ '\ '
## on the next line was added to the format (i.e., the trailing '\ '
\\'
## in the substitution below), but now there is an off-by-one erro\
\r.
## Leaving here in case anyone can fix it.
#echo "$header" > $outfile
#echo "" >> $outfile
#gsed "/.\\{$testcol\\}/s/\\(.\\{$foldcol\\}\\)/\\1\\\\\\\\n\\\\\\\\/g" < $infile\
\ >> $outfile

return 0
}

unfold_it() {
# check if file needs unfolding
line=`head -n 1 $infile | fgrep "$hdr_txt"`
if [ $? -ne 0 ]; then
    if [[ $debug -eq 1 ]]; then
        echo "nothing to do"
    fi
    cp $infile $outfile
    return -1
fi

# output all but the first two lines (the header) to wip (work in \
\progress) file
awk "NR>2" $infile > /tmp/wip

# unfold wip file
gsed ":x; /.*\\\\\\\\$N; s/\\\\\\\\n[ ]*\\\\\\\\//; tx; s/\\t//g" /tmp/wip >\
\ $outfile

# clean up and return
rm /tmp/wip
return 0
}

```



```
process_input() {
  while [ "$1" != "" ]; do
    if [ "$1" == "-h" -o "$1" == "--help" ]; then
      print_usage
      exit 1
    fi
    if [ "$1" == "-d" ]; then
      debug=1
    fi
    if [ "$1" == "-c" ]; then
      maxcol="$2"
      shift
    fi
    if [ "$1" == "-r" ]; then
      reversed=1
    fi
    if [ "$1" == "-i" ]; then
      infile="$2"
      shift
    fi
    if [ "$1" == "-o" ]; then
      outfile="$2"
      shift
    fi
    shift
  done

  if [ -z "$infile" ]; then
    echo
    echo "Error: infile parameter missing (use -h for help)"
    echo
    exit 1
  fi

  if [ -z "$outfile" ]; then
    echo
    echo "Error: outfile parameter missing (use -h for help)"
    echo
    exit 1
  fi

  if [ ! -f "$infile" ]; then
    echo
    echo "Error: specified file \"$infile\" is does not exist."
    echo
    exit 1
  fi
}
```



```
min_supported=`expr ${#hdr_txt} + 8`
if [ $maxcol -lt $min_supported ]; then
    echo
    echo "Error: the folding column cannot be less than $min_support\
\ed"
    echo
    exit 1
fi

max_supported=`expr ${#equal_chars} + 1 + ${#hdr_txt} + 1 + ${#equ\
\al_chars}`
if [ $maxcol -gt $max_supported ]; then
    echo
    echo "Error: the folding column cannot be more than $max_support\
\ed"
    echo
    exit 1
fi

}

main() {
    if [ "$#" == "0" ]; then
        print_usage
        exit 1
    fi

    process_input $@

    if [[ $reversed -eq 0 ]]; then
        fold_it
        code=$?
    else
        unfold_it
        code=$?
    fi
    exit $code
}

main "$@"
```

Acknowledgements

The authors thank the following folks for their various contributions (sorted by first name): Gianmarco Bruno, Italo Busi, Jonathan Hansford, Joel Jaeggli, Lou Berger, Martin Bjorklund, Italo Busi, and Rob Wilton.

The authors additionally thank the RFC Editor for confirming that there is no set convention today for handling long lines in artwork.

Authors' Addresses

Kent Watsen
Juniper Networks

EMail: kwatsen@juniper.net

Qin Wu
Huawei Technologies

EMail: bill.wu@huawei.com

Adrian Farrel
Old Dog Consulting

EMail: adrian@olddog.co.uk

Benoit Claise
Cisco Systems, Inc.

EMail: bclaise@cisco.com

