

ntp
Internet-Draft
Updates: [5905](#), [5906](#), [8573](#), [7822](#), [7821](#) (if
approved)
Intended status: Standards Track
Expires: 25 January 2023

R. Salz
Akamai Technologies
24 July 2022

Updating the NTP Registries
draft-ietf-ntp-update-registries-05

Abstract

The Network Time Protocol (NTP) and Network Time Security (NTS) documents define a number of assigned number registries, collectively called the NTP registries. Some registries have wrong values, some registries do not follow current common practice, and some are just right. For the sake of completeness, this document reviews all NTP and NTS registries.

This document updates [RFC 5905](#), [RFC 5906](#), [RFC 8573](#), [RFC 7822](#), and [RFC 7821](#).

Notes

This note is to be removed before publishing as an RFC.

This document is a product of the NTP Working Group (<https://dt.ietf.org/wg/ntp>). Source for this draft and an issue tracker can be found at <https://github.com/richsalz/draft-rsalz-update-registries>.

RFC Editor: Please update 'this RFC' to refer to this document, once its RFC number is known, through the document.

Status of This Memo

This Internet-Draft is submitted in full conformance with the provisions of [BCP 78](#) and [BCP 79](#).

Internet-Drafts are working documents of the Internet Engineering Task Force (IETF). Note that other groups may also distribute working documents as Internet-Drafts. The list of current Internet-Drafts is at <https://datatracker.ietf.org/drafts/current/>.

Internet-Draft

Updating the NTP Registries

July 2022

Internet-Drafts are draft documents valid for a maximum of six months and may be updated, replaced, or obsoleted by other documents at any time. It is inappropriate to use Internet-Drafts as reference material or to cite them other than as "work in progress."

This Internet-Draft will expire on 25 January 2023.

Copyright Notice

Copyright (c) 2022 IETF Trust and the persons identified as the document authors. All rights reserved.

This document is subject to [BCP 78](#) and the IETF Trust's Legal Provisions Relating to IETF Documents (<https://trustee.ietf.org/license-info>) in effect on the date of publication of this document. Please review these documents carefully, as they describe your rights and restrictions with respect to this document. Code Components extracted from this document must include Revised BSD License text as described in Section 4.e of the [Trust Legal Provisions](#) and are provided without warranty as described in the Revised BSD License.

Table of Contents

1.	Introduction	2
2.	Existing Registries	3
2.1.	Reference ID, Kiss-o'-Death	3
2.2.	Extension Field Types	3
2.3.	Network Time Security Registries	4
3.	Updated Registries	4
4.	IANA Considerations	5
4.1.	NTP Reference Identifier Codes	5
4.2.	NTP Kiss-o'-Death Codes	5
4.3.	NTP Extension Field Types	6
5.	Acknowledgements	9
6.	Normative References	9
	Author's Address	10

[1.](#) Introduction

The Network Time Protocol (NTP) and Network Time Security (NTS) documents define a number of assigned number registries, collectively called the NTP registries. Some registries have wrong values, some registries do not follow current common practice, and some are just

right. For the sake of completeness, this document reviews all NTP and NTS registries.

The bulk of this document can be divided into two parts:

Salz

Expires 25 January 2023

[Page 2]

Internet-Draft

Updating the NTP Registries

July 2022

- * First, each registry, its defining document, and a summary of its syntax is defined.
- * Second, the revised format and entries for each registry that is being modified is specified.

[2.](#) Existing Registries

This section describes the registries and the rules for them. It is intended to be a short summary of the syntax and registration requirements for each registry. The semantics and protocol processing rules for each registry -- that is, how an implementation acts when sending or receiving any of the fields -- are not described here.

[2.1.](#) Reference ID, Kiss-o'-Death

[RFC5905] defined two registries; the Reference ID in [Section 7.3](#), and the Kiss-o'-Death in [Section 7.4](#). Both of these are allowed to be four ASCII characters; padded on the right with all-bits-zero if necessary. Entries that start with 0x58, the ASCII letter uppercase X, are reserved for Private or Experimental Use. Both registries are first-come first-served. The formal request to define the registries is in [Section 16](#).

[\[RFC5905\]](#), [Section 7.5](#) defined the on-the-wire format of extension fields but did not create a registry for it.

[2.2.](#) Extension Field Types

[RFC5906] mentioned the Extension Field Types registry, and defined it indirectly by defining 30 extensions (10 each for request, response, and error response) in [Section 13](#). It did not provide a formal definition of the columns in the registry. [\[RFC5906\]](#), [Section 10](#) splits the Field Type into four subfields, only for use within the Autokey extensions.

[RFC7821] added a new entry, Checksum Complement, to the Extension Field Types registry.

[RFC7822] clarified the processing rules for Extension Field Types, particularly around the interaction with the Message Authentication Code (MAC) field.

[RFC8573] changed the cryptography used in the MAC field.

The following problems exists with the current registry:

Salz

Expires 25 January 2023

[Page 3]

Internet-Draft

Updating the NTP Registries

July 2022

- * Many of the entries in the Extension Field Types registry have swapped some of the nibbles; 0x1234 is listed as 0x1432 for example. This was due to documentation errors with the original implementation of Autokey. This document marks the erroneous values as reserved, in case there is an implementation that used the registered values instead of what the original implementation used.
- * Some values were mistakenly re-used.

[2.3](#). Network Time Security Registries

[RFC8915] defines the NTS protocol. Its registries are listed here for completeness, but no changes to them are specified in this document.

Sections [7.1](#) through [7.5](#) (inclusive) added entries to existing registries.

[Section 7.6](#) created a new registry, NTS Key Establishment Record Types, that partitions the assigned numbers into three different registration policies: IETF Review, Specification Required, and Private or Experimental Use.

[Section 7.7](#) created a new registry, NTS Next Protocols, that similarly partitions the assigned numbers.

[Section 7.8](#) created two new registries, NTS Error Codes and NTS Warning Codes. Both registries are also partitioned the same way.

3. Updated Registries

The following general guidelines apply to all registries updated here:

- * Every entry reserves a partition for Private or Experimental Use.
- * Registries with ASCII fields are now limited to uppercase letters; fields starting with 0x2D, the ASCII minus sign, are reserved for Private or Experimental Use..
- * The policy for every registry is now Specification Required, as defined in [\[RFC8126\]](#), [Section 4.6](#).

The IESG is requested to choose three designated experts, with two being required to approve a registry change.

Salz

Expires 25 January 2023

[Page 4]

Internet-Draft

Updating the NTP Registries

July 2022

Each entry described in the sub-sections below is intended to completely replace the existing entry with the same name.

4. IANA Considerations

4.1. NTP Reference Identifier Codes

The registration procedure is changed to Specification Required.

The Note is changed to read as follows:

- * Codes beginning with the character "-" are reserved for experimentation and development. IANA cannot assign them.

The columns are defined as follows:

- * ID (required): a four-byte value padded on the right with zeros. Each value must be an ASCII uppercase letter or minus sign
- * Clock source (required): A brief text description of the ID
- * Reference (required): the publication defining the ID.

The existing entries are left unchanged.

[4.2.](#) NTP Kiss-o'-Death Codes

The registration procedure is changed to Specification Required.

The Note is changed to read as follows:

- * Codes beginning with the character "-" are reserved for experimentation and development. IANA cannot assign them.

The columns are defined as follows:

- * ID (required): a four-byte value padded on the right with zeros. Each value must be an ASCII uppercase letter or minus sign.
- * Meaning source (required): A brief text description of the ID.
- * Reference (required): the publication defining the ID.

The existing entries are left unchanged.

[4.3.](#) NTP Extension Field Types

The registration procedure is changed to Specification Required.

The reference should be [[RFC5906](#)] added, if possible.

The following Note is added:

- * Field Types in the range 0xF000 through 0xFFFF, inclusive, are reserved for experimentation and development. IANA cannot assign them. Both NTS Cookie and Autokey Message Request have the same Field Type; in practice this is not a problem as the field semantics will be determined by other parts of the message.

The columns are defined as follows:

- * Field Type (required): A two-byte value in hexadecimal.
- * Meaning (required): A brief text description of the field type.
- * Reference (required): the publication defining the field type.

The table is replaced with the following entries.

Field Type	Meaning	Reference
0x0002	Reserved for historic reasons	This RFC
0x0102	Reserved for historic reasons	This RFC
0x0104	Unique Identifier	RFC 8915 , Section 5.3
0x0200	No-Operation Request	RFC 5906
0x0201	Association Message Request	RFC 5906
0x0202	Certificate Message Request	RFC 5906
0x0203	Cookie Message Request	RFC 5906
0x0204	NTS Cookie	RFC 8915 , Section 5.4
0x0204	Autokey Message Request	RFC 5906
0x0205	Leapseconds Message Request	RFC 5906

0x0206	Sign Message Request	RFC 5906
0x0207	IFF Identity Message Request	RFC 5906
0x0208	GQ Identity Message Request	RFC 5906
0x0209	MV Identity Message Request	RFC 5906

0x0302	Reserved for historic reasons	This RFC
0x0304	NTS Cookie Placeholder	RFC 8915 , Section 5.5
0x0402	Reserved for historic reasons	This RFC
0x0404	NTS Authenticator and Encrypted Extension Fields	RFC 8915 , Section 5.6
0x0502	Reserved for historic reasons	This RFC
0x0602	Reserved for historic reasons	This RFC
0x0702	Reserved for historic reasons	This RFC
0x2005	Reserved for historic reasons	This RFC
0x8002	Reserved for historic reasons	This RFC
0x8102	Reserved for historic reasons	This RFC
0x8200	No-Operation Response	RFC 5906
0x8201	Association Message Response	RFC 5906
0x8202	Certificate Message Response	RFC 5906
0x8203	Cookie Message Response	RFC 5906
0x8204	Autokey Message Response	RFC 5906
0x8205	Leapseconds Message Response	RFC 5906
0x8206	Sign Message Response	RFC 5906
0x8207	IFF Identity Message Response	RFC 5906
0x8208	GQ Identity Message Response	RFC 5906

+-----+-----+-----+

0x8209	MV Identity Message Response	RFC 5906	
+-----+	+-----+	+-----+	+-----+
0x8302	Reserved for historic reasons	This RFC	
+-----+	+-----+	+-----+	+-----+
0x8402	Reserved for historic reasons	This RFC	
+-----+	+-----+	+-----+	+-----+
0x8502	Reserved for historic reasons	This RFC	
+-----+	+-----+	+-----+	+-----+
0x8602	Reserved for historic reasons	This RFC	
+-----+	+-----+	+-----+	+-----+
0x8702	Reserved for historic reasons	This RFC	
+-----+	+-----+	+-----+	+-----+
0x8802	Reserved for historic reasons	This RFC	
+-----+	+-----+	+-----+	+-----+
0xC002	Reserved for historic reasons	This RFC	
+-----+	+-----+	+-----+	+-----+
0xC102	Reserved for historic reasons	This RFC	
+-----+	+-----+	+-----+	+-----+
0xC200	No-Operation Error Response	RFC 5906	
+-----+	+-----+	+-----+	+-----+
0xC201	Association Message Error Response	RFC 5906	
+-----+	+-----+	+-----+	+-----+
0xC202	Certificate Message Error Response	RFC 5906	
+-----+	+-----+	+-----+	+-----+
0xC203	Cookie Message Error Response	RFC 5906	
+-----+	+-----+	+-----+	+-----+
0xC204	Autokey Message Error Response	RFC 5906	
+-----+	+-----+	+-----+	+-----+
0xC205	Leapseconds Message Error Response	RFC 5906	
+-----+	+-----+	+-----+	+-----+
0xC206	Sign Message Error Response	RFC 5906	
+-----+	+-----+	+-----+	+-----+
0xC207	IFF Identity Message Error Response	RFC 5906	
+-----+	+-----+	+-----+	+-----+
0xC208	GQ Identity Message Error Response	RFC 5906	
+-----+	+-----+	+-----+	+-----+
0xC209	MV Identity Message Error Response	RFC 5906	
+-----+	+-----+	+-----+	+-----+
0xC302	Reserved for historic reasons	This RFC	
+-----+	+-----+	+-----+	+-----+

0xC402	Reserved for historic reasons	This RFC	
+-----+	+-----+	+-----+	+-----+
0xC502	Reserved for historic reasons	This RFC	
+-----+	+-----+	+-----+	+-----+
0xC602	Reserved for historic reasons	This RFC	
+-----+	+-----+	+-----+	+-----+
0xC702	Reserved for historic reasons	This RFC	
+-----+	+-----+	+-----+	+-----+
0xC802	Reserved for historic reasons	This RFC	
+-----+	+-----+	+-----+	+-----+
0x0902	Reserved for historic reasons	This RFC	
+-----+	+-----+	+-----+	+-----+
0x8902	Reserved for historic reasons	This RFC	
+-----+	+-----+	+-----+	+-----+
0xC902	Reserved for historic reasons	This RFC	
+-----+	+-----+	+-----+	+-----+

Table 1

5. Acknowledgements

The members of the NTP Working Group helped a great deal. Notable contributors include:

- * Miroslav Lichvar, Red Hat
- * Daniel Franke, Akamai Technologies
- * Danny Mayer, Network Time Foundation
- * Michelle Cotton, IANA

6. Normative References

- [RFC5905] Mills, D., Martin, J., Ed., Burbank, J., and W. Kasch, "Network Time Protocol Version 4: Protocol and Algorithms Specification", [RFC 5905](#), DOI 10.17487/RFC5905, June 2010, <<https://doi.org/10.17487/RFC5905>>.
- [RFC5906] Haberman, B., Ed. and D. Mills, "Network Time Protocol Version 4: Autokey Specification", [RFC 5906](#), DOI 10.17487/RFC5906, June 2010, <<https://doi.org/10.17487/RFC5906>>.
- [RFC7821] Mizrahi, T., "UDP Checksum Complement in the Network Time Protocol (NTP)", [RFC 7821](#), DOI 10.17487/RFC7821, March

2016, <<https://doi.org/10.17487/RFC7821>>.

Salz

Expires 25 January 2023

[Page 9]

Internet-Draft

Updating the NTP Registries

July 2022

- [RFC7822] Mizrahi, T. and D. Mayer, "Network Time Protocol Version 4 (NTPv4) Extension Fields", [RFC 7822](#), DOI 10.17487/RFC7822, March 2016, <<https://doi.org/10.17487/RFC7822>>.
- [RFC8126] Cotton, M., Leiba, B., and T. Narten, "Guidelines for Writing an IANA Considerations Section in RFCs", [BCP 26](#), [RFC 8126](#), DOI 10.17487/RFC8126, June 2017, <<https://doi.org/10.17487/RFC8126>>.
- [RFC8573] Malhotra, A. and S. Goldberg, "Message Authentication Code for the Network Time Protocol", [RFC 8573](#), DOI 10.17487/RFC8573, June 2019, <<https://doi.org/10.17487/RFC8573>>.
- [RFC8915] Franke, D., Sibold, D., Teichel, K., Dansarie, M., and R. Sundblad, "Network Time Security for the Network Time Protocol", [RFC 8915](#), DOI 10.17487/RFC8915, September 2020, <<https://doi.org/10.17487/RFC8915>>.

Author's Address

Rich Salz
Akamai Technologies
Email: rsalz@akamai.com

Salz

Expires 25 January 2023

[Page 10]