

PKIX Working Group  
Internet Draft  
expires in six months

C. Adams(Entrust Technologies)  
P. Cain (BBN)  
D. Pinkas (Bull)  
R. Zuccherato(Entrust Technologies)  
July 29, 1997

## **Internet Public Key Infrastructure**

### **Part V: Time Stamp Protocols**

<[draft-ietf-pkix-ipki5tsp-00.txt](#)>

#### **Status of this Memo**

This document is an Internet-Draft. Internet-Drafts are working documents of the Internet Engineering Task Force (IETF), its areas, and its working groups. Note that other groups may also distribute working documents as Internet-Drafts.

Internet-Drafts are draft documents valid for a maximum of six months and may be updated, replaced, or obsoleted by other documents at any time. It is inappropriate to use Internet-Drafts as reference material or to cite them other than as "work in progress."

To learn the current status of any Internet-Draft, please check the "1id-abstracts.txt" listing contained in the Internet-Drafts Shadow Directories on ftp.is.co.za (Africa), nic.nordu.net (Europe), munnari.oz.au (Pacific Rim), ds.internic.net (US East Coast), or ftp.isi.edu (US West Coast).

#### **Abstract**

This document describes the format of the data returned by a Time Stamp Authority and the protocols to be used when communicating with it. The time stamping service can be used as a Trusted Third Party (TTP) as one component in building reliable non-repudiation services (see [[ISONR](#)]). We also give an example of how to place a signature at a particular point in time, from which the appropriate CRLs may be checked.

#### **1. Introduction**

In order to associate a message with a particular point in time, a Time Stamp Authority (TSA) may need to be used. This Trusted Third Party provides a proof-of-existence for this particular message at an instant in time. A TSA may also be used when a trusted time reference is required and when the local clock available cannot be trusted by all parties. The TSA's role is to time stamp a message to establish evidence indicating the time before which the message was generated. This can then be used, for example, to verify that a digital signature

was applied before the key was put on a CRL, to indicate the time of submission when a deadline is critical, or to indicate the time of transaction for entries in a log. An exhaustive list of possible uses of a TSA is beyond the scope of this document.

Document Expiration: Jan. 29, 1998

Page 1

## **2. Requirements of the TSA**

The TSA is required to:

1. include a monotonically incrementing value of the time of day into its time stamp token.
2. produce a time stamp token upon receiving a valid request from the requester.
3. include within each time stamp token an identifier to uniquely determine the trust and validation policy used for this signature.
4. support time stamping of a hash representation of the message from the requester.

## **3. TSA Transactions**

As the first message of this mechanism, the requesting entity requests a time stamping service by sending a request (which is or includes a `TimeStampReq`, as defined below) to the Time Stamping Authority. As the second message, the Time Stamping Authority responds by sending a response (which is or includes a `TimeStampToken`, as defined below) to the requesting entity.

Upon receiving the token, the requesting entity verifies its validity by verifying the signature in the `TimeStampToken` and by verifying that what was time stamped corresponds to what was requested to be time stamped. The requester should verify that the `TimeStampToken` contains the correct time, the correct TSA name, the correct data imprint and the correct hash algorithm OID. Since the TSA's certificate may have been revoked, the appropriate ARL should be checked to verify that the certificate is still valid. The token can now be used to establish a trusted time reference.

## **4. Request and Token Formats**

A time stamping request is as follows.

```
TimeStampReq ::= SEQUENCE {  
    requester          [0] GeneralName OPTIONAL,  
    reqPolicy           [1] PolicyInformation OPTIONAL,  
    tsa                GeneralName,  
    messageImprint     MessageImprint  
        --a hash of the data to be time stamped  
}
```

The `reqPolicy` field, if included, indicates the policy under which the

TimeStampToken should be provided. PolicyInformation is defined in [Section 4.2.1.5](#) of PKIX Part 1 [[PKIX1](#)].

The tsa field identifies the name of the TSA. GeneralName is defined in [Section 4.2.1.7](#) of PKIX Part 1 [[PKIX1](#)].

```
MessageImprint ::= SEQUENCE {
    hashAlgorithm      AlgorithmIdentifier,
    hashedMessage      OCTET STRING }
```

The hash algorithm indicated in the hashAlgorithm field must be a strong

Document Expiration: Jan. 29, 1998

Page 2

hash algorithm. That means that it must be one-way and collision resistant. It is up to the Time Stamp Authority to decide whether or not the given hash algorithm is sufficient (based on the current state of knowledge in cryptanalysis and the current state of the art in computational resources, for example).

The hashedMessage field should contain the hash of the message to be time stamped. The hash is represented as an OCTET STRING.

A time stamp token is as follows. The signature is computed over tstInfo (encoded using the ASN.1 distinguished encoding rules (DER)).

```
TimeStampToken ::= SEQUENCE {
    tstInfo      TSTInfo,
    signature     BIT STRING,
    --over the ASN.1 DER encoding of tstInfo
}

TSTInfo ::= SEQUENCE {
    policy          PolicyInformation,
    status          PKIStatusInfo,
    requester       [0] GeneralName OPTIONAL,
    --must be present if the requester field is present in
    --TimeStampReq
    tsa             GeneralName,
    signatureAlgorithm AlgorithmIdentifier,
    certId          CertId,
    --must refer to the TSA's public verification certificate
    certs           SEQUENCE OF Certificate OPTIONAL,
    genTime         GeneralizedTime,
    messageImprint  MessageImprint
    --this field must have the same value as the similar field
    --in TimeStampReq
}
```

PKIStatusInfo is defined in [Section 3.2.3](#) of PKIX Part 3 [[PKIX3](#)]. The status field is present to indicate whether or not the time stamping request was fulfilled and, if not, the reason it was rejected. A valid

time stamp token will always have value 0 (granted) in the PKIStatus field of PKIStatusInfo.

CertId is defined in [Section 3.2.4](#) of PKIX Part 3 [[PKIX3](#)].

## **5. Time Stamp Protocol Using E-mail**

This section specifies a means for conveying ASN.1-encoded messages for the protocol exchanges described in [Section 4](#) via Internet mail.

A simple MIME object is specified as follows.

```
Content-Type: application/x-pkix5
Content-Transfer-Encoding: base64
```

```
<<the ASN.1 DER-encoded PKIX-5 message, base64-encoded>>
```

This MIME object can be sent and received using common MIME processing

Document Expiration: Jan. 29, 1998

Page 3

engines and provides a simple Internet mail transport for PKIX-5 messages.

## **7. Security Considerations**

When designing a TSA service, the following considerations have been identified that have an impact upon the validity or trust in the time stamp token.

1. The TSA private key is compromised and the corresponding certificate is revoked. In this case, any token signed by the TSA using that private key cannot be trusted. For this reason, it is imperative that the TSA's private key be guarded with proper security and controls in order to minimize the possibility of compromise. In case the private key does become compromised, an audit trail of all tokens generated by the TSA may provide a means to discriminate between genuine and false tokens.
2. The TSA signing key must be of a sufficient length to allow for a sufficiently long lifetime. Even if this is done, the key will have a finite lifetime. Thus, any token signed by the TSA should be time stamped again at a later date to renew the trust that exists in the TSA's signature.

## **8. References**

[ISONR] ISO/IEC 10181-5: Security Frameworks in Open Systems. Non-Repudiation Framework.

[PKIX1] R. Housley, W. Ford, W. Polk, D. Solo, Internet Public Key

Infrastructure, Part I: X.509 Certificate and CRL Profile, draft-ietf-pkix-ipki-part1-0X.txt, 1997 (work in progress).

[PKIX3] C. Adams, S. Farrell, Internet Public Key Infrastructure, Part III: Certificate Management Protocols, [draft-ietf-pkix-ipki3cmp-0X.txt](#), 1997 (work in progress).

## 9. Authors Addresses

Carlisle Adams  
Entrust Technologies  
[750](#) Heron Road, Suite 800  
Ottawa, Ontario  
K1V 1A7  
CANADA  
cadams@entrust.com

Pat Cain  
BBN  
70 Fawcett Street  
Cambridge, MA 02138  
U.S.A.  
pcain@bbn.com

Denis Pinkas  
Bull S.A.  
Rue Jean Jaures  
B.P. 68  
[78340](#) Les Clayes sous Bois  
FRANCE  
D.Pinkas@frcl.bull.fr

Robert Zuccherato  
Entrust Technologies  
750 Heron Road, Suite 800  
Ottawa, Ontario  
K1V 1A7  
CANADA  
robertz@entrust.com

Document Expiration: Jan. 29, 1998

Page 4

## APPENDIX A - Storage of Data and Token

A time stamp token is meaningless without its associated data. Thus, a method is required to allow users to store the data and token together securely. They may be stored as a PKCS #7 SignedData object as described in [[PKCS7](#)]. That is, the contentType is signedData and contentInfo is Data, which contains the message associated with the time stamp token. The SignedData object is signed by the person storing the data and token.

For this purpose, we define a PKCS #9 [[PKCS9](#)] time stamp token attribute type. This attribute type specifies the time stamp token, which must be included as an authenticated attribute of the SignedData object. The time stamp token attribute type has ASN.1 type TimeStampToken (as defined in [Section 4](#) of this document). A time stamp token attribute can have a single attribute value.

The object identifier timeStampToken identifies the time stamp token attribute type.

timeStampToken ::= { pkcs-9 n <<To be supplied>> }

[PKCS7] RSA Laboratories, The Public-Key Cryptography Standards (PKCS) , RSA Data Security Inc., Redwood City, California, November

## 1993 Release.

[PKCS9] RSA Laboratories, The Public-Key Cryptography Standards (PKCS) , RSA Data Security Inc., Redwood City, California, November 1993 Release.

### APPENDIX B - Placing a Signature At a Particular Point in Time

We present an example of a possible use of this general time stamping service. It places a signature at a particular point in time, from which the appropriate CRLs must be checked. This application is intended to be used in conjunction with evidence generated using a digital signature mechanism.

Signatures can only be verified according to a non-repudiation policy. This policy may be implicit or explicit (i.e., indicated in the evidence provided by the signer). The non-repudiation policy can specify, among other things, the time period allowed by a signer to declare the compromise of a signature key used for the generation of digital signatures. Thus a signature may not be guaranteed to be valid until the termination of this time period.

To verify a signature that incorporates an untrusted time, the following basic technique may be used:

A) Time stamping information needs to be obtained by the signer or a verifier.

- 1) The signature is presented to the Time Stamping Authority (TSA). The TSA then returns a TimeStampToken (TST) upon that signature.

Document Expiration: Jan. 29, 1998

Page 5

- 2) The invoker of the service must then verify that the TimeStampToken is correct.

B) The validity of the evidence must be verified :

- 1) The date/time indicated by the signer in the signature shall be compared with the date/time in the TST. If they are not close enough (e.g., less than a few hours) the evidence is considered to be invalid.
- 2) The certificate included in the signed message should be verified to be valid at the time of the signature. It must first be verified and then the appropriate CRL must be checked.

The signature has now been placed at a particular point in time. The appropriate CRLs may be examined to determine the validity of the

signature at that time.