

Internet Engineering Task Force (IETF)  
Internet-Draft  
Intended status: Standards Track  
Expires: August 14, 2020

T. Sattler  
R. Carney  
J. Kolker  
GoDaddy Inc.  
February 15, 2020

Registry Maintenance Notifications for the  
Extensible Provisioning Protocol (EPP)  
draft-ietf-regext-epp-registry-maintenance-00

#### Abstract

This document describes an Extensible Provision Protocol (EPP) mapping for domain name registry's maintenance notifications.

#### Status of This Memo

This Internet-Draft is submitted in full conformance with the provisions of [BCP 78](#) and [BCP 79](#).

Internet-Drafts are working documents of the Internet Engineering Task Force (IETF). Note that other groups may also distribute working documents as Internet-Drafts. The list of current Internet-Drafts is at <https://datatracker.ietf.org/drafts/current/>.

Internet-Drafts are draft documents valid for a maximum of six months and may be updated, replaced, or obsoleted by other documents at any time. It is inappropriate to use Internet-Drafts as reference material or to cite them other than as "work in progress".

This Internet-Draft will expire on August 14, 2020.

#### Copyright Notice

Copyright (c) 2020 IETF Trust and the persons identified as the document authors. All rights reserved.

This document is subject to [BCP 78](#) and the IETF Trust's Legal Provisions Relating to IETF Documents (<https://trustee.ietf.org/license-info>) in effect on the date of publication of this document. Please review these documents carefully, as they describe your rights and restrictions with respect to this document. Code Components extracted from this document must include Simplified BSD License text as described in Section 4.e of the Trust Legal Provisions and are provided without warranty as described in the Simplified BSD License.

Sattler, et al.

Expires August 14, 2020

[Page 1]

## Table of Contents

<a href="#">1.</a>	<a href="#">Introduction</a>	<a href="#">3</a>
<a href="#">1.1.</a>	<a href="#">Terminology and Definitions</a>	<a href="#">3</a>
<a href="#">2.</a>	<a href="#">Object Attributes</a>	<a href="#">3</a>
<a href="#">2.1.</a>	<a href="#">Internationalized Domain Names</a>	<a href="#">3</a>
<a href="#">2.2.</a>	<a href="#">Dates and Times</a>	<a href="#">3</a>
<a href="#">2.3.</a>	<a href="#">Maintenance Elements</a>	<a href="#">4</a>
<a href="#">3.</a>	<a href="#">EPP Command Mapping</a>	<a href="#">6</a>
<a href="#">3.1.</a>	<a href="#">EPP Query Commands</a>	<a href="#">6</a>
<a href="#">3.1.1.</a>	<a href="#">EPP &lt;check&gt; Command</a>	<a href="#">6</a>
<a href="#">3.1.2.</a>	<a href="#">EPP &lt;transfer&gt; Command</a>	<a href="#">6</a>
<a href="#">3.1.3.</a>	<a href="#">EPP &lt;info&gt; Command</a>	<a href="#">6</a>
<a href="#">3.1.4.</a>	<a href="#">EPP &lt;poll&gt; Command</a>	<a href="#">9</a>
<a href="#">3.2.</a>	<a href="#">EPP Transform Commands</a>	<a href="#">11</a>
<a href="#">3.2.1.</a>	<a href="#">EPP &lt;create&gt; Command</a>	<a href="#">11</a>
<a href="#">3.2.2.</a>	<a href="#">EPP &lt;delete&gt; Command</a>	<a href="#">11</a>
<a href="#">3.2.3.</a>	<a href="#">EPP &lt;renew&gt; Command</a>	<a href="#">11</a>
<a href="#">3.2.4.</a>	<a href="#">EPP &lt;transfer&gt; Command</a>	<a href="#">11</a>
<a href="#">3.2.5.</a>	<a href="#">EPP &lt;update&gt; Command</a>	<a href="#">11</a>
<a href="#">4.</a>	<a href="#">Formal Syntax</a>	<a href="#">12</a>
<a href="#">4.1.</a>	<a href="#">Registry Maintenance EPP Mapping Schema</a>	<a href="#">12</a>
<a href="#">5.</a>	<a href="#">IANA Considerations</a>	<a href="#">16</a>
<a href="#">5.1.</a>	<a href="#">XML Namespace</a>	<a href="#">16</a>
<a href="#">5.2.</a>	<a href="#">EPP Extension Registry</a>	<a href="#">17</a>
<a href="#">6.</a>	<a href="#">Security Considerations</a>	<a href="#">17</a>
<a href="#">7.</a>	<a href="#">Implementation Status</a>	<a href="#">17</a>
<a href="#">8.</a>	<a href="#">References</a>	<a href="#">18</a>
<a href="#">8.1.</a>	<a href="#">Normative References</a>	<a href="#">18</a>
<a href="#">8.2.</a>	<a href="#">Informative References</a>	<a href="#">18</a>
<a href="#">Appendix A.</a>	<a href="#">Change History</a>	<a href="#">19</a>
<a href="#">A.1.</a>	<a href="#">Change from <a href="#">draft-sattler-epp-poll-maintenance-response</a> to <a href="#">draft-sattler-epp-registry-maintenance</a></a>	<a href="#">19</a>
<a href="#">A.2.</a>	<a href="#">Change from <a href="#">draft-sattler-epp-registry-maintenance</a> to <a href="#">draft-ietf-regext-epp-registry-maintenance</a></a>	<a href="#">19</a>
	<a href="#">Acknowledgments</a>	<a href="#">20</a>
	<a href="#">Authors' Addresses</a>	<a href="#">20</a>

## [1.](#) Introduction

Domain name registries usually conduct maintenances and inform domain name registrars in different ways. Given the expansion of the DNS namespace, it is now desirable to provide a method for EPP servers to notify EPP clients as well as a method for EPP clients to query EPP servers for upcoming maintenances.

This document describes an extension mapping for version 1.0 of the Extensible Provision Protocol [[RFC5730](#)]. This mapping provides a mechanism by which EPP servers may notify and EPP clients to query for upcoming maintenances.

## [1.1.](#) Terminology and Definitions

The key words "MUST", "MUST NOT", "REQUIRED", "SHALL", "SHALL NOT", "SHOULD", "SHOULD NOT", "RECOMMENDED", "MAY", and "OPTIONAL" in this document are to be interpreted as described in [[RFC2119](#)] when specified in their uppercase forms.

XML is case sensitive. Unless stated otherwise, XML specifications moreover, examples provided in this document MUST be interpreted in the character case presented to develop a conforming implementation.

In examples, "C:" represents lines sent by a protocol client and "S:" represents lines returned by a protocol server. Indentation and white space in examples are provided only to illustrate element relationships and are not a REQUIRED feature of this protocol.

## [2.](#) Object Attributes

### [2.1.](#) Internationalized Domain Names

Names of affected hosts MUST be provided in Punycode according to [[RFC5891](#)].

### [2.2.](#) Dates and Times

All dates and times attribute values MUST be expressed in Universal Coordinated Time (UTC) using the Gregorian calendar. The extended date-time form using upper case "T" and "Z" characters defined in ISO 8601 [[RFC3339](#)] MUST be used to represent date-time values.

Sattler, et al.

Expires August 14, 2020

[Page 3]

---

Internet-Draft

EPP Registry Maintenance

February 2020

### [2.3.](#) Maintenance Elements

The <maint:maint> element describes a single registry maintenance event during a specific period. This element will be used at EPP <poll> messages and to extend the EPP <info> command.

For creating a new maintenance the attribute <maint:status> MUST be 'active', the attribute <maint:crDate> MUST be set and the attribute <maint:upDate> SHALL NOT be present.

For updating a maintenance the attribute <maint:status> MUST be 'active', the attributes <maint:crDate> and <maint:upDate> MUST be set.

For deleting a maintenance the attribute <maint:status> MUST be 'inactive', and the attributes <maint:crDate> and <maint:upDate> MUST be set.

<maint:id>

MUST be present and a UUID according [RFC4122] and SHALL NOT be changed if maintenance got updated or deleted. A human-readable description of the maintenance is identified via an OPTIONAL "msg" attribute.

<maint:systems>

MUST be present and contains one or more <maint:system> elements. The server SHOULD NOT list systems which are not affected by the maintenance.

<maint:system>

MUST be present at least once and is an element of <maint:name>, <maint:host> and <maint:impact>.

<maint:name>

MUST be present and indicates the name of the affected system, such as 'EPP', 'WHOIS', 'DNS', 'Portal', etc.

<maint:host>

MUST be present and indicates the affected maintained system (host or IP address).

Hostname SHALL be Punycode according [RFC5891].

IPv4 addresses SHALL be dotted-decimal notation.

An example of this textual representation is "192.0.2.0".

IPv6 addresses SHALL be according [RFC5952].

An example of this textual representation is

"2001:db8::1:0:0:1".

<maint:impact>

MUST be present and contains the impact level; values SHOULD either be 'blackout' or 'partial'.

<maint:environment>

MUST be present and indicates the type of the affected system; values SHOULD either be 'production', 'ote', 'staging' or 'dev'.

<maint:start>

MUST be present and indicates the start of the maintenance according ISO 8601 [[RFC3339](#)].

Format: YYYY-MM-DDThh:mm:ssTZ

<maint:end>

MUST be present and indicates the end of the maintenance according to ISO 8601 [[RFC3339](#)], and MUST be equal to or greater than <maint:start>.

Format: YYYY-MM-DDThh:mm:ssTZ

<maint:reason>

MUST be present and contains the reason behind the maintenance; values SHOULD either be 'planned' or 'emergency'.

<maint:detail>

MAY be present and contains URI to detailed maintenance description.

<maint:description>

MAY be present and provides a freeform description of the maintenance without having to create and traverse an external resource. The maximum length MUST NOT exceed 1024 bit.

<maint:tlds>

MUST be present and contains <maint:tld> elements.

<maint:tld>

MUST be present and contains the affected top-level domain. Punycode encoded according to [[RFC5891](#)].

<maint:intervention>

MUST be present and contains <maint:connection> and <maint:implementation>.

<maint:connection>

MUST be present and indicates if a client needs to do something that is connection-related, such as a reconnect. The value SHALL be boolean.

<maint:implementation>

MUST be present and indicates if a client needs to do something that is implementation-related, such as a code change. The value SHALL be boolean.

<maint:status>

MUST be present and indicates the status of the maintenance.  
The value SHALL be either 'active' or 'inactive'.

<maint:crDate>

MUST be present and contains the creation date of the maintenance according ISO 8601 [[RFC3339](#)].  
Format: YYYY-MM-DDThh:mm:ssTZ

<maint:upDate>

MAY be present and contains the updated date of the maintenance according to ISO 8601 [[RFC3339](#)], and if set MUST be equal to or greater than <main:crDate>.  
Format: YYYY-MM-DDThh:mm:ssTZ

### [3.](#) EPP Command Mapping

A detailed description of the EPP syntax and semantics can be found in the EPP core protocol specification [[RFC5730](#)]. The command mappings described here are specifically for the use to notify of Registry Maintenances and Registry Maintenance object mapping.

#### [3.1.](#) EPP Query Commands

EPP [[RFC5730](#)] provides three commands to retrieve object information: <check> to determine if an object is known to the server, <info> to retrieve detailed information associated with an object, and <transfer> to retrieve object transfer status information.

##### [3.1.1.](#) EPP <check> Command

Available check semantics do not apply to maintenance objects, so there is no mapping defined for the EPP <check> command.

##### [3.1.2.](#) EPP <transfer> Command

Transfer semantics do not apply to maintenance objects, so there is no mapping defined for the EPP <transfer> command.

##### [3.1.3.](#) EPP <info> Command

EPP provides the <info> command that is used to retrieve registry maintenance information. In addition to the standard EPP command elements, the <info> command MUST contain a <maint:info> element that identifies the maintenance namespace. The <maint:info> element MUST contain a child element. It is either <maint:id> to retrieve a specific maintenance notification or <maint:list> to query all maintenance notifications.

Example <info> command with <maint:id> to get one specific maintenance:

```
C:<?xml version="1.0" encoding="UTF-8" standalone="no"?>
C:<epp xmlns="urn:ietf:params:xml:ns:epp-1.0">
C:  <command>
C:    <info>
C:      <maint:info
C:        xmlns:maint="urn:ietf:params:xml:ns:maintenance-0.2">
C:          <maint:id>2e6df9b0-4092-4491-bcc8-9fb2166dcee6</maint:id>
C:        </maint:info>
C:      </info>
C:    <clTRID>ABC-12345</clTRID>
C:  </command>
C:</epp>
```

Example <info> response for one specific maintenance notification:

```
S:<?xml version="1.0" encoding="UTF-8"?>
S:<epp xmlns="urn:ietf:params:xml:ns:epp-1.0">
S:  <response>
S:    <result code="1000">
S:      <msg>Command completed successfully</msg>
S:    </result>
S:    <resData>
S:      <maint:infData
S:        xmlns:maint="urn:ietf:params:xml:ns:maintenance-0.2">
S:          <maint:maint>
S:            <maint:id>2e6df9b0-4092-4491-bcc8-9fb2166dcee6
S:          </maint:id>
S:            <maint:systems>
S:              <maint:system>
S:                <maint:name>EPP</maint:name>
S:                <maint:host>epp.registry.example</maint:host>
S:                <maint:impact>blackout</maint:impact>
S:              </maint:system>
S:            </maint:systems>
S:          <maint:environment type="production"/>
S:          <maint:start>2017-09-30T06:00:00Z</maint:start>
S:          <maint:end>2017-09-30T14:25:57Z</maint:end>
S:          <maint:reason>planned</maint:reason>
S:          <maint:detail>
S:            https://www.registry.example/notice?123
S:          </maint:detail>
```

```

S:      <maint:description>free text</maint:description>
S:      <maint:tlds>
S:        <maint:tld>example</maint:tld>
S:        <maint:tld>test</maint:tld>
S:      </maint:tlds>
S:      <maint:intervention>
S:        <maint:connection>>false</maint:connection>
S:        <maint:implementation>>false</maint:implementation>
S:      </maint:intervention>
S:      <maint:status>active</maint:status>
S:      <maint:crDate>2017-03-08T22:10:00Z</maint:crDate>
S:    </maint:maint>
S:  </maint:infData>
S: </resData>
S: <trID>
S:   <clTRID>ABC-12345</clTRID>
S:   <svTRID>54321-XYZ</svTRID>
S: </trID>
S: </response>
S:</epp>

```

Example <info> command with <maint:list> to query all maintenances:

```

C:<?xml version="1.0" encoding="UTF-8" standalone="no"?>
C:<epp xmlns="urn:ietf:params:xml:ns:epp-1.0">
C:  <command>
C:    <info>
C:      <maint:info
C:        xmlns:maint="urn:ietf:params:xml:ns:maintenance-0.2">
C:        <maint:list/>
C:      </maint:info>
C:    </info>
C:    <clTRID>ABC-12345</clTRID>
C:  </command>
C:</epp>

```

Example <info> response querying all maintenances:

```

S:<?xml version="1.0" encoding="UTF-8"?>
S:<epp xmlns="urn:ietf:params:xml:ns:epp-1.0">
S:  <response>
S:    <result code="1000">
S:      <msg>Command completed successfully</msg>
S:    </result>
S:    <resData>
S:      <maint:infData
S:        xmlns:maint="urn:ietf:params:xml:ns:maintenance-0.2">

```





```
S:      <maint:list>
S:      <maint:maint>
S:      <maint:id>2e6df9b0-4092-4491-bcc8-9fb2166dcee6
S:      </maint:id>
S:      <maint:start>2017-04-30T06:00:00Z</maint:start>
S:      <maint:end>2017-04-30T07:00:00Z</maint:end>
S:      <maint:crDate>2017-02-08T22:10:00Z</maint:crDate>
S:      </maint:maint>
S:      <maint:maint>
S:      <maint:id>91e9dabf-c4e9-4c19-a56c-78e3e89c2e2f
S:      </maint:id>
S:      <maint:start>2017-06-15T04:30:00Z</maint:start>
S:      <maint:end>2017-06-15T05:30:00Z</maint:end>
S:      <maint:crDate>2017-02-08T22:10:00Z</maint:crDate>
S:      <maint:update>2017-03-08T20:11:00Z</maint:update>
S:      </maint:maint>
S:      </maint:list>
S:      </maint:infData>
S:      </resData>
S:      <trID>
S:      <clTRID>ABC-12345</clTRID>
S:      <svTRID>54321-XYZ</svTRID>
S:      </trID>
S:      </response>
S: </epp>
```

#### 3.1.4. EPP <poll> Command

The EPP <poll> command and response is defined in [Section 2.9.2.3 of \[RFC5730\]](#). The Registry Maintenance Notification is included in the EPP <poll> response of [\[RFC5730\]](#).

For the Registry Maintenance Notification, there are three types of poll messages. The poll messages apply whenever the domain name registry creates, updates, or deletes maintenance. In the case of a Registry Maintenance specific message, a <maint:infData> element will be included within the <resData> element of the standard <poll> response.

The <maint:infData> element will include a reference to the Registry Maintenance namespace. EPP data contained within the <maint:infData> element is formatted according to the maintenance-poll schema.

Example <poll> command:

```
C:<?xml version="1.0" encoding="UTF-8" standalone="no"?>
C:<epp xmlns="urn:ietf:params:xml:ns:epp-1.0">
C:  <command>
C:  <poll op="req"/>
C:    <clTRID>ABC-12345</clTRID>
C:  </command>
C:</epp>
```

Example <poll> response with the Registry Maintenance poll message:

```
S:<?xml version="1.0" encoding="UTF-8" standalone="no"?>
S:<epp xmlns="urn:ietf:params:xml:ns:epp-1.0">
S:  <response>
S:    <result code="1301">
S:      <msg>Command completed successfully; ack to dequeue</msg>
S:    </result>
S:  <msgQ count="1" id="12345">
S:    <qDate>2017-02-08T22:10:00Z</qDate>
S:    <msg>Registry Maintenance Notification</msg>
S:  </msgQ>
S:  <resData>
S:    <maint:infData
S:      xmlns:maint="urn:ietf:params:xml:ns:maintenance-0.2">
S:      <maint:maint>
S:        <maint:id>2e6df9b0-4092-4491-bcc8-9fb2166dcee6</maint:id>
S:        <maint:systems>
S:          <maint:system>
S:            <maint:name>EPP</maint:name>
S:            <maint:host>epp.registry.example</maint:host>
S:            <maint:impact>blackout</maint:impact>
S:          </maint:system>
S:        </maint:systems>
S:        <maint:environment type="production"/>
S:        <maint:start>2017-10-30T06:00:00Z</maint:start>
S:        <maint:end>2017-10-30T14:25:57Z</maint:end>
S:        <maint:reason>planned</maint:reason>
S:        <maint:detail>
S:          https://www.registry.example/notice?123
S:        </maint:detail>
S:        <maint:tlds>
S:          <maint:tld>example</maint:tld>
S:          <maint:tld>test</maint:tld>
S:        </maint:tlds>
S:        <maint:intervention>
S:          <maint:connection>>false</maint:connection>
S:          <maint:implementation>>false</maint:implementation>
```

S: </maint:intervention>

Internet-Draft

EPP Registry Maintenance

February 2020

```
S: <maint:status>active</maint:status>
S: <maint:crDate>2017-02-08T22:10:00Z</maint:crDate>
S: </maint:maint>
S: </maint:infData>
S: </resData>
S: <trID>
S: <clTRID>ABC-12345</clTRID>
S: <svTRID>54321-XYZ</svTRID>
S: </trID>
S: </response>
S:</epp>
```

### [3.2.](#) EPP Transform Commands

EPP provides five commands to transform objects: <create> to create an instance of an object, <delete> to delete an instance of an object, <renew> to extend the validity period of an object, <transfer> to manage object sponsorship changes, and <update> to change information associated with an object.

#### [3.2.1.](#) EPP <create> Command

Create semantics do not apply to maintenance objects, so there is no mapping defined for the EPP <create> command.

#### [3.2.2.](#) EPP <delete> Command

Delete semantics do not apply to maintenance objects, so there is no mapping defined for the EPP <delete> command.

#### [3.2.3.](#) EPP <renew> Command

Renew semantics do not apply to maintenance objects, so there is no mapping defined for the EPP <renew> command.

#### [3.2.4.](#) EPP <transfer> Command

Transfer semantics do not apply to maintenance objects, so there is no mapping defined for the EPP <transfer> command.

#### [3.2.5.](#) EPP <update> Command

Update semantics do not apply to maintenance objects, so there is no

mapping defined for the EPP <update> command.

## [4.](#) Formal Syntax

One schema is presented here that is the EPP Registry Maintenance schema.

The formal syntax presented here is a complete schema representation of the object mapping suitable for automated validation of EPP XML instances. The BEGIN and END tags are not part of the schema; they are used to note the beginning and end of the schema for URI registration purposes.

### [4.1.](#) Registry Maintenance EPP Mapping Schema

BEGIN

```
<?xml version="1.0" encoding="UTF-8"?>
  <schema targetNamespace="urn:ietf:params:xml:ns:maintenance-0.2"
    xmlns:eppcom="urn:ietf:params:xml:ns:eppcom-1.0"
    xmlns:epp="urn:ietf:params:xml:ns:epp-1.0"
    xmlns:maint="urn:ietf:params:xml:ns:maintenance-0.2"
    xmlns="http://www.w3.org/2001/XMLSchema"
    elementFormDefault="qualified">

    <!--
    Import common element types
    -->
    <import namespace="urn:ietf:params:xml:ns:eppcom-1.0"/>
    <import namespace="urn:ietf:params:xml:ns:epp-1.0"/>

    <annotation>
      <documentation>
        Extensible Provisioning Protocol v1.0
        Maintenance Mapping Schema.
      </documentation>
    </annotation>

    <!--
    Child elements found in EPP commands.
    -->
    <element name="info" type="maint:infoType"/>

    <!--
    Child elements of the <info> command.
    -->
```

```
<complexType name="infoType">
  <sequence>
    <choice>
      <element name="list">
        <complexType/>

```

```
    </element>
    <element name="id" type="maint:idType"/>
  </choice>
</sequence>
</complexType>

<!--
Human-readable text may be expresses the maintenance
-->
<complexType name="idType">
  <simpleContent>
    <extension base="normalizedString">
      <attribute name="msg" type="token"/>
    </extension>
  </simpleContent>
</complexType>

<!--
Info Response element
-->
<element name="infData" type="maint:infDataType"/>

<!--
<info> response elements.
-->
<complexType name="infDataType">
  <choice>
    <element name="list" type="maint:listDataType"/>
    <element name="maint" type="maint:maintDataType"/>
  </choice>
</complexType>

<!--
Attributes associated with the list info response
-->
<complexType name="listDataType">
  <sequence>
    <element name="maint" type="maint:maintItemType"
      minOccurs="0" maxOccurs="unbounded"/>

```

```
    </sequence>
</complexType>

<!--
Attributes associated with the list item info response
-->
<complexType name="maintItemType">
  <sequence>
    <element name="id" type="maint:idType"/>
    <element name="start" type="dateTime" minOccurs="0"/>
    <element name="end" type="dateTime" minOccurs="0"/>
    <element name="crDate" type="dateTime"/>
    <element name="upDate" type="dateTime" minOccurs="0"/>
  </sequence>
</complexType>
```

```
<!--
Attributes associated with the maintenance info response
-->
<complexType name="maintDataType">
  <sequence>
    <element name="id" type="maint:idType"/>
    <element name="systems" type="maint:systemsType"/>
    <element name="environment" type="maint:envType"/>
    <element name="start" type="dateTime"/>
    <element name="end" type="dateTime"/>
    <element name="reason" type="maint:reasonEnum"/>
    <element name="detail" type="token" minOccurs="0"/>
    <element name="description" type="maint:descriptionType"
      minOccurs="0"/>
    <element name="tlds" type="maint:tldsType"/>
    <element name="intervention" type="maint:interventionType"/>
    <element name="status" type="maint:statusEnum"/>
    <element name="crDate" type="dateTime"/>
    <element name="upDate" type="dateTime" minOccurs="0"/>
  </sequence>
</complexType>

<!--
systems element
-->
<complexType name="systemsType">
  <sequence>
    <element name="system" type="maint:systemType"
      maxOccurs="unbounded"/>
```

```

    </sequence>
</complexType>

<!--
Enumerated list of impacts
-->
<simpleType name="impactEnum">
  <restriction base="token">
    <enumeration value="partial"/>
    <enumeration value="blackout"/>
  </restriction>
</simpleType>

<!--
description element
-->
<complexType name="descriptionType">
  <restriction base="string">
    <maxLength value="1024"/>
  </restriction>
</complexType>

<!--
system element
-->

```

```

<complexType name="systemType">
  <sequence>
    <element name="name" type="token"/>
    <element name="host" type="token"/>
    <element name="impact" type="maint:impactEnum"/>
  </sequence>
</complexType>

<!--
Enumerated list of environments
-->
<simpleType name="envEnum">
  <restriction base="token">
    <enumeration value="production"/>
    <enumeration value="ote"/>
    <enumeration value="staging"/>
    <enumeration value="dev"/>
    <enumeration value="custom"/>
  </restriction>

```



```

</simpleType>

<!--
  environment element
-->
<complexType name="envType">
  <simpleContent>
    <extension base="token">
      <attribute name="type" type="maint:envEnum" use="required"/>
      <attribute name="name" type="token" use="optional"/>
    </extension>
  </simpleContent>
</complexType>

<!--
  Enumerated list of reasons
-->
<simpleType name="reasonEnum">
  <restriction base="token">
    <enumeration value="planned"/>
    <enumeration value="emergency"/>
  </restriction>
</simpleType>

<!--
  tlds element
-->
<complexType name="tldsType">
  <sequence>
    <element name="tld" type="eppcom:labelType"
      maxOccurs="unbounded"/>
  </sequence>
</complexType>

```

```

<!--
  intervention element
-->
<complexType name="interventionType">
  <sequence>
    <element name="connection" type="boolean"/>
    <element name="implementation" type="boolean"/>
  </sequence>
</complexType>

<!--

```

```
Enumerated list of statuses
-->
<simpleType name="statusEnum">
  <restriction base="token">
    <enumeration value="active"/>
    <enumeration value="deleted"/>
  </restriction>
</simpleType>

<!--
End of schema.
-->
</schema>
END
```

## [5.](#) IANA Considerations

### [5.1.](#) XML Namespace

This document uses URNs to describe XML namespaces and XML schemas conforming to a registry mechanism defined in [[RFC3688](#)].

Registration request for the maintenance namespace:

URI: urn:ietf:params:xml:ns:maintenance-1.0

Registrant Contact: IESG

XML: None. Namespace URIs do not represent an XML specification.

Registration request for the maintenance schema:

URI: urn:ietf:params:xml:schema:maintenance-1.0

Registrant Contact: IESG

XML: See the "Formal Syntax" section of this document.

Sattler, et al.

Expires August 14, 2020

[Page 16]

---

Internet-Draft

EPP Registry Maintenance

February 2020

### [5.2.](#) EPP Extension Registry

The following registration of the EPP Extension Registry, described in [[RFC7451](#)], is requested:

Name of Extension: "Registry Maintenance Notifications for the Extensible Provisioning Protocol (EPP)"

Document status: Standards Track

Reference: (insert the reference to RFC version of this document)

Registrant Name and Email Address: IESG, <iesg@ietf.org>

TLDs: Any

IPR Disclosure: None

Status: Active

Notes: None

## 6. Security Considerations

The mapping extensions described in this document do not provide any security services beyond those specified by EPP [[RFC5730](#)] and protocol layers used by EPP. The security considerations described in these other specifications apply to this specification as well.

## 7. Implementation Status

Note to RFC Editor: Please remove this section and the reference to [[RFC7942](#)] before publication.

This section records the status of known implementations of the protocol defined by this specification at the time of posting of this Internet-Draft, and is based on a proposal described in [[RFC7942](#)]. The description of implementations in this section is intended to assist the IETF in its decision processes in progressing drafts to RFCs. Please note that the listing of any individual implementation here does not imply endorsement by the IETF. Furthermore, no effort has been spent to verify the information presented here that was supplied by IETF contributors. This is not intended as, and must not be construed to be, a catalog of available implementations or their features. Readers are advised to note that other implementations may exist.

Sattler, et al.

Expires August 14, 2020

[Page 17]

---

Internet-Draft

EPP Registry Maintenance

February 2020

According to [[RFC7942](#)], "this will allow reviewers and working groups to assign due consideration to documents that have the benefit of running code, which may serve as evidence of valuable experimentation and feedback that have made the implemented protocols more mature. It is up to the individual working groups, to use this information as

they see fit".

Add implementation details once available.

## 8. References

### 8.1. Normative References

- [RFC2119] Bradner, S., "Key words for use in RFCs to Indicate Requirement Levels", [BCP 14](#), [RFC 2119](#), March 1997, <<https://www.rfc-editor.org/info/rfc2119>>.
- [RFC3688] Mealling, M., "The IETF XML Registry", [BCP 81](#), [RFC 3688](#), DOI 10.17487/RFC3688, January 2004, <<https://www.rfc-editor.org/info/rfc3688>>.
- [RFC5730] Hollenbeck, S., "Extensible Provisioning Protocol (EPP)", STD 69, [RFC 5730](#), August 2009, <<https://www.rfc-editor.org/info/rfc5730>>.

### 8.2. Informative References

- [RFC3339] Klyne, G., Ed. and C. Newman, "Date and Time on the Internet: Timestamps", [RFC 3339](#), July 2002, <<https://www.rfc-editor.org/info/rfc3339>>.
- [RFC5891] Klensin, J., "Internationalized Domain Names in Applications (IDNA): Protocol", [RFC 5891](#), August 2010, <<https://www.rfc-editor.org/info/rfc5891>>.
- [RFC4122] Leach, P., Mealling, M. and Salz, R., "A Universally Unique Identifier (UUID) URN Namespace", [RFC 4122](#), July 2015, <<https://www.rfc-editor.org/info/rfc4122>>.
- [RFC5952] Kawamura, S. and Kawashima, M., "A Recommendation for IPv6 Address Text Representation", [RFC 5952](#), August 2010, <<https://www.rfc-editor.org/info/rfc5952>>.
- [RFC7451] Hollenbeck, S., "Extension Registry for the Extensible Provisioning Protocol", [RFC 7451](#), DOI 10.17487/RFC7451, February 2015, <<https://www.rfc-editor.org/info/rfc7451>>.
- [RFC7942] Sheffer, Y. and Farrel, A., "Improving Awareness of Running Code: The Implementation Status Section", [RFC 7942](#), July 2016, <<https://www.rfc-editor.org/info/rfc7942>>.

## [Appendix A](#). Change History

[A.1](#). Change from [draft-sattler-epp-poll-maintenance-response](#) to [draft-sattler-epp-registry-maintenance](#)

Updated to be EPP based instead of JSON document.

[A.2](#). Change from [draft-sattler-epp-registry-maintenance](#) to [draft-ietf-regext-epp-registry-maintenance](#)

Adopted by the REGEXT working group.

Sattler, et al.

Expires August 14, 2020

[Page 19]

---

## Acknowledgments

The authors wish to thank the following individuals for their feedback and suggestions (sorted alphabetically by company):

- o Patrick Mevzek
- o Neal McPherson, 1&1 IONOS
- o Anthony Eden, DNSimple
- o Christopher Martens, Donuts
- o Raymond Zylstra, Neustar
- o Andreas Huber, united-domains
- o Craig Marchant, VentraIP
- o James Gould, Verisign

## Authors' Addresses

Tobias Sattler

Email: [tobias.sattler@me.com](mailto:tobias.sattler@me.com)

URI: <https://tobiassattler.com>

Roger Carney

GoDaddy Inc.

14455 N. Hayden Rd. #219

Scottsdale, AZ 85260

US

Email: [rcarney@godaddy.com](mailto:rcarney@godaddy.com)

URI: <http://www.godaddy.com>

Jody Kolker  
GoDaddy Inc.  
14455 N. Hayden Rd. #219  
Scottsdale, AZ 85260  
US

Email: [jkolker@godaddy.com](mailto:jkolker@godaddy.com)  
URI: <http://www.godaddy.com>

Sattler, et al.

Expires August 14, 2020

[Page 20]