

Network Working Group  
Internet-Draft  
Intended status: Informational  
Expires: September 3, 2018

S. Nandakumar  
C. Jennings  
Cisco  
March 2, 2018

**Annotated Example SDP for WebRTC**  
**draft-ietf-rtcweb-sdp-09**

## Abstract

The Real-Time Communications in WEB-browsers (Rtcweb) working group is charged to provide protocol support for direct interactive rich communication using audio, video and data between two peers' web browsers. Within the Rtcweb framework, Session Description protocol (SDP) is used for negotiating session capabilities between the peers. Such a negotiation happens based on the SDP Offer/Answer exchange mechanism.

This document provides an informational reference in describing the role of SDP and the Offer/Answer exchange mechanism for the most common Rtcweb use-cases.

## Status of This Memo

This Internet-Draft is submitted in full conformance with the provisions of [BCP 78](#) and [BCP 79](#).

Internet-Drafts are working documents of the Internet Engineering Task Force (IETF). Note that other groups may also distribute working documents as Internet-Drafts. The list of current Internet-Drafts is at <http://datatracker.ietf.org/drafts/current/>.

Internet-Drafts are draft documents valid for a maximum of six months and may be updated, replaced, or obsoleted by other documents at any time. It is inappropriate to use Internet-Drafts as reference material or to cite them other than as "work in progress."

This Internet-Draft will expire on September 3, 2018.

## Copyright Notice

Copyright (c) 2018 IETF Trust and the persons identified as the document authors. All rights reserved.

This document is subject to [BCP 78](#) and the IETF Trust's Legal Provisions Relating to IETF Documents (<http://trustee.ietf.org/license-info>) in effect on the date of

publication of this document. Please review these documents carefully, as they describe your rights and restrictions with respect to this document. Code Components extracted from this document must include Simplified BSD License text as described in Section 4.e of the Trust Legal Provisions and are provided without warranty as described in the Simplified BSD License.

## Table of Contents

<a href="#">1. Introduction</a>	3
<a href="#">2. Terminology</a>	3
<a href="#">3. SDP and the WebRTC</a>	3
<a href="#">4. Offer/Answer and the WebRTC</a>	5
<a href="#">5. WebRTC Session Description Examples</a>	6
<a href="#">5.1. Some Conventions</a>	7
<a href="#">5.2. Basic Examples</a>	9
<a href="#">5.2.1. Audio Only Session</a>	9
<a href="#">5.2.2. Audio/Video Session</a>	13
<a href="#">5.2.2.1. IPv4 audio/video session</a>	14
<a href="#">5.2.2.2. Dual Stack audio/video session</a>	19
<a href="#">5.2.3. Data Only Session</a>	24
<a href="#">5.2.4. Audio Call On Hold</a>	27
<a href="#">5.2.5. Audio with DTMF Session</a>	30
<a href="#">5.2.6. One Way Audio/Video Session - Document Camera</a>	34
<a href="#">5.2.7. Audio, Video Session with BUNDLE Support Unknown</a>	38
<a href="#">5.2.8. Audio, Video and Data Session</a>	43
<a href="#">5.2.9. Audio, Video Session with BUNDLE Unsupported</a>	48
<a href="#">5.2.10. Audio, Video BUNDLED, but Data (Not BUNDLED)</a>	53
<a href="#">5.2.11. Audio Only, Add Video to BUNDLE</a>	58
<a href="#">5.3. MultiResolution, RTX, FEC Examples</a>	65
<a href="#">5.3.1. Sendonly Simulcast Session with 2 cameras and 2 encodings per camera</a>	65
<a href="#">5.3.2. Successful SVC Video Session</a>	72
<a href="#">5.3.3. Successful Simulcast Video Session with Retransmission</a>	77
<a href="#">5.3.4. Successful 1-way Simulcast Session with 2 resolutions and RTX - One resolution rejected</a>	82
<a href="#">5.3.5. Simulcast Video Session with Forward Error Correction</a>	87
<a href="#">5.4. Others</a>	92
<a href="#">5.4.1. Audio Session - Voice Activity Detection</a>	93
<a href="#">5.4.2. Audio Conference - Voice Activity Detection</a>	96
<a href="#">5.4.3. Successful legacy Interop Fallback with bundle-only</a>	99
<a href="#">5.4.4. Legacy Interop with RTP/AVP profile</a>	104
<a href="#">6. IANA Considerations</a>	108
<a href="#">7. Security Considerations</a>	108
<a href="#">8. Acknowledgments</a>	108
<a href="#">9. Change Log</a>	108
<a href="#">10. Informative References</a>	112

Nandakumar & Jennings    Expires September 3, 2018

[Page 2]

<a href="#">Appendix A.</a>	<a href="#">Appendix . . . . .</a>	<a href="#">116</a>
<a href="#">A.1.</a>	<a href="#">JSEP SDP Attributes Checklist . . . . .</a>	<a href="#">116</a>
<a href="#">A.1.1.</a>	<a href="#">Common Checklist . . . . .</a>	<a href="#">116</a>
<a href="#">A.1.2.</a>	<a href="#">RTP Media Description Checklist . . . . .</a>	<a href="#">117</a>
<a href="#">A.1.3.</a>	<a href="#">DataChannel Media Description checklist . . . . .</a>	<a href="#">119</a>
	<a href="#">Authors' Addresses . . . . .</a>	<a href="#">119</a>

## [1. Introduction](#)

Javascript Session Establishment Protocol(JSEP) [[I-D.ietf-rtcweb-jsep](#)] specifies a generic protocol needed to generate [[RFC3264](#)] Offers and Answers negotiated between the [[WebRTC](#)] peers for setting up, updating and tearing down a WebRTC session. For this purpose, SDP is used to construct [[RFC3264](#)] Offers/Answers for describing (media and non-media) streams as appropriate for the recipients of the session description to participate in the session.

The remainder of this document is organized as follows: Sections [3](#) and 4 provides an overview of SDP and the Offer/Answer exchange mechanism. [Section 5](#) provides sample SDP generated for the most common WebRTC use-cases.

## [2. Terminology](#)

The key words "MUST", "MUST NOT", "REQUIRED", "SHOULD", "SHOULD NOT", "RECOMMENDED", "MAY", and "OPTIONAL" in this document are to be interpreted as described in [[RFC2119](#)].

## [3. SDP and the WebRTC](#)

The purpose of this section is to provide a general overview of SDP and its components. For a more in-depth understanding, the readers are advised to refer to [[RFC4566](#)].

The Session Description Protocol (SDP) [[RFC4566](#)] describes multimedia sessions, which can contain audio, video, whiteboard, fax, modem, and other streams. SDP provides a general purpose, standard representation to describe various aspects of multimedia session such as media capabilities, transport addresses and related metadata in a transport agnostic manner, for the purposes of session announcement, session invitation and parameter negotiation.

As of today SDP is widely used in the context of Session Initiation Protocol [[RFC3261](#)], Real-time Transport Protocol [[RFC3550](#)] and Real-time Streaming Protocol applications [[RFC7826](#)].

Below figure introduces high-level breakup of SDP into components that semantically describe a multimedia session, in our case, a

Nandakumar & Jennings    Expires September 3, 2018

[Page 3]

WebRTC session [[WebRTC](#)]. It by no means captures everything about SDP and hence, should be used for informational purposes only.



Nandakumar & Jennings    Expires September 3, 2018

[Page 4]




Figure 1: Semantic Components of SDP

[WebRTC] proposes JavaScript application to fully specify and control the signaling plane of a multimedia session as described in the JSEP specification [[I-D.ietf-rtcweb-jsep](#)]. JSEP provides mechanisms to create session characterization and media definition information to conduct the session based on SDP exchanges.

In this context, SDP serves two purposes:

1. Provide grammatical structure syntactically.
2. Semantically convey participant's intention and capabilities required to successfully negotiate a session.

#### **4. Offer/Answer and the WebRTC**

This section introduces SDP Offer/Answer Exchange mechanism mandated by WebRTC for negotiating session capabilities while setting up, updating and tearing down a WebRTC session. This section is intentionally brief in nature and interested readers are recommended to refer [[RFC3264](#)] for specific details on the protocol operation.

Nandakumar & Jennings    Expires September 3, 2018

[Page 5]

The Offer/Answer [[RFC3264](#)] model specifies rule for the bilateral exchange of Session Description Protocol (SDP) messages for creation of multimedia streams. It defines protocol with involved participants exchanging desired session characteristics from each others perspective constructed as SDP to negotiate the session between them.

In the most basic form, the protocol operation begins by one of the participants sending an initial SDP Offer describing its intent to start a multimedia communication session. The participant receiving the offer MAY generate an SDP Answer accepting the offer or it MAY reject the offer. If the session is accepted the Offer/Answer model guarantees a common view of the multimedia session between the participants.

At any time, either participant MAY generate a new SDP offer that updates the session in progress.

With in the context of WebRTC, the Offer/Answer model defines the state-machinery for WebRTC peers to negotiate session descriptions between them during the initial setup stages as well as for eventual session updates. JSEP specification [[I-D.ietf-rtcweb-jsep](#)] for WebRTC provides the mechanism for generating [[RFC3264](#)] SDP Offers and Answers in order for both sides of the session to agree upon the details such as the list of media formats to be sent/received, bandwidth information, crypto parameters, transport parameters, for example.

## **[5. WebRTC Session Description Examples](#)**

A typical web based real-time multimedia communication session can be characterized as below:

- o It has zero or more Audio only, Video only or Audio/Video RTP Sessions,
- o MAY contain zero or more non-media data sessions,
- o All the sessions are secured with DTLS-SRTP,
- o Supports NAT traversal using ICE mechanism,
- o Provides RTCP based feedback mechanisms,
- o Sessions can be over IPv4-only, IPv6-only, dual-stack based clients,

Nandakumar & Jennings    Expires September 3, 2018

[Page 6]

- o Supports BUNDLE based grouping of media streams over a single 5-tuple transport.

### **5.1. Some Conventions**

The examples given in this document follow the conventions listed below:

- o In all the examples, Alice and Bob are assumed to be the WebRTC peers.
- o It is assumed that for most of the examples, the support for [[I-D.ietf-mmusic-sdp-bundle-negotiation](#)] is established apriori either out-of-band or as a consequence of successful Offer/Answer negotiation between Alice and Bob, unless explicitly stated otherwise.
- o Call-flow diagrams that accompany the use-cases capture only the prominent aspects of the system behavior and intentionally is not detailed to improve readability.
- o Eventhough the call-flow diagrams shows SDP being exchanged between the parties, it doesn't represent the only way an WebRTC setup is expected to work. Other approaches may involve WebRTC applications to exchange the media setup information via non-SDP mechanisms as long as they conform to the [[I-D.ietf-rtcweb-jsep](#)] API specification.
- o The SDP examples deviate from actual on-the-wire SDP notation in several ways. This is done to facilitate readability and to conform to the restrictions imposed by the RFC formatting rules.
  - \* Visual markers/Empty lines in any SDP example are inserted to make functional divisions in the SDP clearer, and are not actually part of the SDP syntax.
  - \* Any SDP line that is indented (compared to the initial line in the SDP block) is a continuation of the preceding line. The line break and indent are to be interpreted as a single space character.
  - \* Excepting the above two conventions, line endings are to be interpreted as <CR><LF> pairs (that is, an ASCII 13 followed by an ASCII 10).
- o Against each SDP line, pointers to the appropriate RFCs are provided for further informational reference. Also an attempt has

Nandakumar & Jennings    Expires September 3, 2018

[Page 7]

been made to provide explanatory notes to enable better understanding of the SDP usage, wherever appropriate.

- o Following SDP details are common across all the use-cases defined in this document unless mentioned otherwise.
  - \* DTLS fingerprint for SRTP (a=fingerprint)
  - \* RTP/RTCP Multiplexing (a=rtcp-mux)
  - \* RTCP Feedback support (a=rtcp-fb)
  - \* Host and server-reflexive candidate lines (a=candidate)
  - \* SRTP Setup framework parameters (a=setup)
  - \* RTCP attribute (a=rtcp)
  - \* RTP header extension indicating audio-levels from client to the mixer

For specific details, readers must refer to [[I-D.ietf-rtcweb-jsep](#)] specification.

- o The term "Session" is used rather loosely in this document to refer to either a "Communication Session" or a "RTP Session" or a "RTP Stream" depending on the context.
- o Payload type 109 is usually used for OPUS, 0 for PCMU, 8 for PCMA, 99 for H.264 and 120 for VP8 in most of the examples to maintain uniformity.
- o The IP Address:Port combinations '192.0.2.4:61665' (host) and '203.0.113.141:54609' (Server Reflexive) is typically used for Alice.
- o The IP Address:Port combinations '198.51.100.7:51556' (host) and '203.0.113.77:49203' (Server Reflexive) is typically used for Bob.
- o The IPv6 addresses 2001:DB8:8101:3a55:4858:a2a9:22ff:99b9 and 2001:DB8:30c:1266:5916:3779:22f6:77f7 are used to represent Alice and Bob host addresses respectively.
- o In the actual use the values that represent SSRCs, ICE candidate foundations, WebRTC Mediastream, MediaStreamTrack Ids values shall be much larger and/or random than the ones shown in the examples.




- o `tls-id` attribute values `89J2LRATQ3ULA24G9AHWVR31VJWSLB68` and `UKA29UQLTF690JW4WNPNNU02Y0GF1FJ0Z` are used for Alice. The values `CJ6FF9ZZMJW7MDRJIR7XVIQM48GE1G31` and `9AIFS8AQ009IXF5D6QQUJ7P8BXPEZJ8G` are used for Bob.
- o `identity` attribute values are split across multiple lines to enhance readability, thus any line breaks and indentations in the value must be ignored.
- o SDP attributes in the examples closely follow the checklist defined in section [Appendix A.1](#).

## **5.2. Basic Examples**

### **5.2.1. Audio Only Session**

This common scenario shows SDP for secure two-way audio session with Alice offering Opus, PCMU, PCMA and Bob accepting all the offered audio codecs.

#### 2-Way Audio Only Session



Offer SDP Contents	RFC#/Notes
<code>v=0</code>	[ <a href="#">RFC4566</a> ]
<code>o=- 20518 0 IN IP4 0.0.0.0</code>	[ <a href="#">RFC4566</a> ] - Session
<code>s=-</code>	[ <a href="#">RFC4566</a> ] Origin Information
<code>t=0 0</code>	[ <a href="#">RFC4566</a> ]
<code>a=group:BUNDLE audio</code>	[I-D.ietf-mmusic-sd]

Nandakumar & Jennings    Expires September 3, 2018

[Page 9]

	p-bundle-negotiation
	n]
a=ice-options:trickle	[I-D.ietf-mmusic-trickle-ice]
a=identity:eyJpZHAiOnsiZG9tYWluIjoibmlpZi5o dSIsInByb3RVY29sIjoiaWRwLmh0bWwifSwiYXNzZXJ 0a W9uIjoizX1KaGJHY2lPaUpTVXpJMU5pSXNJblI1Y 0NjNkrcFhVeUo5LmV5SmpiMjUwWlc1MGN5STZleUpt YVc1b lpYSndjbWx1ZENJNlczc2lZV3huYjNKcGRHaH RJam9pYzJoaExUSTF0aUlzSW1ScFoyVnpkQ0k2Swpre k9rTxDPa k16T2pKR09rRX1PakF3T2pBd09qQkVPalV 4T2tGRE9rUX1PalUwT2pZMU9rWTBPak5DT2pkRU9qa3 1Pa1JET2pnN E9qTXpPalV4T2pJek9qUXdPamN5T2pr eE9qZ3pPalZDT2pBeE9qSkdPalV3T2pjNE9qTkdJbjF kZ1N3awFXUmxb 1JwZEhraU9pSnRhWE5wUUC1cGFXW XVhSFVpZ1EuSTVQdGhKNFFDT05TOFVXd2500Uh3MEDa TD13d0RBVGGrTwtFW 11md1NVTTJ6Umd5R09WSGgzRm pnc2FPZk1kRnFsNUx6azBFbndVOTNQO1CQ0xZ0Wtia 3V1c0V1S25YRGVNLTNIN WFmdTJvZ19CT1ZjUnB3Mmd Bd1NBbVR6S1ltcEpqMFEdmV0TmtVT1huZE9HLUIzT3 ZGb3QwZVNEN1ZSNUDhb2wyc GduS3FSTkt0d3dacEZ1 eUZZbFRodHJIdGNiT19WV3o4QnZpTThKS250dExWd1J xNUhMX2ZLT1RCNzFDYkoyWmh5W XU1UEdwWDhXcXJMw C1ybmx5YSFY3Rnh0TTh50HdrlWd5cnRZazVnbFlZeUFr cTVqZk1SzRzWER5d19Qc1BWTW1aZ XltenVGv3BQTz VFwlJYR0ZpRjFET0o4Q0Q3Z3Zta2dUdlBXSwpkemtBI	
n0=	
***** Audio m=line *****	*****
m=audio 54609 UDP/TLS/RTP/SAVPF 109 0 8	[RFC4566]
c=IN IP4 203.0.113.141	[RFC4566]
a=mid:audio	[RFC5888]
a=msid:ma ta	Identifies RTCMediaStream ID (ma) and RTCMediaStreamTrack ID (ta)
a=sendrecv	[RFC3264] - Alice can send and recv audio
a=rtpmap:109 opus/48000/2	[RFC7587] - Opus Codec 48khz, 2 channels
a=rtpmap:0 PCMU/8000	[RFC3551] PCMU Audio Codec
a=rtpmap:8 PCMA/8000	[RFC3551] PCMA Audio Codec
a=maxptime:120	[RFC4566]

Nandakumar & Jennings    Expires September 3, 2018

[Page 10]

a=ice-ufrag:074c6550	[RFC5245] - ICE user fragment
a=ice-pwd:a28a397a4c3f31747d1ee3474af08a068	[RFC5245] - ICE password
a=fingerprint:sha-256 19:E2:1C:3B:4B:9F:81:E6:B8:5C:F4:A5:A8:D8:73:04:BB:05:2F:70:9F:04:A9:0E:05:E9:26:33:E8:70:88:A2	[RFC5245] - DTLS Fingerprint for SRTP
a=setup:actpass	[RFC5763] - Alice can act as DTLS client or server
a=tls-id:89J2LRATQ3ULA24G9AHWVR31VJWSLB68	[I-D.ietf-mmusic-dtls-sdp]
a=rtcp-mux	[RFC5761] - Alice can perform RTP/RTCP Muxing
a=rtcp:60065 IN IP4 203.0.113.141	[RFC3605]
a=rtcp-rsize	[RFC5506] - Alice intends to use reduced size RTCP for this session
a=extmap:1 urn:ietf:params:rtp-hdrext:ssrc-audio-level	[RFC6464] Alice supports RTP header extension to indicate audio levels
a=extmap:2 urn:ietf:params:rtp-hdrext:sdes:mid	[I-D.ietf-mmusic-sdp-bundle-negotiation-n]
a=candidate:0 1 UDP 2122194687 192.0.2.4 61665 typ host	[RFC5245] - RTP Host Candidate
a=candidate:1 1 UDP 1685987071 203.0.113.141 54609 typ srflx raddr 192.0.2.4 rport 61665	[RFC5245] - RTP Server Reflexive ICE Candidate
a=candidate:0 2 UDP 2122194687 192.0.2.4 61667 typ host	[RFC5245] - RTCP Host Candidate
a=candidate:1 2 UDP 1685987071 203.0.113.141 60065 typ srflx raddr 192.0.2.4 rport 61667	[RFC5245] - RTCP Server Reflexive ICE Candidate
a=end-of-candidates	[I-D.ietf-mmusic-trickle-ice]

Table 1: 5.2.1 SDP Offer

Answer SDP Contents	RFC#/Notes

Nandakumar & Jennings    Expires September 3, 2018

[Page 11]

v=0	[ <a href="#">RFC4566</a> ]
o=- 16833 0 IN IP4 0.0.0.0	[ <a href="#">RFC4566</a> ] - Session Origin Information
s=-	[ <a href="#">RFC4566</a> ]
t=0 0	[ <a href="#">RFC4566</a> ]
a=group:BUNDLE audio	[I-D.ietf-mmusic-sd p-bundle-negotiation]
a=ice-options:trickle	[I-D.ietf-mmusic-tr ickle-ice]
a=identity:ew0KICAiaWRwIjp7DQogICAgImRvbWFp biI6ICJjaXNjb3NwYXJrLmNvbSIsDQogICAg InByb3 RvY29sIjogImRlZmF1bHQiDQogIH0sDQogICJhc3Nlc nRpb24i0iAibEp3WkVocmFv0XBtBlJo V0U1d1VVYzF jR0ZYV1hWaFNGVnBabEV1U1RWUWRHaEt0RkZEVD 9GVlhkMjVPT1VoM01FZGFURGwz ZDBSQLZHUnJUV3RG Vw0KICAigICAgICAgICBsbG1kbE5WVFRKN1VtZDV SMD1XU0dnelJtcG5jMkZQ Wmtsa1JuRnNOVXg2YXpCR mJuZFZPVE5RT1VsQ1EweFppV3RpYTnwMWMwvjFTMjVZ UkdWTkxUTk10DQog ICAgICAgICAgIFdGbWRUSn ZabD1DVGxaalVuQjNNbWRCZGxOQmjWUjZTbGx0Y0Vwc U1GRXRkbVYw VG10VlQxaHVaRT1ITFVJelQzWkdiM1F 3WlZORU5sWlNOVWRoYj J3eWMNCiAgICAgICAgICAgIC AgR2R1 UzNGU1RrdE9kM2RhY0VaMWVWlpiR1JvZEhK SWRHTmlUMT1XVjNvNFFuWnBUVGhLUzI1T2RF 4 T1VoTVgyWkxUbFJD ***** Audio m=line *****	
m=audio 49203 UDP/TLS/RTP/SAVPF 109 0 8	[ <a href="#">RFC4566</a> ] [ <a href="#">RFC4566</a> ] [ <a href="#">RFC5888</a> ]
c=IN IP4 203.0.113.77	[ <a href="#">RFC4566</a> ]
a=mid:audio	[I-D.ietf-mmusic-ms id] Identifies
a=msid:ma ta	RTCMediaStream ID (ma) and RTCMediaStreamTrack ID (ta)
a=sendrecv	[ <a href="#">RFC3264</a> ] - Bob can send and recv audio
a=rtpmap:109 opus/48000/2	[ <a href="#">RFC7587</a> ] Opus Codec
a=rtpmap:0 PCMU/8000	[ <a href="#">RFC3551</a> ] PCMU Audio Codec
a=rtpmap:8 PCMA/8000	[ <a href="#">RFC3551</a> ] PCMA Audio Codec
a=maxptime:120	[ <a href="#">RFC4566</a> ]
a=ice-ufrag:05067423	[ <a href="#">RFC5245</a> ] - ICE user fragment

Nandakumar & Jennings    Expires September 3, 2018

[Page 12]

a=ice-pwd:1747d1ee3474a28a397a4c3f3af08a068	[RFC5245] - ICE password parameter
a=fingerprint:sha-256 6B:8B:F0:65:5F:78:E2:51:3B:AC:6F:F3:3F:46:1B:35:DC:B8:5F:64:1A:2	[RFC5245] - DTLS Fingerprint for SRTP
a=setup:active	[RFC5763] - Bob is the DTLS client
a=tls-id:CJ6FF9ZZMJW7MDRJIR7XVIQM48GE1G31	[I-D.ietf-mmusic-dtls-sdp]
a=rtp-mux	[RFC5761] - Bob can perform RTP/RTCP Muxing on port 49203
a=rtcp-rsize	[RFC5506] - Bob intends to use reduced size RTCP for this session
a=extmap:1 urn:ietf:params:rtp-hdrext:ssrc-audio-level	[RFC6464] Bob supports audio level RTP header extension as well
a=extmap:2 urn:ietf:params:rtp-hdrext:sdes:mid	[I-D.ietf-mmusic-sdp-bundle-negotiation]
a=candidate:0 1 UDP 2122194687 198.51.100.7 51556 typ host	[RFC5245] - RTP/RTCP Host ICE Candidate
a=candidate:1 1 UDP 1685987071 203.0.113.77 49203 typ srflx raddr 198.51.100.7 rport 51556	[RFC5245] - RTP/RTCP Server ICE Candidate
a=end-of-candidates	[I-D.ietf-mmusic-trickle-ice]


Table 2: 5.2.1 SDP Answer

### 5.2.2. Audio/Video Session

Alice and Bob establish a two-way audio and video session with Opus as the audio codec and H.264 as the video codec.



### 2-Way Audio, Video Session



#### 5.2.2.1. IPv4 audio/video session

This section shows the IPv4 only Offer/Answer exchange.

Offer SDP Contents	RFC#/Notes
v=0	[RFC4566]
o=- 20518 0 IN IP4 0.0.0.0	[RFC4566] - Session Origin Information
s=-	[RFC4566]
t=0 0	[RFC4566]
a=group:BUNDLE audio video	[I-D.ietf-mmusic-sd-p-bundle-negotiation]
a=group:LS audio video	[RFC5888] - Alice wants to lip sync her audio and video streams
a=ice-options:trickle	[I-D.ietf-mmusic-trickle-ice]
***** Audio m=line *****	*****
m=audio 54609 UDP/TLS/RTP/SAVPF 109 0 8	[RFC4566]
c=IN IP4 203.0.113.141	[RFC4566]
a=mid:audio	[RFC5888]
a=msid:ma ta	[I-D.ietf-mmusic-ms-id] Identifies RTCMediaStream ID

Nandakumar & Jennings    Expires September 3, 2018

[Page 14]

	(ma) and
	RTCMediaStreamTrack
a=sendrecv	ID (ta)
	[ <a href="#">RFC3264</a> ] - Alice
	can send and recv
	audio
a=rtpmap:109 opus/48000/2	[ <a href="#">RFC7587</a> ] - Opus
	Codec 48khz, 2
	channels
a=rtpmap:0 PCMU/8000	[ <a href="#">RFC3551</a> ] PCMU
	Audio Codec
a=rtpmap:8 PCMA/8000	[ <a href="#">RFC3551</a> ] PCMA
	Audio Codec
a=maxptime:120	[ <a href="#">RFC4566</a> ]
a=ice-ufrag:074c6550	[ <a href="#">RFC5245</a> ] - ICE
	user fragment
a=ice-pwd:a28a397a4c3f31747d1ee3474af08a068	[ <a href="#">RFC5245</a> ] - ICE
	password parameter
a=fingerprint:sha-256 19:E2:1C:3B:4B:9F:81:	[ <a href="#">RFC5245</a> ] - DTLS
E6:B8:5C:F4:A5:A8:D8:73:04:BB:05:2F:70:9F:0	Fingerprint for
4:A9:0E:05:E9:26:33:E8:70:88:A2	SRTP
a=setup:actpass	[ <a href="#">RFC5763</a> ] - Alice
	can act as DTLS
	client or server
a=tls-id:89J2LRATQ3ULA24G9AHWVR31VJWSLB68	[I-D.ietf-mmmusic-dt ls-sdp]
a=rtcp-mux	[ <a href="#">RFC5761</a> ] - Alice
	can perform
	RTP/RTCP Muxing
a=rtcp-mux-only	[I-D.ietf-mmmusic-mu x-exclusive]
a=rtcp-rsize	[ <a href="#">RFC5506</a> ] - Alice
	intends to use
	reduced size RTCP
	for this session
a=extmap:1 urn:ietf:params:rtp-hdrext:ssrc-	[ <a href="#">RFC6464</a> ]
audio-level	
a=extmap:2 urn:ietf:params:rtp-	[I-D.ietf-mmmusic-sd p-bundle-negotiation]
hdrext:sdes:mid	
a=candidate:0 1 UDP 2122194687 192.0.2.4	[ <a href="#">RFC5245</a> ] -
61665 typ host	RTP/RTCP Host
	Candidate
a=candidate:1 1 UDP 1685987071	[ <a href="#">RFC5245</a> ] -
203.0.113.141 54609 typ srflx raddr	RTP/RTCP Server
192.0.2.4 rport 61665	Reflexive ICE
	Candidate
a=end-of-candidates	[I-D.ietf-mmmusic-tr]

Nandakumar & Jennings    Expires September 3, 2018

[Page 15]

***** Video m=line *****	ickle-ice]
m=video 0 UDP/TLS/RTP/SAVPF 99 120	*****
c=IN IP4 203.0.113.141	[RFC4566]
a=bundle-only	[RFC4566]
	[I-D.ietf-mmusic-sd-p-bundle-negotiation]
a=mid:video	[RFC5888]
a=msid:ma tb	Identifies RTCMediaStream ID (ma) and RTCMediaStreamTrack ID (tb)
a=sendrecv	[RFC3264] - Alice can send and recv video
a=rtpmap:99 H264/90000	[RFC6184] - H.264 Video Codec
a=fmtp:99 profile-level-id=4d0028;packetization-mode=1	[RFC6184]
a=rtpmap:120 VP8/90000	[RFC7741] - VP8 video codec
a=rtcp-fb:99 nack	[RFC5104] - Indicates NACK RTCP feedback support
a=rtcp-fb:99 nack pli	[RFC5104] - Indicates support for Picture loss Indication and NACK
a=rtcp-fb:99 ccm fir	[RFC5104] - Full Intra Frame Request-Codec Control Message support
a=rtcp-fb:120 nack	[RFC5104] - Indicates NACK RTCP feedback support
a=rtcp-fb:120 nack pli	[RFC5104] - Indicates support for Picture loss Indication and NACK
a=rtcp-fb:120 ccm fir	[RFC5104] - Full Intra Frame Request-Codec Control Message support
a=extmap:2 urn:ietf:params:rtp-	[I-D.ietf-mmusic-sd]

Nandakumar & Jennings    Expires September 3, 2018

[Page 16]

hdrext:sdes:mid	p-bundle-negotiation
	n]

Table 3: 5.2.2.1 SDP Offer

Answer SDP Contents	RFC#/Notes
v=0	[ <a href="#">RFC4566</a> ]
o=- 16833 0 IN IP4 0.0.0.0	[ <a href="#">RFC4566</a> ] - Session
	Origin Information
s=-	[ <a href="#">RFC4566</a> ]
t=0 0	[ <a href="#">RFC4566</a> ]
a=group:BUNDLE audio video	[I-D.ietf-mmusic-sd
	p-bundle-negotiation
	n]
a=group:LS audio video	[ <a href="#">RFC5888</a> ] - Bob
	agrees to do the
	same
a=ice-options:trickle	[I-D.ietf-mmusic-tr
	ickle-ice]
***** Audio m=line *****	*****
	*****
m=audio 49203 UDP/TLS/RTP/SAVPF 109	[ <a href="#">RFC4566</a> ]
c=IN IP4 203.0.113.77	[ <a href="#">RFC4566</a> ]
a=mid:audio	[ <a href="#">RFC5888</a> ]
a=msid:ma ta	Identifies
	RTCMediaStream ID
	(ma) and
	RTCMediaStreamTrack
	ID (ta)
a=sendrecv	[ <a href="#">RFC3264</a> ] - Bob can
	send and recv audio
a=rtpmap:109 opus/48000/2	[ <a href="#">RFC7587</a> ] - Bob
	accepts only Opus
	Codec
a=maxptime:120	[ <a href="#">RFC4566</a> ]
a=ice-ufrag:c300d85b	[ <a href="#">RFC5245</a> ] - ICE
	username frag
a=ice-pwd:de4e99bd291c325921d5d47efbabd9a2	[ <a href="#">RFC5245</a> ] - ICE
	password
a=fingerprint:sha-256 6B:8B:F0:65:5F:78:E2:	[ <a href="#">RFC5245</a> ] - DTLS
51:3B:AC:6F:F3:3F:46:1B:35:DC:B8:5F:64:1A:2	Fingerprint for
4:C2:43:F0:A1:58:D0:A1:2C:19:08	SRTP
a=setup:active	[ <a href="#">RFC5763</a> ] - Bob is
	the DTLS client

Nandakumar & Jennings    Expires September 3, 2018

[Page 17]

a=tls-id:CJ6FF9ZZMJW7MDRJIR7XVIQM48GE1G31	[I-D.ietf-mmusic-dt ls-sdp]
a=rtcp-mux	[RFC5761] - Bob can perform RTP/RTCP Muxing
a=rtcp-mux-only	[I-D.ietf-mmusic-mu x-exclusive]
a=rtcp-rsize	[RFC5506] - Bob intends to use reduced size RTCP for this session
a=extmap:1 urn:ietf:params:rtp-hdrext:ssrc-audio-level	[RFC6464]
a=extmap:2 urn:ietf:params:rtp-hdrext:sdes:mid	[I-D.ietf-mmusic-sd p-bundle-negotiation]
a=candidate:0 1 UDP 3618095783 198.51.100.7 49203 typ host	[RFC5245] - RTP/RTCP Host ICE Candidate
a=candidate:1 1 UDP 565689203 203.0.113.77 49203 typ srflx raddr 198.51.100.7 rport 51556	[RFC5245] - RTP/RTCP Server Reflexive ICE Candidate
a=end-of-candidates	[I-D.ietf-mmusic-tr ickle-ice]
***** Video m=line *****	*****
m=video 0 UDP/TLS/RTP/SAVPF 99	[RFC4566]
c=IN IP4 203.0.113.77	[RFC4566]
a=bundle-only	[I-D.ietf-mmusic-sd p-bundle-negotiation]
a=mid:video	[RFC5888]
a=msid:ma tb	Identifies RTCMediaStream ID (ma) and RTCMediaStreamTrack ID (tb)
a=sendrecv	[RFC3264] - Bob can send and recv video
a=rtpmap:99 H264/90000	[RFC6184] - Bob accepts H.264 Video Codec.
a=fmtp:99 profile-level- id=4d0028;packetization-mode=1	[RFC6184]
a=rtcp-fb:99 nack	[RFC5104] - Indicates support for NACK based RTCP

Nandakumar & Jennings    Expires September 3, 2018

[Page 18]

a=rtpfb:99 nack pli	feedback	
	[RFC5104] -	
	Indicates support	
	for Picture loss	
	Indication and NACK	
a=rtpfb:99 ccm fir	[RFC5104] - Full	
	Intra Frame	
	Request- Codec	
	Control Message	
	support	
a=extmap:2 urn:ietf:params:rtp-hdrext:sdes:mid	[I-D.ietf-mmusic-sdp-bundle-negotiation-n]	

Table 4: 5.2.2.1 SDP Answer

### 5.2.2.2. Dual Stack audio/video session

This section captures offer/answer exchange when Alice and Bob support both IPv4 and IPv6 host addresses.

Offer SDP Contents	RFC#/Notes
v=0	[RFC4566]
o=- 20518 0 IN IP4 0.0.0.0	[RFC4566] - Session Origin Information
s=-	[RFC4566]
t=0 0	[RFC4566]
a=group:BUNDLE audio video	[I-D.ietf-mmusic-sdp-bundle-negotiation-n]
a=group:LS audio video	[RFC5888] - Alice wants to lip sync her audio and video streams
a=ice-options:trickle	[I-D.ietf-mmusic-trickle-ice]
***** Audio m=line *****	*****
m=audio 54609 UDP/TLS/RTP/SAVPF 109 0 8	[RFC4566]
c=IN IP4 203.0.113.141	[RFC4566]
a=mid:audio	[RFC5888]
a=msid:ma ta	Identifies RTCMediaStream ID (ma) and

Nandakumar & Jennings    Expires September 3, 2018

[Page 19]

	RTCMediaStreamTrack
a=sendrecv	ID (ta) [RFC3264] - Alice can send and recv
a=rtpmap:109 opus/48000/2	audio [RFC7587] - Opus Codec 48khz, 2 channels
a=rtpmap:0 PCMU/8000	[RFC3551] PCMU Audio Codec
a=rtpmap:8 PCMA/8000	[RFC3551] PCMA Audio Codec
a=maxptime:120	[RFC4566]
a=ice-ufrag:074c6550	[RFC5245] - ICE user fragment
a=ice-pwd:a28a397a4c3f31747d1ee3474af08a068	[RFC5245] - ICE password parameter
a=fingerprint:sha-256 19:E2:1C:3B:4B:9F:81: E6:B8:5C:F4:A5:A8:D8:73:04:BB:05:2F:70:9F:0 4:A9:0E:05:E9:26:33:E8:70:88:A2	[RFC5245] - DTLS Fingerprint for SRTP
a=setup:actpass	[RFC5763] - Alice can act as DTLS client or server
a=tls-id:89J2LRATQ3ULA24G9AHWVR31VJWSLB68	[I-D.ietf-mmmusic-dt ls-sdp]
a=rtcp-mux	[RFC5761] - Alice can perform RTP/RTCP Muxing
a=rtcp-mux-only	[I-D.ietf-mmmusic-mu x-exclusive]
a=rtcp-rsize	[RFC5506] - Alice intends to use reduced size RTCP for this session
a=extmap:1 urn:ietf:params:rtp-hdrext:ssrc- audio-level	[RFC6464]
a=extmap:2 urn:ietf:params:rtp- hdrext:sdes:mid	[I-D.ietf-mmmusic-sd p-bundle-negotiatio n]
a=candidate:0 1 UDP 2122194687 192.0.2.4 61665 typ host	[RFC5245] - RTP/RTCP Host Candidate
a=candidate:0 1 UDP 2122194687 2001:DB8:8101:3a55:4858:a2a9:22ff:99b9 61665 typ host	[RFC5245] - RTP/RTCP IPv6 Host Candidate
a=end-of-candidates	[I-D.ietf-mmmusic-tr ickle-ice]
***** Video m=line *****	*****

Nandakumar & Jennings    Expires September 3, 2018

[Page 20]

	*****
m=video 0 UDP/TLS/RTP/SAVPF 99 120	[RFC4566]
c=IN IP4 203.0.113.141	[RFC4566]
a=bundle-only	[I-D.ietf-mmusic-sd
	p-bundle-negotiatio
	n]
a=mid:video	[RFC5888]
a=msid:ma tb	Identifies
	RTCMediaStream ID
	(ma) and
	RTCMediaStreamTrack
	ID (tb)
a=sendrecv	[RFC3264] - Alice
	can send and recv
	video
a=rtpmap:99 H264/90000	[RFC6184] - H.264
	Video Codec
a=fmtp:99 profile-level-	[RFC6184]
id=4d0028;packetization-mode=1	
a=rtpmap:120 VP8/90000	[RFC7741] - VP8
	video codec
a=rtcp-fb:99 nack	[RFC5104] -
	Indicates NACK RTCP
	feedback support
a=rtcp-fb:99 nack pli	[RFC5104] -
	Indicates support
	for Picture loss
	Indication and NACK
a=rtcp-fb:99 ccm fir	[RFC5104] - Full
	Intra Frame
	Request-Codec
	Control Message
	support
a=rtcp-fb:120 nack	[RFC5104] -
	Indicates NACK RTCP
	feedback support
a=rtcp-fb:120 nack pli	[RFC5104] -
	Indicates support
	for Picture loss
	Indication and NACK
a=rtcp-fb:120 ccm fir	[RFC5104] - Full
	Intra Frame
	Request-Codec
	Control Message
	support
a=extmap:2 urn:ietf:params:rtp-	[I-D.ietf-mmusic-sd
hdrext:sdes:mid	p-bundle-negotiatio
	n]

Nandakumar & Jennings    Expires September 3, 2018

[Page 21]

Table 5: 5.2.2.2 SDP Offer

Answer SDP Contents	RFC#/Notes
v=0	[ <a href="#">RFC4566</a> ]
o=- 16833 0 IN IP4 0.0.0.0	[ <a href="#">RFC4566</a> ] - Session Origin Information
s=-	[ <a href="#">RFC4566</a> ]
t=0 0	[ <a href="#">RFC4566</a> ]
a=group:BUNDLE audio video	[I-D.ietf-mmusic-sdp-bundle-negotiation]
a=group:LS audio video	[ <a href="#">RFC5888</a> ] - Bob agrees to do the same
a=ice-options:trickle	[I-D.ietf-mmusic-trickle-ice]
***** Audio m=line *****	*****
m=audio 49203 UDP/TLS/RTP/SAVPF 109	[ <a href="#">RFC4566</a> ]
c=IN IP4 203.0.113.77	[ <a href="#">RFC4566</a> ]
a=mid:audio	[ <a href="#">RFC5888</a> ]
a=msid:ma ta	Identifies RTCMediaStream ID (ma) and RTCMediaStreamTrack ID (ta)
a=sendrecv	[ <a href="#">RFC3264</a> ] - Bob can send and recv audio
a=rtpmap:109 opus/48000/2	[ <a href="#">RFC7587</a> ] - Bob accepts only Opus Codec
a=maxptime:120	[ <a href="#">RFC4566</a> ]
a=ice-ufrag:c300d85b	[ <a href="#">RFC5245</a> ] - ICE username frag
a=ice-pwd:de4e99bd291c325921d5d47efbabd9a2	[ <a href="#">RFC5245</a> ] - ICE password
a=fingerprint:sha-256 6B:8B:F0:65:5F:78:E2:51:3B:AC:6F:F3:3F:46:1B:35:DC:B8:5F:64:1A:24:C2:43:F0:A1:58:D0:A1:2C:19:08	[ <a href="#">RFC5245</a> ] - DTLS Fingerprint for SRTP
a=setup:active	[ <a href="#">RFC5763</a> ] - Bob is the DTLS client
a=tls-id:CJ6FF9ZZMJW7MDRJIR7XVIQM48GE1G31	[I-D.ietf-mmusic-dtls-sdp]

Nandakumar & Jennings    Expires September 3, 2018

[Page 22]

a=rtp-mux	[RFC5761] - Bob can perform RTP/RTCP Muxing
a=rtp-mux-only	[I-D.ietf-mmusic-mux-exclusive]
a=rtp-rsize	[RFC5506] - Bob intends to use reduced size RTCP for this session
a=extmap:1 urn:ietf:params:rtp-hdrext:ssrc-audio-level	[RFC6464]
a=extmap:2 urn:ietf:params:rtp-hdrext:sdes:mid	[I-D.ietf-mmusic-sdp-bundle-negotiation]
a=candidate:0 1 UDP 3618095783 198.51.100.7 49203 typ host	[RFC5245] - RTP/RTCP Host ICE Candidate
a=candidate:0 1 UDP 3618095783 2001:DB8:30c:1266:5916:3779:22f6:77f7 49203 typ host	RTP/RTCP IPv6 Host ICE Candidate
a=end-of-candidates	[I-D.ietf-mmusic-trickle-ice]
***** Video m=line *****	*****
m=video 0 UDP/TLS/RTP/SAVPF 99	[RFC4566]
c=IN IP4 203.0.113.77	[RFC4566]
a=bundle-only	[I-D.ietf-mmusic-sdp-bundle-negotiation]
a=mid:video	[RFC5888]
a=msid:ma tb	Identifies RTCMediaStream ID (ma) and RTCMediaStreamTrack ID (tb)
a=sendrecv	[RFC3264] - Bob can send and recv video
a=rtpmap:99 H264/90000	[RFC6184] - Bob accepts H.264 Video Codec.
a=fmtp:99 profile-level-id=4d0028;packetization-mode=1	[RFC6184]
a=rtcp-fb:99 nack	[RFC5104] - Indicates support for NACK based RTCP feedback
a=rtcp-fb:99 nack pli	[RFC5104] - Indicates support

Nandakumar & Jennings    Expires September 3, 2018

[Page 23]


	for Picture loss
a=rtp-fb:99 ccm fir	Indication and NACK
	[RFC5104] - Full
	Intra Frame
	Request- Codec
	Control Message
	support
a=extmap:2 urn:ietf:params:rtp-	[I-D.ietf-mmusic-sd
hdredt:sdes:mid	p-bundle-negotiatio
	n]

Table 6: 5.2.2.2 SDP Answer

### 5.2.3. Data Only Session

This scenario illustrates the SDP negotiated to setup a data-only session based on the SCTP Data Channel, thus enabling use-cases such as file-transfer, real-time game control for example.

#### 2-Way DataChannel Session





Offer SDP Contents	RFC#/Notes
v=0	[RFC4566]
o=- 20518 0 IN IP4 0.0.0.0	[RFC4566] - Session Origin Information
s=-	[RFC4566]
t=0 0	[RFC4566]
a=group:BUNDLE data	[I-D.ietf-mmmusic-sd-p-bundle-negotiation]
a=ice-options:trickle	[I-D.ietf-mmmusic-trickle-ice]
***** Application m=line *****	*****
m=application 54609 UDP/DTLS/SCTP webrtc-datachannel	[I-D.ietf-rtcweb-data-channel]
c=IN IP4 203.0.113.141	[RFC4566]
a=mid:data	[RFC5888]
a=sendrecv	[RFC3264] - Alice can send and recv non-media data
a=sctp-port:5000	[I-D.ietf-mmmusic-socket-sdp]
a=max-message-size:100000	[I-D.ietf-mmmusic-socket-sdp]
a=setup:actpass	[RFC5763] - Alice can act as DTLS client or server
a=tls-id:89J2LRATQ3ULA24G9AHWVR31VJWSLB68	[I-D.ietf-mmmusic-dtls-sdp]
a=ice-ufrag:074c6550	[RFC5245] - Session Level ICE parameter
a=ice-pwd:a28a397a4c3f31747d1ee3474af08a068	[RFC5245] - Session Level ICE parameter
a=fingerprint:sha-256 19:E2:1C:3B:4B:9F:81:E6:B8:5C:F4:A5:A8:D8:73:04:BB:05:2F:70:9F:04:A9:0E:05:E9:26:33:E8:70:88:A2	[RFC5245] - Session DTLS Fingerprint for SRTP
a=candidate:0 1 UDP 2113667327 192.0.2.4 61665 typ host	[RFC5245]
a=candidate:1 1 UDP 1694302207 203.0.113.141 54609 typ srflx raddr 192.0.2.4 rport 61665	[RFC5245]
a=end-of-candidates	[I-D.ietf-mmmusic-trickle-ice]

Table 7: 5.2.3 SDP Offer

Nandakumar & Jennings    Expires September 3, 2018

[Page 25]

Answer SDP Contents	RFC#/Notes
v=0	[RFC4566]
o=- 16833 0 IN IP4 0.0.0.0	[RFC4566] - Session Origin Information
s=-	[RFC4566]
t=0 0	[RFC4566]
a=group:BUNDLE data	[I-D.ietf-mmmusic-sd-p-bundle-negotiation]
***** Application m=line *****	*****
m=application 49203 UDP/DTLS/SCTP webrtc-datachannel	[I-D.ietf-mmmusic-sc-tp-sdp]
c=IN IP4 203.0.113.77	[RFC4566]
a=mid:data	[RFC5888]
a=sendrecv	[RFC3264] - Bob can send and recv non-media data
a=sctp-port:5000	[I-D.ietf-mmmusic-sc-tp-sdp]
a=max-message-size:100000	[I-D.ietf-mmmusic-sc-tp-sdp]
a=setup:active	[RFC5763] - Bob is the DTLS client
a=tls-id:CJ6FF9ZZMJW7MDRJIR7XVIQM48GE1G31	[I-D.ietf-mmmusic-dtls-sdp]
a=ice-ufrag:c300d85b	[RFC5245] - Session Level ICE username frag
a=ice-pwd:de4e99bd291c325921d5d47efbabd9a2	[RFC5245] - Session Level ICE password
a=fingerprint:sha-256 6B:8B:F0:65:5F:78:E2:51:3B:AC:6F:F3:3F:46:1B:35:DC:B8:5F:64:1A:24:C2:43:F0:A1:58:D0:A1:2C:19:08	[RFC5245] - Session DTLS Fingerprint for SRTP
a=candidate:0 1 UDP 2113667327 198.51.100.751556 typ host	[RFC5245]
a=candidate:1 1 UDP 1694302207 203.0.113.7749203 typ srflx raddr 198.51.100.7 rport 51556	[RFC5245]
a=end-of-candidates	[I-D.ietf-mmmusic-trickle-ice]


Table 8: 5.2.3 SDP Answer

Nandakumar & Jennings    Expires September 3, 2018

[Page 26]

#### 5.2.4. Audio Call On Hold

Alice calls Bob, but when Bob answers he places Alice on hold by setting the SDP direction attribute to a=inactive in the Answer.



Nandakumar & Jennings    Expires September 3, 2018

[Page 27]

		can send and recv	
a=rtpmap:109 opus/48000/2		audio	
		[ <a href="#">RFC7587</a> ] - Opus	
		Codec 48khz, 2	
		channels	
a=maxptime:120		[ <a href="#">RFC4566</a> ]	
a=ice-ufrag:074c6550		[ <a href="#">RFC5245</a> ] - ICE	
		user fragment	
a=ice-pwd:a28a397a4c3f31747d1ee3474af08a068		[ <a href="#">RFC5245</a> ] - ICE	
		password	
a=fingerprint:sha-256 19:E2:1C:3B:4B:9F:81:		[ <a href="#">RFC5245</a> ] - DTLS	
E6:B8:5C:F4:A5:A8:D8:73:04:BB:05:2F:70:9F:0		Fingerprint for	
4:A9:0E:05:E9:26:33:E8:70:88:A2		SRTP	
a=setup:actpass		[ <a href="#">RFC5763</a> ] - Alice	
		can act as DTLS	
		client or server	
a=tls-id:89J2LRATQ3ULA24G9AHWVR31VJWSLB68		[I-D.ietf-mmmusic-dt	
		ls-sdp]	
a=rtcp-mux		[ <a href="#">RFC5761</a> ] - Alice	
		can perform	
		RTP/RTCP Muxing	
a=rtcp-mux-only		[I-D.ietf-mmmusic-mu	
		x-exclusive]	
a=rtcp-rsize		[ <a href="#">RFC5506</a> ]	
a=extmap:1 urn:ietf:params:rtp-hdrext:ssrc-		[ <a href="#">RFC6464</a> ]	
audio-level			
a=extmap:2 urn:ietf:params:rtp-		[I-D.ietf-mmmusic-sd	
hdrext:sdes:mid		p-bundle-negotiatio	
		n]	
a=candidate:0 1 UDP 2113667327 192.0.2.4		[ <a href="#">RFC5245</a> ]	
61665 typ host			
a=candidate:1 1 UDP 1685987071		[ <a href="#">RFC5245</a> ]	
203.0.113.141 54609 typ srflx raddr			
192.0.2.4 rport 61665			
a=end-of-candidates		[I-D.ietf-mmmusic-tr	
		ickle-ice]	

Table 9: 5.2.4 SDP Offer

Answer SDP Contents	RFC#/Notes
v=0	[ <a href="#">RFC4566</a> ]
o=- 16833 0 IN IP4 0.0.0.0	[ <a href="#">RFC4566</a> ] - Session
s=-	Origin Information
	[ <a href="#">RFC4566</a> ]

Nandakumar & Jennings    Expires September 3, 2018

[Page 28]

t=0 0	[RFC4566]
a=group:BUNDLE audio	[I-D.ietf-mmusic-sd p-bundle-negotiation]
***** Audio m=line *****	n] *****
m=audio 49203 UDP/TLS/RTP/SAVPF 109	[RFC4566]
c=IN IP4 203.0.113.77	[RFC4566]
a=mid:audio	[RFC5888]
a=msid:ma ta	Identifies RTCMediaStream ID (ma) and RTCMediaStreamTrack ID (ta)
a=inactive	[RFC3264] - Bob puts call On Hold
a=rtpmap:109 opus/48000/2	[RFC7587] - Bob accepts Opus Codec
a=maxptime:120	[RFC4566]
a=ice-ufrag:c300d85b	[RFC5245] - ICE username frag
a=ice-pwd:de4e99bd291c325921d5d47efbabd9a2	[RFC5245] - ICE password
a=fingerprint:sha-256 6B:8B:F0:65:5F:78:E2: 51:3B:AC:6F:F3:3F:46:1B:35:DC:B8:5F:64:1A:2 4:C2:43:F0:A1:58:D0:A1:2C:19:08	[RFC5245] - DTLS Fingerprint for SRTP
a=setup:active	[RFC5763] - Bob is the DTLS client
a=tls-id:CJ6FF9ZZMJW7MDRJIR7XVIQM48GE1G31	[I-D.ietf-mmusic-dt ls-sdp]
a=rtcp-mux	[RFC5761] - Bob can perform RTP/RTCP Muxing
a=rtcp-mux-only	[I-D.ietf-mmusic-mu x-exclusive]
a=rtcp-rsize	[RFC5506]
a=extmap:1 urn:ietf:params:rtp-hdrext:ssrc- audio-level	[RFC6464]
a=extmap:2 urn:ietf:params:rtp- hdrext:sdes:mid	[I-D.ietf-mmusic-sd p-bundle-negotiation] n]
a=candidate:0 1 UDP 2113667327 198.51.100.7 51556 typ host	[RFC5245] - Host candidate
a=candidate:1 1 UDP 1685987071 203.0.113.141 49203 typ srflx raddr 198.51.100.7 rport 51556	[RFC5245] - Server Reflexive candidate
a=end-of-candidates	[I-D.ietf-mmusic-tr ickle-ice]

Nandakumar & Jennings    Expires September 3, 2018

[Page 29]

```
+-----+-----+
```

Table 10: 5.2.4 SDP Answer

### **5.2.5. Audio with DTMF Session**

In this example, Alice wishes to establish two separate audio streams, one for normal audio and the other for telephone-events. Alice offers first audio stream with three codecs and the other with [RFC4733] tones (for DTMF). Bob accepts both the audio streams by choosing Opus as the audio codec and telephone-event for the other stream.

#### Audio Session with DTMF

Alice	Bob
Offer(Audio:Opus, PCMU, PCMA Audio:telephone-event)	
----->	
Answer(Audio:Opus, Audio:telephone-event)	
<-----	
Opus audio stream and telephone-event stream	
.....	

Offer SDP Contents	RFC#/Notes
v=0	[RFC4566]
o=- 20518 0 IN IP4 0.0.0.0	[RFC4566] - Session Origin Information
s=-	[RFC4566]
t=0 0	[RFC4566]
a=group:BUNDLE audio dtmf	[I-D.ietf-mmusic-sd p-bundle-negotiation n]
a=ice-options:trickle	[I-D.ietf-mmusic-tr ickle-ice]
***** Audio m=line *****	*****



m=audio 54609 UDP/TLS/RTP/SAVPF 109 0 8	[RFC4566]
c=IN IP4 203.0.113.141	[RFC4566]
a=mid:audio	[RFC5888]
a=msid:ma ta	Identifies RTCMediaStream ID (ma) and RTCMediaStreamTrack
a=sendrecv	ID (ta) [RFC3264] - Alice can send and recv audio
a=rtpmap:109 opus/48000/2	[RFC7587] - Opus Codec 48khz, 2 channels
a=rtpmap:0 PCMU/8000	[RFC3551] PCMU Audio Codec
a=rtpmap:8 PCMA/8000	[RFC3551] PCMA Audio Codec
a=maxptime:120	[RFC4566]
a=ice-ufrag:074c6550	[RFC5245] - ICE user fragment
a=ice-pwd:a28a397a4c3f31747d1ee3474af08a068	[RFC5245] - ICE password parameter
a=fingerprint:sha-256 19:E2:1C:3B:4B:9F:81: E6:B8:5C:F4:A5:A8:D8:73:04:BB:05:2F:70:9F:0 4:A9:0E:05:E9:26:33:E8:70:88:A2	[RFC5245] - DTLS Fingerprint for SRTP
a=setup:actpass	[RFC5763] - Alice can act as DTLS client or server
a=tls-id:89J2LRATQ3ULA24G9AHWVR31VJWSLB68	[I-D.ietf-mmusic-dt ls-sdp]
a=rtcp-mux	[RFC5761] - Alice can perform RTP/RTCP Muxing
a=rtcp-mux-only	[I-D.ietf-mmusic-mu x-exclusive]
a=rtcp-rsize	[RFC5506]
a=extmap:1 urn:ietf:params:rtp-hdrext:ssrc- audio-level	[RFC6464]
a=extmap:2 urn:ietf:params:rtp- hdrext:sdes:mid	[I-D.ietf-mmusic-sd p-bundle-negotiatio n]
a=candidate:0 1 UDP 2122194687 192.0.2.4 61665 typ host	[RFC5245]
a=candidate:1 1 UDP 1685987071 203.0.113.141 54609 typ srflx raddr 192.0.2.4 rport 61665	[RFC5245]
a=end-of-candidates	[I-D.ietf-mmusic-tr]

Nandakumar & Jennings    Expires September 3, 2018

[Page 31]

***** DTMF m=line *****	ickle-ice]
	*****
m=audio 0 UDP/TLS/RTP/SAVPF 126	[RFC4566]
c=IN IP4 203.0.113.141	[RFC4566]
a=bundle-only	[I-D.ietf-mmusic-sd-p-bundle-negotiation]
	n]
a=mid:dtmf	[RFC5888]
a=msid:ma tb	Identifies RTCMediaStream ID (ma) and RTCMediaStreamTrack ID (tb)
	[RFC3264] - Alice can send DTMF Events
a=sendonly	[RFC4733]
	[I-D.ietf-mmusic-sd-p-bundle-negotiation]
a=rtpmap:126 telephone-event/8000	n]
a=extmap:2 urn:ietf:params:rtp-hdrext:sdes:mid	+-----+

Table 11: 5.2.5 SDP Offer

Answer SDP Contents	RFC#/Notes
v=0	[RFC4566]
o=- 16833 0 IN IP4 0.0.0.0	[RFC4566] - Session Origin Information
s=-	[RFC4566]
t=0 0	[RFC4566]
a=group:BUNDLE audio dtmf	[I-D.ietf-mmusic-sd-p-bundle-negotiation]
***** Audio m=line *****	*****
m=audio 49203 UDP/TLS/RTP/SAVPF 109	[RFC4566]
c=IN IP4 203.0.113.77	[RFC4566]
a=mid:audio	[RFC5888]
a=msid:ma ta	Identifies RTCMediaStream ID (ma) and RTCMediaStreamTrack ID (ta)
a=sendrecv	[RFC3264] - Bob can

Nandakumar & Jennings    Expires September 3, 2018

[Page 32]

		send and receive
a=rtpmap:109 opus/48000/2		Opus audio
		[RFC7587] - Bob accepts Opus Codec
a=maxptime:120		[RFC4566]
a=ice-ufrag:c300d85b		[RFC5245] - ICE username frag
a=ice-pwd:de4e99bd291c325921d5d47efbabd9a2		[RFC5245] - ICE password
a=fingerprint:sha-256 6B:8B:F0:65:5F:78:E2:51:3B:AC:6F:F3:3F:46:1B:35:DC:B8:5F:64:1A:2		[RFC5245] - Fingerprint for SRTP
4:C2:43:F0:A1:58:D0:A1:2C:19:08		
a=setup:active		[RFC5763] - Bob is the DTLS client
a=tls-id:CJ6FF9ZZMJW7MDRJIR7XVIQM48GE1G31		[I-D.ietf-mmusic-dtls-sdp]
a=rtcp-mux		[RFC5761] - Bob can perform RTP/RTCP Muxing on port 49203
a=rtcp-mux-only		[I-D.ietf-mmusic-mux-exclusive]
a=rtcp-rsize		[RFC5506] - Alice intends to use reduced size RTCP for this session
a=extmap:1 urn:ietf:params:rtp-hdrext:ssrc-audio-level		[RFC6464]
a=extmap:2 urn:ietf:params:rtp-hdrext:sdes:mid		[I-D.ietf-mmusic-sdp-bundle-negotiation]
a=candidate:0 1 UDP 2122194687 198.51.100.7		[RFC5245]
51556 typ host		
a=candidate:1 1 UDP 1685987071 203.0.113.77		[RFC5245]
49203 typ srflx raddr 198.51.100.7 rport 51556		
a=end-of-candidates		[I-D.ietf-mmusic-trickle-ice]
***** DTMF m=line *****		*****
m=audio 0 UDP/TLS/RTP/SAVPF 126		[RFC4566]
c=IN IP4 203.0.113.77		[RFC4566]
a=bundle-only		[I-D.ietf-mmusic-sdp-bundle-negotiation]
a=mid:dtmf		[RFC5888]
a=msid:ma tb		Identifies RTCMediaStream ID

Nandakumar & Jennings    Expires September 3, 2018

[Page 33]


	(ma) and
	RTCMediaStreamTrack
	ID (tb)
a=recvonly	[RFC3264] - Alice
	can receive DTMF
	events
a=rtpmap:126 telephone-event/8000	[RFC4733]
a=extmap:2 urn:ietf:params:rtp-	[I-D.ietf-mmusic-sd
hdrext:sdes:mid	p-bundle-negotiation
	n]

Table 12: 5.2.5 SDP Answer

### 5.2.6. One Way Audio/Video Session - Document Camera

In this scenario Alice and Bob engage in a 1 way audio and video session with Bob receiving Alice's audio and her presentation slides as video stream.

#### One Way Audio & Video Session - Document Camera





Offer SDP Contents	RFC#/Notes
v=0	[RFC4566]
o=- 20519 0 IN IP4 0.0.0.0	[RFC4566]
s=-	[RFC4566]
t=0 0	[RFC4566]
a=group:BUNDLE audio video	[I-D.ietf-mmusic-sd p-bundle-negotiatio n]
a=group:LS audio video	[RFC5888]
a=ice-options:trickle	[I-D.ietf-mmusic-tr ickle-ice]
***** Audio m=line *****	*****
m=audio 54609 UDP/TLS/RTP/SAVPF 109	[RFC4566]
c=IN IP4 203.0.113.141	[RFC4566]
a=mid:audio	[RFC5888]
a=msid:ma ta	Identifies RTCMediaStream ID (ma) and RTCMediaStreamTrack ID (ta)
a=sendonly	[RFC3264] - Send only audio stream
a=rtpmap:109 opus/48000/2	[RFC7587]
a=maxptime:120	[RFC4566]
a=ice-ufrag:074c6550	[RFC5245]
a=ice-pwd:a28a397a4c3f31747d1ee3474af08a068	[RFC5245]
a=fingerprint:sha-256 19:E2:1C:3B:4B:9F:81: E6:B8:5C:F4:A5:A8:D8:73:04:BB:05:2F:70:9F:0 4:A9:0E:05:E9:26:33:E8:70:88:A2	[RFC5245]
a=setup:actpass	[RFC5763] - Alice can act as DTLS client or server
a=tls-id:89J2LRATQ3ULA24G9AHWVR31VJWSLB68	[I-D.ietf-mmusic-dt ls-sdp]
a=rtcp-mux	[RFC5761]
a=rtcp-mux-only	[I-D.ietf-mmusic-mu x-exclusive]
a=rtcp-rsize	[RFC5506]
a=extmap:1 urn:ietf:params:rtp-hdrext:ssrc- audio-level	[RFC6464]
a=extmap:2 urn:ietf:params:rtp- hdrext:sdes:mid	[I-D.ietf-mmusic-sd p-bundle-negotiatio n]
a=candidate:0 1 UDP 2122194687 203.0.113.141 54609 typ host	[RFC5245]

Nandakumar & Jennings    Expires September 3, 2018

[Page 35]

a=end-of-candidates	[I-D.ietf-mmusic-trickle-ice]
***** Video m=line *****	*****
m=video 0 UDP/TLS/RTP/SAVPF 120	[RFC4566]
c=IN IP4 203.0.113.141	[RFC4566]
a=bundle-only	[I-D.ietf-mmusic-sdp-bundle-negotiation]
a=mid:video	[RFC5888]
a=msid:ma tb	Identifies RTCMediaStream ID (ma) and RTCMediaStreamTrack ID (tb)
a=sendonly	[RFC3264] - Send only video stream
a=rtpmap:120 VP8/90000	[RFC7741]
a=content:slides	[RFC4796] - Alice's presentation video stream
a=rtcp-fb:120 nack	[RFC5104]
a=rtcp-fb:120 nack pli	[RFC5104]
a=rtcp-fb:120 ccm fir	[RFC5104]
a=extmap:2 urn:ietf:params:rtp-hdrext:sdes:mid	[I-D.ietf-mmusic-sdp-bundle-negotiation]
	n]

Table 13: 5.2.6 SDP Offer

Answer SDP Contents	RFC#/Notes
v=0	[RFC4566]
o=- 16833 0 IN IP4 0.0.0.0	[RFC4566]
s=-	[RFC4566]
t=0 0	[RFC4566]
a=group:BUNDLE audio video	[I-D.ietf-mmusic-sdp-bundle-negotiation]
	n]
a=group:LS audio video	[RFC5888]
a=ice-options:trickle	[I-D.ietf-mmusic-trickle-ice]
***** Audio m=line *****	*****
m=audio 49203 UDP/TLS/RTP/SAVPF 109	[RFC4566]

Nandakumar & Jennings    Expires September 3, 2018

[Page 36]

c=IN IP4 203.0.113.77	[RFC4566]
a=mid:audio	[RFC5888]
a=msid:ma ta	Identifies RTCMediaStream ID (ma) and RTCMediaStreamTrack ID (ta)
a=recvonly	[RFC3264] - Receive only audio stream
a=rtpmap:109 opus/48000/2	[RFC7587]
a=maxptime:120	[RFC4566]
a=ice-ufrag:c300d85b	[RFC5245]
a=ice-pwd:de4e99bd291c325921d5d47efbabd9a2	[RFC5245]
a=fingerprint:sha-256 6B:8B:F0:65:5F:78:E2: 51:3B:AC:6F:F3:3F:46:1B:35:DC:B8:5F:64:1A:2 4:C2:43:F0:A1:58:D0:A1:2C:19:08	[RFC5245]
a=setup:active	[RFC5763] - Bob is the DTLS client
a=tls-id:CJ6FF9ZZMJW7MDRJIR7XVIQM48GE1G31	[I-D.ietf-mmusic-dt ls-sdp]
a=rtcp-mux	[RFC5761]
a=rtcp-mux-only	[I-D.ietf-mmusic-mu x-exclusive]
a=extmap:1 urn:ietf:params:rtp-hdrext:ssrc- audio-level	[RFC6464]
a=extmap:2 urn:ietf:params:rtp- hdrext:sdes:mid	[I-D.ietf-mmusic-sd p-bundle-negotiatio n]
a=candidate:0 1 UDP 2113667327 203.0.113.77 49203 typ host	[RFC5245]
a=end-of-candidates	[I-D.ietf-mmusic-tr ickle-ice]
***** Video m=line *****	*****
m=video 0 UDP/TLS/RTP/SAVPF 120	[RFC4566]
c=IN IP4 203.0.113.77	[RFC4566]
a=bundle-only	[I-D.ietf-mmusic-sd p-bundle-negotiatio n]
a=mid:video	[RFC5888]
a=msid:ma tb	Identifies RTCMediaStream ID (ma) and RTCMediaStreamTrack ID (tb)
a=recvonly	[RFC3264]
a=rtpmap:120 VP8/90000	[RFC7741]
a=content:slides	[RFC4796] -

Nandakumar & Jennings    Expires September 3, 2018

[Page 37]

		presentation stream
a=rtp-fb:120 nack	[RFC5104]	
a=rtp-fb:120 nack pli	[RFC5104]	
a=rtp-fb:120 ccm fir	[RFC5104]	
a=extmap:2 urn:ietf:params:rtp-	[I-D.ietf-mmusic-sd	
hdrext:sdes:mid	p-bundle-negotiation	
	n]	

Table 14: 5.2.6 SDP Answer

### [5.2.7.](#) Audio, Video Session with BUNDLE Support Unknown


In this example, since Alice is unsure of the Bob's support of the BUNDLE framework, following steps are performed in order to negotiate and setup a BUNDLE Address for the session

- o An SDP Offer, in which the Alice assigns unique addresses to each "m=" line in the BUNDLE group, and requests the Answerer to select the Offerer's BUNDLE address.
- o An SDP Answer, in which the Bob indicates its support for BUNDLE, selects the offerer's BUNDLE address, selects its own BUNDLE address and associates it with each BUNDLED m=line within the BUNDLE group.

Once the Offer/Answer exchange completes, both Alice and Bob each end up using single RTP Session for both the Media Streams.



## Two-Way Secure Audio, Video with BUNDLE support unknown



Offer SDP Contents	RFC#/Notes
v=0	[RFC4566]
o=- 20518 0 IN IP4 0.0.0.0	[RFC4566]
s=-	[RFC4566]
t=0 0	[RFC4566]
a=group:BUNDLE audio video	[I-D.ietf-mmusic-sd p-bundle-negotiation] n] Alice supports grouping of m-lines under BUNDLE semantics
a=group:LS audio video	[RFC5888]
a=ice-options:trickle	[I-D.ietf-mmusic-tr ickle-ice]
***** Audio m=line *****	*****
m=audio 54609 UDP/TLS/RTP/SAVPF 109	[RFC4566]
c=IN IP4 203.0.113.141	[RFC4566]
a=mid:audio	[RFC5888] Audio m-line part of BUNDLE group with a

Nandakumar & Jennings    Expires September 3, 2018

[Page 39]

a=msid:ma ta	unique port number Identifies RTCMediaStream ID (ma) and RTCMediaStreamTrack ID (ta)
a=sendrecv	[RFC3264]
a=rtpmap:109 opus/48000/2	[RFC7587]
a=maxptime:120	[RFC4566]
a=ice-ufrag:074c6550	[RFC5245]
a=ice-pwd:a28a397a4c3f31747d1ee3474af08a068	[RFC5245]
a=fingerprint:sha-256 19:E2:1C:3B:4B:9F:81: E6:B8:5C:F4:A5:A8:D8:73:04:BB:05:2F:70:9F:0 4:A9:0E:05:E9:26:33:E8:70:88:A2	[RFC5245]
a=setup:actpass	[RFC5763] - Alice can act as DTLS client or server
a=tls-id:89J2LRATQ3ULA24G9AHWVR31VJWSLB68	[I-D.ietf-mmusic-dt ls-sdp]
a=rtcp-mux	[RFC5761]
a=rtcp:54610 IN IP4 203.0.113.141	[RFC3605] - RTCP port different from RTP Port
a=rtcp-rsize	[RFC5506]
a=extmap:1 urn:ietf:params:rtp-hdrext:ssrc- audio-level	[RFC6464]
a=extmap:2 urn:ietf:params:rtp- hdrext:sdes:mid	[I-D.ietf-mmusic-sd p-bundle-negotiation n]
a=candidate:0 1 UDP 2122194687 192.0.2.4 61665 typ host	[RFC5245] - RTP host candidate
a=candidate:1 1 UDP 1685987071 203.0.113.141 54609 typ srflx raddr 192.0.2.4 rport 61665	[RFC5245] - RTP Server Reflexive candidate
a=candidate:0 2 UDP 2122194687 192.0.2.4 61666 typ host	[RFC5245] - RTCP host candidate
a=candidate:1 2 UDP 1685987071 203.0.113.141 54610 typ srflx raddr 192.0.2.4 rport 61666	[RFC5245] - RTCP Server Reflexive candidate
***** Video m=line *****	***** *****
m=video 62537 UDP/TLS/RTP/SAVPF 120	[RFC4566]
c=IN IP4 203.0.113.141	[RFC4566]
a=mid:video	[RFC5888] Video m=line part of the Bundle group with a unique port number
a=msid:ma tb	Identifies

Nandakumar & Jennings    Expires September 3, 2018

[Page 40]

	RTCMediaStream ID
(ma) and	
RTCMediaStreamTrack	
ID (tb)	
a=sendrecv	[RFC3264]
a=rtpmap:120 VP8/90000	[RFC7741]
a=ice-ufrag:6550074c	[RFC5245]
a=ice-pwd:74af08a068a28a397a4c3f31747d1ee34	[RFC5245]
a=fingerprint:sha-256 19:E2:1C:3B:4B:9F:81:	[RFC5245]
E6:B8:5C:F4:A5:A8:D8:73:04:BB:05:2F:70:9F:0	
4:A9:0E:05:E9:26:33:E8:70:88:A2	
a=setup:actpass	[RFC5763] - Alice can act as DTLS client or server
a=tls-id:UKA29UQLTF690JW4WNPNU02Y0GF1FJ0Z	[I-D.ietf-mmusic-dt ls-sdp]
a=rtcp-mux	[RFC5761]
a=rtcp:62538 IN IP4 203.0.113.141	[RFC3605]
a=rtcp-rsize	[RFC5506]
a=rtcp-fb:120 nack	[RFC5104]
a=rtcp-fb:120 nack pli	[RFC5104]
a=rtcp-fb:120 ccm fir	[RFC5104]
a=extmap:2 urn:ietf:params:rtp- hdrext:sdes:mid	[I-D.ietf-mmusic-sd p-bundle-negotia n]
a=candidate:0 1 UDP 2122194687 192.0.2.4   61886 typ host	[RFC5245] - RTP Host candidate
a=candidate:1 1 UDP 1685987071   203.0.113.141 62537 typ srflx raddr   192.0.2.4 rport 61886	[RFC5245] - RTP Server Reflexive candidate
a=candidate:0 2 UDP 2122194687 192.0.2.4   61888 typ host	[RFC5245] - RTCP host candidate
a=candidate:1 2 UDP 1685987071   203.0.113.141 62538 typ srflx raddr   192.0.2.4 rport 61888	[RFC5245] - RTCP Server Reflexive candidate

Table 15: 5.2.7 SDP Offer w/BUNDLE

Answer SDP Contents	RFC#/Notes
v=0	[RFC4566]
o=- 16833 0 IN IP4 0.0.0.0	[RFC4566]
s=-	[RFC4566]
t=0 0	[RFC4566]
a=group:BUNDLE audio video	[I-D.ietf-mmusic-sd]

Nandakumar & Jennings    Expires September 3, 2018

[Page 41]

	p-bundle-negotiation
a=group:LS audio video	n] Bob supports
a=ice-options:trickle	BUNDLE semantics.
***** Audio m=line *****	[RFC5888]
	[I-D.ietf-mmusic-trickle-ice]
	*****
m=audio 49203 UDP/TLS/RTP/SAVPF 109	[RFC4566]
c=IN IP4 203.0.113.77	[RFC4566]
a=mid:audio	[RFC5888] Audio
	m=line part of the
	BUNDLE group
a=msid:ma ta	Identifies
	RTCMediaStream ID
	(ma) and
	RTCMediaStreamTrack
	ID (ta)
a=sendrecv	[RFC3264]
a=rtpmap:109 opus/48000/2	[RFC7587]
a=maxptime:120	[RFC4566]
a=ice-ufrag:c300d85b	[RFC5245]
a=ice-pwd:de4e99bd291c325921d5d47efbabd9a2	[RFC5245]
a=fingerprint:sha-256 6B:8B:F0:65:5F:78:E2:	[RFC5245]
51:3B:AC:6F:F3:3F:46:1B:35:DC:B8:5F:64:1A:2	
4:C2:43:F0:A1:58:D0:A1:2C:19:08	
a=setup:active	[RFC5763] - Bob is
	the DTLS client
a=tls-id:CJ6FF9ZZMJW7MDRJIR7XVIQM48GE1G31	[I-D.ietf-mmusic-dtls-sdp]
a=rtcp-mux	[RFC5761]
a=rtcp-rsize	[RFC5506]
a=extmap:1 urn:ietf:params:rtp-hdrext:ssrc-	[RFC6464]
audio-level	
a=extmap:2 urn:ietf:params:rtp-	[I-D.ietf-mmusic-sdp]
hdrext:sdes:mid	p-bundle-negotiation
	n]
a=candidate:0 1 UDP 2122194687 198.51.100.7	[RFC5245]
49203 typ host	
a=candidate:1 1 UDP 1685987071 203.0.113.77	[RFC5245]
51556 typ srflx raddr 198.51.100.7 rport	
49203	
***** Video m=line *****	*****
	*****
m=video 0 UDP/TLS/RTP/SAVPF 120	[RFC4566]
c=IN IP4 203.0.113.77	[RFC4566]
a=bundle-only	[I-D.ietf-mmusic-sdp]
	p-bundle-negotiation

Nandakumar & Jennings    Expires September 3, 2018

[Page 42]

a=mid:video	n]
	[RFC5888] Video
	m=line part of the
	BUNDLE group with
	the port from audio
	line repeated
a=msid:ma tb	Identifies
	RTCMediaStream ID
	(ma) and
	RTCMediaStreamTrack
	ID (tb)
a=sendrecv	[RFC3264]
a=rtpmap:120 VP8/90000	[RFC7741]
a=rtcp-fb:120 nack	[RFC5104]
a=rtcp-fb:120 nack pli	[RFC5104]
a=rtcp-fb:120 ccm fir	[RFC5104]
a=extmap:2 urn:ietf:params:rtp-	[I-D.ietf-mmusic-sd
hdrext:sdes:mid	p-bundle-negotiation
	n]


Table 16: 5.2.7 SDP Answer w/BUNDLE

### 5.2.8. Audio, Video and Data Session

This example shows SDP for negotiating a session with Audio, Video and data streams between Alice and Bob with BUNDLE support known.



Audio, Video, Data with BUNDLE support known



Offer SDP Contents	RFC#/Notes
v=0	[RFC4566]
o=- 20518 0 IN IP4 0.0.0.0	[RFC4566]
s=-	[RFC4566]
t=0 0	[RFC4566]
a=group:BUNDLE audio video data	[I-D.ietf-mmusic-sdp-bundle-negotiation]
***** Audio m=line *****	*****
m=audio 54609 UDP/TLS/RTP/SAVPF 109	[RFC4566]
c=IN IP4 203.0.113.141	[RFC4566]
a=msid:ma ta	Identifies RTCMediaStream ID (ma) and RTCMediaStreamTrack ID (ta)
a=mid:audio	[RFC5888]
a=sendrecv	[RFC3264]

Nandakumar & Jennings    Expires September 3, 2018

[Page 44]

a=rtpmap:109 opus/48000/2	[RFC7587]
a=maxptime:120	[RFC4566]
a=ice-ufrag:074c6550	[RFC5245]
a=ice-pwd:a28a397a4c3f31747d1ee3474af08a068	[RFC5245]
a=fingerprint:sha-256 19:E2:1C:3B:4B:9F:81:E6:B8:5C:F4:A5:A8:D8:73:04:BB:05:2F:70:9F:04:A9:0E:05:E9:26:33:E8:70:88:A2	[RFC5245]
a=setup:actpass	[RFC5763]
a=tls-id:89J2LRATQ3ULA24G9AHWVR31VJWSLB68	[I-D.ietf-mmmusic-dtls-sdp]
a=rtcp-mux	[RFC5761]
a=rtcp-mux-only	[I-D.ietf-mmmusic-mux-exclusive]
a=rtcp-rsize	[RFC5506]
a=extmap:1 urn:ietf:params:rtp-hdrext:ssrc-audio-level	[RFC6464]
a=extmap:2 urn:ietf:params:rtp-hdrext:sdes:mid	[I-D.ietf-mmmusic-sdp-bundle-negotiation]
a=candidate:0 1 UDP 2122194687 192.0.2.4 61665 typ host	[RFC5245]
a=candidate:1 1 UDP 1685987071 203.0.113.141 54609 typ srflx raddr 192.0.2.4 rport 61665	[RFC5245]
a=end-of-candidates	[I-D.ietf-mmmusic-trickle-ice]
***** Video m=line *****	*****
m=video 0 UDP/TLS/RTP/SAVPF 120	[RFC4566]
c=IN IP4 203.0.113.141	[RFC4566]
a=bundle-only	[I-D.ietf-mmmusic-sdp-bundle-negotiation]
a=mid:video	[RFC5888]
a=msid:ma tb	Identifies RTCMediaStream ID (ma) and RTCMediaStreamTrack ID (tb)
a=sendrecv	[RFC3264]
a=rtpmap:120 VP8/90000	[RFC7741]
a=rtcp-fb:120 nack	[RFC5104]
a=rtcp-fb:120 nack pli	[RFC5104]
a=rtcp-fb:120 ccm fir	[RFC5104]
a=extmap:2 urn:ietf:params:rtp-hdrext:sdes:mid	[I-D.ietf-mmmusic-sdp-bundle-negotiation]
***** Application m=line *****	*****

Nandakumar & Jennings    Expires September 3, 2018

[Page 45]

	*****
m=application 0 UDP/DTLS/SCTP webrtc-	[I-D.ietf-rtcweb-da
datachannel	ta-channel]
c=IN IP4 203.0.113.141	[ <a href="#">RFC4566</a> ]
a=bundle-only	[I-D.ietf-mmusic-sd
	p-bundle-negotiation
	n]
a=mid:data	[ <a href="#">RFC5888</a> ]
a=sctp-port:5000	[I-D.ietf-mmusic-sc
	tp-sdp]
a=max-message-size:100000	[I-D.ietf-mmusic-sc
	tp-sdp]
a=sendrecv	[ <a href="#">RFC3264</a> ]
+-----+-----+	

Table 17: 5.2.8 SDP Offer

Answer SDP Contents	RFC#/Notes
v=0	[ <a href="#">RFC4566</a> ]
o=- 16833 0 IN IP4 0.0.0.0	[ <a href="#">RFC4566</a> ] - Session
	Origin Information
s=-	[ <a href="#">RFC4566</a> ]
t=0 0	[ <a href="#">RFC4566</a> ]
a=group:BUNDLE audio video data	[I-D.ietf-mmusic-sd
	p-bundle-negotiation
	n]
a=group:LS audio video	[ <a href="#">RFC5888</a> ]
a=ice-options:trickle	[I-D.ietf-mmusic-trickle-ice]
***** Audio m=line *****	*****
	*****
m=audio 49203 UDP/TLS/RTP/SAVPF 109	[ <a href="#">RFC4566</a> ]
c=IN IP4 203.0.113.77	[ <a href="#">RFC4566</a> ]
a=msid:ma ta	Identifies
	RTCMediaStream ID
	(ma) and
	RTCMediaStreamTrack
	ID (ta)
a=mid:audio	[ <a href="#">RFC5888</a> ]
a=sendrecv	[ <a href="#">RFC3264</a> ]
a=rtpmap:109 opus/48000/2	[ <a href="#">RFC7587</a> ]
a=maxptime:120	[ <a href="#">RFC4566</a> ]
a=ice-ufrag:c300d85b	[ <a href="#">RFC5245</a> ]
a=ice-pwd:de4e99bd291c325921d5d47efbabd9a2	[ <a href="#">RFC5245</a> ]
a=fingerprint:sha-256 6B:8B:F0:65:5F:78:E2:	[ <a href="#">RFC5245</a> ]

Nandakumar & Jennings    Expires September 3, 2018

[Page 46]

```

| 51:3B:AC:6F:F3:3F:46:1B:35:DC:B8:5F:64:1A:2 |           |
| 4:C2:43:F0:A1:58:D0:A1:2C:19:08 |           |
| a=setup:active | [RFC5763] |
| a=tls-id:CJ6FF9ZZMJW7MDRJIR7XVIQM48GE1G31 | [I-D.ietf-mmusic-dt |
| | ls-sdp] |
| a=rtcp-mux | [RFC5761] |
| a=rtcp-mux-only | [I-D.ietf-mmusic-mu |
| | x-exclusive] |
| a=rtcp-rsize | [RFC5506] |
| a=extmap:1 urn:ietf:params:rtp-hdrext:ssrc- | [RFC6464] |
| audio-level |           |
| a=extmap:2 urn:ietf:params:rtp- | [I-D.ietf-mmusic-sd |
| hdrext:sdes:mid | p-bundle-negotiatio |
| | n] |
| a=candidate:0 1 UDP 2122194687 198.51.100.7 | [RFC5245] |
| 51556 typ host |           |
| a=candidate:1 1 UDP 1685987071 203.0.113.77 | [RFC5245] |
| 49203 typ srflx raddr 198.51.100.7 rport |
| 51556 |           |
| a=end-of-candidates | [I-D.ietf-mmusic-tr |
| | ickle-ice] |
| ***** Video m=line ***** |
|           |
| m=video 0 UDP/TLS/RTP/SAVPF 120 | [RFC4566] |
| c=IN IP4 203.0.113.77 | [RFC4566] |
| a=bundle-only | [I-D.ietf-mmusic-sd |
| | p-bundle-negotiatio |
| | n] |
| a=mid:video | [RFC5888] |
| a=msid:ma tb | Identifies |
| | RTCMediaStream ID |
| | (ma) and |
| | RTCMediaStreamTrack |
| | ID (tb) |
| a=sendrecv | [RFC3264] |
| a=rtpmap:120 VP8/90000 | [RFC7741] |
| a=rtcp-fb:120 nack | [RFC5104] |
| a=rtcp-fb:120 nack pli | [RFC5104] |
| a=rtcp-fb:120 ccm fir | [RFC5104] |
| a=extmap:2 urn:ietf:params:rtp- | [I-D.ietf-mmusic-sd |
| hdrext:sdes:mid | p-bundle-negotiatio |
| | n] |
| ***** Application m=line ***** |
|           |
| m=application 0 UDP/DTLS/SCTP webrtc- | [I-D.ietf-mmusic-sc |
| datachannel | tp-sdp] |
| c=IN IP4 203.0.113.77 | [RFC4566] |
| a=bundle-only | [I-D.ietf-mmusic-sd |
| |
```

Nandakumar & Jennings    Expires September 3, 2018

[Page 47]

	p-bundle-negotiation
	n]
a=mid:data	[ <a href="#">RFC5888</a> ]
a=sctp-port:5000	[I-D.ietf-mmusic-sc
	tp-sdp]
a=max-message-size:100000	[I-D.ietf-mmusic-sc
	tp-sdp]
a=sendrecv	[ <a href="#">RFC3264</a> ]
-----+-----+	

Table 18: 5.2.8 SDP Answer

### **5.2.9. Audio, Video Session with BUNDLE Unsupported**


This use-case illustrates SDP Offer/Answer exchange where the far-end (Bob) either doesn't support media bundling or doesn't want to group m-lines over a single 5-tuple.

The same is indicated by dropping the "a=group:BUNDLE" line and BUNDLE RTP header extension in the Answer SDP.

On successful Offer/Answer exchange, Alice and Bob each end up using unique 5-tuple for audio and video media streams respectively.



## Two-Way Secure Audio,Video with BUNDLE Unsupported



Offer SDP Contents	RFC#/Notes
v=0	[RFC4566]
o=- 20518 0 IN IP4 0.0.0.0	[RFC4566]
s=-	[RFC4566]
t=0 0	[RFC4566]
a=group:BUNDLE audio video	[I-D.ietf-mmusic-sd-p-bundle-negotiation] Alice supports grouping of m-lines under BUNDLE semantics
a=group:LS audio video	[RFC5888]
a=ice-options:trickle	[I-D.ietf-mmusic-trickle-ice]
***** Audio m=line *****	*****
m=audio 54609 UDP/TLS/RTP/SAVPF 109	[RFC4566]

Nandakumar & Jennings    Expires September 3, 2018

[Page 49]

c=IN IP4 203.0.113.141	[ <a href="#">RFC4566</a> ]
a=mid:audio	[ <a href="#">RFC5888</a> ] Audio
	m=line part of
	BUNDLE group with a
	unique port number
a=msid:ma ta	Identifies
	RTCMediaStream ID
	(ma) and
	RTCMediaStreamTrack
	ID (ta)
a=sendrecv	[ <a href="#">RFC3264</a> ]
a=rtpmap:109 opus/48000/2	[ <a href="#">RFC7587</a> ]
a=maxptime:120	[ <a href="#">RFC4566</a> ]
a=ice-ufrag:074c6550	[ <a href="#">RFC5245</a> ]
a=ice-pwd:a28a397a4c3f31747d1ee3474af08a068	[ <a href="#">RFC5245</a> ]
a=fingerprint:sha-256 19:E2:1C:3B:4B:9F:81:	[ <a href="#">RFC5245</a> ]
E6:B8:5C:F4:A5:A8:D8:73:04:BB:05:2F:70:9F:0	
4:A9:0E:05:E9:26:33:E8:70:88:A2	
a=setup:actpass	[ <a href="#">RFC5763</a> ] - Alice can act as DTLS client or server
a=tls-id:89J2LRATQ3ULA24G9AHWVR31VJWSLB68	[I-D.ietf-mmmusic-dt- ls-sdp]
a=rtcp-mux	[ <a href="#">RFC5761</a> ]
a=rtcp:55232 IN IP4 203.0.113.141	[ <a href="#">RFC3605</a> ] - RTCP port different from RTP port
a=rtcp-rsize	[ <a href="#">RFC5506</a> ]
a=extmap:1 urn:ietf:params:rtp-hdrext:ssrc- audio-level	[ <a href="#">RFC6464</a> ]
a=extmap:2 urn:ietf:params:rtp- hdrext:sdes:mid	[I-D.ietf-mmmusic-sd- p-bundle-negotiation]
a=candidate:0 1 UDP 2122194687 192.0.2.4 61665 typ host	[ <a href="#">RFC5245</a> ]
a=candidate:1 1 UDP 1685987071 203.0.113.141 54609 typ srflx raddr 192.0.2.4 rport 61665	[ <a href="#">RFC5245</a> ]
a=candidate:0 2 UDP 2122194687 192.0.2.4 61666 typ host	[ <a href="#">RFC5245</a> ]
a=candidate:1 2 UDP 1685987071 203.0.113.141 55232 typ srflx raddr 192.0.2.4 rport 61666	[ <a href="#">RFC5245</a> ]
a=end-of-candidates	[I-D.ietf-mmmusic-tr- ickle-ice]
***** Video m=line *****	*****
m=video 54332 UDP/TLS/RTP/SAVPF 120	[ <a href="#">RFC4566</a> ]

Nandakumar & Jennings    Expires September 3, 2018

[Page 50]

c=IN IP4 203.0.113.141	[RFC4566]
a=mid:video	[RFC5888] Video
	m=line part of the
	BUNDLE group with a
	unique port number
a=msid:ma tb	Identifies
	RTCMediaStream ID
	(ma) and
	RTCMediaStreamTrack
	ID (tb)
a=sendrecv	[RFC3264]
a=rtpmap:120 VP8/90000	[RFC7741]
a=ice-ufrag:7872093	[RFC5245]
a=ice-pwd:ee3474af08a068a28a397a4c3f31747d1	[RFC5245]
a=fingerprint:sha-256 19:E2:1C:3B:4B:9F:81:	[RFC5245]
E6:B8:5C:F4:A5:A8:D8:73:04:BB:05:2F:70:9F:0	
4:A9:0E:05:E9:26:33:E8:70:88:A2	
a=setup:actpass	[RFC5763] - Alice can act as DTLS client or server
a=tls-id:UKA29UQLTF690JW4WNPNU02Y0GF1FJ0Z	[I-D.ietf-mmusic-dt ls-sdp]
a=rtcp-mux	[RFC5761]
a=rtcp:60052 IN IP4 203.0.113.141	[RFC3605]
a=rtcp-rsize	[RFC5506]
a=rtcp-fb:120 nack	[RFC5104]
a=rtcp-fb:120 nack pli	[RFC5104]
a=rtcp-fb:120 ccm fir	[RFC5104]
a=extmap:2 urn:ietf:params:rtp- hdrext:sdes:mid	[I-D.ietf-mmusic-sd p-bundle-negotia n]
a=candidate:0 1 UDP 2122194687 192.0.2.4 71775 typ host	[RFC5245]
a=candidate:1 1 UDP 1685987071 203.0.113.141 54332 typ srflx raddr 192.0.2.4 rport 71775	[RFC5245]
a=candidate:0 2 UDP 2122194687 192.0.2.4 71776 typ host	[RFC5245]
a=candidate:1 2 UDP 1685987071 203.0.113.141 60052 typ srflx raddr 192.0.2.4 rport 71776	[RFC5245]
a=end-of-candidates	[I-D.ietf-mmusic-tr ickle-ice]

Table 19: 5.2.9 SDP Offer w/BUNDLE

Nandakumar & Jennings    Expires September 3, 2018

[Page 51]

Answer SDP Contents	RFC#/Notes
v=0	[RFC4566]
o=- 16833 0 IN IP4 0.0.0.0	[RFC4566]
s=-	[RFC4566]
t=0 0	[RFC4566]
a=group:LS audio video	[RFC5888]
a=ice-options:trickle	[I-D.ietf-mmusici-trickle-ice]
***** Audio m=line *****	*****
m=audio 53214 UDP/TLS/RTP/SAVPF 109	[RFC4566]
c=IN IP4 203.0.113.77	[RFC4566]
a=mid:audio	[RFC5888]
a=msid:ma ta	Identifies RTCMediaStream ID (ma) and RTC MediaStreamTrac k ID (ta)
a=sendrecv	[RFC3264]
a=rtpmap:109 opus/48000/2	[RFC7587]
a=maxptime:120	[RFC4566]
a=ice-ufrag:c300d85b	[RFC5245]
a=ice-pwd:de4e99bd291c325921d5d47efbabd9a2	[RFC5245]
a=fingerprint:sha-256 6B:8B:F0:65:5F:78:E2:51:3	[RFC5245]
B:AC:6F:F3:3F:46:1B:35:DC:B8:5F:64:1A:24:C2:43:	
F0:A1:58:D0:A1:2C:19:08	
a=setup:active	[RFC5763] - Bob is the DTLS client
a=tls-id:CJ6FF9ZZMJW7MDRJIR7XVIQM48GE1G31	[I-D.ietf-mmusici-dtls-sdp]
a=rtcp-mux	[RFC5761]
a=rtcp-rsize	[RFC5506]
a=extmap:1 urn:ietf:params:rtp-hdrext:ssrc-	[RFC6464]
audio-level	
a=candidate:0 1 UDP 2122194687 198.51.100.7	[RFC5245]
51556 typ host	
a=candidate:1 1 UDP 1685987071 203.0.113.77	[RFC5245]
53214 typ srflx raddr 198.51.100.7 rport 51556	
a=candidate:0 2 UDP 2122194687 198.51.100.7	[RFC5245]
51558 typ host	
a=candidate:1 2 UDP 1685987071 203.0.113.77	[RFC5245]
60065 typ srflx raddr 198.51.100.7 rport 51558	
***** Video m=line *****	*****
m=video 58679 UDP/TLS/RTP/SAVPF 120	[RFC4566]

Nandakumar & Jennings    Expires September 3, 2018

[Page 52]

c=IN IP4 203.0.113.77	[RFC4566]	
a=mid:video	[RFC5888]	
a=msid:ma tb	Identifies	
RTCMediaStream		
ID (ma) and RTC		
MediaStreamTrac		
k ID (tb)		
a=sendrecv	[RFC3264]	
a=rtpmap:120 VP8/90000	[RFC7741]	
a=ice-ufrag:85bC300	[RFC5245]	
a=ice-pwd:325921d5d47efbabd9a2de4e99bd291c	[RFC5245]	
a=fingerprint:sha-256	[RFC5245]	
6B:8B:F0:65:5F:78:E2:51:3B:AC:6F:F3:3F:46:1B:35		
:DC:B8:5F:64:1A:24:C2:43:F0:A1:58:D0:A1:2C:19:0		
8		
a=setup:active	[RFC5763] - Bob	
is the DTLS		
client		
a=tls-id:9AIFS8AQ009IXF5D6QQUJ7P8BXPEZJ8G	[I-D.ietf-mmusim-dtls-sdp]	
a=rtcp-mux	[RFC5761]	
a=rtcp-rsize	[RFC5506]	
a=rtcp-fb:120 nack	[RFC5104]	
a=rtcp-fb:120 nack pli	[RFC5104]	
a=rtcp-fb:120 ccm fir	[RFC5104]	
a=candidate:0 1 UDP 2122194687 198.51.100.7	[RFC5245]	
61556 typ host		
a=candidate:1 1 UDP 1685987071 203.0.113.77	[RFC5245]	
58679 typ srflx raddr 198.51.100.7 rport 61556		
a=end-of-candidates	[I-D.ietf-mmusim-trickle-ice]	
+-----+-----+-----+		

Table 20: 5.2.9 SDP Answer without BUNDLE

### 5.2.10. Audio, Video BUNDLED, but Data (Not BUNDLED)

This example show-cases SDP for negotiating a session with Audio, Video and data streams between Alice and Bob with data stream not being part of the BUNDLE group. This is shown by assigning unique port for data media section and not adding the "mid" identification tag to the BUNDLE group.



## Audio, Video, with Data (Not in BUNDLE)

Alice

|

| Alice wants to multiplex audio, video but not data

|

| Offer(Audio:Opus Video:VP8, Data(not in BUNDLE))

|----->

|

| Answer(Audio:Opus Video:VP8, Data)

<-----

|

| 2 Way Call with Audio, Video Multiplexed except data

|.....

|

Bob

|

Offer SDP Contents	RFC#/Notes
v=0	[RFC4566]
o=- 20518 0 IN IP4 0.0.0.0	[RFC4566]
s=-	[RFC4566]
t=0 0	[RFC4566]
a=group:BUNDLE audio video	[I-D.ietf-mmusic-sd p-bundle-negotiation] n] Alice wants to BUNDLE only audio and video media.
a=group:LS audio video	[RFC5888]
a=ice-options:trickle	[I-D.ietf-mmusic-tr ickle-ice]
***** Audio m=line *****	*****
m=audio 54609 UDP/TLS/RTP/SAVPF 109	[RFC4566]
c=IN IP4 203.0.113.141	[RFC4566]
a=mid:audio	[RFC5888]
a=msid:ma ta	Identifies RTCMediaStream ID (ma) and RTCMediaStreamTrack ID (ta)
a=sendrecv	[RFC3264]

Nandakumar & Jennings    Expires September 3, 2018

[Page 54]

a=rtpmap:109 opus/48000/2	[RFC7587]
a=maxptime:120	[RFC4566]
a=ice-ufrag:074c6550	[RFC5245]
a=ice-pwd:a28a397a4c3f31747d1ee3474af08a068	[RFC5245]
a=fingerprint:sha-256 19:E2:1C:3B:4B:9F:81: E6:B8:5C:F4:A5:A8:D8:73:04:BB:05:2F:70:9F:0 4:A9:0E:05:E9:26:33:E8:70:88:A2	[RFC5245]
a=setup:actpass	[RFC5763]
a=tls-id:89J2LRATQ3ULA24G9AHWVR31VJWSLB68	[I-D.ietf-mmmusic-dt ls-sdp]
a=rtcp-mux	[RFC5761]
a=rtcp-mux-only	[I-D.ietf-mmmusic-mu x-exclusive]
a=rtcp-rsize	[RFC5506]
a=extmap:1 urn:ietf:params:rtp-hdrext:ssrc- audio-level	[RFC6464]
a=extmap:2 urn:ietf:params:rtp- hdrext:sdes:mid	[I-D.ietf-mmmusic-sd p-bundle-negotiatio n]
a=candidate:0 1 UDP 2113667327 192.0.2.4 54609 typ host	[RFC5245]
a=end-of-candidates	[I-D.ietf-mmmusic-tr ickle-ice]
***** Video m=line *****	*****
m=video 0 UDP/TLS/RTP/SAVPF 120	[RFC4566]
c=IN IP4 203.0.113.141	[RFC4566]
a=bundle-only	[I-D.ietf-mmmusic-sd p-bundle-negotiatio n]
a=mid:video	[RFC5888]
a=msid:ma tb	Identifies RTCMediaStream ID (ma) and RTCMediaStreamTrack ID (tb)
a=sendrecv	[RFC3264]
a=rtpmap:120 VP8/90000	[RFC7741]
a=rtcp-fb:120 nack	[RFC5104]
a=rtcp-fb:120 nack pli	[RFC5104]
a=rtcp-fb:120 ccm fir	[RFC5104]
a=extmap:2 urn:ietf:params:rtp- hdrext:sdes:mid	[I-D.ietf-mmmusic-sd p-bundle-negotiatio n]
***** Application m=line *****	*****
m=application 10000 UDP/DTLS/SCTP webrtc- datachannel	[I-D.ietf-rtcweb-da ta-channel]

Nandakumar & Jennings    Expires September 3, 2018

[Page 55]

c=IN IP4 203.0.113.141	[ <a href="#">RFC4566</a> ]	
a=mid:data	[ <a href="#">RFC5888</a> ]	
a=sctp-port:5000	[I-D.ietf-mmusic-sc	
tp-sdp]		
a=max-message-size:100000	[I-D.ietf-mmusic-sc	
tp-sdp]		
a=sendrecv	[ <a href="#">RFC3264</a> ]	
a=setup:actpass	[ <a href="#">RFC5763</a> ]	
a=tls-id:UKA29UQLTF690JW4WPNU02Y0GF1FJ0Z	[I-D.ietf-mmusic-dt	
ls-sdp]		
a=ice-ufrag:89819013	[ <a href="#">RFC5245</a> ]	
a=ice-pwd:1747d1ee3474af08a068a28a397a4c3f3	[ <a href="#">RFC5245</a> ]	
a=fingerprint:sha-256 29:E2:1C:3B:4B:9F:81:	[ <a href="#">RFC5245</a> ]	
E6:B8:5C:F4:A5:A8:D8:73:04:BB:05:2F:70:9F:0		
4:A9:0E:05:E9:26:33:E8:70:88:A2		
a=candidate:0 1 UDP 2113667327 192.0.2.4	[ <a href="#">RFC5245</a> ]	
10000 typ host		
a=end-of-candidates	[I-D.ietf-mmusic-tr	
ickle-ice]		

Table 21: 5.2.10 SDP Offer

Answer SDP Contents	RFC#/Notes
v=0	[ <a href="#">RFC4566</a> ]
o=- 16833 0 IN IP4 0.0.0.0	[ <a href="#">RFC4566</a> ] - Session
	Origin Information
s=-	[ <a href="#">RFC4566</a> ]
t=0 0	[ <a href="#">RFC4566</a> ]
a=group:BUNDLE audio video	[I-D.ietf-mmusic-sd
	p-bundle-negotiatio
	n]
a=group:LS audio video	[ <a href="#">RFC5888</a> ]
a=ice-options:trickle	[I-D.ietf-mmusic-tr
ickle-ice]	
***** Audio m=line *****	*****
	*****
m=audio 49203 UDP/TLS/RTP/SAVPF 109	[ <a href="#">RFC4566</a> ]
c=IN IP4 203.0.113.77	[ <a href="#">RFC4566</a> ]
a=mid:audio	[ <a href="#">RFC5888</a> ]
a=msid:ma ta	Identifies
	RTCMediaStream ID
	(ma) and
	RTCMediaStreamTrack
	ID (ta)

Nandakumar & Jennings    Expires September 3, 2018

[Page 56]

a=sendrecv	[ <a href="#">RFC3264</a> ]	
a=rtpmap:109 opus/48000/2	[ <a href="#">RFC7587</a> ]	
a=maxptime:120	[ <a href="#">RFC4566</a> ]	
a=ice-ufrag:c300d85b	[ <a href="#">RFC5245</a> ]	
a=ice-pwd:de4e99bd291c325921d5d47efbabd9a2	[ <a href="#">RFC5245</a> ]	
a=fingerprint:sha-256 6B:8B:F0:65:5F:78:E2:	[ <a href="#">RFC5245</a> ]	
51:3B:AC:6F:F3:3F:46:1B:35:DC:B8:5F:64:1A:2		
4:C2:43:F0:A1:58:D0:A1:2C:19:08		
a=setup:active	[ <a href="#">RFC5763</a> ]	
a=tls-id:CJ6FF9ZZMJW7MDRJIR7XVIQM48GE1G31	[I-D.ietf-mmusic-dt ls-sdp]	
a=rtcp-mux	[ <a href="#">RFC5761</a> ]	
a=rtcp-mux-only	[I-D.ietf-mmusic-mu x-exclusive]	
a=rtcp-rsize	[ <a href="#">RFC5506</a> ]	
a=extmap:1 urn:ietf:params:rtp-hdrext:ssrc-	[ <a href="#">RFC6464</a> ]	
audio-level		
a=extmap:2 urn:ietf:params:rtp- hdrext:sdes:mid	[I-D.ietf-mmusic-sd p-bundle-negotia n]	
a=candidate:0 1 UDP 2113667327 198.51.100.7	[ <a href="#">RFC5245</a> ]	
49203 typ host		
a=end-of-candidates	[I-D.ietf-mmusic-tr ickle-ice]	
***** Video m=line *****	*****	
	*****	
m=video 0 UDP/TLS/RTP/SAVPF 120	[ <a href="#">RFC4566</a> ]	
c=IN IP4 203.0.113.77	[ <a href="#">RFC4566</a> ]	
a=bundle-only	[I-D.ietf-mmusic-sd p-bundle-negotia n]	
a=mid:video	[ <a href="#">RFC5888</a> ]	
a=msid:ma tb	Identifies   RTCMediaStream ID   (ma) and   RTCMediaStreamTrack   ID (tb)	
a=sendrecv	[ <a href="#">RFC3264</a> ]	
a=rtpmap:120 VP8/90000	[ <a href="#">RFC7741</a> ]	
a=rtcp-fb:120 nack	[ <a href="#">RFC5104</a> ]	
a=rtcp-fb:120 nack pli	[ <a href="#">RFC5104</a> ]	
a=rtcp-fb:120 ccm fir	[ <a href="#">RFC5104</a> ]	
a=extmap:2 urn:ietf:params:rtp- hdrext:sdes:mid	[I-D.ietf-mmusic-sd p-bundle-negotia n]	
***** Application m=line *****	*****	
	*****	
m=application 20000 UDP/DTLS/SCTP webrtc-	[I-D.ietf-mmusic-sc	

Nandakumar & Jennings    Expires September 3, 2018

[Page 57]

datachannel	tp-sdp]	
c=IN IP4 203.0.113.77	[ <a href="#">RFC4566</a> ]	
a=mid:data	[ <a href="#">RFC5888</a> ]	
a=sctp-port:5000	[I-D.ietf-mmusic-sc	
	tp-sdp]	
a=max-message-size:100000	[I-D.ietf-mmusic-sc	
	tp-sdp]	
a=setup:active	[ <a href="#">RFC5763</a> ]	
a=tls-id:9AIFS8AQ009IXF5D6QQUJ7P8BXPEZJ8G	[I-D.ietf-mmusic-dt	
	ls-sdp]	
a=sendrecv	[ <a href="#">RFC3264</a> ]	
a=ice-ufrag:991Ca2a5e	[ <a href="#">RFC5245</a> ]	
a=ice-pwd:921d5d47efbabd9a2de4e99bd291c325	[ <a href="#">RFC5245</a> ]	
a=fingerprint:sha-256 7B:8B:F0:65:5F:78:E2:	[ <a href="#">RFC5245</a> ]	
51:3B:AC:6F:F3:3F:46:1B:35:DC:B8:5F:64:1A:2		
4:C2:43:F0:A1:58:D0:A1:2C:19:08		
a=candidate:0 1 UDP 2113667327 198.51.100.7	[ <a href="#">RFC5245</a> ]	
20000 typ host		
a=end-of-candidates	[I-D.ietf-mmusic-tr	
	ickle-ice]	
+-----+-----+-----+		


Table 22: 5.2.10 SDP Answer

### 5.2.11. Audio Only, Add Video to BUNDLE

This example involves 2 Offer/Answer exchanges. First one is used to negotiate and setup BUNDLE support for Audio-only session followed by an updated Offer/Answer exchange to add video stream to the ongoing session. Also the newly added video stream is BUNDLED with the audio stream.



## Audio Only , Add Video and BUNDLE



Offer SDP Contents	RFC#/Notes
v=0	[RFC4566]
o=- 20518 0 IN IP4 0.0.0.0	[RFC4566]
s=-	[RFC4566]
t=0 0	[RFC4566]
a=group:BUNDLE audio	[I-D.ietf-mmusic-sd p-bundle-negotiation] n] Alice adds audio m=line to the BUNDLE group
a=ice-options:trickle	[I-D.ietf-mmusic-tr ickle-ice]
***** Audio m=line *****	*****
m=audio 54609 UDP/TLS/RTP/SAVPF 109	[RFC4566]
c=IN IP4 203.0.113.141	[RFC4566]
a=mid:audio	[RFC5888]

Nandakumar & Jennings    Expires September 3, 2018

[Page 59]

a=msid:ma ta	Identifies RTCMediaStream ID (ma) and RTCMediaStreamTrack ID (ta)
a=sendrecv	[RFC3264]
a=rtpmap:109 opus/48000/2	[RFC7587]
a=maxptime:120	[RFC4566]
a=ice-ufrag:074c6550	[RFC5245]
a=ice-pwd:a28a397a4c3f31747d1ee3474af08a068	[RFC5245]
a=fingerprint:sha-256 19:E2:1C:3B:4B:9F:81: E6:B8:5C:F4:A5:A8:D8:73:04:BB:05:2F:70:9F:0 4:A9:0E:05:E9:26:33:E8:70:88:A2	[RFC5245]
a=setup:actpass	[RFC5763]
a=tls-id:89J2LRATQ3ULA24G9AHWVR31VJWSLB68	[I-D.ietf-mmusic-dt ls-sdp]
a=rtcp-mux	[RFC5761]
a=rtcp-mux-only	[I-D.ietf-mmusic-mu x-exclusive]
a=rtcp-rsize	[RFC5506]
a=extmap:1 urn:ietf:params:rtp-hdrext:ssrc- audio-level	[RFC6464]
a=extmap:2 urn:ietf:params:rtp- hdrext:sdes:mid	[I-D.ietf-mmusic-sd p-bundle-negotiatio n]
a=candidate:0 1 UDP 2113667327 192.0.2.4 61665 typ host	[RFC5245]
a=candidate:1 1 UDP 694302207 203.0.113.141 54609 typ srflx raddr 192.0.2.4 rport 61665	[RFC5245]
a=end-of-candidates	[I-D.ietf-mmusic-tr ickle-ice]

Table 23: 5.2.11 SDP Offer

Answer SDP Contents	RFC#/Notes
v=0	[RFC4566]
o=- 16833 0 IN IP4 0.0.0.0	[RFC4566] - Session Origin Information
s=-	[RFC4566]
t=0 0	[RFC4566]
a=group:BUNDLE audio	[I-D.ietf-mmusic-sd p-bundle-negotiatio n]
a=ice-options:trickle	[I-D.ietf-mmusic-tr]

Nandakumar & Jennings    Expires September 3, 2018

[Page 60]

***** Audio m=line *****	ickle-ice]
	*****
m=audio 49203 UDP/TLS/RTP/SAVPF 109	[RFC4566]
c=IN IP4 203.0.113.77	[RFC4566]
a=mid:audio	[RFC5888]
a=msid:ma ta	Identifies RTCMediaStream ID (ma) and RTCMediaStreamTrack ID (ta)
a=sendrecv	[RFC3264]
a=rtpmap:109 opus/48000/2	[RFC7587]
a=maxptime:120	[RFC4566]
a=ice-ufrag:c300d85b	[RFC5245]
a=ice-pwd:de4e99bd291c325921d5d47efbabd9a2	[RFC5245]
a=fingerprint:sha-256 6B:8B:F0:65:5F:78:E2: 51:3B:AC:6F:F3:3F:46:1B:35:DC:B8:5F:64:1A:2 4:C2:43:F0:A1:58:D0:A1:2C:19:08	[RFC5245]
a=setup:active	[RFC5763]
a=tls-id:CJ6FF9ZZMJW7MDRJIR7XVIQM48GE1G31	[I-D.ietf-mmusic-dt ls-sdp]
a=rtcp-mux	[RFC5761]
a=rtcp-mux-only	[I-D.ietf-mmusic-mu x-exclusive]
a=rtcp-rsize	[RFC5506]
a=extmap:1 urn:ietf:params:rtp-hdrext:ssrc- audio-level	[RFC6464]
a=extmap:2 urn:ietf:params:rtp- hdrext:sdes:mid	[I-D.ietf-mmusic-sd p-bundle-negotia n]
a=candidate:0 1 UDP 2113667327 198.51.100.7 51556 typ host	[RFC5245]
a=candidate:1 1 UDP 1694302207 203.0.113.77 49203 typ srflx raddr 198.51.100.7 rport 51556	[RFC5245]
a=end-of-candidates	[I-D.ietf-mmusic-tr ickle-ice]

Table 24: 5.2.10 SDP Answer

Updated Offer SDP Contents	RFC#/Notes
v=0	Version number incremented

Nandakumar & Jennings    Expires September 3, 2018

[Page 61]

o=- 20518 1 IN IP4 0.0.0.0	[RFC4566]	
s=-	[RFC4566]	
t=0 0	[RFC4566]	
a=group:BUNDLE audio video	[I-D.ietf-mmusic-sd p-bundle-negotiation n]	
a=group:LS audio video	[RFC5888]	
a=ice-options:trickle	[I-D.ietf-mmusic-tr ickle-ice]	
***** Audio m=line *****	*****	
m=audio 54609 UDP/TLS/RTP/SAVPF 109	[RFC4566]	
c=IN IP4 203.0.113.141	[RFC4566]	
a=mid:audio	[RFC5888]	
a=msid:ma ta	Identifies RTCMediaStream ID (ma) and RTCMediaStreamTrack ID (ta)	
a=sendrecv	[RFC3264]	
a=rtpmap:109 opus/48000/2	[RFC7587]	
a=maxptime:120	[RFC4566]	
a=ice-ufrag:074c6550	[RFC5245]	
a=ice-pwd:a28a397a4c3f31747d1ee3474af08a068	[RFC5245]	
a=fingerprint:sha-256 19:E2:1C:3B:4B:9F:81: E6:B8:5C:F4:A5:A8:D8:73:04:BB:05:2F:70:9F:0 4:A9:0E:05:E9:26:33:E8:70:88:A2	[RFC5245]	
a=setup:actpass	[RFC5763]	
a=tls-id:89J2LRATQ3ULA24G9AHWVR31VJWSLB68	[I-D.ietf-mmusic-dt ls-sdp]Alice want's to use the same DTLS association	
a=rtcp-mux	[RFC5761]	
a=rtcp-mux-only	[I-D.ietf-mmusic-mu x-exclusive]	
a=rtcp-rsize	[RFC5506]	
a=extmap:1 urn:ietf:params:rtp-hdrext:ssrc- audio-level	[RFC6464]	
a=extmap:2 urn:ietf:params:rtp- hdrext:sdes:mid	[I-D.ietf-mmusic-sd p-bundle-negotiation n]	
a=candidate:0 1 UDP 2113667327 192.0.2.4 61665 typ host	[RFC5245]	
a=candidate:1 1 UDP 694302207 203.0.113.141 54609 typ srflx raddr 192.0.2.4 rport 61665	[RFC5245]	
a=end-of-candidates	[I-D.ietf-mmusic-tr ickle-ice]	

Nandakumar & Jennings    Expires September 3, 2018

[Page 62]

***** Video m=line *****	*****
m=video 0 UDP/TLS/RTP/SAVPF 120	[RFC4566]
c=IN IP4 203.0.113.141	[RFC4566]
a=bundle-only	[I-D.ietf-mmusic-sd-p-bundle-negotiation]
	n]
a=mid:video	[RFC5888]
a=msid:ma tb	Identifies RTCMediaStream ID (ma) and RTCMediaStreamTrack ID (tb)
	[RFC3264]
a=rtpmap:120 VP8/90000	[RFC7741]
a=rtcp-fb:120 nack	[RFC5104]
a=rtcp-fb:120 nack pli	[RFC5104]
a=rtcp-fb:120 ccm fir	[RFC5104]
a=extmap:2 urn:ietf:params:rtp-hdrext:sdes:mid	[I-D.ietf-mmusic-sd-p-bundle-negotiation]
	n]

Table 25: 5.2.11 SDP Updated Offer

Updated Answer SDP Contents	RFC#/Notes
v=0	[RFC4566] Version number incremented
o=- 16833 1 IN IP4 0.0.0.0	[RFC4566] - Session Origin Information
s=-	[RFC4566]
t=0 0	[RFC4566]
a=group:BUNDLE audio video	[I-D.ietf-mmusic-sd-p-bundle-negotiation]
	n]
a=group:LS audio video	[RFC5888]
a=ice-options:trickle	[I-D.ietf-mmusic-trickle-ice]
***** Audio m=line *****	*****
m=audio 49203 UDP/TLS/RTP/SAVPF 109	[RFC4566]
c=IN IP4 203.0.113.77	[RFC4566]
a=mid:audio	[RFC5888]
a=msid:ma ta	Identifies RTCMediaStream ID

Nandakumar & Jennings    Expires September 3, 2018

[Page 63]

	(ma) and	
	RTCMediaStreamTrack	
	ID (ta)	
a=sendrecv	[RFC3264]	
a=rtpmap:109 opus/48000/2	[RFC7587]	
a=maxptime:120	[RFC4566]	
a=ice-ufrag:c300d85b	[RFC5245]	
a=ice-pwd:de4e99bd291c325921d5d47efbabd9a2	[RFC5245]	
a=fingerprint:sha-256 6B:8B:F0:65:5F:78:E2:	[RFC5245]	
51:3B:AC:6F:F3:3F:46:1B:35:DC:B8:5F:64:1A:2		
4:C2:43:F0:A1:58:D0:A1:2C:19:08		
a=setup:active	[RFC5763]	
a=tls-id:CJ6FF9ZZMJW7MDRJIR7XVIQM48GE1G31	[I-D.ietf-mmusic-dt	
	ls-sdp] - Bob	
	agrees to use the	
	same DTLS	
	association	
a=rtcp-mux	[RFC5761]	
a=rtcp-mux-only	[I-D.ietf-mmusic-mu	
	x-exclusive]	
a=rtcp-rsize	[RFC5506]	
a=extmap:1 urn:ietf:params:rtp-hdrext:ssrc-	[RFC6464]	
audio-level		
a=extmap:2 urn:ietf:params:rtp-	[I-D.ietf-mmusic-sd	
hdrext:sdes:mid	p-bundle-negotiatio	
	n]	
a=candidate:0 1 UDP 2113667327 198.51.100.7	[RFC5245]	
51556 typ host		
a=candidate:1 1 UDP 1694302207 203.0.113.77	[RFC5245]	
49203 typ srflx raddr 198.51.100.7 rport		
51556		
a=end-of-candidates	[I-D.ietf-mmusic-tr	
	ickle-ice]	
***** Video m=line *****	*****	
m=video 0 UDP/TLS/RTP/SAVPF 120	[RFC4566]	
c=IN IP4 203.0.113.77	[RFC4566]	
a=bundle-only	[I-D.ietf-mmusic-sd	
	p-bundle-negotiatio	
	n]	
a=mid:video	[RFC5888]	
a=msid:ma tb	Identifies	
	RTCMediaStream ID	
	(ma) and	
	RTCMediaStreamTrack	
	ID (tb)	
a=sendrecv	[RFC3264]	
a=rtpmap:120 VP8/90000	[RFC7741]	

Nandakumar & Jennings    Expires September 3, 2018

[Page 64]

a=rtcp-fb:120 nack	[ <a href="#">RFC5104</a> ]	
a=rtcp-fb:120 nack pli	[ <a href="#">RFC5104</a> ]	
a=rtcp-fb:120 ccm fir	[ <a href="#">RFC5104</a> ]	
a=extmap:2 urn:ietf:params:rtp-	[I-D.ietf-mmusic-sd	
hdrext:sdes:mid	p-bundle-negotiatio	
	n]	
+-----+-----+-----+		

Table 26: 5.2.11 SDP Updated Answer

### [5.3.](#) MultiResolution, RTX, FEC Examples

This section deals with scenarios related to multi-source, multi-stream negotiation such as layered coding, simulcast, along with techniques that deal with providing robustness against transmission errors such as FEC and RTX. Also to note, mechanisms such as FEC and RTX could be envisioned in the above basic scenarios as well.

#### [5.3.1.](#) Sendonly Simulcast Session with 2 cameras and 2 encodings per camera

The SDP below shows Offer/Answer exchange with one audio and two video sources. Each of the video source can be sent at two different resolutions.

One video source corresponds to VP8 encoding, while the other corresponds to H.264 encoding.

[I-D.ietf-mmusic-rid] framework is used to further constrain the media format encodings and map the payload types (PT) to the 'rid' identifiers.


[I-D.ietf-mmusic-sdp-simulcast] framework identifies the simulcast streams via their 'rid' identifiers.

bundle-only attribute is used for the video sources in the Offer to ensure enabling video sources in the context of BUNDLE alone.

BUNDLE grouping framework enables multiplexing of all the 5 streams (1 audio stream + 4 video streams) over a single RTP Session.



## 1 Way Successful Simulcast w/BUNDLE



Offer SDP Contents	RFC#/Notes
v=0	[ <a href="#">RFC4566</a> ]
o=- 20519 0 IN IP4 0.0.0.0	[ <a href="#">RFC4566</a> ]
s=-	[ <a href="#">RFC4566</a> ]
t=0 0	[ <a href="#">RFC4566</a> ]
a=group:BUNDLE m0 m1 m2	[I-D.ietf-mmusic-sdp-bundle-negotiation] Alice supports grouping of m=lines under BUNDLE semantics
a=group:LS m0 m1	[ <a href="#">RFC5888</a> ]
a=ice-options:trickle	[I-D.ietf-mmusic-trickle-ice]
***** Audio m=line *****	*****
m=audio 54609 UDP/TLS/RTP/SAVPF 109	[ <a href="#">RFC4566</a> ]
c=IN IP4 203.0.113.141	[ <a href="#">RFC4566</a> ]
a=mid:m0	[ <a href="#">RFC5888</a> ]
a=msid:ma ta	Identifies RTCMediaStream ID

Nandakumar & Jennings    Expires September 3, 2018

[Page 66]

	(ma) and	
	RTCMediaStreamTrack	
	ID (ta)	
a=sendonly	[RFC3264]	
a=rtpmap:109 opus/48000/2	[RFC7587]	
a=maxptime:120	[RFC4566]	
a=ice-ufrag:074c6550	[RFC5245]	
a=ice-pwd:a28a397a4c3f31747d1ee3474af08a068	[RFC5245]	
a=fingerprint:sha-256 19:E2:1C:3B:4B:9F:81:	[RFC5245]	
E6:B8:5C:F4:A5:A8:D8:73:04:BB:05:2F:70:9F:0		
4:A9:0E:05:E9:26:33:E8:70:88:A2		
a=setup:actpass	[RFC5763]	
a=tls-id:89J2LRATQ3ULA24G9AHWVR31VJWSLB68	[I-D.ietf-mmusic-dt	
	ls-sdp]	
a=rtcp-mux	[RFC5761]	
a=rtcp-rsize	[RFC5506]	
a=extmap:1 urn:ietf:params:rtp-hdrext:ssrc-	[RFC6464]	
audio-level		
a=extmap:2 urn:ietf:params:rtp-	[I-D.ietf-mmusic-sd	
hdrext:sdes:mid	p-bundle-negotiatio	
	n]	
a=candidate:0 1 UDP 2113667327 192.0.2.4	[RFC5245]	
61665 typ host		
a=candidate:1 1 UDP 694302207 203.0.113.141	[RFC5245]	
54609 typ srflx raddr 192.0.2.4 rport 61665		
a=end-of-candidates	[I-D.ietf-mmusic-tr	
	ickle-ice]	
***** Video-1 m=line *****	*****	
	*****	
m=video 0 UDP/TLS/RTP/SAVPF 98 100	bundle-only video	
	line with port	
	number set to zero	
c=IN IP4 203.0.113.141	[RFC4566]	
a=bundle-only	[I-D.ietf-mmusic-sd	
	p-bundle-negotiatio	
	n]	
a=mid:m1	[RFC5888] Video	
	m=line part of	
	BUNDLE group	
a=msid:ma tb	Identifies	
	RTCMediaStream ID	
	(ma) and	
	RTCMediaStreamTrack	
	ID (tb)	
a=sendonly	[RFC3264] - Send	
	only video stream	
a=rtpmap:98 VP8/90000	[RFC7741]	
a=fmtp:98 max-fr=30	[RFC4566]	

Nandakumar & Jennings    Expires September 3, 2018

[Page 67]

a=rtpmap:100 VP8/90000	[RFC7741]
a=fmtp:100 max-fr=15	[RFC4566]
a=rtcp-fb:* nack	[RFC5104]
a=rtcp-fb:* nack pli	[RFC5104]
a=rtcp-fb:* ccm fir	[RFC5104]
a=extmap:2 urn:ietf:params:rtp-	[I-D.ietf-mmusic-sd]
hdrext:sdes:mid	p-bundle-negotiation
	n]
a=extmap:3 urn:ietf:params:rtp-	[I-D.ietf-avtext-ri]
hdrext:sdes:rtp-stream-id	d]
a=rid:1 send pt=98;max-width=1280;max-	[I-D.ietf-mmusic-ri]
height=720	d] 1:1 rid mapping
	to payload type and
	specify resolution
	constraints
a=rid:2 send pt=100;max-width=640;max-	[I-D.ietf-mmusic-ri]
height=480	d] 1:1 rid mapping
	to payload type and
	specify resolution
	constraints
a=simulcast:send 1;~2	[I-D.ietf-mmusic-sd]
	p-simulcast] Alice
	can send 2
	resolutions
	identified by the
	'rid' identifiers
	Also, the second
	stream is initially
	paused.
***** Video-2 m=line *****	*****
m=video 0 UDP/TLS/RTP/SAVPF 101 102	bundle-only video
	line with port
	number set to zero
c=IN IP4 203.0.113.141	[RFC4566]
a=bundle-only	[I-D.ietf-mmusic-sd]
	p-bundle-negotiation
	n]
a=mid:m2	[RFC5888] Video
	m=line part of
	BUNDLE group
a=msid:ma tc	Identifies
	RTCMediaStream ID
	(ma) and
	RTCMediaStreamTrack
	ID (tc)
a=sendonly	[RFC3264] - Send
	only video stream

Nandakumar & Jennings    Expires September 3, 2018

[Page 68]

a=rtpmap:101 H264/90000	[ <a href="#">RFC6184</a> ]
a=rtpmap:102 H264/90000	[ <a href="#">RFC6184</a> ]
a=fmtp:101 profile-level-id=42401f;packetization-mode=0;max-fr=30	[ <a href="#">RFC6184</a> ] Camera-2, E
a=fmtp:102 profile-level-id=42401f;packetization-mode=1;max-fr=15	ncoding-1 [ <a href="#">RFC6184</a> ] Camera-2, E
a=rtcp-fb:* nack	ncoding-2 [ <a href="#">RFC5104</a> ]
a=rtcp-fb:* nack pli	[ <a href="#">RFC5104</a> ]
a=rtcp-fb:* ccm fir	[ <a href="#">RFC5104</a> ]
a=extmap:2 urn:ietf:params:rtp-hdrext:sdes:mid	[I-D.ietf-mmusic-sdp-bundle-negotiation-n]
a=extmap:3 urn:ietf:params:rtp-hdrext:sdes:rtp-stream-id	[I-D.ietf-avtext-rid]
a=rid:3 send pt=101;max-width=1280;max-height=720	[I-D.ietf-mmusic-rid] 1:1 rid mapping to payload type and specify resolution constraints
a=rid:4 send pt=102;max-width=640;max-height=360	[I-D.ietf-mmusic-rid] 1:1 rid mapping to payload type and specify resolution constraints
a=simulcast:send 3;4	[I-D.ietf-mmusic-sdp-simulcast] Alice can send 2 resolutions identified by the 'rid' identifiers

Table 27: 5.3.1 SDP Offer

Answer SDP Contents	RFC#/Notes
v=0	[ <a href="#">RFC4566</a> ]
o=- 20519 0 IN IP4 0.0.0.0	[ <a href="#">RFC4566</a> ]
s=-	[ <a href="#">RFC4566</a> ]
t=0 0	[ <a href="#">RFC4566</a> ]
a=group:BUNDLE m0 m1 m2	[I-D.ietf-mmusic-sdp-bundle-negotiation-n] Alice supports grouping of m=lines under BUNDLE semantics

Nandakumar & Jennings    Expires September 3, 2018

[Page 69]

a=group:LS m0 m1	[RFC5888]
a=ice-options:trickle	[I-D.ietf-mmusic-trickle-ice]
***** Audio m=line *****	*****
m=audio 49203 UDP/TLS/RTP/SAVPF 109	[RFC4566]
c=IN IP4 203.0.113.77	[RFC4566]
a=mid:m0	[RFC5888]
a=msid:ma ta	Identifies RTCMediaStream ID (ma) and RTCMediaStreamTrack ID (ta)
a=recvonly	[RFC3264]
a=rtpmap:109 opus/48000/2	[RFC7587]
a=maxptime:120	[RFC4566]
a=ice-ufrag:c300d85b	[RFC5245]
a=ice-pwd:de4e99bd291c325921d5d47efbabd9a2	[RFC5245]
a=fingerprint:sha-256 6B:8B:F0:65:5F:78:E2:	[RFC5245]
51:3B:AC:6F:F3:3F:46:1B:35:DC:B8:5F:64:1A:2	
4:C2:43:F0:A1:58:D0:A1:2C:19:08	
a=setup:active	[RFC5763]
a=tls-id:CJ6FF9ZZMJW7MDRJIR7XVIQM48GE1G31	[I-D.ietf-mmusic-dtls-sdp]
a=rtcp-mux	[RFC5761]
a=rtcp-rsize	[RFC5506]
a=extmap:1 urn:ietf:params:rtp-hdrext:ssrc-audio-level	[RFC6464]
a=extmap:2 urn:ietf:params:rtp-hdrext:sdes:mid	[I-D.ietf-mmusic-sdp-bundle-negotiation]
n]	
a=candidate:0 1 UDP 2113667327 198.51.100.7	[RFC5245]
61665 typ host	
a=candidate:1 1 UDP 694302207 203.0.113.77	[RFC5245]
49203 typ srflx raddr 198.51.100.7 rport	
61665	
a=end-of-candidates	[I-D.ietf-mmusic-trickle-ice]
***** Video-1 m=line *****	*****
m=video 0 UDP/TLS/RTP/SAVPF 98 100	BUNDLE accepted
c=IN IP4 203.0.113.77	[RFC4566]
a=bundle-only	[I-D.ietf-mmusic-sdp-bundle-negotiation]
n]	
a=mid:m1	[RFC5888] Video
m=line part of	
BUNDLE group	

Nandakumar & Jennings    Expires September 3, 2018

[Page 70]

a=msid:ma tb	Identifies   RTCMediaStream ID   (ma) and   RTCMediaStreamTrack   ID (tb)
a=recvonly	[RFC3264] - receive   only video stream
a=rtpmap:98 VP8/90000	[RFC7741]
a=rtpmap:100 VP8/90000	[RFC7741]
a=fmtp:98 max-fr=30	[RFC4566]
a=fmtp:100 max-fr=15	[RFC4566]
a=rtcp-fb:* nack	[RFC5104]
a=rtcp-fb:* nack pli	[RFC5104]
a=rtcp-fb:* ccm fir	[RFC5104]
a=extmap:2 urn:ietf:params:rtp- hdrext:sdes:mid	[I-D.ietf-mmusic-sd p-bundle-negotiation]
a=extmap:3 urn:ietf:params:rtp- hdrext:sdes:rtp-stream-id	[I-D.ietf-avtext-rid]
a=rid:1 recv pt=98;max-width=1280;max- height=720	[I-D.ietf-mmusic-rid]   Bob accepts the   offered payload   format constraints
a=rid:2 recv pt=100;max-width=640;max- height=480	[I-D.ietf-mmusic-rid]   Bob accepts the   offered payload   format constraints
a=simulcast:recv 1;2	[I-D.ietf-mmusic-sdp-simulcast]   Bob accepts the offered   simulcast streams   and removes the   paused state of   stream with 'rid'   value 2.
***** Video-2 m=line *****	*****
m=video 0 UDP/TLS/RTP/SAVPF 101 102	BUNDLE accepted
c=IN IP4 203.0.113.77	[RFC4566]
a=bundle-only	[I-D.ietf-mmusic-sdp-bundle-negotiation]
a=mid:m2	[RFC5888] Video   m=line part of   BUNDLE group
a=msid:ma tc	Identifies   RTCMediaStream ID   (ma) and

Nandakumar & Jennings    Expires September 3, 2018

[Page 71]

	RTCMediaStreamTrack
ID (tc)	
[RFC3264]	
a=recvonly	
a=rtpmap:101 H264/90000	[RFC6184]
a=rtpmap:102 H264/90000	[RFC6184]
a=fmtp:101 profile-level-	[RFC6184]
id=42401f;packetization-mode=1;max-fr=30	
a=fmtp:102 profile-level-	[RFC6184]
id=42401f;packetization-mode=1;max-fr=15	
a=rtcp-fb:* nack	[RFC5104]
a=rtcp-fb:* nack pli	[RFC5104]
a=rtcp-fb:* ccm fir	[RFC5104]
a=extmap:2 urn:ietf:params:rtp-	[I-D.ietf-mmusic-sd]
hdrext:sdes:mid	p-bundle-negotiation
n]	
a=extmap:3 urn:ietf:params:rtp-	[I-D.ietf-avtext-ri]
hdrext:sdes:rtp-stream-id	d]
a=rid:3 recv pt=101;max-width=1280;max-	[I-D.ietf-mmusic-ri]
height=720	d] Bob accepts the
offered payload	
format constraints	
a=rid:4 recv pt=102;max-width=640;max-	[I-D.ietf-mmusic-ri]
height=360	d] Bob accepts the
offered payload	
format constraints	
a=simulcast:recv 3;4	[I-D.ietf-mmusic-sd]
	p-simulcast] Bob
	accepts the offered
	simulcast streams.


Table 28: 5.3.1 SDP Answer

### 5.3.2. Successful SVC Video Session

This section shows an SDP Offer/Answer for a session with an audio and a single video source. The video source is encoded as layered coding at 3 different resolutions based on [RFC5583]. The video m-line shows 3 streams with last stream (payload 100) dependent on streams with payload 96 and 97 for decoding.



## SVC Session - 3 Layers w/BUNDLE



Offer SDP Contents	RFC#/Notes
v=0	[RFC4566]
o=- 20519 0 IN IP4 0.0.0.0	[RFC4566]
s=-	[RFC4566]
t=0 0	[RFC4566]
a=group:BUNDLE m0 m1	[I-D.ietf-mmusic-sd p-bundle-negotiation] n] Alice supports grouping of m=lines under BUNDLE semantics
a=group:LS m0 m1	[RFC5888]
a=ice-options:trickle	[I-D.ietf-mmusic-tr ickle-ice]
***** Audio m=line *****	*****
m=audio 54609 UDP/TLS/RTP/SAVPF 109	[RFC4566]
c=IN IP4 203.0.113.141	[RFC4566]
a=mid:m0	[RFC5888] Audio m=line part of

Nandakumar & Jennings    Expires September 3, 2018

[Page 73]

	BUNDLE group with a
a=msid:ma ta	unique port number
	Identifies
	RTCMediaStream ID
	(ma) and
	RTCMediaStreamTrack
	ID (ta)
a=sendonly	[RFC3264]
a=rtpmap:109 opus/48000/2	[RFC7587]
a=maxptime:120	[RFC4566]
a=ice-ufrag:074c6550	[RFC5245]
a=ice-pwd:a28a397a4c3f31747d1ee3474af08a068	[RFC5245]
a=fingerprint:sha-256 19:E2:1C:3B:4B:9F:81:	[RFC5245]
E6:B8:5C:F4:A5:A8:D8:73:04:BB:05:2F:70:9F:0	
4:A9:0E:05:E9:26:33:E8:70:88:A2	
a=setup:actpass	[RFC5763]
a=tls-id:89J2LRATQ3ULA24G9AHWVR31VJWSLB68	[I-D.ietf-mmusic-dt ls-sdp]
a=rtcp-mux	[RFC5761]
a=rtcp-rsize	[RFC5506]
a=extmap:1 urn:ietf:params:rtp-hdrext:ssrc-	[RFC6464]
audio-level	
a=extmap:2 urn:ietf:params:rtp- hdrext:sdes:mid	[I-D.ietf-mmusic-sd p-bundle-negotia n]
a=candidate:0 1 UDP 2113667327 192.0.2.4 61665 typ host	[RFC5245]
a=candidate:1 1 UDP 694302207 203.0.113.141 54609 typ srflx raddr 192.0.2.4 rport 61665	[RFC5245]
a=end-of-candidates	[I-D.ietf-mmusic-tr ickle-ice]
***** Video m=line *****	*****
m=video 0 UDP/TLS/RTP/SAVPF 96 97 100	bundle-only video line with port number set to zero
c=IN IP4 203.0.113.141	[RFC4566]
a=bundle-only	[I-D.ietf-mmusic-sd p-bundle-negotia n]
a=mid:m1	[RFC5888] Video m=line part of
a=msid:ma tb	BUNDLE group Identifies RTCMediaStream ID (ma) and RTCMediaStreamTrack ID (tc)

Nandakumar & Jennings    Expires September 3, 2018

[Page 74]

a=sendonly	[RFC3264] - Send	
	only video stream	
a=rtpmap:96 H264/90000	[RFC6184]	
a=fmtp:96 profile-level-id=4d0028;	[RFC6184]	H.264
packetization-mode=1;max-fr=30;max-fs=8040	Layer 1	
a=rtpmap:97 H264/90000	[RFC6184]	
a=fmtp:97 profile-level-	[RFC6184]	H.264
id=4d0028;packetization-mode=1; max-		
fr=15;max-fs=1200	Layer 2	
a=rtpmap:100 H264-SVC/90000	[RFC6184]	
a=fmtp:100 profile-level-	[RFC6184]	
id=4d0028;packetization-mode=1; max-		
fr=30;max-fs=8040		
a=depend:100 lay m1:96,97	[RFC5583]	Layer 3
	dependent on layers	
	1 and 2	
a=rtcp-fb:* nack	[RFC5104]	
a=rtcp-fb:* nack pli	[RFC5104]	
a=rtcp-fb:* ccm fir	[RFC5104]	
a=extmap:2 urn:ietf:params:rtp-	[I-D.ietf-mmusic-sd]	
hdrext:sdes:mid	p-bundle-negotiation	
	n]	
+-----+-----+	+-----+	+-----+

Table 29: 5.3.2 SDP Offer with SVC

Answer SDP Contents	RFC#/Notes
v=0	[RFC4566]
o=- 20519 0 IN IP4 0.0.0.0	[RFC4566]
s=-	[RFC4566]
t=0 0	[RFC4566]
a=group:BUNDLE m0 m1	[I-D.ietf-mmusic-sd]
	p-bundle-negotiation
	n]
a=group:LS m0 m1	[RFC5888]
a=ice-options:trickle	[I-D.ietf-mmusic-trickle-ice]
***** Audio m=line *****	*****
	*****
m=audio 49203 UDP/TLS/RTP/SAVPF 109	[RFC4566]
c=IN IP4 203.0.113.77	[RFC4566]
a=mid:m0	[RFC5888]
a=msid:ma ta	Identifies
	RTCMediaStream ID
	(ma) and

Nandakumar & Jennings    Expires September 3, 2018

[Page 75]

	RTCMediaStreamTrack
a=recvonly	ID (ta)
a=rtpmap:109 opus/48000/2	[RFC3264]
a=maxptime:120	[RFC7587]
a=ice-ufrag:074c6550	[RFC4566]
a=ice-pwd:a28a397a4c3f31747d1ee3474af08a068	[RFC5245]
a=fingerprint:sha-256 6B:8B:F0:65:5F:78:E2:	[RFC5245]
51:3B:AC:6F:F3:3F:46:1B:35:DC:B8:5F:64:1A:2	
4:C2:43:F0:A1:58:D0:A1:2C:19:08	
a=setup:active	[RFC5763]
a=tls-id:CJ6FF9ZZMJW7MDRJIR7XVIQM48GE1G31	[I-D.ietf-mmusic-dt ls-sdp]
a=rtcp-mux	[RFC5761]
a=rtcp-rsize	[RFC5506]
a=extmap:1 urn:ietf:params:rtp-hdrext:ssrc-	[RFC6464]
audio-level	
a=extmap:2 urn:ietf:params:rtp-   hdrext:sdes:mid	[I-D.ietf-mmusic-sd p-bundle-negotia n]
a=candidate:0 1 UDP 2113667326 198.51.100.7	[RFC5245]
51556 typ host	
a=candidate:1 1 UDP 1694302206 203.0.113.77	[RFC5245]
49203 typ srflx raddr 198.51.100.7 rport	
51556	
a=end-of-candidates	[I-D.ietf-mmusic-tr ickle-ice]
***** Video m=line *****	*****
	*****
m=video 0 UDP/TLS/RTP/SAVPF 96 100	BUNDLE accepted.
c=IN IP4 203.0.113.77	[RFC4566]
a=bundle-only	[I-D.ietf-mmusic-sd p-bundle-negotia n]
a=mid:m1	[RFC5888] Video
	m=line part of
	BUNDLE group
a=msid:ma tb	Identifies
	RTCMediaStream ID
	(ma) and
	RTCMediaStreamTrack
	ID (tb)
a=recvonly	[RFC3264] - Receive
	only video stream
a=rtpmap:96 H264/90000	[RFC6184]
a=fmtp:96 profile-level-	[RFC6184] H.264
id=4d0028;packetization-mode=1; max-	Layer 1
fr=30;max-fs=8040	

Nandakumar & Jennings    Expires September 3, 2018

[Page 76]

a=rtpmap:100 H264-SVC/90000	[RFC6184]	
a=fmtp:100 profile-level-	[RFC6184]	
id=4d0028;packetization-mode=1; max-		
fr=30;max-fs=8040		
a=depend:100 lay m1:96	[RFC5583] Bob	
	chooses 2 Codec	
	Operation points	
a=rtcp-fb:* nack	[RFC5104]	
a=rtcp-fb:* nack pli	[RFC5104]	
a=rtcp-fb:* ccm fir	[RFC5104]	
a=extmap:2 urn:ietf:params:rtp-	[I-D.ietf-mmusic-sd	
hdrext:sdes:mid	p-bundle-negotiatio	
	n]	
+-----+-----+-----+		

Table 30: 5.3.2 SDP Answer with SVC

### **5.3.3. Successful Simulcast Video Session with Retransmission**


This section shows an SDP Offer/Answer exchange for a simulcast scenario with 3 resolutions and has [RFC4588] style re-transmission flows.

[I-D.ietf-mmusic-rid] framework is used to specify all the (3) resolution constraints mapped to a single Payload Type (98).

[I-D.ietf-mmusic-sdp-simulcast] framework identifies the simulcast streams via their 'rid' identifiers.



### Simulcast Streams with Retransmission



Offer SDP Contents	RFC#/Notes
v=0	[ <a href="#">RFC4566</a> ]
o=- 20519 0 IN IP4 0.0.0.0	[ <a href="#">RFC4566</a> ]
s=-	[ <a href="#">RFC4566</a> ]
t=0 0	[ <a href="#">RFC4566</a> ]
a=group:BUNDLE m0 m1	[I-D.ietf-mmusic-sd-p-bundle-negotiation] Alice supports grouping of m=lines under BUNDLE semantics
a=group:LS m0 m1	[ <a href="#">RFC5888</a> ]
a=ice-options:trickle	[I-D.ietf-mmusic-trickle-ice]
***** Audio m=line *****	*****
m=audio 54609 UDP/TLS/RTP/SAVPF 109	[ <a href="#">RFC4566</a> ]
c=IN IP4 203.0.113.141	[ <a href="#">RFC4566</a> ]
a=mid:m0	[ <a href="#">RFC5888</a> ] Audio m=line part of BUNDLE group with a unique port number
a=msid:ma ta	Identifies

Nandakumar & Jennings    Expires September 3, 2018

[Page 78]

	RTCMediaStream ID
(ma) and	
RTCMediaStreamTrack	
ID (ta)	
a=sendonly	[RFC3264]
a=rtpmap:109 opus/48000/2	[RFC7587]
a=maxptime:120	[RFC4566]
a=ice-ufrag:074c6550	[RFC5245]
a=ice-pwd:a28a397a4c3f31747d1ee3474af08a068	[RFC5245]
a=fingerprint:sha-256 19:E2:1C:3B:4B:9F:81:	[RFC5245]
E6:B8:5C:F4:A5:A8:D8:73:04:BB:05:2F:70:9F:0	
4:A9:0E:05:E9:26:33:E8:70:88:A2	
a=setup:actpass	[RFC5763]
a=tls-id:89J2LRATQ3ULA24G9AHWVR31VJWSLB68	[I-D.ietf-mmusic-dt ls-sdp]
a=rtcp-mux	[RFC5761]
a=rtcp-rsize	[RFC5506]
a=extmap:1 urn:ietf:params:rtp-hdrext:ssrc-	[RFC6464]
audio-level	
a=extmap:2 urn:ietf:params:rtp- hdrext:sdes:mid	[I-D.ietf-mmusic-sd p-bundle-negotia n]
a=candidate:0 1 UDP 2113667327 192.0.2.4	[RFC5245]
61665 typ host	
a=candidate:1 1 UDP 694302207 203.0.113.141	[RFC5245]
54609 typ srflx raddr 192.0.2.4 rport 61665	
a=end-of-candidates	[I-D.ietf-mmusic-tr ickle-ice]
***** Video m=line *****	*****
m=video 0 UDP/TLS/RTP/SAVPF 98 103	bundle-only video
	line with port
	number set to zero
c=IN IP4 203.0.113.141	[RFC4566]
a=bundle-only	[I-D.ietf-mmusic-sd p-bundle-negotia n]
a=mid:m1	[RFC5888]
a=msid:ma tb	Identifies RTCMediaStream ID
	(ma) and
	RTCMediaStreamTrack
ID (tb)	
a=sendonly	[RFC3264]
a=rtpmap:98 VP8/90000	[RFC7741]
a=fmtp:98 max-fr=30	[RFC4566]
a=rtpmap:103 rtx/90000	[RFC4588]
a=fmtp:103 apt=98;rtx-time=200	[RFC4588]

Nandakumar & Jennings    Expires September 3, 2018

[Page 79]

a=rtcp-fb:   a=rtcp-fb:   a=rtcp-fb:   a=extmap:   hdrext:sdes:mid     a=extmap:   hdrext:sdes:rtp-stream-id   a=rid:1 send pt=98;max-fs=921600;max-fr=30     a=rid:2 send pt=98;max-fs=614400;max-fr=15     a=rid:3 send pt=98;max-fs=230400;max-fr=30     a=simulcast:send 1;2;3   +-----+-----+	[RFC5104]   [RFC5104]   [RFC5104]   [I-D.ietf-mmusic-sd   p-bundle-negotiation   n]   [I-D.ietf-avtext-ri   d]   [I-D.ietf-mmusic-ri   d]   [I-D.ietf-mmusic-ri   d]   [I-D.ietf-mmusic-ri   d]   [I-D.ietf-mmusic-sd   p-simulcast] Alice   can send all the   simulcast streams
--	--

Table 31: 5.3.3 SDP Offer w/Simulcast, RTX

Answer SDP Contents	RFC#/Notes
v=0	[RFC4566]
o=- 20519 0 IN IP4 0.0.0.0	[RFC4566]
s=-	[RFC4566]
t=0 0	[RFC4566]
a=group:BUNDLE m0 m1	[I-D.ietf-mmusic-sd   p-bundle-negotiation   n] Bob supports   grouping of m=lines   under BUNDLE   semantics
a=group:LS m0 m1	[RFC5888]
a=ice-options:trickle	[I-D.ietf-mmusic-trickle-ice]
***** Audio m=line *****	*****
m=audio 49203 UDP/TLS/RTP/SAVPF 109	[RFC4566]
c=IN IP4 203.0.113.77	[RFC4566]
a=mid:m0	[RFC5888]
a=msid:ma ta	Identifies   RTCMediaStream ID   (ma) and   RTCMediaStreamTrack

Nandakumar & Jennings    Expires September 3, 2018

[Page 80]

	ID (ta)
a=recvonly	[RFC3264]
a=rtpmap:109 opus/48000/2	[RFC7587]
a=maxptime:120	[RFC4566]
a=ice-ufrag:074c6550	[RFC5245]
a=ice-pwd:a28a397a4c3f31747d1ee3474af08a068	[RFC5245]
a=fingerprint:sha-256 6B:8B:F0:65:5F:78:E2:	[RFC5245]
51:3B:AC:6F:F3:3F:46:1B:35:DC:B8:5F:64:1A:2	
4:C2:43:F0:A1:58:D0:A1:2C:19:08	
a=setup:active	[RFC5763]
a=tls-id:CJ6FF9ZZMJW7MDRJIR7XVIQM48GE1G31	[I-D.ietf-mmusic-dt ls-sdp]
a=rtcp-mux	[RFC5761]
a=rtcp-rsize	[RFC5506]
a=extmap:1 urn:ietf:params:rtp-hdrext:ssrc-	[RFC6464]
audio-level	
a=extmap:2 urn:ietf:params:rtp- hdrext:sdes:mid	[I-D.ietf-mmusic-sd p-bundle-negotia n]
a=candidate:0 1 UDP 2113667326 198.51.100.7	[RFC5245]
51556 typ host	
a=candidate:1 1 UDP 1694302206 203.0.113.77	[RFC5245]
49203 typ srflx raddr 198.51.100.7 rport	
51556	
a=end-of-candidates	[I-D.ietf-mmusic-tr ickle-ice]
***** Video m=line *****	*****
m=video 0 UDP/TLS/RTP/SAVPF 98 100 101 103	BUNDLE accepted
c=IN IP4 203.0.113.77	[RFC4566]
a=bundle-only	[I-D.ietf-mmusic-sd p-bundle-negotia n]
a=mid:m1	[RFC5888] Video m=line part of BUNDLE group
a=msid:ma tb	Identifies RTCMediaStream ID (ma) and RTCMediaStreamTrack ID (tb)
a=recvonly	[RFC3264]
a=rtpmap:98 VP8/90000	[RFC7741]
a=fmtp:98 max-fr=30	[RFC4566]
a=rtpmap:103 rtx/90000	[RFC4588]
a=fmtp:103 apt=98;rtx-time=200	[RFC4588]
a=rtcp-fb:* nack	[RFC5104]
a=rtcp-fb:* nack pli	[RFC5104]

Nandakumar & Jennings    Expires September 3, 2018

[Page 81]

a=rtp-fb:   a=extmap:   hdrext:   a=extmap:   hdrext:   a=rid:   a=rid:   a=rid:   a=simulcast: 	[RFC5104]   [I-D.ietf-mmusic-sd   p-bundle-negotiation   n]   [I-D.ietf-avtext-ri   d]   [I-D.ietf-mmusic-ri   d]   [I-D.ietf-mmusic-ri   d]   [I-D.ietf-mmusic-ri   d]   [I-D.ietf-mmusic-sd   p-simulcast] Bob   accepts the offered   simulcast streams
+-----+	+-----+

Table 32: 5.3.3 SDP Answer w/Simulcast, RTX

#### **5.3.4. Successful 1-way Simulcast Session with 2 resolutions and RTX - One resolution rejected**

This section shows an SDP Offer/Answer exchange for a simulcast scenario with 2 two resolutions.

It also showcases where Bob rejects one of the Simulcast Video Stream which results in the rejection of the associated repair stream implicitly.



### Simulcast Streams with Retransmission Rejected

Alice

```
|  
|  
|Alice offers single audio and simulcasted video streams  
|with bundle-only for video  
  
|Offer(Audio:Opus Video:VP8 with 2 resolutions,RTX Stream)|  
|----->|  
|  
|  
|Bob accepts 1  
|simulcast,rtx  
|rejects the  
|other  
|Answer(Audio:Opus Video:VP8 with 1 res & RTX Stream)|  
<-----|  
|  
|  
|1-way audio,video session and its associated RTX stream,  
| all multiplexed  
|.....|  
|  
|
```

Bob

Offer SDP Contents	RFC#/Notes
v=0	[ <a href="#">RFC4566</a> ]
o=- 20519 0 IN IP4 0.0.0.0	[ <a href="#">RFC4566</a> ]
s=-	[ <a href="#">RFC4566</a> ]
t=0 0	[ <a href="#">RFC4566</a> ]
a=group:BUNDLE m0 m1	[I-D.ietf-mmusic-sd-p-bundle-negotiation] Alice supports grouping of m=lines under BUNDLE semantics
a=group:LS m0 m1	[ <a href="#">RFC5888</a> ]
a=ice-options:trickle	[I-D.ietf-mmusic-trickle-ice]
***** Audio m=line *****	*****
m=audio 54609 UDP/TLS/RTP/SAVPF 109	[ <a href="#">RFC4566</a> ]
c=IN IP4 203.0.113.141	[ <a href="#">RFC4566</a> ]



a=mid:m0	[RFC5888]
a=msid:ma ta	Identifies RTCMediaStream ID (ma) and RTCMediaStreamTrack ID (ta)
a=sendonly	[RFC3264]
a=rtpmap:109 opus/48000/2	[RFC7587]
a=maxptime:120	[RFC4566]
a=ice-ufrag:074c6550	[RFC5245]
a=ice-pwd:a28a397a4c3f31747d1ee3474af08a068	[RFC5245]
a=fingerprint:sha-256 19:E2:1C:3B:4B:9F:81: E6:B8:5C:F4:A5:A8:D8:73:04:BB:05:2F:70:9F:0 4:A9:0E:05:E9:26:33:E8:70:88:A2	[RFC5245]
a=setup:actpass	[RFC5763]
a=tls-id:89J2LRATQ3ULA24G9AHWVR31VJWSLB68	[I-D.ietf-mmusic-dt ls-sdp]
a=rtcp-mux	[RFC5761]
a=rtcp-rsize	[RFC5506]
a=extmap:1 urn:ietf:params:rtp-hdrext:ssrc- audio-level	[RFC6464]
a=extmap:2 urn:ietf:params:rtp- hdrext:sdes:mid	[I-D.ietf-mmusic-sd p-bundle-negotia tion]
a=candidate:0 1 UDP 2113667327 192.0.2.4 61665 typ host	[RFC5245]
a=candidate:1 1 UDP 694302207 203.0.113.141 54609 typ srflx raddr 192.0.2.4 rport 61665	[RFC5245]
a=end-of-candidates	[I-D.ietf-mmusic-tr ickle-ice]
***** Video m=line *****	*****
m=video 0 UDP/TLS/RTP/SAVPF 98 100 101 103	bundle-only video line with port number set to zero
c=IN IP4 203.0.113.141	[RFC4566]
a=bundle-only	[I-D.ietf-mmusic-sd p-bundle-negotia tion]
a=mid:m1	[RFC5888]
a=msid:ma tb	Identifies RTCMediaStream ID (ma) and RTCMediaStreamTrack ID (tb)
a=sendonly	[RFC3264]
a=rtpmap:98 VP8/90000	[RFC7741]
a=rtpmap:100 VP8/90000	[RFC7741]

Nandakumar & Jennings    Expires September 3, 2018

[Page 84]

a=rtpmap:101 rtx/90000	[ <a href="#">RFC4588</a> ]	
a=rtpmap:103 rtx/90000	[ <a href="#">RFC4588</a> ]	
a=fmtp:98 max-fr=30;max-fs=8040	[ <a href="#">RFC4566</a> ]	
a=fmtp:100 max-fr=15;max-fs=1200	[ <a href="#">RFC4566</a> ]	
a=fmtp:101 apt=98;rtx-time=200	[ <a href="#">RFC4588</a> ]	
a=fmtp:103 apt=100;rtx-time=200	[ <a href="#">RFC4588</a> ]	
a=rtcp-fb:* nack	[ <a href="#">RFC5104</a> ]	
a=rtcp-fb:* nack pli	[ <a href="#">RFC5104</a> ]	
a=rtcp-fb:* ccm fir	[ <a href="#">RFC5104</a> ]	
a=extmap:2 urn:ietf:params:rtp-	[I-D.ietf-mmusic-sd	
hdrext:sdes:mid	p-bundle-negotiatio	
n]	n]	
a=extmap:3 urn:ietf:params:rtp-	[I-D.ietf-avtext-ri	
hdrext:sdes:rtp-stream-id	d]	
a=rid:1 send pt=98	[I-D.ietf-mmusic-ri	
d] 1:1 mapping	d] 1:1 mapping	
between the PT and	between the PT and	
the 'rid'	the 'rid'	
identifier	identifier	
a=rid:2 send pt=100	[I-D.ietf-mmusic-ri	
d] 1:1 mapping	d] 1:1 mapping	
between the PT and	between the PT and	
the 'rid'	the 'rid'	
identifier	identifier	
a=simulcast:send 1;2	[I-D.ietf-mmusic-sd	
p-simulcast]	p-simulcast]	

Table 33: 5.3.4 SDP Offer w/Simulcast, RTX

Answer SDP Contents	RFC#/Notes
v=0	[ <a href="#">RFC4566</a> ]
o=- 20519 0 IN IP4 0.0.0.0	[ <a href="#">RFC4566</a> ]
s=-	[ <a href="#">RFC4566</a> ]
t=0 0	[ <a href="#">RFC4566</a> ]
a=group:BUNDLE m0 m1	[I-D.ietf-mmusic-sd
p-bundle-negotiatio	n] Bob supports
n]	grouping of m=lines
under BUNDLE	
semantics	
a=group:LS m0 m1	[ <a href="#">RFC5888</a> ]
a=ice-options:trickle	[I-D.ietf-mmusic-tr
ickle-ice]	
***** Audio m=line *****	*****

Nandakumar & Jennings    Expires September 3, 2018

[Page 85]

	*****
m=audio 49203 UDP/TLS/RTP/SAVPF 109	[RFC4566]
c=IN IP4 203.0.113.77	[RFC4566]
a=mid:m0	[RFC5888]
a=msid:ma ta	Identifies RTCMediaStream ID (ma) and RTCMediaStreamTrack ID (ta)
a=recvonly	[RFC3264]
a=rtpmap:109 opus/48000/2	[RFC7587]
a=maxptime:120	[RFC4566]
a=ice-ufrag:074c6550	[RFC5245]
a=ice-pwd:a28a397a4c3f31747d1ee3474af08a068	[RFC5245]
a=fingerprint:sha-256 6B:8B:F0:65:5F:78:E2:   51:3B:AC:6F:F3:3F:46:1B:35:DC:B8:5F:64:1A:2   4:C2:43:F0:A1:58:D0:A1:2C:19:08	[RFC5245]
a=setup:active	[RFC5763]
a=tls-id:CJ6FF9ZZMJW7MDRJIR7XVIQM48GE1G31	[I-D.ietf-mmmusic-dt ls-sdp]
a=rtcp-mux	[RFC5761]
a=rtcp-rsize	[RFC5506]
a=extmap:1 urn:ietf:params:rtp-hdrext:ssrc-   audio-level	[RFC6464]
a=extmap:2 urn:ietf:params:rtp-   hrex:sdः:mid	[I-D.ietf-mmmusic-sd p-bundle-negotia n]
a=candidate:0 1 UDP 2113667326 198.51.100.7   51556 typ host	[RFC5245]
a=candidate:1 1 UDP 1694302206 203.0.113.77   49203 typ srflx raddr 198.51.100.7 rport   51556	[RFC5245]
a=end-of-candidates	[I-D.ietf-mmmusic-tr ickle-ice]
***** Video m=line *****	*****
	*****
m=video 0 UDP/TLS/RTP/SAVPF 98 101	BUNDLE accepted
c=IN IP4 203.0.113.77	[RFC4566]
a=bundle-only	[I-D.ietf-mmmusic-sd p-bundle-negotia n]
a=mid:m1	[RFC5888]
a=msid:ma tb	Identifies RTCMediaStream ID (ma) and RTCMediaStreamTrack ID (tb)
a=recvonly	[RFC3264]

Nandakumar & Jennings    Expires September 3, 2018

[Page 86]

a=rtpmap:98 VP8/90000	[ <a href="#">RFC7741</a> ]	
a=rtpmap:101 VP8/90000	[ <a href="#">RFC7741</a> ]	
a=fmtp:98 max-fr=30;max-fs=8040	[ <a href="#">RFC4566</a> ]	
a=fmtp:101 apt=98;rtx-time=200	[ <a href="#">RFC4588</a> ]	
a=extmap:2 urn:ietf:params:rtp-	[I-D.ietf-mmusic-sd	
hdrext:sdes:mid	p-bundle-negotiation	
n]		
a=extmap:3 urn:ietf:params:rtp-	[I-D.ietf-avtext-ri	
hdrext:sdes:rtp-stream-id	d]	
a=rid:1 recv pt=98	[I-D.ietf-mmusic-ri	
d]		
a=simulcast:recv 1	[I-D.ietf-mmusic-sd	
p-simulcast] Bob		
rejects the second		
simulcast stream		
and the associated		
rtx stream.		

Table 34: 5.3.4 SDP Answer (one Simulcast Rejected)

### **5.3.5. Simulcast Video Session with Forward Error Correction**

This section shows an SDP Offer/Answer exchange for Simulcast video stream at two resolutions and has [[RFC5956](#)] style FEC flows.

On completion of the Offer/Answer exchange mechanism we end up one audio stream, 2 simulcast video streams and 2 associated FEC streams are sent over a single 5-tuple.



## Simulcast Streams with Forward Error Correction

Alice

```
|Alice offers single audio and simulcasted video streams
|with bundle-only
```

```
|Offer(Audio:Opus Video:VP8 with 2 resolutions with FEC Streams)
```

Bob

```
|Bob
|accepts
|Alice's
|offer
```

```
|Answer(Audio:Opus Video:VP8 with 2 resolutions w/FEC Streams)
```

```
|One-Way Audio,Video session with 4 video streams(Simulcast
| and FEC) all multiplexed
```

Offer SDP Contents	RFC#/Notes
v=0	[ <a href="#">RFC4566</a> ]
o=- 20519 0 IN IP4 0.0.0.0	[ <a href="#">RFC4566</a> ]
s=-	[ <a href="#">RFC4566</a> ]
t=0 0	[ <a href="#">RFC4566</a> ]
a=group:BUNDLE m0 m1	[I-D.ietf-mmusic-sd p-bundle-negotiation] n] Alice supports grouping of m=lines under BUNDLE semantics
a=group:LS m0 m1	[ <a href="#">RFC5888</a> ]
a=ice-options:trickle	[I-D.ietf-mmusic-tr ickle-ice]
***** Audio m=line *****	*****
m=audio 54609 UDP/TLS/RTP/SAVPF 109	[ <a href="#">RFC4566</a> ]
c=IN IP4 203.0.113.141	[ <a href="#">RFC4566</a> ]

Nandakumar & Jennings    Expires September 3, 2018

[Page 88]

a=mid:m0	[RFC5888]
a=msid:ma ta	Identifies RTCMediaStream ID (ma) and RTCMediaStreamTrack ID (ta)
a=sendonly	[RFC3264]
a=rtpmap:109 opus/48000/2	[RFC7587]
a=maxptime:120	[RFC4566]
a=ice-ufrag:074c6550	[RFC5245]
a=ice-pwd:a28a397a4c3f31747d1ee3474af08a068	[RFC5245]
a=fingerprint:sha-256 19:E2:1C:3B:4B:9F:81: E6:B8:5C:F4:A5:A8:D8:73:04:BB:05:2F:70:9F:0 4:A9:0E:05:E9:26:33:E8:70:88:A2	[RFC5245]
a=setup:actpass	[RFC5763]
a=rtcp-mux	[RFC5761]
a=tls-id:89J2LRATQ3ULA24G9AHWVR31VJWSLB68	[I-D.ietf-mmusic-dt ls-sdp]
a=rtcp-rsize	[RFC5506]
a=extmap:1 urn:ietf:params:rtp-hdrext:ssrc- audio-level	[RFC6464]
a=extmap:2 urn:ietf:params:rtp- hdrext:sdes:mid	[I-D.ietf-mmusic-sd p-bundle-negotiatio n]
a=candidate:0 1 UDP 2113667327 192.0.2.4 61665 typ host	[RFC5245]
a=candidate:1 1 UDP 694302207 203.0.113.141 54609 typ srflx raddr 192.0.2.4 rport 61665	[RFC5245]
a=end-of-candidates	[I-D.ietf-mmusic-tr ickle-ice]
***** Video m=line *****	*****
m=video 0 UDP/TLS/RTP/SAVPF 98 100 101 103	bundle-only video line with port number set to zero
c=IN IP4 203.0.113.141	[RFC4566]
a=bundle-only	[I-D.ietf-mmusic-sd p-bundle-negotiatio n]
a=mid:m1	[RFC5888] Video m=line part of BUNDLE group
a=msid:ma tb	Identifies RTCMediaStream ID (ma) and RTCMediaStreamTrack ID (tb)
a=sendonly	[RFC3264]

Nandakumar & Jennings    Expires September 3, 2018

[Page 89]

a=rtpmap:98 VP8/90000	[RFC7741]
a=rtpmap:100 VP8/90000	[RFC7741]
a=rtpmap:101 flexfec/90000	[I-D.ietf-payload-f lexible-fec-scheme]
a=rtpmap:103 flexfec/90000	[I-D.ietf-payload-f lexible-fec-scheme]
a=fmtp:98 max-fr=30;max-fs=8040	[RFC4566]
a=fmtp:100 max-fr=15;max-fs=1200	[RFC4566]
a=fmtp:101 L=5; D=10; ToP=2; repair- window=200000	[I-D.ietf-payload-f lexible-fec-scheme]
a=fmtp:103 L=5; D=10; ToP=2; repair- window=200000	[I-D.ietf-payload-f lexible-fec-scheme]
a=rtcp-fb:* nack	[RFC5104]
a=rtcp-fb:* nack pli	[RFC5104]
a=rtcp-fb:* ccm fir	[RFC5104]
a=extmap:2 urn:ietf:params:rtp- hdrext:sdes:mid	[I-D.ietf-mmusic-sd p-bundle-negotia tion]
a=extmap:3 urn:ietf:params:rtp- hdrext:sdes:rtp-stream-id	[I-D.ietf-avtext-ri d]
a=rid:1 send pt=98	[I-D.ietf-mmusic-ri d] 1:1 mapping between the PT and the 'rid' identifier
a=rid:2 send pt=100	[I-D.ietf-mmusic-ri d] 1:1 mapping between the PT and the 'rid' identifier
a=simulcast:send 1;2	[I-D.ietf-mmusic-sd p-simulcast]

Table 35: 5.3.5 SDP Offer

Answer SDP Contents	RFC#/Notes
v=0	[RFC4566]
o=- 20519 0 IN IP4 0.0.0.0	[RFC4566]
s=-	[RFC4566]
t=0 0	[RFC4566]
a=group:BUNDLE m0 m1	[I-D.ietf-mmusic-sd p-bundle-negotia tion]
a=group:LS m0 m1	[RFC5888]

Nandakumar & Jennings    Expires September 3, 2018

[Page 90]

a=ice-options:trickle	[I-D.ietf-mmusic-trickle-ice]
***** Audio m=line *****	*****
m=audio 49203 UDP/TLS/RTP/SAVPF 109	[RFC4566]
c=IN IP4 203.0.113.77	[RFC4566]
a=mid:m0	[RFC5888] Audio m=line part of BUNDLE group with a unique port number
a=msid:ma ta	Identifies RTCMediaStream ID (ma) and RTCMediaStreamTrack ID (ta)
a=recvonly	[RFC3264]
a=rtpmap:109 opus/48000/2	[RFC7587]
a=maxptime:120	[RFC4566]
a=ice-ufrag:074c6550	[RFC5245]
a=ice-pwd:a28a397a4c3f31747d1ee3474af08a068	[RFC5245]
a=fingerprint:sha-256 6B:8B:F0:65:5F:78:E2:	[RFC5245]
51:3B:AC:6F:F3:3F:46:1B:35:DC:B8:5F:64:1A:2	
4:C2:43:F0:A1:58:D0:A1:2C:19:08	
a=setup:active	[RFC5763]
a=tls-id:CJ6FF9ZZMJW7MDRJIR7XVIQM48GE1G31	[I-D.ietf-mmusic-dtls-sdp]
a=rtcp-mux	[RFC5761]
a=rtcp-rsize	[RFC5506]
a=extmap:1 urn:ietf:params:rtp-hdrext:ssrc-	[RFC6464]
audio-level	
a=extmap:2 urn:ietf:params:rtp-	[I-D.ietf-mmusic-sdp-bundle-negotiation]
hdrext:sdes:mid	n]
a=candidate:0 1 UDP 2113667326 198.51.100.7	[RFC5245]
51556 typ host	
a=candidate:1 1 UDP 1694302206 203.0.113.77	[RFC5245]
49203 typ srflx raddr 198.51.100.7 rport	
51556	
a=end-of-candidates	[I-D.ietf-mmusic-trickle-ice]
***** Video m=line *****	*****
m=video 0 UDP/TLS/RTP/SAVPF 98 100 101 103	BUNDLE accepted.
c=IN IP4 203.0.113.77	[RFC4566]
a=bundle-only	[I-D.ietf-mmusic-sdp-bundle-negotiation]
a=mid:m1	[RFC5888] Video

Nandakumar & Jennings    Expires September 3, 2018

[Page 91]

	m=line part of	
a=msid:ma tb	BUNDLE group	
	Identifies	
	RTCMediaStream ID	
	(ma) and	
	RTCMediaStreamTrack	
	ID (tb)	
a=recvonly	[RFC3264]	
a=rtpmap:98 VP8/90000	[RFC7741]	
a=rtpmap:100 VP8/90000	[RFC7741]	
a=rtpmap:101 flexfec/90000	[I-D.ietf-payload-f lexible-fec-scheme]	
a=rtpmap:103 flexfec/90000	[I-D.ietf-payload-f lexible-fec-scheme]	
a=fmtp:98 max-fr=30;max-fs=8040	[RFC4566]	
a=fmtp:100 max-fr=15;max-fs=1200	[RFC4566]	
a=fmtp:101 L=5; D=10; ToP=2; repair- window=200000	[I-D.ietf-payload-f lexible-fec-scheme]	
a=fmtp:103 L=5; D=10; ToP=2; repair- window=200000	[I-D.ietf-payload-f lexible-fec-scheme]	
a=rtcp-fb:* nack	[RFC5104]	
a=rtcp-fb:* nack pli	[RFC5104]	
a=rtcp-fb:* ccm fir	[RFC5104]	
a=extmap:2 urn:ietf:params:rtp- hdrext:sdes:mid	[I-D.ietf-mmusic-sd p-bundle-negotiation n]	
a=extmap:3 urn:ietf:params:rtp- hdrext:sdes:rtp-stream-id	[I-D.ietf-avtext-ri d]	
a=rid:1 recv pt=98	[I-D.ietf-mmusic-ri d]	
a=rid:2 recv pt=100	[I-D.ietf-mmusic-ri d]	
a=simulcast:recv 1;2	[I-D.ietf-mmusic-sd p-simulcast]	

Table 36: 5.3.5 SDP Answer

#### 5.4. Others

The examples in the section provide SDP Offer/Answer exchange for a variety of scenarios related to RTP Header extension for conference usages, Legacy Interop scenarios and more.


Nandakumar & Jennings    Expires September 3, 2018

[Page 92]

### **5.4.1. Audio Session - Voice Activity Detection**

This example shows Alice indicating the support of the RTP header extension to include the audio-level of the audio sample carried in the RTP packet.

#### 2-Way Audio with VAD



Offer SDP Contents	RFC#/Notes
v=0	[RFC4566]
o=- 20518 0 IN IP4 0.0.0.0	[RFC4566]
s=-	[RFC4566]
t=0 0	[RFC4566]
a=group:BUNDLE audio	[I-D.ietf-mmusic-sd p-bundle-negotiation n]
a=ice-options:trickle	[I-D.ietf-mmusic-tr ickle-ice]
***** Audio m=line *****	*****

Nandakumar & Jennings    Expires September 3, 2018

[Page 93]

m=audio 54609 UDP/TLS/RTP/SAVPF 109 0 8	[RFC4566]	
c=IN IP4 203.0.113.141	[RFC4566]	
a=mid:audio	[RFC5888]	
a=msid:ma ta	Identifies RTCMediaStream ID (ma) and RTCMediaStreamTrack	
a=sendrecv	ID (ta)	
a=rtpmap:109 opus/48000/2	[RFC3264]	
a=rtpmap:0 PCMU/8000	[RFC7587]	
a=rtpmap:8 PCMA/8000	[RFC3551]	
a=maxptime:120	[RFC3551]	
a=ice-ufrag:074c6550	[RFC4566]	
a=ice-pwd:a28a397a4c3f31747d1ee3474af08a068	[RFC5245]	
a=fingerprint:sha-256 19:E2:1C:3B:4B:9F:81: E6:B8:5C:F4:A5:A8:D8:73:04:BB:05:2F:70:9F:0 4:A9:0E:05:E9:26:33:E8:70:88:A2	[RFC5245]	
a=setup:actpass	[RFC5763]	
a=tls-id:89J2LRATQ3ULA24G9AHWVR31VJWSLB68	[I-D.ietf-mmusic-dt ls-sdp]	
a=rtcp-mux	[RFC5761]	
a=rtcp-rsize	[RFC5506]	
a=rtcp-fb:* nack	[RFC5104]	
a=extmap:1 urn:ietf:params:rtp-hdrext:ssrc- audio-level	[RFC6464]	
a=extmap:2 urn:ietf:params:rtp- hdrext:sdes:mid	[I-D.ietf-mmusic-sd p-bundle-negotia n]	
a=candidate:0 1 UDP 2113667327 192.0.2.4 61665 typ host	[RFC5245]	
a=candidate:1 1 UDP 694302207 203.0.113.141 54609 typ srflx raddr 192.0.2.4 rport 61665	[RFC5245]	
a=end-of-candidates	[I-D.ietf-mmusic-tr ickle-ice]	

Table 37: 5.4.1 SDP Offer

Answer SDP Contents	RFC#/Notes
v=0	[RFC4566]
o=- 16833 0 IN IP4 0.0.0.0	[RFC4566]
s=-	[RFC4566]
t=0 0	[RFC4566]
a=group:BUNDLE audio	[I-D.ietf-mmusic-sd]

Nandakumar & Jennings    Expires September 3, 2018

[Page 94]

	p-bundle-negotiation
a=ice-options:trickle	n]
***** Audio m=line *****	[I-D.ietf-mmmusic-trickle-ice]
m=audio 49203 UDP/TLS/RTP/SAVPF 109 0 98	****
c=IN IP4 203.0.113.77	[RFC4566]
a=mid:audio	[RFC4566]
a=msid:ma ta	[RFC5888]
	Identifies
	RTCMediaStream ID
	(ma) and
	RTCMediaStreamTrack
	ID (ta)
a=sendrecv	[RFC3264] - Bob can
a=rtpmap:109 opus/48000/2	send and recv audio
	[RFC7587] - Bob
	accepts only Opus
	Codec
a=rtpmap:0 PCMU/8000	[RFC3551] PCMU
	Audio Codec
a=rtpmap:0 PCMA/8000	[RFC3551] PCMA
	Audio Codec
a=maxptime:120	[RFC4566]
a=ice-ufrag:c300d85b	[RFC5245]
a=ice-pwd:de4e99bd291c325921d5d47efbabd9a2	[RFC5245]
a=fingerprint:sha-256 6B:8B:F0:65:5F:78:E2:	[RFC5245]
51:3B:AC:6F:F3:3F:46:1B:35:DC:B8:5F:64:1A:2	
4:C2:43:F0:A1:58:D0:A1:2C:19:08	
a=setup:active	[RFC5763]
a=tls-id:CJ6FF9ZZMJW7MDRJIR7XVIQM48GE1G31	[I-D.ietf-mmmusic-dtls-sdp]
a=rtcp-mux	[RFC5761] - Bob can
	perform RTP/RTCP
	Muxing on port
	49203
a=rtcp-rsize	[RFC5506]
a=rtcp-fb:* nack	[RFC5104]
a=extmap:1 urn:ietf:params:rtp-hdrext:ssrc-	[RFC6464]
audio-level	
a=extmap:2 urn:ietf:params:rtp-	[I-D.ietf-mmmusic-sdp]
hdrext:sdes:mid	p-bundle-negotiation
	n]
a=candidate:0 1 UDP 2113667327 198.51.100.7	[RFC5245]
51556 typ host	
a=candidate:1 1 UDP 1694302207 203.0.113.77	[RFC5245]
49203 typ srflx raddr 198.51.100.7 rport	
51556	

Nandakumar & Jennings    Expires September 3, 2018

[Page 95]

a=end-of-candidates	[I-D.ietf-mmusic-tr
	ickle-ice]
+-----+	+-----+

Table 38: 5.4.1 SDP Answer

#### 5.4.2. Audio Conference - Voice Activity Detection

This example shows SDP for RTP header extension that allows RTP-level mixers in audio conferences to deliver information about the audio level of individual participants.

##### Audio Conference with VAD Support

Alice	Mixer
Alice indicates her interest to audio	
levels for the contributing sources	
Offer(Audio:Opus,PCMU,PCMA)	
----->	
Answer(Audio:Opus,PCMU,PCMA)	
<-----	
	Mixer indicates
	it can provide
	audio-levels
Two way Opus Audio	
.....	
Audio-levels per CSRCs is included in the	
RTP header	

+-----+-----+	RFC#/Notes
Offer SDP Contents	[RFC4566]
+-----+-----+	[RFC4566] - Session
v=0	[RFC4566]
o=- 20518 0 IN IP4 0.0.0.0	Origin Information
	[RFC4566]
s=-	[RFC4566]

Nandakumar & Jennings    Expires September 3, 2018

[Page 96]

t=0 0	[RFC4566]
a=group:BUNDLE audio	[I-D.ietf-mmusic-sd-p-bundle-negotiation]
	n]
a=ice-options:trickle	[I-D.ietf-mmusic-trickle-ice]
***** Audio m=line *****	*****
m=audio 54609 UDP/TLS/RTP/SAVPF 109 0 8	[RFC4566]
c=IN IP4 203.0.113.141	[RFC4566]
a=mid:audio	[RFC5888]
a=msid:ma ta	Identifies RTCMediaStream ID (ma) and RTCMediaStreamTrack ID (ta)
a=sendrecv	[RFC3264] - Alice can send and recv audio
a=rtpmap:109 opus/48000/2	[RFC7587]
a=rtpmap:0 PCMU/8000	[RFC3551] PCMU Audio Codec
a=rtpmap:0 PCMA/8000	[RFC3551] PCMA Audio Codec
a=maxptime:120	[RFC4566]
a=ice-ufrag:074c6550	[RFC5245]
a=ice-pwd:a28a397a4c3f31747d1ee3474af08a068	[RFC5245]
a=fingerprint:sha-256 19:E2:1C:3B:4B:9F:81:E6:B8:5C:F4:A5:A8:D8:73:04:BB:05:2F:70:9F:04:A9:0E:05:E9:26:33:E8:70:88:A2	[RFC5245]
a=setup:actpass	[RFC5763]
a=tls-id:89J2LRATQ3ULA24G9AHWVR31VJWSLB68	[I-D.ietf-mmusic-dtls-sdp]
a=rtcp-mux	[RFC5761]
a=rtcp-rsize	[RFC5506]
a=rtcp-fb:* nack	[RFC5104]
a=extmap:1/recvonly urn:ietf:params:rtp-hdrext:csrc-audio-level	[RFC6465]
a=extmap:2 urn:ietf:params:rtp-hdrext:ssrc-audio-level	[RFC6464]
a=extmap:3 urn:ietf:params:rtp-hdrext:sdes:mid	[I-D.ietf-mmusic-sdp-bundle-negotiation]
a=candidate:0 1 UDP 2113667327 192.0.2.4 61665 typ host	[RFC5245]
a=candidate:1 1 UDP 694302207 203.0.113.141 54609 typ srflx raddr 192.0.2.4 rport 61665	[RFC5245]
a=end-of-candidates	[I-D.ietf-mmusic-trickle-ice]

Nandakumar & Jennings    Expires September 3, 2018

[Page 97]

	ickle-ice]	
	+-----+-----+	

Table 39: 5.4.2 SDP Offer

Answer SDP Contents	RFC#/Notes
v=0	[RFC4566]
o=- 16833 0 IN IP4 0.0.0.0	[RFC4566] - Session Origin Information
s=-	[RFC4566]
t=0 0	[RFC4566]
a=group:BUNDLE audio	[I-D.ietf-mmusic-sd-p-bundle-negotiation]
a=ice-options:trickle	[I-D.ietf-mmusic-trickle-ice]
***** Audio m=line *****	*****
m=audio 49203 UDP/TLS/RTP/SAVPF 109 0 98	[RFC4566]
c=IN IP4 203.0.113.77	[RFC4566]
a=mid:audio	[RFC5888]
a=msid:ma ta	Identifies RTCMediaStream ID (ma) and RTCMediaStreamTrack ID (ta)
a=sendrecv	[RFC3264]
a=rtpmap:109 opus/48000/2	[RFC7587]
a=rtpmap:0 PCMU/8000	[RFC3551] PCMU Audio Codec
a=rtpmap:0 PCMA/8000	[RFC3551] PCMA Audio Codec
a=maxptime:120	[RFC4566]
a=ice-ufrag:c300d85b	[RFC5245]
a=ice-pwd:de4e99bd291c325921d5d47efbabd9a2	[RFC5245]
a=fingerprint:sha-256 6B:8B:F0:65:5F:78:E2:51:3B:AC:6F:F3:3F:46:1B:35:DC:B8:5F:64:1A:24:C2:43:F0:A1:58:D0:A1:2C:19:08	[RFC5245]
a=setup:active	[RFC5763]
a=tls-id:CJ6FF9ZZMJW7MDRJIR7XVIQM48GE1G31	[I-D.ietf-mmusic-dtls-sdp]
a=rtcp-mux	[RFC5761]
a=rtcp-rsize	[RFC5506]
a=rtcp-fb:* nack	[RFC5104]
a=extmap:1/sendonly urn:ietf:params:rtp-	[RFC6465]

Nandakumar & Jennings    Expires September 3, 2018

[Page 98]

hdrext:csrc-audio-level	[I-D.ietf-mmusic-sd
a=extmap:2 urn:ietf:params:rtp-	p-bundle-negotiatio
hdrext:sdes:mid	n]
a=candidate:0 1 UDP 2113667327 198.51.100.7	[ <a href="#">RFC5245</a> ]
51556 typ host	
a=candidate:1 1 UDP 1694302207 203.0.113.77	[ <a href="#">RFC5245</a> ]
49203 typ srflx raddr 198.51.100.7 rport	
51556	
a=end-of-candidates	[I-D.ietf-mmusic-tr
	ickle-ice]
+-----+-----+	

Table 40: 5.4.2 SDP Answer

#### **5.4.3. Successful legacy Interop Fallback with bundle-only**


In the scenario described below, Alice is a multi-stream capable WebRTC endpoint while Bob is a legacy VOIP end-point. The SDP Offer/Answer exchange demonstrates successful session setup with fallback to audio only stream negotiated via bundle-only framework between the end-points. Specifically,

- o Offer from Alice describes 2 cameras via 2 video m=lines with both marked as bundle-only.
- o Since Bob doesnot recognize either the BUNDLE mechanism or the bundle-only attribute, he accepts only the audio stream from Alice.

NOTE: Since Alice is unaware of Bob's support for BUNDLE framework, Alice ensures to include separate RTP/RTCP ports and candidate information.



## Successful 2-Way WebRTC &lt;-&gt; VOIP Interop



Offer SDP Contents	RFC#/Notes
v=0	[RFC4566]
o=- 20519 0 IN IP4 0.0.0.0	[RFC4566]
s=-	[RFC4566]
t=0 0	[RFC4566]
a=group:BUNDLE m0 m1 m2	[I-D.ietf-mmusic-sdp-bundle-negotiation] Alice supports grouping of m=lines under BUNDLE semantics
a=group:LS m0 m1	[RFC5888]
a=ice-options:trickle	[I-D.ietf-mmusic-trickle-ice]
***** Audio m=line *****	*****

Nandakumar & Jennings    Expires September 3, 2018

[Page 100]

	*****
m=audio 54609 UDP/TLS/RTP/SAVPF 109	[RFC4566]
c=IN IP4 203.0.113.141	[RFC4566]
a=mid:m0	[RFC5888] Audio
	m=line part of
	BUNDLE group with a
	unique port number
a=msid:ma ta	Identifies
	RTCMediaStream ID
	(ma) and
	RTCMediaStreamTrack
	ID (ta)
a=sendrecv	[RFC3264]
a=rtpmap:109 opus/48000/2	[RFC7587]
a=maxptime:120	[RFC4566]
a=ice-ufrag:074c6550	[RFC5245]
a=ice-pwd:a28a397a4c3f31747d1ee3474af08a068	[RFC5245]
a=fingerprint:sha-256 19:E2:1C:3B:4B:9F:81:	[RFC5245]
E6:B8:5C:F4:A5:A8:D8:73:04:BB:05:2F:70:9F:0	
4:A9:0E:05:E9:26:33:E8:70:88:A2	
a=setup:actpass	[RFC5763]
a=tls-id:89J2LRATQ3ULA24G9AHWVR31VJWSLB68	[I-D.ietf-mmusic-dt ls-sdp]
a=rtcp-mux	[RFC5761]
a=rtcp:64678 IN IP4 203.0.113.141	[RFC3605]
a=rtcp-rsize	[RFC5506]
a=extmap:1 urn:ietf:params:rtp-hdrext:ssrc-	[RFC6464]
audio-level	
a=extmap:2 urn:ietf:params:rtp- hdrext:sdes:mid	[I-D.ietf-mmusic-sd p-bundle-negotia n]
a=candidate:0 1 UDP 2113667327 192.0.2.4 61665 typ host	[RFC5245]
a=candidate:1 1 UDP 694302207 203.0.113.141 54609 typ srflx raddr 192.0.2.4 rport 61665	[RFC5245]
a=candidate:0 1 UDP 2113667326 192.0.2.4 61667 typ host	[RFC5245]
a=candidate:1 1 UDP 1694302206 203.0.113.141 64678 typ srflx raddr 192.0.2.4 rport 61667	[RFC5245]
***** Video-1 m=line *****	*****
	*****
m=video 0 UDP/TLS/RTP/SAVPF 98 100	bundle-only video
	line with port
	number set to zero
c=IN IP4 203.0.113.141	[RFC4566]
a=bundle-only	[I-D.ietf-mmusic-sd p-bundle-negotia

Nandakumar & Jennings    Expires September 3, 2018

[Page 101]

```
| a=mid:m1 | n]  
| | [RFC5888] Video  
| | m=line part of  
| | BUNDLE group  
| | Identifies  
| | RTCMediaStream ID  
| | (ma) and  
| | RTCMediaStreamTrack  
| | ID (tb)  
| | [RFC3264]  
| a=sendrecv | [RFC7741]  
| a=rtpmap:98 VP8/90000 | [RFC6236]  
| a=imageattr:98 [x=1280,y=720] | [RFC4566]  
| a=fmtp:98 max-fr=30 | [RFC5104]  
| a=rtcp-fb:* nack | [RFC5104]  
| a=rtcp-fb:* nack pli | [RFC5104]  
| a=rtcp-fb:* ccm fir | [RFC5104]  
| a=extmap:2 urn:ietf:params:rtp- | [I-D.ietf-mmusic-sd  
| hdrext:sdes:mid | p-bundle-negotiation  
| | n]  
| ***** Video-2 m=line *****  
| | *****  
| m=video 0 UDP/TLS/RTP/SAVPF 101 103 | bundle-only video  
| | line with port  
| | number set to zero  
| | [RFC4566]  
| c=IN IP4 203.0.113.141 | [I-D.ietf-mmusic-sd  
| a=bundle-only | p-bundle-negotiation  
| | n]  
| a=mid:m2 | [RFC5888] Video  
| | m=line part of  
| | BUNDLE group  
| | Identifies  
| | RTCMediaStream ID  
| | (ma) and  
| | RTCMediaStreamTrack  
| | ID (tc)  
| | [RFC3264]  
| a=sendrecv | [RFC6184]  
| a=rtpmap:101 H264/90000 | [RFC6184]  
| a=rtpmap:103 H264/90000 | [RFC6184] Camera-2, E  
| a=fmtp:101 profile-level- | ncoding-1  
| id=4d0028;packetization-mode=1;max-fr=30 | Resolution  
| | [RFC5104]  
| a=rtcp-fb:* nack | [RFC5104]  
| a=rtcp-fb:* nack pli | [RFC5104]  
| a=rtcp-fb:* ccm fir | [RFC5104]  
| a=extmap:2 urn:ietf:params:rtp- | [I-D.ietf-mmusic-sd  
| hdrext:sdes:mid | p-bundle-negotiation  
| | n]
```

Nandakumar & Jennings    Expires September 3, 2018

[Page 102]

```
+-----+-----+
```

Table 41: 5.4.3 SDP Simulcast bundle-only

Answer SDP Contents	RFC#/Notes
v=0	[RFC4566]
o=- 20519 0 IN IP4 0.0.0.0	[RFC4566]
s=-	[RFC4566]
t=0 0	[RFC4566]
***** Audio m=line *****	*****
m=audio 49203 UDP/TLS/RTP/SAVPF 109	[RFC4566]
c=IN IP4 203.0.113.141	[RFC4566]
a=rtcp:60065 IN IP4 203.0.113.141	[RFC3605]
a=sendrecv	[RFC3264]
a=rtpmap:109 opus/48000/2	[RFC7587]
a=maxptime:120	[RFC4566]
a=ice-ufrag:c300d85b	[RFC5245]
a=ice-pwd:de4e99bd291c325921d5d47efbabd9a2	[RFC5245]
a=fingerprint:sha-256 6B:8B:F0:65:5F:78:E2:51:3	[RFC5245]
B:AC:6F:F3:3F:46:1B:35:DC:B8:5F:64:1A:24:C2:43:	
F0:A1:58:D0:A1:2C:19:08	
a=setup:active	[RFC5763]
a=rtcp-rsize	[RFC5506]
a=extmap:1 urn:ietf:params:rtp-hdrext:ssrc-	[RFC6464]
audio-level	
a=candidate:0 1 UDP 2113667327 198.51.100.7	[RFC5245]
51556 typ host	
a=candidate:1 1 UDP 694302207 203.0.113.77	[RFC5245]
49203 typ srflx raddr 198.51.100.7 rport 51556	
a=candidate:0 2 UDP 2113667326 198.51.100.7	[RFC5245]
51558 typ host	
a=candidate:1 2 UDP 1694302206 203.0.113.77	[RFC5245]
60065 typ srflx raddr 198.51.100.7 rport 51558	
***** Video m=line *****	*****
m=video 0 UDP/TLS/RTP/SAVPF 98 100	Bob doesn't recognize bundle-only and hence the m=line is rejected implicitly due to port 0
***** Video m=line *****	*****

Nandakumar & Jennings    Expires September 3, 2018

[Page 103]

m=video 0 UDP/TLS/RTP/SAVPF 98 100	*****   Bob doesn't   recognize   bundle-only and   hence the   m=line is   rejected   implicitly due   to port 0
------------------------------------	---

Table 42: 5.4.3 SDP Answer


#### 5.4.4. Legacy Interop with RTP/AVP profile

In the scenario described below, Alice is a legacy end-point which sends [[RFC3264](#)] Offer with RTP/AVP based audio and video descriptions along with DTLS fingerprint and RTCP feedback information.

On the other hand, Bob being a WebRTC end-point follows the procedures in section 5.1.2 of [[I-D.ietf-rtcweb-jsep](#)] and accepts the Alice's offer for DTLS-SRTP based session with RTCP feedback.



## Successful 2-Way WebRTC &lt;-&gt; VOIP Interop



Offer SDP Contents	RFC#/Notes
v=0	[RFC4566]
o=- 20518 0 IN IP4 0.0.0.0	[RFC4566]
s=-	[RFC4566]
t=0 0	[RFC4566]
a=ice-ufrag:074c6550	[RFC5245]
a=ice-pwd:a28a397a4c3f31747d1ee3474af08a068	[RFC5245]
a=rtpcp-rsize	[RFC5506]
***** Audio m=line *****	*****
m=audio 54732 RTP/AVP 109	[RFC4566]Alice includes RTP/AVP audio stream

Nandakumar & Jennings    Expires September 3, 2018

[Page 105]

	description
c=IN IP4 203.0.113.141	<a href="#">[RFC4566]</a>
a=fingerprint:sha-256 19:E2:1C:3B:4B:9F:81:E6:B	<a href="#">[RFC5245]</a>
8:5C:F4:A5:A8:D8:73:04:BB:05:2F:70:9F:04:A9:0E:	
05:E9:26:33:E8:70:88:A2	
a=rtpmap:109 opus/48000	
a=ptime:20	
a=sendrecv	<a href="#">[RFC3264]</a>
a=rtcp-mux	<a href="#">[RFC5761]</a> Alice
	still includes
	RTP/RTCP Mux
	support
a=rtcp:64678 IN IP4 203.0.113.141	<a href="#">[RFC3605]</a>
a=candidate:0 1 UDP 2113667327 192.0.2.4 54732	<a href="#">[RFC5245]</a>
typ host	
a=candidate:1 1 UDP 694302207 203.0.113.141	<a href="#">[RFC5245]</a>
54732 typ srflx raddr 192.0.2.4 rport 54732	
a=candidate:0 2 UDP 2113667326 192.0.2.4 64678	<a href="#">[RFC5245]</a>
typ host	
a=candidate:1 2 UDP 1694302206 203.0.113.141	<a href="#">[RFC5245]</a>
64678 typ srflx raddr 192.0.2.4 rport 64678	
***** Video m=line *****	*****
	*****
m=video 62445 RTP/AVP 120	<a href="#">[RFC4566]</a> Alice
	includes
	RTP/AVP video
	stream
	description
c=IN IP4 203.0.113.141	<a href="#">[RFC4566]</a>
a=fingerprint:sha-256 DC:B8:5F:64:1A:24:C2:43:F	<a href="#">[RFC5245]</a>
0:A1:58:D0:A1:2C:19:08:6B:8B:F0:65:5F:78:E2:51:	
3B:AC:6F:F3:3F:46:1B:35	
a=rtpmap:120 VP8/90000	<a href="#">[RFC7741]</a>
a=sendrecv	<a href="#">[RFC3264]</a>
a=rtcp-mux	<a href="#">[RFC5761]</a> Alice
	intends to
	perform
	RTP/RTCP Mux
a=rtcp:54721 IN IP4 203.0.113.141	<a href="#">[RFC3605]</a>
a=candidate:0 1 UDP 2113667327 192.0.2.4 62445	<a href="#">[RFC5245]</a>
typ host	
a=candidate:1 1 UDP 1694302207 203.0.113.141	<a href="#">[RFC5245]</a>
62537 typ srflx raddr 192.0.2.4 rport 62445	
a=candidate:0 2 UDP 2113667326 192.0.2.4 54721	<a href="#">[RFC5245]</a>
typ host	
a=candidate:1 2 UDP 1694302206 203.0.113.141	<a href="#">[RFC5245]</a>
54721 typ srflx raddr 192.0.2.4 rport 54721	
a=rtcp-fb:120 nack pli	<a href="#">[RFC5104]</a> Alice

Nandakumar & Jennings    Expires September 3, 2018

[Page 106]

	indicates support for Picture loss Indication and NACK RTCP feedback
a=rtp-fb:120 ccm fir	[RFC5104]

Table 43: 5.4.5 SDP Offer

Answer SDP Contents	RFC#/Notes
v=0	[RFC4566]
o=- 16833 0 IN IP4 0.0.0.0	[RFC4566]
s=-	[RFC4566]
t=0 0	[RFC4566]
***** Audio m=line *****	*****
	*****
m=audio 49203 RTP/AVP 109	[RFC4566] Bob   accepts RTP/AVP   based audio   stream
c=IN IP4 203.0.113.77	[RFC4566]
a=rtpmap:109 opus/48000	
a=ptime:20	
a=sendrecv	[RFC3264]
a=ice-ufrag:c300d85b	[RFC5245]
a=ice-pwd:de4e99bd291c325921d5d47efbabd9a2	[RFC5245]
a=fingerprint:sha-256 BB:05:2F:70:9F:04:A9:0E:0	[RFC5245]
5:E9:26:33:E8:70:88:A2:19:E2:1C:3B:4B:9F:81:E6:	
B8:5C:F4:A5:A8:D8:73:04	
a=rtcp-mux	[RFC5761]
a=candidate:0 1 UDP 2113667327 198.51.100.7	[RFC5245]
49203 typ host	
a=candidate:1 1 UDP 1694302207 203.0.113.77	[RFC5245]
49203 typ srflx raddr 198.51.100.7 rport 49203	
***** Video m=line *****	*****
	*****
m=video 63130 RTP/SAVP 120	[RFC4566] Bob   accepts RTP/AVP   based video   stram
c=IN IP4 203.0.113.77	[RFC4566]
a=rtpmap:120 VP8/90000	[RFC7741]
a=sendrecv	[RFC3264]

Nandakumar & Jennings    Expires September 3, 2018

[Page 107]

a=ice-ufrag:e39091na	[RFC5245]	
a=ice-pwd:dbc325921d5dd29e4e99147efbabd9a2	[RFC5245]	
a=fingerprint:sha-256 BB:0A:0E:05:E9:26:33:E8:7	[RFC5245]	
0:88:A2:2F:70:9F:04:19:E2:1C:3B:4B:9F:81:56:2F:		
70:9F:04:F4:A5:A8:D8		
a=rtcp-mux	[RFC5761]	
a=candidate:0 1 UDP 2113667327 198.51.100.7	[RFC5245]	
63130 typ host		
a=candidate:1 1 UDP 1694302207 203.0.113.77	[RFC5245]	
63130 typ srflx raddr 198.51.100.7 rport 63130		
a=rtcp-fb:120 nack pli	[RFC5104]	
a=rtcp-fb:120 ccm fir	[RFC5104]	
+-----+-----+-----+		

Table 44: 5.4.5 SDP Answer

## 6. IANA Considerations

This document requires no actions from IANA.

## 7. Security Considerations

The IETF has published separate documents

[[I-D.ietf-rtcweb-security-arch](#)] [[I-D.ietf-rtcweb-security](#)] describing the security architecture for WebRTC as a whole.

In addition, since the SDP offer and answer messages can contain private information about addresses and sessions to be established between parties, if this information needs to be kept private, some security mechanism (using TLS transport for example) in the protocol used to carry the offers and answers must be used.

## 8. Acknowledgments

We would like to thank Justin Uberti, Chris Flo, Paul Kyzivat, Nils Ohlmeier for their detailed review and inputs. Thanks to Adam Roach for providing syntax validation script to help highlight syntax and formatting errors.

## 9. Change Log

[RFC EDITOR NOTE: Please remove this section when publishing]

Changes from [draft-ietf-rtcweb-sdp-08](#)



- o Fixed formatting and syntax issues pointed out by Adam Roach's validator script. List of issues are here:  
<https://github.com/fluffy/ietf/issues?q=is%3Aissue+is%3Aclosed>
- o Align examples to match latest bundle specification as pointed by Christer Holmberg

Changes from [draft-ietf-rtcweb-sdp-07](#)

- o Incorporate review from Nils.

Changes from [draft-ietf-rtcweb-sdp-06](#)

- o Keep Alive Version.

Changes from [draft-ietf-rtcweb-sdp-05](#)

- o Title change.

Changes from [draft-ietf-rtcweb-sdp-04](#)

- o Add IPv6 Example.
- o Add a=rtcp-mux-only and fix a=rtcp in examples.
- o Fix Idnits.
- o Add Security Considerations section.

Changes from [draft-ietf-rtcweb-sdp-02](#) to [draft-ietf-rtcweb-sdp-04](#)

- o Alignment with JSEP-19.
- o Added a=identity example.
- o Added a=dtls-id, a=group:LS in the examples.
- o Added Appendix section to capture list of checklists for the attributes.
- o Removed SSRC lines to match JSEP-19.
- o Closed open issues on a=fingerprint, a=rtcp and a=rtcp-mux-only from ietf96 to reflect JSEP-19.
- o Simplified Inter-op example

Changes from [draft-ietf-rtcweb-sdp-02](#)



- o Version increment to avoid expiry

Changes from [`draft-ietf-rtcweb-sdp-01`](#)

- o Complete face-lift
- o Added visual markers around m=lines to indicate their type, added spacing between tables for aiding readers
- o Updated table names to indicate offer vs answer
- o Attempted to align to latest versions of SCTP, BUNDLE, MSID drafts
- o Added mid header extensions to all the lines
- o Harmonized BUNDLE semantics and conventions updated.

Changes from [`draft-ietf-rtcweb-sdp-00`](#)

- o Updated Simulcast/FEC/RTX examples to use RID framework
- o Fixed BUNDLE references for a=bundle-only

Changes from [`draft-nandakumar-rtcweb-sdp-08`](#)

- o Fixed typos
- o Moved to a WG version

Changes from [`draft-nandakumar-rtcweb-sdp-06`](#) and [`draft-nandakumar-rtcweb-sdp-07`](#)

- o Added clarification on Call-Flow diagram usage
- o More cleanups

Changes from [`draft-nandakumar-rtcweb-sdp-05`](#)

- o Added Ascii chart for all the SDP Examples
- o Improved text and updated SDP Examples for Simulcast and FEC
- o Fixed MediaStream ID Semantics SDP Errors

Changes from [`draft-nandakumar-rtcweb-sdp-04`](#)

- o Interim version of the draft to avert expiry



- o Corrected placement of c= line as per [RFC4566](#)
- o Updated simulcast SDP to reflect [draft-westerlund-avtcore-rtp-simulcast-04](#)

Changes from [draft-nandakumar-rtcweb-sdp-03](#)

- o Aligned more closely with JSEP version -05
- o Added Conventions to help readability
- o Add more examples to clarify BUNDLE use-cases

Changes from [draft-nandakumar-rtcweb-sdp-02](#)

- o Major refactoring was done to group the examples in to categories
- o SDP was updated through out to reflect JSEP-04 style of defining attributes per m=line than at the session level.
- o Added 8 new examples.
- o Updated references for Trickle, Unified Plan
- o Add section to explain the syntax conventions followed in the examples.

Changes from [draft-nandakumar-rtcweb-sdp-01](#)

- o Updated references to OPUS RTP Payload Specification.
- o Updated BUNDLE examples based on the latest [draft-ietf-mmusic-sdp-bundle-negotiation](#).
- o Added examples for multiple audio and video flows based on Unified Plan.
- o Added new examples for RTX and FEC streams
- o Updated Simulcast and SVC examples

Changes from [draft-nandakumar-rtcweb-sdp-00](#)

- o Fixed editorial comments on the mailing list.
- o Updated Data-channel SDP information based on [draft-ietf-mmusic-sctp-sdp](#).



- o Updated BUNDLE examples based on [draft-ietf-mmusic-sdp-bundle-negotiation](#).
- o Added examples for few more BUNDLE variants
- o Added new examples for Simulcast and SVC

## **10. Informative References**

- [RFC3264] Rosenberg, J. and H. Schulzrinne, "An Offer/Answer Model with Session Description Protocol (SDP)", [RFC 3264](#), DOI 10.17487/RFC3264, June 2002, <<https://www.rfc-editor.org/info/rfc3264>>.
- [RFC4566] Handley, M., Jacobson, V., and C. Perkins, "SDP: Session Description Protocol", [RFC 4566](#), DOI 10.17487/RFC4566, July 2006, <<https://www.rfc-editor.org/info/rfc4566>>.
- [RFC2119] Bradner, S., "Key words for use in RFCs to Indicate Requirement Levels", [BCP 14](#), [RFC 2119](#), DOI 10.17487/RFC2119, March 1997, <<https://www.rfc-editor.org/info/rfc2119>>.
- [RFC5245] Rosenberg, J., "Interactive Connectivity Establishment (ICE): A Protocol for Network Address Translator (NAT) Traversal for Offer/Answer Protocols", [RFC 5245](#), DOI 10.17487/RFC5245, April 2010, <<https://www.rfc-editor.org/info/rfc5245>>.
- [RFC5506] Johansson, I. and M. Westerlund, "Support for Reduced-Size Real-Time Transport Control Protocol (RTCP): Opportunities and Consequences", [RFC 5506](#), DOI 10.17487/RFC5506, April 2009, <<https://www.rfc-editor.org/info/rfc5506>>.
- [RFC3551] Schulzrinne, H. and S. Casner, "RTP Profile for Audio and Video Conferences with Minimal Control", STD 65, [RFC 3551](#), DOI 10.17487/RFC3551, July 2003, <<https://www.rfc-editor.org/info/rfc3551>>.
- [RFC4796] Hautakorpi, J. and G. Camarillo, "The Session Description Protocol (SDP) Content Attribute", [RFC 4796](#), DOI 10.17487/RFC4796, February 2007, <<https://www.rfc-editor.org/info/rfc4796>>.
- [RFC5761] Perkins, C. and M. Westerlund, "Multiplexing RTP Data and Control Packets on a Single Port", [RFC 5761](#), DOI 10.17487/RFC5761, April 2010, <<https://www.rfc-editor.org/info/rfc5761>>.



- [RFC5763] Fischl, J., Tschofenig, H., and E. Rescorla, "Framework for Establishing a Secure Real-time Transport Protocol (SRTP) Security Context Using Datagram Transport Layer Security (DTLS)", [RFC 5763](#), DOI 10.17487/RFC5763, May 2010, <<https://www.rfc-editor.org/info/rfc5763>>.
- [RFC5104] Wenger, S., Chandra, U., Westerlund, M., and B. Burman, "Codec Control Messages in the RTP Audio-Visual Profile with Feedback (AVPF)", [RFC 5104](#), DOI 10.17487/RFC5104, February 2008, <<https://www.rfc-editor.org/info/rfc5104>>.
- [RFC4588] Rey, J., Leon, D., Miyazaki, A., Varsa, V., and R. Hakenberg, "RTP Retransmission Payload Format", [RFC 4588](#), DOI 10.17487/RFC4588, July 2006, <<https://www.rfc-editor.org/info/rfc4588>>.
- [RFC5956] Begen, A., "Forward Error Correction Grouping Semantics in the Session Description Protocol", [RFC 5956](#), DOI 10.17487/RFC5956, September 2010, <<https://www.rfc-editor.org/info/rfc5956>>.
- [RFC5888] Camarillo, G. and H. Schulzrinne, "The Session Description Protocol (SDP) Grouping Framework", [RFC 5888](#), DOI 10.17487/RFC5888, June 2010, <<https://www.rfc-editor.org/info/rfc5888>>.
- [RFC6236] Johansson, I. and K. Jung, "Negotiation of Generic Image Attributes in the Session Description Protocol (SDP)", [RFC 6236](#), DOI 10.17487/RFC6236, May 2011, <<https://www.rfc-editor.org/info/rfc6236>>.
- [RFC6184] Wang, Y., Even, R., Kristensen, T., and R. Jesup, "RTP Payload Format for H.264 Video", [RFC 6184](#), DOI 10.17487/RFC6184, May 2011, <<https://www.rfc-editor.org/info/rfc6184>>.
- [RFC5583] Schierl, T. and S. Wenger, "Signaling Media Decoding Dependency in the Session Description Protocol (SDP)", [RFC 5583](#), DOI 10.17487/RFC5583, July 2009, <<https://www.rfc-editor.org/info/rfc5583>>.
- [RFC3550] Schulzrinne, H., Casner, S., Frederick, R., and V. Jacobson, "RTP: A Transport Protocol for Real-Time Applications", STD 64, [RFC 3550](#), DOI 10.17487/RFC3550, July 2003, <<https://www.rfc-editor.org/info/rfc3550>>.



- [RFC3261] Rosenberg, J., Schulzrinne, H., Camarillo, G., Johnston, A., Peterson, J., Sparks, R., Handley, M., and E. Schooler, "SIP: Session Initiation Protocol", [RFC 3261](#), DOI 10.17487/RFC3261, June 2002, <<https://www.rfc-editor.org/info/rfc3261>>.
- [RFC3605] Huitema, C., "Real Time Control Protocol (RTCP) attribute in Session Description Protocol (SDP)", [RFC 3605](#), DOI 10.17487/RFC3605, October 2003, <<https://www.rfc-editor.org/info/rfc3605>>.
- [RFC4733] Schulzrinne, H. and T. Taylor, "RTP Payload for DTMF Digits, Telephony Tones, and Telephony Signals", [RFC 4733](#), DOI 10.17487/RFC4733, December 2006, <<https://www.rfc-editor.org/info/rfc4733>>.
- [RFC6464] Lennox, J., Ed., Ivov, E., and E. Marocco, "A Real-time Transport Protocol (RTP) Header Extension for Client-to-Mixer Audio Level Indication", [RFC 6464](#), DOI 10.17487/RFC6464, December 2011, <<https://www.rfc-editor.org/info/rfc6464>>.
- [RFC6465] Ivov, E., Ed., Marocco, E., Ed., and J. Lennox, "A Real-time Transport Protocol (RTP) Header Extension for Mixer-to-Client Audio Level Indication", [RFC 6465](#), DOI 10.17487/RFC6465, December 2011, <<https://www.rfc-editor.org/info/rfc6465>>.
- [RFC7587] Spittka, J., Vos, K., and JM. Valin, "RTP Payload Format for the Opus Speech and Audio Codec", [RFC 7587](#), DOI 10.17487/RFC7587, June 2015, <<https://www.rfc-editor.org/info/rfc7587>>.
- [RFC7741] Westin, P., Lundin, H., Glover, M., Uberti, J., and F. Galligan, "RTP Payload Format for VP8 Video", [RFC 7741](#), DOI 10.17487/RFC7741, March 2016, <<https://www.rfc-editor.org/info/rfc7741>>.
- [RFC7826] Schulzrinne, H., Rao, A., Lanphier, R., Westerlund, M., and M. Stiemerling, Ed., "Real-Time Streaming Protocol Version 2.0", [RFC 7826](#), DOI 10.17487/RFC7826, December 2016, <<https://www.rfc-editor.org/info/rfc7826>>.
- [I-D.ietf-mmusic-sdp-bundle-negotiation]  
Holmberg, C., Alvestrand, H., and C. Jennings,  
"Negotiating Media Multiplexing Using the Session  
Description Protocol (SDP)", [draft-ietf-mmusic-sdp-bundle-negotiation-48](#) (work in progress), January 2018.



## [I-D.ietf-mmusic-sdp-simulcast]

Burman, B., Westerlund, M., Nandakumar, S., and M. Zanaty, "Using Simulcast in SDP and RTP Sessions", [draft-ietf-mmusic-sdp-simulcast-11](#) (work in progress), December 2017.

## [I-D.ietf-mmusic-rid]

Roach, A., "RTP Payload Format Restrictions", [draft-ietf-mmusic-rid-14](#) (work in progress), February 2018.

## [I-D.ietf-rtcweb-jsep]

Uberti, J., Jennings, C., and E. Rescorla, "JavaScript Session Establishment Protocol", [draft-ietf-rtcweb-jsep-24](#) (work in progress), October 2017.

## [I-D.ietf-mmusic-trickle-ice]

Ivov, E., Rescorla, E., and J. Uberti, "Trickle ICE: Incremental Provisioning of Candidates for the Interactive Connectivity Establishment (ICE) Protocol", [draft-ietf-mmusic-trickle-ice-02](#) (work in progress), January 2015.

## [I-D.ietf-mmusic-msid]

Alvestrand, H., "WebRTC MediaStream Identification in the Session Description Protocol", [draft-ietf-mmusic-msid-16](#) (work in progress), February 2017.

## [I-D.ietf-mmusic-sctp-sdp]

Holmberg, C., Shpount, R., Loreto, S., and G. Camarillo, "Session Description Protocol (SDP) Offer/Answer Procedures For Stream Control Transmission Protocol (SCTP) over Datagram Transport Layer Security (DTLS) Transport.", [draft-ietf-mmusic-sctp-sdp-26](#) (work in progress), April 2017.

## [I-D.ietf-rtcweb-data-channel]

Jesup, R., Loreto, S., and M. Tuexen, "WebRTC Data Channels", [draft-ietf-rtcweb-data-channel-13](#) (work in progress), January 2015.

## [I-D.ietf-payload-flexible-fec-scheme]

Singh, V., Begen, A., Zanaty, M., and G. Mandyam, "RTP Payload Format for Flexible Forward Error Correction (FEC)", [draft-ietf-payload-flexible-fec-scheme-05](#) (work in progress), July 2017.

## [I-D.ietf-mmusic-mux-exclusive]

Holmberg, C., "Indicating Exclusive Support of RTP/RTCP Multiplexing using SDP", [draft-ietf-mmusic-mux-exclusive-12](#) (work in progress), May 2017.



## [I-D.ietf-mmusic-dtls-sdp]

Holmberg, C. and R. Shpount, "Session Description Protocol (SDP) Offer/Answer Considerations for Datagram Transport Layer Security (DTLS) and Transport Layer Security (TLS)", [draft-ietf-mmusic-dtls-sdp-32](#) (work in progress), October 2017.

## [I-D.ietf-rtcweb-security-arch]

Rescorla, E., "WebRTC Security Architecture", [draft-ietf-rtcweb-security-arch-13](#) (work in progress), October 2017.

## [I-D.ietf-rtcweb-security]

Rescorla, E., "Security Considerations for WebRTC", [draft-ietf-rtcweb-security-10](#) (work in progress), January 2018.

## [I-D.ietf-avtext-rid]

Roach, A., Nandakumar, S., and P. Thatcher, "RTP Stream Identifier Source Description (SDES)", [draft-ietf-avtext-rid-09](#) (work in progress), October 2016.

## [WebRTC] W3C, "WebRTC 1.0: Real-time Communication Between

Browsers",

<<http://dev.w3.org/2011/webrtc/editor/webrtc.html>> .

## Appendix A. Appendix

### A.1. JSEP SDP Attributes Checklist

This section compiles a high-level checklist of the required SDP attributes to be verified against the examples defined in this specification. The goal here is to ensure that the examples are compliant to the rules defined in [section 5](#) of the [\[I-D.ietf-rtcweb-jsep\]](#) specification.

#### A.1.1. Common Checklist

This subsection lists SDP attributes that mostly apply at the session level.

- o v=0 MUST be the first SDP line.
- o o= line MUST follow with values '-' for username, 64 bit value for session id and dummy values for 'nettype', 'addrtype' and 'unicast-address' (for example: IN IP4 0.0.0.0).
- o o= line MUST have the session version incremented in the cases of subsequent offers.



- o s= MUST be the third line with the value of '-'.
- o t= line MUST follow with the values for 'start-time' and 'stop-time' set to zeroes.
- o a=identity line MUST be included at the session level if WEBRTC Identity mechanism is being used.
- o a=ice-options:trickle MUST be present at the session level in all offers and answers when supported.

#### **A.1.2. RTP Media Description Checklist**

Following set of checklist items apply to RTP audio and video media descriptions.

- o The media description's port value MUST either be set to dummy value of '9' or MUST use the port from the default candidate, if available.
- o The media description's proto value MUST be 'UDP/TLS/RTP/SAVPF' for JSEP offers.
- o JSEP answerer MUST support any combination of "RTP/[S]AVP[F]" for interoperability scenarios as defined in section 5 of [[I-D.ietf-rtcweb-jsep](#)]
- o c= line MUST be the first line in a media description. A dummy value of 'IN IP 0.0.0.0' is set if there are no candidates gathered or its value MUST match the default candidate.
- o a=mid attribute MUST be included.
- o One of a=sendrecv/a=sendonly/a=recvonly/a=inactive SDP direction attributes MUST be present.
- o a=rtpmap and a=fmtp attributes per primary, retransmission and forward error correction media format MUST be included.
- o a=rtcp-fb lines for each supported feedback mechanism MUST be included when using RTP with feedback
- o a=imageattr can be optionally present for video media descriptions.
- o a=msid line MUST be included for all the media senders identifying the MediaStreamTrack (i.e when a=sendonly/a=sendrecv attribute is present).



- o a=extmap line identifying the BUNDLE header extension MUST be present.
- o a=extmap lines for other supported RTP header extensions MUST be included.
- o a=rid line 'per encoding' with the direction of 'send' MUST be included when further constraining the media format or multiple encodings per media format is needed.
- o a=simulcast line MUST be present if there exists more than one 'a=rid' lines for the media senders.
- o a=bundle-only attribute MUST be present for media descriptions that are impacted by various bundle policies (such as max-bundle/balanced)
- o For media descriptions that aren't "a=bundle-only" and that have unique address, following attributes MUST be present:
  - \* a=ice-ufrag and a=ice-pwd
  - \* a=fingerprint
  - \* a=setup with value 'actpass' in the offers and a value of 'active'/passive' in the answerer.
  - \* a=tls-id
  - \* a=rtcp
  - \* a=rtcp-mux
  - \* For offerers requiring RTCP to be multiplexed, 'a=rtcp-mux-only' line
  - \* a=rtcp-rsize
- o a=group:BUNDLE line with all the 'mid' identifiers part of the BUNDLE group is included at the session level.
- o a=group:LS session level attribute MUST be included wth the 'mid' identifiers that are part of the lip same sync group.



#### A.1.3. DataChannel Media Description checklist

If a datachannel is required, an 'application' type media description MUST be included with the following properties:

- o Media description's proto value MUST be 'UDP/DTLS/SCTP' in the JSEP offers.
- o An JSEP answerer MUST support reception of 'UDP/DTLS/SCTP'/'TCP/DTLS/SCTP'/'DTLS/SCTP' for backward compatibility reasons.
- o A value of 'webrtc-datachannel' MUST be used for the media description 'fmt' value.
- o a=mid line MUST be present.
- o a=sctp-port with SCTP port number MUST be included.
- o a=max-message-size MAY be included, if appropriate.

#### Authors' Addresses

Suhas Nandakumar  
Cisco  
170 West Tasman Drive  
San Jose, CA 95134  
USA

Email: snandaku@cisco.com

Cullen Jennings  
Cisco  
170 West Tasman Drive  
San Jose, CA 95134  
USA

Phone: +1 408 421-9990  
Email: fluffy@cisco.com

