

Network Working Group
Internet-Draft
Intended status: Standards Track
Expires: April 20, 2015

P. Hunt, Ed.
Oracle
K. Grizzle
SailPoint
E. Wahlstroem
Nexus Technology
C. Mortimore
Salesforce
October 17, 2014

System for Cross-Domain Identity Management: Core Schema
draft-ietf-scim-core-schema-12

Abstract

The System for Cross-Domain Identity Management (SCIM) specifications are designed to make identity management in cloud based applications and services easier. The specification suite builds upon experience with existing schemas and deployments, placing specific emphasis on simplicity of development and integration, while applying existing authentication, authorization, and privacy models. Its intent is to reduce the cost and complexity of user management operations by providing a common user schema and extension model, as well as binding documents to provide patterns for exchanging this schema using HTTP protocol.

This document provides a platform neutral schema and extension model for representing users and groups and other resource types in JSON format. This schema is intended for exchange and use with cloud service providers.

Status of This Memo

This Internet-Draft is submitted in full conformance with the provisions of [BCP 78](#) and [BCP 79](#).

Internet-Drafts are working documents of the Internet Engineering Task Force (IETF). Note that other groups may also distribute working documents as Internet-Drafts. The list of current Internet-Drafts is at <http://datatracker.ietf.org/drafts/current/>.

Internet-Drafts are draft documents valid for a maximum of six months and may be updated, replaced, or obsoleted by other documents at any time. It is inappropriate to use Internet-Drafts as reference material or to cite them other than as "work in progress."

This Internet-Draft will expire on April 20, 2015.

Copyright Notice

Copyright (c) 2014 IETF Trust and the persons identified as the document authors. All rights reserved.

This document is subject to [BCP 78](#) and the IETF Trust's Legal Provisions Relating to IETF Documents (<http://trustee.ietf.org/license-info>) in effect on the date of publication of this document. Please review these documents carefully, as they describe your rights and restrictions with respect to this document. Code Components extracted from this document must include Simplified BSD License text as described in Section 4.e of the Trust Legal Provisions and are provided without warranty as described in the Simplified BSD License.

Table of Contents

1.	Introduction and Overview	3
1.1.	Requirements Notation and Conventions	4
1.2.	Definitions	4
2.	SCIM Schema Data Types	5
2.1.	Attribute Data Types	6
2.1.1.	String	6
2.1.2.	Boolean	6
2.1.3.	Decimal	6
2.1.4.	Integer	6
2.1.5.	DateTime	7
2.1.6.	Binary	7
2.1.7.	Reference	7
2.1.8.	Complex	7
2.2.	Multi-valued Attributes	8
2.3.	Unassigned and Null Values	8
3.	SCIM Resources	8
3.1.	Common Attributes	11
3.2.	Defining New Resource Types	12
3.3.	Attribute Extensions to Resources	12
4.	SCIM Core Resources and Extensions	13
4.1.	User Resource Schema	13
4.1.1.	Singular Attributes	13
4.1.2.	Multi-valued Attributes	16
4.2.	Group Resource Schema	18
4.3.	Enterprise User Schema Extension	19
5.	Service Provider Configuration Schema	19
6.	ResourceType Schema	21
7.	Schema Definition	22
8.	JSON Representation	25
8.1.	Minimal User Representation	25
8.2.	Full User Representation	26

8.3.	Enterprise User Extension Representation	29
8.4.	Group Representation	32
8.5.	Service Provider Configuration Representation	33
8.6.	Resource Type Representation	35
8.7.	Schema Representation	35
9.	Security Considerations	58
10.	IANA Considerations	59
10.1.	New Registration of SCIM URN Sub-namespace	59
10.2.	URN Sub-Namespaces for SCIM	59
10.2.1.	Specification Template	60
10.2.2.	Pre-Registered SCIM Schema Identifiers	62
10.3.	Registering SCIM Schemas	62
10.3.1.	Registration Procedure	62
10.3.2.	Schema Registration Template	63
10.4.	Initial SCIM Schema Registry	63
11.	References	64
11.1.	Normative References	64
11.2.	Informative References	65
Appendix A.	Acknowledgements	66
Appendix B.	Change Log	66
	Authors' Addresses	69

[1.](#) Introduction and Overview

While there are existing standards for describing and exchanging user information, many of these standards can be difficult to implement and/or use; e.g., their wire protocols do not easily traverse firewalls and/or are not easily layered onto existing web protocols. As a result, many cloud providers implement non-standardized protocols for managing users within their services. This increases both the cost and complexity associated with organizations adopting products and services from multiple cloud providers as they must perform redundant integration development. Similarly, cloud services providers seeking to inter-operate with multiple application marketplaces or cloud identity providers must be redundantly integrated.

SCIM seeks to simplify this problem through a simple to implement specification suite that provides a common user schema and extension model, as well as binding documents to provide patterns for exchanging this schema via an HTTP based protocol. It draws inspiration and best practice, building upon existing user protocols and schemas from a wide variety of sources including, but not limited to, existing services exposed by cloud providers, PortableContacts, vCards, and LDAP directory services.

This document provides a JSON based schema and extension model for representing users and groups, as well as service provider

configuration. This schema is intended for exchange and use with cloud service providers and other cross-domain scenarios. An HTTP protocol-binding document is provided separately.

[1.1.](#) Requirements Notation and Conventions

The key words "MUST", "MUST NOT", "REQUIRED", "SHALL", "SHALL NOT", "SHOULD", "SHOULD NOT", "RECOMMENDED", "MAY", and "OPTIONAL" in this document are to be interpreted as described in [[RFC2119](#)].

Throughout this document, values are quoted to indicate that they are to be taken literally. When using these values in protocol messages, the quotes MUST NOT be used as part of the value.

Throughout this documents all figures MAY contain spaces and extra line-wrapping for readability and space reasons. Similarly, some URI's contained within examples, have been shortened for space and readability reasons.

[1.2.](#) Definitions

Service Provider

An HTTP web application that provides identity information via the SCIM protocol.

Client

A website or application that uses the SCIM protocol to manage identity data maintained by the service provider. The client initiates SCIM HTTP requests to a target service provider.

Resource Type

A type of a resource that is managed by a service provider. The resource type defines the resource name, endpoint URL, Schemas, and other meta-data which indicate where a resource is managed and how it is composed; e.g. "User" or "Group".

Resource

A service provider managed artifact containing one or more attributes. For example a "User" or "Group".

Schema

A collection of Attribute Definitions that describe the contents of an entire or partial resource; e.g.
"urn:ietf:params:scim:schemas:core:2.0:User".

Singular Attribute

A resource attribute that contains 0..1 values; e.g.
"displayName".

Multi-valued Attribute

A resource attribute that contains 0..n values; e.g. "emails".

Simple Attribute

A singular or multi-valued attribute whose value is a primitive; e.g. "String".

Complex Attribute

A singular or multi-valued attribute whose value is a composition of one or more simple attributes; e.g. "addresses".

Sub-Attribute

A simple attribute contained within a complex attribute.

2. SCIM Schema Data Types

SCIM schema provides a minimal core schema for representing users and groups (resources), encompassing common attributes found in many existing deployments and schemas. In addition to the minimal core schema, this document also specifies a standardized means by which service providers may extend schema to define new resources and attributes in both standardized and service provider specific cases.

Resources are categorized into common resource types such as "User" or "Group"). Collections of resources of the same type are usually contained within the same "container" ("folder") endpoint.

A resource is a collection of attributes identified by one or more schemas. Minimally, an attribute consists of the attribute name and at least one simple or complex value either of which may be multi-valued. For each attribute, SCIM schema defines the data type, plurality, mutability, and other distinguishing features of an attribute.

Attribute names SHOULD be camel-cased (e.g. "camelCase"). SCIM resources are represented in JSON [[RFC7159](#)] and MUST specify schema via the "schemas" attribute per [Section 3](#).

Attribute names MUST conform to the following ABNF [[RFC5234](#)] rules:

```
ATTRNAME  = ALPHA *(nameChar)
nameChar  = "-" / "_" / DIGIT / ALPHA
```

Figure 1: ABNF for Attribute Names

[2.1.](#) Attribute Data Types

Attribute data types are derived from JSON [[RFC7159](#)] and unless otherwise specified have the following characteristics (see [Section 7](#) for attribute characteristic definitions):

- o are OPTIONAL (is not required).
- o are case insensitive (caseExact=false),
- o are modifiable (mutability is readWrite),
- o are returned in response to queries (returned by default),
- o are not unique (uniqueness=none), and,
- o of type String ([Section 2.1.1](#)).

The JSON format defines a limited set of data types, hence, where appropriate, alternate JSON representations derived from XML Schema [[XML-Schema](#)] are defined below. SCIM extensions SHOULD NOT introduce new data types.

[2.1.1.](#) String

A sequence of zero or more Unicode characters encoded using UTF-8 as per [[RFC2277](#)] and [[RFC3629](#)]. The JSON format is defined in [Section 7](#) [[RFC7159](#)]. A "String" attribute MAY specify a required data format. Additionally, when canonical values are specified service providers SHOULD conform to those values if appropriate, but MAY provide alternate "String" values to represent additional values.

[2.1.2.](#) Boolean

The literal "true" or "false". The JSON format is defined in [Section 3](#) [[RFC7159](#)].

[2.1.3.](#) Decimal

A real number with at least one digit to the left and right of the period. The JSON format is defined in [Section 6](#) [[RFC7159](#)].

[2.1.4.](#) Integer

A decimal number with no fractional digits. The JSON format is defined in [Section 6](#) [[RFC7159](#)] with the additional constraint that the value MUST NOT contain fractional or exponent parts.

[2.1.5.](#) DateTime

A DateTime value (e.g. 2008-01-23T04:56:22Z). The attribute value MUST be encoded as a valid xsd:dateTime as specified in [Section 3.2.7 \[XML-Schema\]](#).

Values represented in JSON MUST conform to the XML constraints above and are represented as a JSON String per [Section 7 \[RFC7159\]](#).

[2.1.6.](#) Binary

Arbitrary binary data. The attribute value MUST be encoded as a valid xsd:base64Binary as specified in [Section 3.2.16 \[XML-Schema\]](#).

Values represented in JSON MUST conform to the XML constraints above and are represented as a JSON String per [Section 2.7 \[RFC7159\]](#).

[2.1.7.](#) Reference

A reference to a SCIM resource. The value MUST be the absolute or relative URI of the target resource. Relative URIs should be resolved as specified in [Section 5.2 \[RFC3986\]](#). The base URI for relative URI resolution MUST include all URI components and path segments up to but not including the Endpoint URI; e.g., the base URI for a request to "https://example.com/v2/Users/2819c223-7f76-453a-919d-413861904646" would be "https://example.com/v2/" and the relative URI for this resource would be "Users/2819c223-7f76-453a-919d-413861904646".

Performing a GET operation on a reference URI MUST return the target resource or an appropriate HTTP response code. The service provider MAY optionally choose to enforce referential integrity for references.

By convention, a reference is commonly represented as a "\$ref" sub-attribute in complex or multi-valued attributes, however this is OPTIONAL.

[2.1.8.](#) Complex

A singular or multi-valued attribute whose value is a composition of one or more simple Attributes. The JSON format is defined in [Section 4 \[RFC7159\]](#).

2.2. Multi-valued Attributes

Multi-valued attributes contain a list of value or may contain sub-attributes and MAY also be considered complex attributes. The order of values returned by the server SHOULD NOT be guaranteed. The sub-attributes below are considered normative and when specified SHOULD be used as defined.

type A label indicating the attribute's function; e.g., "work" or "home".

primary A Boolean value indicating the 'primary' or preferred attribute value for this attribute, e.g. the preferred mailing address or the primary e-mail address. The primary attribute value "true" MUST appear no more than once.

display A human readable name, primarily used for display purposes and has a mutability of "immutable".

value The attribute's significant value; e.g., the e-mail address, phone number, etc.

\$ref The reference URI of the target resource, if the attribute is a reference.

When returning multi-valued attributes, service providers SHOULD canonicalize the value returned, if appropriate (e.g. for e-mail addresses and URLs). Service providers MAY return the same value more than once with different types (e.g. the same e-mail address may be used for work and home), but SHOULD NOT return the same (type, value) combination more than once per Attribute, as this complicates processing by the Consumer.

2.3. Unassigned and Null Values

Unassigned attributes, the null value, or empty array (in the case of a multi-valued attribute) SHALL be considered to be equivalent in "state". Assigning an attribute with the value "null" or an empty array (in the case of multi-valued attributes) has the effect of making the attribute "unassigned". When a resource is expressed in JSON form, unassigned attributes, though they are defined in schema, MAY be omitted for compactness.

3. SCIM Resources

Each SCIM resource is a JSON object that has the following components:

Resource Type

Each resource (or JSON object) in SCIM has a resource type ("meta.resourceType") that defines the resource's core attribute schema and any attribute extension schema as well as the endpoint where objects of the same type may be found. More information about a resource MAY be found in its resourceType definition (see [Section 6](#)).

Schemas Attribute

The "schemas" attribute is a REQUIRED attribute that MUST be present and is an array of Strings containing URIs which are used to indicate the namespace of SCIM schema that defines the attributes present in the current JSON structure. It may be used by parsers to define the attributes present in the JSON structure that is the body to an HTTP Request or Response. Each String value must be a unique URI. All representations of SCIM schema MUST include a non-zero value array with value(s) of the URIs supported by that representation. The schemas attribute for a resource MUST only contain values defined as "schema" and "schemaExtensions" for the resource's "resourceType". Duplicate values MUST NOT be included. Value order is not specified and MUST NOT impact behavior.

Common Attributes

Are attributes that are part of every SCIM resource regardless of the value of the "schemas" attribute present in a JSON body. These attributes are not defined in any particular schema, but SHALL be assumed to be present in every resource regardless of the value of the "schemas" attribute. See [Section 3.1](#).

Core Attributes

A resource's core attributes are those attributes that sit at the top level of the JSON object together with the common attributes (such as the resource "id"). The list of valid attributes is specified by the resource's resource type "schema" attribute (see [Section 6](#)). This same value is also present in the resource's "schemas" attribute.

Extended Attributes

Extended schema attributes are specified by the resource's resource type "schemaExtensions" attribute (see [Section 6](#)). Unlike core attributes, extended attributes are kept in their own sub-attribute namespace identified by the schema extension URI. This avoids attribute name conflicts that may arise due to conflicts from separate schema extensions.

The following example "User" contains the common attributes "id", "externalId", and the complex attribute "meta" which contains the sub-attribute "resourceType". The resource also contains core attributes "userName", "name", as well as extended enterprise user attributes "employeeNumber" and "costCenter" which are contained in their own JSON sub-structure identified by their schema URI. Some values have been omitted (...), shortened or spaced out for clarity.

```
{
  "schemas":
    [ "urn:ietf:params:scim:schemas:core:2.0:User",
      "urn:ietf:params:scim:schemas:extension:enterprise:2.0:User"],

  "id": "2819c223-7f76-453a-413861904646",
  "externalId": ["701984"],

  "userName": "bjensen@example.com",
  "name": {
    "formatted": "Ms. Barbara J Jensen III",
    "familyName": "Jensen",
    "givenName": "Barbara",
    "middleName": "Jane",
    "honorificPrefix": "Ms.",
    "honorificSuffix": "III"
  },
  ...

  "urn:ietf:params:scim:schemas:extension:enterprise:2.0:User": {
    "employeeNumber": "701984",
    "costCenter": "4130",
    ...
  },

  "meta": {
    "resourceType": "User",
    "created": "2010-01-23T04:56:22Z",
    "lastModified": "2011-05-13T04:42:34Z",
    "version": "W\/"3694e05e9dff591\"",
    "location":
      "https://example.com/v2/Users/2819c223-7f76-453a-413861904646"
  }
}
```

Figure 2: Example JSON Resource Structure

[3.1.](#) Common Attributes

Each SCIM resource (Users, Groups, etc.) includes the following common attributes. With the exception of "ServiceProviderConfig" and "ResourceType" server discovery endpoints and their associated resources, these attributes MUST be included in all resources, including any extended resource types. Common attributes are considered to be part of every base resource schema and do not use their own schemas URI and SHALL NOT be considered schema extensions.

For backwards compatibility reasons, some existing schema MAY list common attributes as part of the schema. The attribute characteristics listed here SHALL take precedence.

id

A unique identifier for a SCIM resource as defined by the service provider. Each representation of the resource MUST include a non-empty "id" value. This identifier MUST be unique across the SCIM service provider's entire set of resources. It MUST be a stable, non-reassignable identifier that does not change when the same resource is returned in subsequent requests. The value of the "id" attribute is always issued by the service provider and MUST NOT be specified by the client. The string "bulkId" is a reserved keyword and MUST NOT be used within any unique identifier value. REQUIRED and has a mutability of "readOnly". See [Section 9](#) for additional considerations regarding privacy.

externalId

A String that is an identifier for the resource as defined by the provisioning client. The "externalId" may simplify identification of a resource between the provisioning client and the service provider by allowing the client to use a filter to locate the resource with an identifier from the provisioning domain, obviating the need to store a local mapping between the provisioning domain's identifier of the resource and the identifier used by the service provider. Each resource MAY include a non-empty "externalId" value. The value of the "externalId" attribute is always issued by the provisioning client and MUST NOT be specified by the service provider. The service provider MUST always interpret the externalId as scoped to the client's tenant. While the server does not enforce uniqueness, it is assumed that the value's uniqueness is controlled by the client setting the value. See [Section 9](#) for additional considerations regarding privacy.

meta

A complex attribute containing resource metadata. All sub-attributes are OPTIONAL and are asserted by the Service Provider:

resourceType The name of the resource type of the resource. This attribute has mutability of "readOnly".

created The DateTime the resource was added to the service provider. The attribute MUST be a DateTime. This attribute has mutability of "readOnly".

lastModified The most recent DateTime the details of this resource were updated at the service provider. If this resource has never been modified since its initial creation, the value MUST be the same as the value of created. The attribute MUST be a DateTime and has mutability of "readOnly".

location The URI of the resource being returned. This value MUST be the same as the Location HTTP response header. The attribute has mutability of "readOnly".

version The version of the resource being returned. This value must be the same as the ETag HTTP response header. The attribute has mutability of "readOnly".

[3.2.](#) Defining New Resource Types

SCIM may be extended to define new classes of resources by defining a resource type. Each resource type defines the name, endpoint, base schema (the attributes), and any schema extensions registered for use with the resource type. In order to offer new types of resources, a service provider defines the new resource type as specified in [Section 6](#) and defines a schema representation (see [Section 8.7](#)).

[3.3.](#) Attribute Extensions to Resources

SCIM allows resource types to have extensions in addition to their core schema. This is similar to how "ObjectClasses" used in LDAP. However, unlike LDAP there is no inheritance model; all extensions are additive (similar to LDAP Auxiliary Object Class [[RFC4512](#)]). Each "schemas" value indicates additive schema that may exist in a SCIM resource representation. The "schemas" attribute MUST contain at least one value which SHALL be the base schema for the resource. The "schemas" attribute MAY contain additional values indicating extended schemas that are in use. Schema extensions SHOULD avoid redefining any attributes defined in this specification and SHOULD follow conventions defined in this specification. Except for the base object schema, the schema extension URI SHALL be used as a JSON container to distinguish attributes belonging to the extension namespace from base schema attributes. See Figure 5 for an example JSON representation of an extended User.

In order to determine which "schemas" URI value is the base schema and which is extended schema for any given resource, the resource's "resourceType" attribute value MAY be used to retrieve the resource's "ResourceType" schema ([Section 6](#)). See example "ResourceType" representation in Figure 8.

[4.](#) SCIM Core Resources and Extensions

This section defines the default resources schemas present in a SCIM server. SCIM is not exclusive to these resources, and may be extended to support other resource types (see [Section 3.2](#)).

[4.1.](#) User Resource Schema

SCIM provides a resource type for "User" resources. The core schema for "User" is identified using the URI:

"urn:ietf:params:scim:schemas:core:2.0:User". The following attributes are defined in addition to the core schema attributes:

[4.1.1.](#) Singular Attributes

userName

A service provider unique identifier for the user, typically used by the user to directly authenticate to the service provider. Often displayed to the user as their unique identifier within the system (as opposed to "id" or "externalId", which are generally opaque and not user-friendly identifiers). Each User MUST include a non-empty userName value. This identifier MUST be unique across the service provider's entire set of Users. RECOMMENDED.

name

The components of the user's real name. Service providers MAY return just the full name as a single string in the formatted sub-attribute, or they MAY return just the individual component attributes using the other sub-attributes, or they MAY return both. If both variants are returned, they SHOULD be describing the same name, with the formatted name indicating how the component attributes should be combined.

formatted The full name, including all middle names, titles, and suffixes as appropriate, formatted for display (e.g. "Ms. Barbara Jane Jensen, III.").

familyName The family name of the User, or last name in most Western languages (e.g. "Jensen" given the full name "Ms. Barbara Jane Jensen, III.").

givenName The given name of the User, or first name in most Western languages (e.g. "Barbara" given the full name "Ms. Barbara Jane Jensen, III.").

middleName The middle name(s) of the User (e.g. "Jane" given the full name "Ms. Barbara Jane Jensen, III.").

honorificPrefix The honorific prefix(es) of the User, or title in most Western languages (e.g. "Ms." given the full name "Ms. Barbara Jane Jensen, III.").

honorificSuffix The honorific suffix(es) of the User, or suffix in most Western languages (e.g. "III." given the full name "Ms. Barbara Jane Jensen, III.").

displayName

The name of the user, suitable for display to end-users. Each user returned MAY include a non-empty displayName value. The name SHOULD be the full name of the User being described if known (e.g. "Babs Jensen" or "Ms. Barbara J Jensen, III"), but MAY be a username or handle, if that is all that is available (e.g. "bjensen"). The value provided SHOULD be the primary textual label by which this User is normally displayed by the service provider when presenting it to end-users.

nickName

The casual way to address the user in real life, e.g. "Bob" or "Bobby" instead of "Robert". This attribute SHOULD NOT be used to represent a User's username (e.g. bjensen or mpepperidge).

profileUrl

A fully qualified URL to a page representing the user's online profile.

title

The user's title, such as "Vice President".

userType

Used to identify the organization to user relationship. Typical values used might be "Contractor", "Employee", "Intern", "Temp", "External", and "Unknown" but any value may be used.

preferredLanguage

Indicates the user's preferred written or spoken languages and is generally used for selecting a localized User interface. The value indicates the set of natural languages that are preferred. The format of the value is same as the Accept-Language header field (not including "Accept-Language:") of HTTP and is specified

in [Section 5.3.5 of \[RFC7231\]](#). The intent of this value is to enable cloud applications to perform matching of language tags [\[RFC4647\]](#) to the user's language preferences regardless of what may be indicated by a user agent (which might be shared), or in a non-user present interaction (such as in a delegated OAuth2 [\[RFC6749\]](#) style interaction) where normal HTTP Accept-Language header negotiation cannot take place.

locale

Used to indicate the User's default location for purposes of localizing items such as currency, date time format, numerical representations, etc. A valid value is a language tag as defined in [\[RFC5646\]](#). Computer languages are explicitly excluded.

A language tag is a sequence of one or more case-insensitive sub-tags, each separated by a hyphen character ("-"; %x2D). For backwards compatibility reasons, servers MAY accept tags separated by an underscore character ("_"; %5F). In most cases, a language tag consists of a primary language sub-tag that identifies a broad family of related languages (e.g., "en" = English) which is optionally followed by a series of sub-tags that refine or narrow that language's range (e.g., "en-CA" = the variety of English as communicated in Canada). Whitespace is not allowed within a language tag. Example tags include:

fr, en-US, es-419, az-Arab, x-pig-latin, man-Nkoo-GN

See [\[RFC5646\]](#) for further information.

timezone

The User's time zone in IANA Time Zone database format [\[RFC6557\]](#), also known as "Olson" timezone database format [\[Olson-TZ\]](#) ; For example: "America/Los_Angeles".

active

A Boolean value indicating the user's administrative status. The definitive meaning of this attribute is determined by the service provider. As a typical example, a value of true infers the user is able to login while a value of false implies the user's account has been suspended.

password

The user's clear text password. This attribute is intended to be used as a means to specify an initial password when creating a new User or to reset an existing User's password. Password policies and the ability to update or set passwords are out of scope of this document. The mutability of this attribute is "writeOnly"

indicating the value MUST NOT be returned by a service provider in any form.

[4.1.2. Multi-valued Attributes](#)

The following multi-valued attributes are defined.

emails

E-mail addresses for the User. The value SHOULD be canonicalized by the service provider, e.g. "bjensen@example.com" instead of "bjensen@EXAMPLE.COM". Canonical type values of "work", "home", and "other".

phoneNumbers

Phone numbers for the user. The value SHOULD be canonicalized by the service provider according to format in [[RFC3966](#)] e.g. 'tel:+1-201-555-0123'. Canonical type values of "work", "home", "mobile", "fax", "pager", and "other".

ims

Instant messaging address for the user. No official canonicalization rules exist for all instant messaging addresses, but service providers SHOULD, when appropriate, remove all whitespace and convert the address to lowercase. Instead of the standard canonical values for type, this attribute defines the following canonical values to represent currently popular IM services: "aim", "gtalk", "icq", "xmpp", "msn", "skype", "qq", "yahoo", and "other".

photos

URL of a photo of the User. The value SHOULD be a canonicalized URL, and MUST point to an image file (e.g. a GIF, JPEG, or PNG image file) rather than to a web page containing an image. Service providers MAY return the same image at different sizes, though it is recognized that no standard for describing images of various sizes currently exists. Note that this attribute SHOULD NOT be used to send down arbitrary photos taken by this user, but specifically profile photos of the user suitable for display when describing the user. Instead of the standard canonical values for type, this attribute defines the following canonical values to represent popular photo sizes: "photo", "thumbnail".

addresses

A physical mailing address for this user. Canonical type values of "work", "home", and "other". The value attribute is a complex type with the following sub-attributes. All sub-attributes are OPTIONAL.

formatted The full mailing address, formatted for display or use with a mailing label. This attribute MAY contain newlines.

streetAddress The full street address component, which may include house number, street name, P.O. box, and multi-line extended street address information. This attribute MAY contain newlines.

locality The city or locality component.

region The state or region component.

postalCode The zipcode or postal code component.

country The country name component. When specified the value MUST be in ISO 3166-1 alpha 2 "short" code format [[ISO3166](#)] ; e.g., the United States and Sweden are "US" and "SE", respectively.

groups

A list of groups that the user belongs to, either thorough direct membership, nested groups, or dynamically calculated. The values are meant to enable expression of common group or role based access control models, although no explicit authorization model is defined. It is intended that the semantics of group membership and any behavior or authorization granted as a result of membership are defined by the service provider. The canonical types "direct" and "indirect" are defined to describe how the group membership was derived. Direct group membership indicates the user is directly associated with the group and SHOULD indicate that clients may modify membership through the "Group" resource. Indirect membership indicates user membership is transitive or dynamic and implies that clients cannot modify indirect group membership through the "Group" resource but MAY modify direct group membership through the "Group" resource which MAY influence indirect memberships. If the SCIM service provider exposes a Group resource, the "value" sub-attribute MUST be the "id" and the "\$ref" sub-attribute must be the URI of the corresponding "Group" resources to which the user belongs. Since this attribute has a mutability of "readOnly", group membership changes MUST be applied via the Group Resource ([Section 4.2](#)). The attribute has a mutability of "readOnly".

entitlements

A list of entitlements for the user that represent a thing the user has. An entitlement MAY be an additional right to a thing, object, or service. No vocabulary or syntax is specified and service providers and clients are expected to encode sufficient

information in the value so as to accurately and without ambiguity determine what the user has access to. This value has NO canonical types though type may be useful as a means to scope entitlements.

roles

A list of roles for the user that collectively represent who the user is; e.g., "Student, Faculty". No vocabulary or syntax is specified though it is expected that a role value is a String or label representing a collection of entitlements. This value has NO canonical types.

x509Certificates

A list of certificates issued to the User. Values are Binary ([Section 2.1.6](#)) and DER encoded x509. This value has NO canonical types.

[4.2.](#) Group Resource Schema

SCIM provides a schema for representing groups, identified using the following schema URI: "urn:ietf:params:scim:schemas:core:2.0:Group".

Group resources are meant to enable expression of common group or role based access control models, although no explicit authorization model is defined. It is intended that the semantics of group membership and any behavior or authorization granted as a result of membership are defined by the service provider are considered out of scope for this specification.

The following singular attribute is defined in addition to the common attributes defined in SCIM core schema:

displayName

A human readable name for the Group. REQUIRED.

The following multi-valued attribute is defined in addition to the common attributes defined in SCIM Core Schema:

members

A list of members of the Group. While values MAY be added or removed, sub-attributes of members are "immutable". The "value" sub-attribute must be the "id" and the "\$ref" sub-attribute must be the URI of a SCIM resource, either a "User", or a "Group". The intention of the "Group" type is to allow the service provider to support nested groups. Service providers MAY require clients to provide a non-empty members value based on the "required" sub attribute of the "members" attribute in the "Group" resource schema.

4.3. Enterprise User Schema Extension

The following SCIM extension defines attributes commonly used in representing users that belong to, or act on behalf of a business or enterprise. The enterprise user extension is identified using the following schema URI:

"urn:ietf:params:scim:schemas:extension:enterprise:2.0:User".

The following Singular Attributes are defined:

employeeNumber

Numeric or alphanumeric identifier assigned to a person, typically based on order of hire or association with an organization.

costCenter

Identifies the name of a cost center.

organization

Identifies the name of an organization.

division

Identifies the name of a division.

department

Identifies the name of a department.

manager

The user's manager. A complex type that optionally allows service providers to represent organizational hierarchy by referencing the "id" attribute of another User.

value The "id" of the SCIM resource representing the user's manager. RECOMMENDED.

\$ref The URI of the SCIM resource representing the User's manager. RECOMMENDED.

displayName The displayName of the user's manager. This attribute is OPTIONAL and mutability is "readOnly".

5. Service Provider Configuration Schema

SCIM provides a schema for representing the service provider's configuration identified using the following schema URI:

"urn:ietf:params:scim:schemas:core:2.0:ServiceProviderConfig"

The service provider configuration resource enables a service provider to discovery of SCIM specification features in a

standardized form as well as provide additional implementation details to clients. All attributes are READ-ONLY (a mutability of "readOnly"). Unlike other core resources, the "id" attribute is not required for the service provider configuration resource.

The following Singular Attributes are defined in addition to the common attributes defined in Core Schema:

documentationUrl

An HTTP addressable URL pointing to the service provider's human consumable help documentation.

patch

A complex type that specifies PATCH configuration options.
REQUIRED.

supported Boolean value specifying whether the operation is supported. REQUIRED.

bulk

A complex type that specifies BULK configuration options.
REQUIRED

supported Boolean value specifying whether the operation is supported. REQUIRED.

maxOperations An integer value specifying the maximum number of operations. REQUIRED.

maxPayloadSize An integer value specifying the maximum payload size in bytes. REQUIRED.

filter

A complex type that specifies FILTER options. REQUIRED.

supported Boolean value specifying whether the operation is supported. REQUIRED.

maxResults Integer value specifying the maximum number of resources returned in a response. REQUIRED.

changePassword

A complex type that specifies Change Password configuration options. REQUIRED.

supported Boolean value specifying whether the operation is supported. REQUIRED.

sort

A complex type that specifies Sort configuration options.
REQUIRED.

supported Boolean value specifying whether sorting is supported.
REQUIRED.

etag

A complex type that specifies Etag configuration options.
REQUIRED.

supported Boolean value specifying whether the operation is supported. REQUIRED.

The following multi-valued attribute is defined in addition to the common attributes defined in core schema:

authenticationSchemes

A complex type that specifies supported Authentication Scheme properties. This attribute defines the following canonical values to represent common schemes: "oauth", "oauth2", "oauthbearertoken", "httpbasic", and "httdigest". To enable seamless discovery of configuration, the service provider SHOULD, with the appropriate security considerations, make the authenticationSchemes attribute publicly accessible without prior authentication. REQUIRED.

name The common authentication scheme name; e.g., HTTP Basic.
REQUIRED.

description A description of the Authentication Scheme.
REQUIRED.

specUrl A HTTP addressable URL pointing to the Authentication Scheme's specification. OPTIONAL.

documentationUrl A HTTP addressable URL pointing to the Authentication Scheme's usage documentation. OPTIONAL.

6. Resource Type Schema

The "ResourceType" schema specifies the meta-data about a resource type. Resource type resources are READ-ONLY and identified using the following schema URI:

"urn:ietf:params:scim:schemas:core:2.0:ResourceType". Unlike other core resources, all attributes are REQUIRED unless otherwise specified. The "id" attribute is not required for the resource type resource.

The following Singular Attributes are defined:

id

The resource type's server unique id. Often this is the same value as the "name" attribute. OPTIONAL

name

The resource type name. When applicable service providers MUST specify the name specified in the core schema specification; e.g., "User" or "Group". This name is referenced by the "meta.resourceType" attribute in all resources.

description

The resource type's human readable description. When applicable service providers MUST specify the description specified in the core schema specification.

endpoint

The resource type's HTTP addressable endpoint relative to the Base URL; e.g., "/Users".

schema

The resource type's primary/base schema URI; e.g., "urn:ietf:params:scim:schemas:core:2.0:User". This MUST be equal to the "id" attribute of the associated "Schema" resource.

schemaExtensions

A list of URIs of the resource type's schema extensions. OPTIONAL.

schema The URI of an extended schema; e.g., "urn:edu:2.0:Staff". This MUST be equal to the "id" attribute of a "Schema" resource. REQUIRED.

required A Boolean value that specifies whether the schema extension is required for the resource type. If true, a resource of this type MUST include this schema extension and include any attributes declared as required in this schema extension. If false, a resource of this type MAY omit this schema extension. REQUIRED.

[7.](#) Schema Definition

This section defines a way to specify the schema in use by resources available and accepted by a SCIM service provider. For each "schemas" URI value, this schema specifies the defined attribute(s) and their characteristics (mutability, returnability, etc). For every schema URI used in a resource object, there is a corresponding

"Schema" resource. "Schema" resources have mutability of "readOnly" and are identified using the following schema URI:

urn:ietf:params:scim:schemas:core:2.0:Schema

Unlike other core resources the "Schema" resource MAY contain a complex object within a sub-attribute and all attributes are REQUIRED unless otherwise specified.

The following Singular Attributes are defined:

id

The unique URI of the schema. When applicable service providers MUST specify the URI specified in the core schema specification; e.g., "urn:ietf:params:scim:schemas:core:2.0:User". Unlike most other schemas, which use some sort of a GUID for the "id", the schema "id" is a URI so that it can be registered and is portable between different service providers and clients.

name

The schema's human readable name. When applicable service providers MUST specify the name specified in the core schema specification; e.g., "User" or "Group". OPTIONAL.

description

The schema's human readable description. When applicable service providers MUST specify the description specified in the core schema specification. OPTIONAL.

The following multi-valued attribute is defined:

attributes

A complex type with the following set of sub-attributes that defines service provider attributes and their qualities:

name The attribute's name.

type The attribute's data type. Valid values are: "string", "complex", and "boolean". When an attribute is of type "complex", there SHOULD be a corresponding schema attribute "subAttributes" defined listing the sub-attributes of the attribute.

subAttributes When an attribute is of type "complex", "subAttributes" defines set of sub-attributes. "subAttributes" has the same schema sub-attributes as "attributes".

multiValued Boolean value indicating the attribute's plurality.

description The attribute's human readable description. When applicable service providers MUST specify the description specified in the core schema specification.

required A Boolean value that specifies if the attribute is required.

canonicalValues A collection of canonical values. When applicable service providers MUST specify the canonical types specified in the core schema specification; e.g., "work", "home". OPTIONAL.

caseExact A Boolean value that specifies if the String attribute is case sensitive. The server SHALL use case sensitivity when evaluating filters. For attributes that are case exact, the server SHALL preserve case for any value submitted. If the attribute is case insensitive, the server MAY alter case for a submitted value.

mutability A single keyword indicating what types of modifications an attribute MAY accept as follows:

readOnly The attribute SHALL NOT be modified.

readWrite The attribute MAY be updated and read at any time. DEFAULT.

immutable The attribute MAY be defined at resource creation (e.g. POST) or at record replacement via request (e.g. a PUT). The attribute SHALL NOT be updated.

writeOnly The attribute MAY be updated at any time. Attribute values SHALL NOT be returned (e.g. because the value is a stored hash). Note: an attribute with mutability of "writeOnly" usually also has a returned setting of "never".

returned A single keyword that indicates when an attribute and associated values are returned in response to a GET request or in response to a PUT, POST, or PATCH request. Valid keywords are:

always The attribute is always returned regardless of the contents of the "attributes" parameter. For example, "id" is always returned to identify a SCIM resource.

never The attribute is never returned. This may occur because the original attribute value is not retained by the service

provider (e.g. such as with a hashed value). A service provider MAY allow attributes to be used in a search filter.

default The attribute is returned by default in all SCIM operation responses where attribute values are returned. If the GET request "attributes" parameter is specified, attribute values are only returned if the attribute is named in the attributes parameter. DEFAULT.

request The attribute is returned in response to any PUT, POST, or PATCH operations if the attribute was specified by the client (for example, the attribute was modified). The attribute is returned in a SCIM query operation only if specified in the "attributes" parameter.

uniqueness A single keyword value that specifies how the service provider enforces uniqueness of attribute values. A server MAY reject an invalid value based on uniqueness by returning HTTP Response code 400 (Bad Request). A client MAY enforce uniqueness on the client-side to a greater degree than the service provider enforces. For example, a client could make a value unique while the server has uniqueness of "none". Valid keywords are:

none The values are not intended to be unique in any way. DEFAULT.

server The value SHOULD be unique within the context of the current SCIM endpoint (or tenancy) and MAY be globally unique (e.g. a "username", email address, or other server generated key or counter). No two resources on the same server SHOULD possess the same value.

global The value SHOULD be globally unique (e.g. an email address, a GUID, or other value). No two resources on any server SHOULD possess the same value.

referenceTypes The names of the resource types that may be referenced; e.g., "User". This is only applicable for attributes that are of the "reference" [Section 2.1.7](#) data type.

[8.](#) JSON Representation

[8.1.](#) Minimal User Representation

The following is a non-normative example of the minimal required SCIM representation in JSON format.


```
{
  "schemas": ["urn:ietf:params:scim:schemas:core:2.0:User"],
  "id": "2819c223-7f76-453a-919d-413861904646",
  "userName": "bjensen@example.com",
  "meta": {
    "resourceType": "User",
    "created": "2010-01-23T04:56:22Z",
    "lastModified": "2011-05-13T04:42:34Z",
    "version": "W\ /\ "3694e05e9dff590\\"",
    "location":
      "https://example.com/v2/Users/2819c223-7f76-453a-919d-413861904646"
  }
}
```

Figure 3: Example Minimal User JSON Representation

8.2. Full User Representation

The following is a non-normative example of the fully populated SCIM representation in JSON format.

```
{
  "schemas": ["urn:ietf:params:scim:schemas:core:2.0:User"],
  "id": "2819c223-7f76-453a-919d-413861904646",
  "externalId": ["701984"],
  "userName": "bjensen@example.com",
  "name": {
    "formatted": "Ms. Barbara J Jensen III",
    "familyName": "Jensen",
    "givenName": "Barbara",
    "middleName": "Jane",
    "honorificPrefix": "Ms.",
    "honorificSuffix": "III"
  },
  "displayName": "Babs Jensen",
  "nickName": "Babs",
  "profileUrl": "https://login.example.com/bjensen",
  "emails": [
    {
      "value": "bjensen@example.com",
      "type": "work",
      "primary": true
    },
    {
      "value": "babs@jensen.org",
      "type": "home"
    }
  ]
}
```



```
"addresses": [
  {
    "type": "work",
    "streetAddress": "100 Universal City Plaza",
    "locality": "Hollywood",
    "region": "CA",
    "postalCode": "91608",
    "country": "USA",
    "formatted": "100 Universal City Plaza\nHollywood, CA 91608 USA",
    "primary": true
  },
  {
    "type": "home",
    "streetAddress": "456 Hollywood Blvd",
    "locality": "Hollywood",
    "region": "CA",
    "postalCode": "91608",
    "country": "USA",
    "formatted": "456 Hollywood Blvd\nHollywood, CA 91608 USA"
  }
],
"phoneNumbers": [
  {
    "value": "555-555-5555",
    "type": "work"
  },
  {
    "value": "555-555-4444",
    "type": "mobile"
  }
],
"ims": [
  {
    "value": "someaimhandle",
    "type": "aim"
  }
],
"photos": [
  {
    "value":
      "https://photos.example.com/profilephoto/72930000000Ccne/F",
    "type": "photo"
  },
  {
    "value":
      "https://photos.example.com/profilephoto/72930000000Ccne/T",
    "type": "thumbnail"
  }
]
```



```
],
"userType": "Employee",
"title": "Tour Guide",
"preferredLanguage": "en-US",
"locale": "en-US",
"timezone": "America/Los_Angeles",
"active": true,
"password": "t1meMa$heen",
"groups": [
  {
    "value": "e9e30dba-f08f-4109-8486-d5c6a331660a",
    "$ref":
      "https://example.com/v2/Groups/e9e30dba-f08f-4109-8486-d5c6a331660a",
    "display": "Tour Guides"
  },
  {
    "value": "fc348aa8-3835-40eb-a20b-c726e15c55b5",
    "$ref":
      "https://example.com/v2/Groups/fc348aa8-3835-40eb-a20b-c726e15c55b5",
    "display": "Employees"
  },
  {
    "value": "71ddacd2-a8e7-49b8-a5db-ae50d0a5bfd7",
    "$ref":
      "https://example.com/v2/Groups/71ddacd2-a8e7-49b8-a5db-ae50d0a5bfd7",
    "display": "US Employees"
  }
],
"x509Certificates": [
  {
    "value":
      "MIIDQzCCAqygAwIBAgICEAAwDQYJKoZIhvcNAQEFBQAwTjELMAkGA1UEBhMCVVMx
      EzARBgNVBAgMCKNhbgG1mb3JuaWExFDASBgNVBAoMC2V4YW1wbGUuY29tMRQwEgYD
      VQQDDAtleGFtcGx1LmNvbTAeFw0xMTEwMjIwMzFaFw0xMjIwMzFaFwMDQwNjI0MzFa
      MH8xCzAJBgNVBAYTA1VTMRMwEQYDVQQIDApDYWxpZm9ybmlhMRQwEgYDVQQKDAU1
      eGFtcGx1LmNvbTEhMB8GA1UEAwwYTjEwMjIwMzFaFw0xMjIwMzFaFwMDQwNjI0MzFa
      IAYJKoZIhvcNAQkBFhNiamVuc2VuQGV4YW1wbGUuY29tMIIIBIjANBgkqhkiG9w0B
      AQEFAAOCAQ8AMIIBCgKCAQEA7Kr+Dcds/JQ5GwejJFcbIP682X3xpjis56AK02bc
      1FLgzdLI8auoR+cC9/Vrh5t66HkQIOdA4unHh0AaZ4xL5PhVbXIPMB5vAPKpzz5i
      PSi8x08SL7I7SDhcBVJhqVqr3Hg1lEG6UC1DdH07nkLuwXq8HcISKkbT5WFTVfFZ
      zidPl8HZ7DhXkZIRtJwBweq4bvm3hM10s7UQH05ZS6cVDgweKNwdLLrT51ikSQG3
      DYrl+ft781UQRiQxgwqCfXEuDiinPh0kkvIi5jivVu1Z9Qiw1YEdRbLJ4zJQBmDr
      SGTMYn4lRc2HgH04DqB/bnMVorHB0CC6AV1QoFK4GPe1LwIDAQABo3sweTAJBgNV
      HRMEAjAAMCwGCWCGSAGG+EIBDQqFh1PcGVuU1NMIEdlbmVvYXRlZCBBDXJ0aWZp
      Y2F0ZTAdBgNVHQ4EFgQU8pD0U0vsZiSaA16lL8En8bx0F/gwHwYDVR0jBBGwFoAU
      dGeKitcaF7gnzsNwDx708kqaVt0wDQYJKoZIhvcNAQEFBQADgYEAA81SsFn0dYJt
      Ng5Tcq+/ByEDrBgnusx0jloUhByPMEVkoMZ3J7j1ZgI8rAb0kNngX8+pKfTiDz1R
      C4+dx8oU6Za+4NJXUj1L5CvV6BEYb1+QAEJwitTVvxB/A67g42/vzgAtoRUeDov1
```



```

        +GFiBZ+GNF/cAYKcMtGcrs2i97ZkJMo="
    }
  ],
  "meta": {
    "resourceType": "User",
    "created": "2010-01-23T04:56:22Z",
    "lastModified": "2011-05-13T04:42:34Z",
    "version": "W\\"a330bc54f0671c9\\\"",
    "location":
"http://example.com/v2/Users/2819c223-7f76-453a-919d-413861904646"
  }
}

```

Figure 4: Example Full User JSON Representation

8.3. Enterprise User Extension Representation

The following is a non-normative example of the fully populated User using the enterprise User extension in JSON format.

```

{
  "schemas":
    [ "urn:ietf:params:scim:schemas:core:2.0:User",
      "urn:ietf:params:scim:schemas:extension:enterprise:2.0:User"],
  "id": "2819c223-7f76-453a-919d-413861904646",
  "externalId": ["701984"],
  "userName": "bjensen@example.com",
  "name": {
    "formatted": "Ms. Barbara J Jensen III",
    "familyName": "Jensen",
    "givenName": "Barbara",
    "middleName": "Jane",
    "honorificPrefix": "Ms.",
    "honorificSuffix": "III"
  },
  "displayName": "Babs Jensen",
  "nickName": "Babs",
  "profileUrl": "https://login.example.com/bjensen",
  "emails": [
    {
      "value": "bjensen@example.com",
      "type": "work",
      "primary": true
    },
    {
      "value": "babs@jensen.org",
      "type": "home"
    }
  ]
}

```



```
],
"addresses": [
  {
    "streetAddress": "100 Universal City Plaza",
    "locality": "Hollywood",
    "region": "CA",
    "postalCode": "91608",
    "country": "USA",
    "formatted": "100 Universal City Plaza\nHollywood, CA 91608 USA",
    "type": "work",
    "primary": true
  },
  {
    "streetAddress": "456 Hollywood Blvd",
    "locality": "Hollywood",
    "region": "CA",
    "postalCode": "91608",
    "country": "USA",
    "formatted": "456 Hollywood Blvd\nHollywood, CA 91608 USA",
    "type": "home"
  }
],
"phoneNumbers": [
  {
    "value": "555-555-5555",
    "type": "work"
  },
  {
    "value": "555-555-4444",
    "type": "mobile"
  }
],
"ims": [
  {
    "value": "someaimhandle",
    "type": "aim"
  }
],
"photos": [
  {
    "value":
      "https://photos.example.com/profilephoto/72930000000Ccne/F",
    "type": "photo"
  },
  {
    "value":
      "https://photos.example.com/profilephoto/72930000000Ccne/T",
    "type": "thumbnail"
  }
]
```



```
    }
  ],
  "userType": "Employee",
  "title": "Tour Guide",
  "preferredLanguage": "en-US",
  "locale": "en-US",
  "timezone": "America/Los_Angeles",
  "active": true,
  "password": "t1meMa$heen",
  "groups": [
    {
      "value": "e9e30dba-f08f-4109-8486-d5c6a331660a",
      "$ref": "/Groups/e9e30dba-f08f-4109-8486-d5c6a331660a",
      "display": "Tour Guides"
    },
    {
      "value": "fc348aa8-3835-40eb-a20b-c726e15c55b5",
      "$ref": "/Groups/fc348aa8-3835-40eb-a20b-c726e15c55b5",
      "display": "Employees"
    },
    {
      "value": "71ddacd2-a8e7-49b8-a5db-ae50d0a5bfd7",
      "$ref": "/Groups/71ddacd2-a8e7-49b8-a5db-ae50d0a5bfd7",
      "display": "US Employees"
    }
  ],
  "x509Certificates": [
    {
      "value":
        "MIIDQzCCAqygAwIBAgICEAAwDQYJKoZIhvcNAQEFBQAwTjELMAkGA1UEBhMCVVMx  

        EzARBgNVBAGMCKNhbgG1mb3JuawExFDASBgNVBAoMCM2V4YW1wbGUuY29tMRQwEgYD  

        VQQDDAtleGFtcGxlLmNvbTAeFw0xMTEwMjIwMjIwMjIwMjIwMjIwMjIwMjIwMjIw  

        MH8xCzAJBgNVBAYTA1VTMRMwEQYDVQQIDApDYWxpZm9ybmlhMRQwEgYDVQQKDA1l  

        eGFtcGxlLmNvbTEhMB8GA1UEAwwYTXMuIEJhcmJhcmEgSiBKZW5zZW4gSU1JMSIw  

        IAYJKoZIhvcNAQkBFhNiamVuc2VuQGV4YW1wbGUuY29tMIIIBIjANBgkqhkiG9w0B  

        AQEFAAOCAQ8AMIIBCgKCAQEAE7Kr+Dcds/JQ5GwejJFcBIP682X3xpjis56AK02bc  

        1FLgzdLI8auoR+cC9/Vrh5t66HkQIOdA4unHh0AaZ4xL5PhVbXIPMB5vAPKpzz5i  

        PSi8x08SL7I7SDhcBVJhqVqr3Hg1lEG6UC1DdH07nkLuwXq8HcISKkbT5WFTVfFZ  

        zidPl8HZ7DhXkZIRtJwBweq4bvm3hM10s7UQH05ZS6cVDgweKNwdLLrT51ikSQG3  

        DYrl+ft781UQRIqxgwqCfXEuDiinPh0kkvIi5jivVu1Z9QiwlyEdRbLJ4zJQBmDr  

        SGTMYn4lRc2HgH04DqB/bnMVorHB0CC6AV1QoFK4GPe1LwIDAQABO3sweTAJBgNV  

        HRMEAjAAMCwGCWCGSAGG+EIBDQqFh1PcGVuU1NMIEdlbmVyYXRlZCBZJ0awZp  

        Y2F0ZTAdbGNVHQ4EFgQU8pd0U0vsZISaA16lL8En8bx0F/gwHwYDVR0jBBgwFoAU  

        dGeKitcaF7gnzsNwDx708kqaVt0wDQYJKoZIhvcNAQEFBQADgYEAA81SsFn0dYJt  

        Ng5Tcq+/ByEDrBgnusx0jloUhByPMEVkoMZ3J7j1ZgI8rAb0kNngX8+pKfTiDz1R  

        C4+dx8oU6Za+4NJXUj1L5CvV6BEYb1+QAEJwitTVvxB/A67g42/vzgAtoRUeDov1  

        +GFibZ+GNF/cAYKcMtGcrs2i97ZkJMo="
    }
  ]
}
```



```
],
"urn:ietf:params:scim:schemas:extension:enterprise:2.0:User": {
  "employeeNumber": "701984",
  "costCenter": "4130",
  "organization": "Universal Studios",
  "division": "Theme Park",
  "department": "Tour Operations",
  "manager": [{
    "value": "26118915-6090-4610-87e4-49d8ca9f808d",
    "$ref": "/Users/26118915-6090-4610-87e4-49d8ca9f808d",
    "displayName": "John Smith"
  }]
},
"meta": {
  "resourceType": "User",
  "created": "2010-01-23T04:56:22Z",
  "lastModified": "2011-05-13T04:42:34Z",
  "version": "W\\"3694e05e9dff591\"",
  "location":
"https://example.com/v2/Users/2819c223-7f76-453a-919d-413861904646"
}
}
```

Figure 5: Example Enterprise User JSON Representation

[8.4.](#) Group Representation

The following is a non-normative example of SCIM Group representation in JSON format.


```
{
  "schemas": ["urn:ietf:params:scim:schemas:core:2.0:Group"],
  "id": "e9e30dba-f08f-4109-8486-d5c6a331660a",
  "displayName": "Tour Guides",
  "members": [
    {
      "value": "2819c223-7f76-453a-919d-413861904646",
      "$ref":
"https://example.com/v2/Users/2819c223-7f76-453a-919d-413861904646",
      "display": "Babs Jensen"
    },
    {
      "value": "902c246b-6245-4190-8e05-00816be7344a",
      "$ref":
"https://example.com/v2/Users/902c246b-6245-4190-8e05-00816be7344a",
      "display": "Mandy Pepperidge"
    }
  ],
  "meta": {
    "resourceType": "Group",
    "created": "2010-01-23T04:56:22Z",
    "lastModified": "2011-05-13T04:42:34Z",
    "version": "W\\\\"3694e05e9dff592\\\"",
    "location":
"https://example.com/v2/Groups/e9e30dba-f08f-4109-8486-d5c6a331660a"
  }
}
```

Figure 6: Example Group JSON Representation

8.5. Service Provider Configuration Representation

The following is a non-normative example of the SCIM service provider configuration representation in JSON format.

```
{
  "schemas": [
    "urn:ietf:params:scim:schemas:core:2.0:ServiceProviderConfig"
  ],
  "documentationUrl": "http://example.com/help/scim.html",
  "patch": {
    "supported": true
  },
  "bulk": {
    "supported": true,
    "maxOperations": 1000,
    "maxPayloadSize": 1048576
  },
}
```



```
"filter": {
  "supported": true,
  "maxResults": 200
},
"changePassword" : {
  "supported": true
},
"sort": {
  "supported": true
},
"etag": {
  "supported": true
},
"authenticationSchemes": [
  {
    "name": "OAuth Bearer Token",
    "description":
      "Authentication Scheme using the OAuth Bearer Token Standard",
    "specUrl":
      "http://tools.ietf.org/html/draft-ietf-oauth-v2-bearer-01",
    "documentationUrl": "http://example.com/help/oauth.html",
    "type": "oauthbearertoken",
    "primary": true
  },
  {
    "name": "HTTP Basic",
    "description":
      "Authentication Scheme using the Http Basic Standard",
    "specUrl": "http://www.ietf.org/rfc/rfc2617.txt",
    "documentationUrl": "http://example.com/help/httpBasic.html",
    "type": "httpbasic"
  }
],
"meta": {
  "location": "https://example.com/v2/ServiceProviderConfig",
  "resourceType": "ServiceProviderConfig",
  "created": "2010-01-23T04:56:22Z",
  "lastModified": "2011-05-13T04:42:34Z",
  "version": "W\\"3694e05e9dff594\\"
}
}
```

Figure 7: Example Service Provider Config JSON Representation

8.6. Resource Type Representation

The following is a non-normative example of the SCIM resource type representation in JSON format.

```
{
  "schemas": ["urn:ietf:params:scim:schemas:core:2.0:ResourceType"],
  "id": "User",
  "name": "User",
  "endpoint": "/Users",
  "description": "User Account",
  "schema": "urn:ietf:params:scim:schemas:core:2.0:User",
  "schemaExtensions": [
    {
      "schema":
        "urn:ietf:params:scim:schemas:extension:enterprise:2.0:User",
      "required": true
    }
  ],
  "meta": {
    "location": "https://example.com/v2/ResourceTypes/User",
    "resourceType": "ResourceType",
    "created": "2010-01-23T04:56:22Z",
    "lastModified": "2011-05-13T04:42:34Z",
    "version": "W\\"3694e05e9dff595\\"
  }
}
```

Figure 8: Example Resource Type JSON Representation

8.7. Schema Representation

The following is intended as normative example of the SCIM Schema representation in JSON format. Where permitted individual values and schema MAY change. Included but not limited to, are schemas for User, Group, and enterprise user.

```
{[
  {
    "id" : "urn:ietf:params:scim:schemas:core:2.0:User",
    "name" : "User",
    "description" : "User Account",
    "attributes" : [
      {
        "name" : "userName",
        "type" : "string",
        "multiValued" : false,
        "description" : "Unique identifier for the User typically used
```


by the user to directly authenticate to the service provider. Each User MUST include a non-empty userName value. This identifier MUST be unique across the Service Consumer's entire set of Users. REQUIRED",

```
    "required" : true,  
    "caseExact" : false,  
    "mutability" : "readWrite",  
    "returned" : "default",  
    "uniqueness" : "server"  
  },  
  {
```

```
    "name" : "name",  
    "type" : "complex",  
    "multiValued" : false,  
    "description" : "The components of the user's real name.
```

Providers MAY return just the full name as a single string in the formatted sub-attribute, or they MAY return just the individual component attributes using the other sub-attributes, or they MAY return both. If both variants are returned, they SHOULD be describing the same name, with the formatted name indicating how the component attributes should be combined.",

```
    "required" : false,  
    "caseExact" : false,  
    "subAttributes" : [  
      {  
        "name" : "formatted",  
        "type" : "string",  
        "multiValued" : false,  
        "description" : "The full name, including all middle names,
```

titles, and suffixes as appropriate, formatted for display (e.g. Ms. Barbara J Jensen, III.).",

```
    "required" : false,  
    "caseExact" : false,  
    "mutability" : "readWrite",  
    "returned" : "default",  
    "uniqueness" : "none"
```

```
  },  
  {
```

```
    "name" : "familyName",  
    "type" : "string",  
    "multiValued" : false,  
    "description" : "The family name of the User, or Last Name
```

in most Western languages (e.g. Jensen given the full name Ms. Barbara J Jensen, III.).",

```
    "required" : false,  
    "caseExact" : false,  
    "mutability" : "readWrite",  
    "returned" : "default",  
    "uniqueness" : "none"
```



```
    },
    {
      "name" : "givenName",
      "type" : "string",
      "multiValued" : false,
      "description" : "The given name of the User, or First Name
in most Western languages (e.g. Barbara given the full name Ms. Barbara
J Jensen, III.).",
      "required" : false,
      "caseExact" : false,
      "mutability" : "readWrite",
      "returned" : "default",
      "uniqueness" : "none"
    },
    {
      "name" : "middleName",
      "type" : "string",
      "multiValued" : false,
      "description" : "The middle name(s) of the User (e.g. Robert
given the full name Ms. Barbara J Jensen, III.).",
      "required" : false,
      "caseExact" : false,
      "mutability" : "readWrite",
      "returned" : "default",
      "uniqueness" : "none"
    },
    {
      "name" : "honorificPrefix",
      "type" : "string",
      "multiValued" : false,
      "description" : "The honorific prefix(es) of the User, or
Title in most Western languages (e.g. Ms. given the full name Ms.
Barbara J Jensen, III.).",
      "required" : false,
      "caseExact" : false,
      "mutability" : "readWrite",
      "returned" : "default",
      "uniqueness" : "none"
    },
    {
      "name" : "honorificSuffix",
      "type" : "string",
      "multiValued" : false,
      "description" : "The honorific suffix(es) of the User, or
Suffix in most Western languages (e.g. III. given the full name Ms.
Barbara J Jensen, III.).",
      "required" : false,
      "caseExact" : false,
```



```
        "mutability" : "readWrite",
        "returned" : "default",
        "uniqueness" : "none"
    }
],
"mutability" : "readWrite",
"returned" : "default",
"uniqueness" : "none"
},
{
    "name" : "displayName",
    "type" : "string",
    "multiValued" : false,
    "description" : "The name of the User, suitable for display to
end-users. The name SHOULD be the full name of the User being described
if known",
    "required" : false,
    "caseExact" : false,
    "mutability" : "readWrite",
    "returned" : "default",
    "uniqueness" : "none"
},
{
    "name" : "nickName",
    "type" : "string",
    "multiValued" : false,
    "description" : "The casual way to address the user in real
life, e.g. "Bob" or "Bobby" instead of "Robert". This attribute
SHOULD NOT be used to represent a User's username (e.g. bjensen or
mpepperidge)",
    "required" : false,
    "caseExact" : false,
    "mutability" : "readWrite",
    "returned" : "default",
    "uniqueness" : "none"
},
{
    "name" : "profileUrl",
    "type" : "string",
    "multiValued" : false,
    "description" : "A fully qualified URL to a page representing
the User's online profile",
    "required" : false,
    "caseExact" : false,
    "mutability" : "readWrite",
    "returned" : "default",
    "uniqueness" : "none"
},
}
```



```
{
  "name" : "title",
  "type" : "string",
  "multiValued" : false,
  "description" : "The user's title, such as \"Vice President.\",",
  "required" : false,
  "caseExact" : false,
  "mutability" : "readWrite",
  "returned" : "default",
  "uniqueness" : "none"
},
{
  "name" : "userType",
  "type" : "string",
  "multiValued" : false,
  "description" : "Used to identify the organization to user
relationship. Typical values used might be \"Contractor\", \"Employee\",
\"Intern\", \"Temp\", \"External\", and \"Unknown\" but any value may be
used ",
  "required" : false,
  "caseExact" : false,
  "mutability" : "readWrite",
  "returned" : "default",
  "uniqueness" : "none"
},
{
  "name" : "preferredLanguage",
  "type" : "string",
  "multiValued" : false,
  "description" : "Indicates the User's preferred written or
spoken language. Generally used for selecting a localized User
interface. e.g., 'en_US' specifies the language English and country
US.",
  "required" : false,
  "caseExact" : false,
  "mutability" : "readWrite",
  "returned" : "default",
  "uniqueness" : "none"
},
{
  "name" : "locale",
  "type" : "string",
  "multiValued" : false,
  "description" : "Used to indicate the User's default location
for purposes of localizing items such as currency, date time format,
numerical representations, etc.",
  "required" : false,
  "caseExact" : false,
```



```
    "mutability" : "readWrite",
    "returned" : "default",
    "uniqueness" : "none"
  },
  {
    "name" : "timezone",
    "type" : "string",
    "multiValued" : false,
    "description" : "The User's time zone in the \"Olson\" timezone
database format; e.g., 'America/Los_Angeles'",
    "required" : false,
    "caseExact" : false,
    "mutability" : "readWrite",
    "returned" : "default",
    "uniqueness" : "none"
  },
  {
    "name" : "active",
    "type" : "boolean",
    "multiValued" : false,
    "description" : "A Boolean value indicating the User's
administrative status.",
    "required" : false,
    "caseExact" : false,
    "mutability" : "readWrite",
    "returned" : "default",
    "uniqueness" : "none"
  },
  {
    "name" : "password",
    "type" : "string",
    "multiValued" : false,
    "description" : "The User's clear text password. This attribute
is intended to be used as a means to specify an initial password when
creating a new User or to reset an existing User's password.",
    "required" : false,
    "caseExact" : false,
    "mutability" : "writeOnly",
    "returned" : "never",
    "uniqueness" : "none"
  },
  {
    "name" : "emails",
    "type" : "complex",
    "multiValued" : true,
    "description" : "E-mail addresses for the user. The value SHOULD
be canonicalized by the Service Provider, e.g. bjensen@example.com
instead of bjensen@EXAMPLE.COM. Canonical Type values of work, home, and
```



```
other.",
  "required" : false,
  "caseExact" : false,
  "subAttributes" : [
    {
      "name" : "value",
      "type" : "string",
      "multiValued" : false,
      "description" : "E-mail addresses for the user. The value
SHOULD be canonicalized by the Service Provider, e.g.
bjensen@example.com instead of bjensen@EXAMPLE.COM. Canonical Type
values of work, home, and other.",
      "required" : false,
      "caseExact" : false,
      "mutability" : "readWrite",
      "returned" : "default",
      "uniqueness" : "none"
    },
    {
      "name" : "display",
      "type" : "string",
      "multiValued" : false,
      "description" : "A human readable name, primarily used for
display purposes. READ-ONLY.",
      "required" : false,
      "caseExact" : false,
      "mutability" : "readWrite",
      "returned" : "default",
      "uniqueness" : "none"
    },
    {
      "name" : "type",
      "type" : "string",
      "multiValued" : false,
      "description" : "A label indicating the attribute's
function; e.g., 'work' or 'home'.",
      "required" : false,
      "caseExact" : false,
      "canonicalValues" : [
        "work",
        "home",
        "other"
      ],
      "mutability" : "readWrite",
      "returned" : "default",
      "uniqueness" : "none"
    }
  ],
  "mutability" : "readWrite",
  "returned" : "default",
  "uniqueness" : "none"
},
{
```



```
    "name" : "primary",
    "type" : "boolean",
    "multiValued" : false,
    "description" : "A Boolean value indicating the 'primary' or
preferred attribute value for this attribute, e.g. the preferred mailing
address or primary e-mail address. The primary attribute value 'true'
MUST appear no more than once.",
    "required" : false,
    "caseExact" : false,
    "mutability" : "readWrite",
    "returned" : "default",
    "uniqueness" : "none"
  }
],
"mutability" : "readWrite",
"returned" : "default",
"uniqueness" : "none"
},
{
  "name" : "phoneNumbers",
  "type" : "complex",
  "multiValued" : true,
  "description" : "Phone numbers for the User. The value SHOULD
be canonicalized by the Service Provider according to format in RFC3966
e.g. 'tel:+1-201-555-0123'. Canonical Type values of work, home,
mobile, fax, pager and other.",
  "required" : false,
  "caseExact" : false,
  "subAttributes" : [
    {
      "name" : "value",
      "type" : "string",
      "multiValued" : false,
      "description" : "Phone number of the User",
      "required" : false,
      "caseExact" : false,
      "mutability" : "readWrite",
      "returned" : "default",
      "uniqueness" : "none"
    },
    {
      "name" : "display",
      "type" : "string",
      "multiValued" : false,
      "description" : "A human readable name, primarily used for
display purposes. READ-ONLY.",
      "required" : false,
      "caseExact" : false,
```



```
    "mutability" : "readWrite",
    "returned" : "default",
    "uniqueness" : "none"
  },
  {
    "name" : "type",
    "type" : "string",
    "multiValued" : false,
    "description" : "A label indicating the attribute's
function; e.g., 'work' or 'home' or 'mobile' etc.",
    "required" : false,
    "caseExact" : false,
    "canonicalValues" : [
      "work",
      "home",
      "mobile",
      "fax",
      "pager",
      "other"
    ],
    "mutability" : "readWrite",
    "returned" : "default",
    "uniqueness" : "none"
  },
  {
    "name" : "primary",
    "type" : "boolean",
    "multiValued" : false,
    "description" : "A Boolean value indicating the 'primary' or
preferred attribute value for this attribute, e.g. the preferred phone
number or primary phone number. The primary attribute value 'true' MUST
appear no more than once.",
    "required" : false,
    "caseExact" : false,
    "mutability" : "readWrite",
    "returned" : "default",
    "uniqueness" : "none"
  }
],
"mutability" : "readWrite",
"returned" : "default",
"uniqueness" : "none"
},
{
  "name" : "ims",
  "type" : "complex",
  "multiValued" : true,
  "description" : "Instant messaging addresses for the User.",
```



```
"required" : false,
"caseExact" : false,
"subAttributes" : [
  {
    "name" : "value",
    "type" : "string",
    "multiValued" : false,
    "description" : "Instant messaging address for the User.",
    "required" : false,
    "caseExact" : false,
    "mutability" : "readWrite",
    "returned" : "default",
    "uniqueness" : "none"
  },
  {
    "name" : "display",
    "type" : "string",
    "multiValued" : false,
    "description" : "A human readable name, primarily used for
display purposes. READ-ONLY.",
    "required" : false,
    "caseExact" : false,
    "mutability" : "readWrite",
    "returned" : "default",
    "uniqueness" : "none"
  },
  {
    "name" : "type",
    "type" : "string",
    "multiValued" : false,
    "description" : "A label indicating the attribute's
function; e.g., 'aim', 'gtalk', 'mobile' etc.",
    "required" : false,
    "caseExact" : false,
    "canonicalValues" : [
      "aim",
      "gtalk",
      "icq",
      "xmpp",
      "msn",
      "skype",
      "qq",
      "yahoo"
    ],
    "mutability" : "readWrite",
    "returned" : "default",
    "uniqueness" : "none"
  },
]
```



```
{
  "name" : "primary",
  "type" : "boolean",
  "multiValued" : false,
  "description" : "A Boolean value indicating the 'primary' or
preferred attribute value for this attribute, e.g. the preferred
messenger or primary messenger. The primary attribute value 'true' MUST
appear no more than once.",
  "required" : false,
  "caseExact" : false,
  "mutability" : "readWrite",
  "returned" : "default",
  "uniqueness" : "none"
},
{
  "name" : "photos",
  "type" : "complex",
  "multiValued" : true,
  "description" : "URLs of photos of the User.",
  "required" : false,
  "caseExact" : false,
  "subAttributes" : [
    {
      "name" : "value",
      "type" : "string",
      "multiValued" : false,
      "description" : "URL of a photo of the User.",
      "required" : false,
      "caseExact" : false,
      "mutability" : "readWrite",
      "returned" : "default",
      "uniqueness" : "none"
    },
    {
      "name" : "display",
      "type" : "string",
      "multiValued" : false,
      "description" : "A human readable name, primarily used for
display purposes. READ-ONLY.",
      "required" : false,
      "caseExact" : false,
      "mutability" : "readWrite",
      "returned" : "default",
```



```
    "uniqueness" : "none"
  },
  {
    "name" : "type",
    "type" : "string",
    "multiValued" : false,
    "description" : "A label indicating the attribute's
function; e.g., 'photo' or 'thumbnail'.",
    "required" : false,
    "caseExact" : false,
    "canonicalValues" : [
      "photo",
      "thumbnail"
    ],
    "mutability" : "readWrite",
    "returned" : "default",
    "uniqueness" : "none"
  },
  {
    "name" : "primary",
    "type" : "boolean",
    "multiValued" : false,
    "description" : "A Boolean value indicating the 'primary' or
preferred attribute value for this attribute, e.g. the preferred photo
or thumbnail. The primary attribute value 'true' MUST appear no more
than once.",
    "required" : false,
    "caseExact" : false,
    "mutability" : "readWrite",
    "returned" : "default",
    "uniqueness" : "none"
  }
],
"mutability" : "readWrite",
"returned" : "default",
"uniqueness" : "none"
},
{
  "name" : "addresses",
  "type" : "complex",
  "multiValued" : true,
  "description" : "A physical mailing address for this User, as
described in (address Element). Canonical Type Values of work, home, and
other. The value attribute is a complex type with the following
sub-attributes.",
  "required" : false,
  "caseExact" : false,
  "subAttributes" : [
```



```
{
  "name" : "formatted",
  "type" : "string",
  "multiValued" : false,
  "description" : "The full mailing address, formatted for
display or use with a mailing label. This attribute MAY contain
newlines.",
  "required" : false,
  "caseExact" : false,
  "mutability" : "readWrite",
  "returned" : "default",
  "uniqueness" : "none"
},
{
  "name" : "streetAddress",
  "type" : "string",
  "multiValued" : false,
  "description" : "The full street address component, which
may include house number, street name, PO BOX, and multi-line extended
street address information. This attribute MAY contain newlines.",
  "required" : false,
  "caseExact" : false,
  "mutability" : "readWrite",
  "returned" : "default",
  "uniqueness" : "none"
},
{
  "name" : "locality",
  "type" : "string",
  "multiValued" : false,
  "description" : "The city or locality component.",
  "required" : false,
  "caseExact" : false,
  "mutability" : "readWrite",
  "returned" : "default",
  "uniqueness" : "none"
},
{
  "name" : "region",
  "type" : "string",
  "multiValued" : false,
  "description" : "The state or region component.",
  "required" : false,
  "caseExact" : false,
  "mutability" : "readWrite",
  "returned" : "default",
  "uniqueness" : "none"
},
}
```



```
{
  "name" : "postalCode",
  "type" : "string",
  "multiValued" : false,
  "description" : "The zipcode or postal code component.",
  "required" : false,
  "caseExact" : false,
  "mutability" : "readWrite",
  "returned" : "default",
  "uniqueness" : "none"
},
{
  "name" : "country",
  "type" : "string",
  "multiValued" : false,
  "description" : "The country name component.",
  "required" : false,
  "caseExact" : false,
  "mutability" : "readWrite",
  "returned" : "default",
  "uniqueness" : "none"
},
{
  "name" : "type",
  "type" : "string",
  "multiValued" : false,
  "description" : "A label indicating the attribute's
function; e.g., 'work' or 'home'.",
  "required" : false,
  "caseExact" : false,
  "canonicalValues" : [
    "work",
    "home",
    "other"
  ],
  "mutability" : "readWrite",
  "returned" : "default",
  "uniqueness" : "none"
}
],
"mutability" : "readWrite",
"returned" : "default",
"uniqueness" : "none"
},
{
  "name" : "groups",
  "type" : "complex",
  "multiValued" : true,
```


"description" : "A list of groups that the user belongs to, either thorough direct membership, nested groups, or dynamically calculated",

"required" : false,

"caseExact" : false,

"subAttributes" : [

{

"name" : "value",

"type" : "string",

"multiValued" : false,

"description" : "The identifier of the User's group.",

"readOnly" : false,

"required" : false,

"caseExact" : false,

"mutability" : "readOnly",

"returned" : "default",

"uniqueness" : "none"

},

{

"name" : "\$ref",

"type" : "string",

"multiValued" : false,

"description" : "The URI of the corresponding Group resource to which the user belongs",

"readOnly" : false,

"required" : false,

"caseExact" : false,

"mutability" : "readOnly",

"returned" : "default",

"uniqueness" : "none"

},

{

"name" : "display",

"type" : "string",

"multiValued" : false,

"description" : "A human readable name, primarily used for display purposes. READ-ONLY.",

"readOnly" : true,

"required" : false,

"caseExact" : false,

"mutability" : "readOnly",

"returned" : "default",

"uniqueness" : "none"

},

{

"name" : "type",

"type" : "string",

"multiValued" : false,


```
        "description" : "A label indicating the attribute's
function; e.g., 'direct' or 'indirect'.",
        "readOnly" : false,
        "required" : false,
        "caseExact" : false,
        "canonicalValues" : [
            "direct",
            "indirect"
        ],
        "mutability" : "readOnly",
        "returned" : "default",
        "uniqueness" : "none"
    }
],
"mutability" : "readOnly",
"returned" : "default",
"uniqueness" : "none"
},
{
    "name" : "entitlements",
    "type" : "complex",
    "multiValued" : true,
    "description" : "A list of entitlements for the User that
represent a thing the User has.",
    "required" : false,
    "caseExact" : false,
    "subAttributes" : [
        {
            "name" : "value",
            "type" : "string",
            "multiValued" : false,
            "description" : "The value of an entitlement.",
            "required" : false,
            "caseExact" : false,
            "mutability" : "readWrite",
            "returned" : "default",
            "uniqueness" : "none"
        },
        {
            "name" : "display",
            "type" : "string",
            "multiValued" : false,
            "description" : "A human readable name, primarily used
for display purposes. READ-ONLY.",
            "required" : false,
            "caseExact" : false,
            "mutability" : "readWrite",
            "returned" : "default",
```



```
      "uniqueness" : "none"
    },
    {
      "name" : "type",
      "type" : "string",
      "multiValued" : false,
      "description" : "A label indicating the attribute's
function.",
      "required" : false,
      "caseExact" : false,
      "canonicalValues" : [],
      "mutability" : "readWrite",
      "returned" : "default",
      "uniqueness" : "none"
    },
    {
      "name" : "primary",
      "type" : "boolean",
      "multiValued" : false,
      "description" : "A Boolean value indicating the 'primary' or
preferred attribute value for this attribute. The primary attribute
value 'true' MUST appear no more than once.",
      "required" : false,
      "caseExact" : false,
      "mutability" : "readWrite",
      "returned" : "default",
      "uniqueness" : "none"
    }
  ],
  "mutability" : "readWrite",
  "returned" : "default",
  "uniqueness" : "none"
},
{
  "name" : "roles",
  "type" : "complex",
  "multiValued" : true,
  "description" : "A list of roles for the User that collectively
represent who the User is; e.g., 'Student', 'Faculty'.",
  "required" : false,
  "caseExact" : false,
  "subAttributes" : [
    {
      "name" : "value",
      "type" : "string",
      "multiValued" : false,
      "description" : "The value of a role.",
      "required" : false,
```



```
    "caseExact" : false,
    "mutability" : "readWrite",
    "returned" : "default",
    "uniqueness" : "none"
  },
  {
    "name" : "display",
    "type" : "string",
    "multiValued" : false,
    "description" : "A human readable name, primarily used for
display purposes. READ-ONLY.",
    "required" : false,
    "caseExact" : false,
    "mutability" : "readWrite",
    "returned" : "default",
    "uniqueness" : "none"
  },
  {
    "name" : "type",
    "type" : "string",
    "multiValued" : false,
    "description" : "A label indicating the attribute's
function.",
    "required" : false,
    "caseExact" : false,
    "canonicalValues" : [],
    "mutability" : "readWrite",
    "returned" : "default",
    "uniqueness" : "none"
  },
  {
    "name" : "primary",
    "type" : "boolean",
    "multiValued" : false,
    "description" : "A Boolean value indicating the 'primary' or
preferred attribute value for this attribute. The primary attribute
value 'true' MUST appear no more than once.",
    "required" : false,
    "caseExact" : false,
    "mutability" : "readWrite",
    "returned" : "default",
    "uniqueness" : "none"
  }
],
"mutability" : "readWrite",
"returned" : "default",
"uniqueness" : "none"
},
```



```
{
  "name" : "x509Certificates",
  "type" : "complex",
  "multiValued" : true,
  "description" : "A list of certificates issued to the User.",
  "required" : false,
  "caseExact" : false,
  "subAttributes" : [
    {
      "name" : "value",
      "type" : "string",
      "multiValued" : false,
      "description" : "The value of a X509 certificate.",
      "required" : false,
      "caseExact" : false,
      "mutability" : "readWrite",
      "returned" : "default",
      "uniqueness" : "none"
    },
    {
      "name" : "display",
      "type" : "string",
      "multiValued" : false,
      "description" : "A human readable name, primarily used
for display purposes. READ-ONLY.",
      "required" : false,
      "caseExact" : false,
      "mutability" : "readWrite",
      "returned" : "default",
      "uniqueness" : "none"
    },
    {
      "name" : "type",
      "type" : "string",
      "multiValued" : false,
      "description" : "A label indicating the attribute's
function.",
      "required" : false,
      "caseExact" : false,
      "canonicalValues" : [],
      "mutability" : "readWrite",
      "returned" : "default",
      "uniqueness" : "none"
    },
    {
      "name" : "primary",
      "type" : "boolean",
      "multiValued" : false,
```



```
        "description" : "A Boolean value indicating the 'primary' or
preferred attribute value for this attribute. The primary attribute
value 'true' MUST appear no more than once.",
        "required" : false,
        "caseExact" : false,
        "mutability" : "readWrite",
        "returned" : "default",
        "uniqueness" : "none"
    }
],
    "mutability" : "readWrite",
    "returned" : "default",
    "uniqueness" : "none"
}
],
"meta" : {
    "resourceType" : "Schema",
    "created" : "2010-01-23T04:56:22Z",
    "lastModified" : "2014-02-04T00:00:00Z",
    "version" : "W/\\"3694e05e9dff596\\\"",
    "location" :
        "/v2/Schemas/urn:ietf:params:scim:schemas:core:2.0:User"
}
},
{
    "id" : "urn:ietf:params:scim:schemas:core:2.0:Group",
    "name" : "Group",
    "description" : "Group",
    "attributes" : [
        {
            "name" : "displayName",
            "type" : "string",
            "multiValued" : false,
            "description" : "Human readable name for the Group. REQUIRED.",
            "required" : false,
            "caseExact" : false,
            "mutability" : "readWrite",
            "returned" : "default",
            "uniqueness" : "none"
        },
        {
            "name" : "members",
            "type" : "complex",
            "multiValued" : true,
            "description" : "A list of members of the Group.",
            "required" : false,
            "caseExact" : false,
            "subAttributes" : [
```



```
{
  "name" : "value",
  "type" : "string",
  "multiValued" : false,
  "description" : "Identifier of the member of this Group.",
  "required" : false,
  "caseExact" : false,
  "mutability" : "immutable",
  "returned" : "default",
  "uniqueness" : "none"
},
{
  "name" : "$ref",
  "type" : "string",
  "multiValued" : false,
  "description" : "The URI of the corresponding to the member
resource of this Group.",
  "required" : false,
  "caseExact" : false,
  "mutability" : "immutable",
  "returned" : "default",
  "uniqueness" : "none"
},
{
  "name" : "type",
  "type" : "string",
  "multiValued" : false,
  "description" : "A label indicating the type of resource;
e.g., 'User' or 'Group'.",
  "required" : false,
  "caseExact" : false,
  "canonicalValues" : [
    "User",
    "Group"
  ],
  "mutability" : "immutable",
  "returned" : "default",
  "uniqueness" : "none"
}
],
"mutability" : "readWrite",
"returned" : "default",
"uniqueness" : "none"
}
],
"meta" : {
  "resourceType" : "Schema",
  "created" : "2010-01-23T04:56:22Z",
```



```
    "lastModified" : "2014-02-04T00:00:00Z",
    "version" : "W/\\"3694e05e9dff596\\\"",
    "location" :
"/v2/Schemas/urn:ietf:params:scim:schemas:core:2.0:Group"
  }
},
{
  "id" : "urn:ietf:params:scim:schemas:extension:enterprise:2.0:User",
  "name" : "EnterpriseUser",
  "description" : "Enterprise User",
  "attributes" : [
    {
      "name" : "employeeNumber",
      "type" : "string",
      "multiValued" : false,
      "description" : "Numeric or alphanumeric identifier assigned to
a person, typically based on order of hire or association with an
organization.",
      "required" : false,
      "caseExact" : false,
      "mutability" : "readWrite",
      "returned" : "default",
      "uniqueness" : "none"
    },
    {
      "name" : "costCenter",
      "type" : "string",
      "multiValued" : false,
      "description" : "Identifies the name of a cost center.",
      "required" : false,
      "caseExact" : false,
      "mutability" : "readWrite",
      "returned" : "default",
      "uniqueness" : "none"
    },
    {
      "name" : "organization",
      "type" : "string",
      "multiValued" : false,
      "description" : "Identifies the name of an organization.",
      "required" : false,
      "caseExact" : false,
      "mutability" : "readWrite",
      "returned" : "default",
      "uniqueness" : "none"
    },
    {
      "name" : "division",
```



```
    "type" : "string",
    "multiValued" : false,
    "description" : "Identifies the name of a division.",
    "required" : false,
    "caseExact" : false,
    "mutability" : "readWrite",
    "returned" : "default",
    "uniqueness" : "none"
  },
  {
    "name" : "department",
    "type" : "string",
    "multiValued" : false,
    "description" : "Identifies the name of a department.",
    "required" : false,
    "caseExact" : false,
    "mutability" : "readWrite",
    "returned" : "default",
    "uniqueness" : "none"
  },
  {
    "name" : "manager",
    "type" : "complex",
    "multiValued" : true,
    "description" : "The User's manager. A complex type that
optionally allows Service Providers to represent organizational
hierarchy by referencing the \"id\" attribute of another User.",
    "required" : false,
    "caseExact" : false,
    "subAttributes" : [
      {
        "name" : "value",
        "type" : "string",
        "multiValued" : false,
        "description" : "The id of the SCIM resource representing
the User's manager. REQUIRED.",
        "required" : false,
        "caseExact" : false,
        "mutability" : "readWrite",
        "returned" : "default",
        "uniqueness" : "none"
      },
      {
        "name" : "$ref",
        "type" : "string",
        "multiValued" : false,
        "description" : "The URI of the SCIM resource representing
the User's manager. REQUIRED.",
```



```

        "required" : false,
        "caseExact" : false,
        "mutability" : "readWrite",
        "returned" : "default",
        "uniqueness" : "none"
    },
    {
        "name" : "displayName",
        "type" : "string",
        "multiValued" : false,
        "description" : "The displayName of the User's manager.
OPTIONAL and READ-ONLY.",
        "required" : false,
        "caseExact" : false,
        "mutability" : "readOnly",
        "returned" : "default",
        "uniqueness" : "none"
    }
],
"mutability" : "readWrite",
"returned" : "default",
"uniqueness" : "none"
}
],
"meta" : {
    "resourceType" : "Schema",
    "created" : "2010-01-23T04:56:22Z",
    "lastModified" : "2014-02-04T00:00:00Z",
    "version" : "W/\\"3694e05e9dff596\\\"",
    "location" :
"/v2/Schemas/urn:ietf:params:scim:schemas:extension:enterprise:2.0:User"
}
}
}]

```

Figure 9: Eample Schema JSON Representation

9. Security Considerations

The SCIM Core schema defines attributes that MAY contain personally identifiable information as well as other sensitive data. Aside from prohibiting password values in a SCIM response this specification does not provide any means or guarantee of confidentiality.

In particular, attributes such as "id" and "externalId" are of particular concern as personally identifiable information that uniquely map to Users (because they are URIs). Where possible, it is suggested that service providers take the following remediations:

- o Assign and bind identifiers to specific tenants and/or clients. When multiple tenants are able to reference the same resource, they should do so via separate identifiers (id or externalId). This ensures that separate domains linked to the same information can not perform identifier correlation.
- o In the case of "externalId", if multiple values are supported, use access control to restrict access to the client domain that assigned the "externalId" value.
- o Ensure that access to data is appropriately restricted to authorized parties with a need-to-know.
- o When persisted, the appropriate protection mechanisms are in place to restrict access by unauthorized parties including administrators or parties with access to backup data.

It is important to note that these considerations are intentionally general in nature. Considerations relative to the access protocol are out of scope of the core-schema document and are addressed in other SCIM specifications.

[10.](#) IANA Considerations

[10.1.](#) New Registration of SCIM URN Sub-namespace

IANA has created a registry for new IETF URN sub-namespaces, "urn:ietf:params:scim:", per [\[RFC3553\]](#). The registration request is as follows:

Per [\[RFC3553\]](#), IANA has registered a new URN sub-namespace, "urn:ietf:params:scim".

- o Registry name: scim
- o Specification: [this document]
- o Repository: [see [Section 10.2](#)]
- o Index value: values [see [Section 10.2](#)]

[10.2.](#) URN Sub-Namespace for SCIM

SCIM schemas and SCIM messages utilize URIs to identify the schema in use or other relevant context. This section creates and registers an IETF URN Sub-namespace for use in the SCIM specifications and future extensions.

10.2.1. Specification Template

Namespace ID:

The Namespace ID "scim" is requested.

Registration Information:

Version: 1

Date: [[insert final submission date]]

Declared registrant of the namespace:

Registering organization

The Internet Engineering Task Force

Designated contact

A designated expert will monitor the SCIM public mailing list,
"scim@ietf.org".

Declaration of Syntactic Structure:

The Namespace Specific String (NSS) of all URNs that use the
"scim" NID shall have the following structure:

urn:ietf:params:scim:{type}:{name}{:other}

The keywords have the following meaning:

type

The entity type which is either "schemas" or "api".

name

A required US-ASCII string that conforms to the URN syntax requirements (see [[RFC2141](#)]) and defines a major namespace of a schema used within SCIM (e.g. "core" in the case of SCIM Core Schema). The value MAY also be an industry name or organization name.

other

Any US-ASCII string that conforms to the URN syntax requirements (see [[RFC2141](#)]) and defines the sub-namespace (which MAY be further broken down in namespaces delimited by colons) as needed to uniquely identify a schema.

Relevant Ancillary Documentation:

None

Identifier Uniqueness Considerations:

The designated contact shall be responsible for reviewing and enforcing uniqueness.

Identifier Persistence Considerations:

Once a name has been allocated it MUST NOT be re-allocated for a different purpose. The rules provided for assignments of values within a sub-namespace MUST be constructed so that the meaning of values cannot change. This registration mechanism is not appropriate for naming values whose meaning may change over time.

As the SCIM specifications are updated and the SCIM protocol version is adjusted, a new registration will be made when significant changes are made. Example, "urn:ietf:params:scim:schemas:core:1.0 (externally defined, not previously registered)" and "urn:ietf:params:scim:schemas:core:2.0".

Process of Identifier Assignment:

Identifiers with namespace type "schema" (e.g. "urn:ietf:params:scim:schemas") are assigned after the review of the assigned contact via the SCIM public mailing list, "scim@ietf.org" as documented in [Section 10.3](#).

Namespaces with type "api" (e.g. "urn:ietf:params:scim:api") are reserved for IETF approved SCIM specifications. Namespaces with type "param" are reserved for future use.

Process of Identifier Resolution:

The namespace is not currently listed with a Resolution Discovery System (RDS), but nothing about the namespace prohibits the future definition of appropriate resolution methods or listing with an RDS.

Rules for Lexical Equivalence:

No special considerations; the rules for lexical equivalence specified in [[RFC2141](#)] apply.

Conformance with URN Syntax:

No special considerations.

Validation Mechanism:

None specified.

Scope:

Global.

[10.2.2.](#) Pre-Registered SCIM Schema Identifiers

The following SCIM Identifiers are defined:

urn:ietf:params:scim:schemas:core:2.0

SCIM Core Schema as specified in [Section 4](#) and [Section 10.4](#).

urn:ietf:params:scim:schemas:extension:enterprise:2.0

Enterprise schema extensions as defined in [Section 4.3](#) and [Section 10.4](#).

[10.3.](#) Registering SCIM Schemas

This section defines the process for registering new SCIM schemas with IANA. A schema URI is used as a value in the schemas attribute ([Section 3](#)) for the purpose of distinguishing extensions used in a SCIM resource.

[10.3.1.](#) Registration Procedure

The IETF has created a mailing list, scim@ietf.org, which can be used for public discussion of SCIM schema proposals prior to registration. Use of the mailing list is strongly encouraged. The IESG has appointed a designated expert who will monitor the scim@ietf.org mailing list and review registrations.

Registration of new schemas MUST be reviewed by the designated expert and published in an RFC. A Standards Track RFC is REQUIRED for the registration of new value data types that modify existing properties. A Standards Track RFC is also REQUIRED for registration of SCIM schema URIs that modify SCIM schema previously documented in a Standards Track RFC.

The registration procedure begins when a completed registration template, defined in the sections below, is sent to scim@ietf.org and iana@iana.org. Within two weeks, the designated expert is expected to tell IANA and the submitter of the registration whether the registration is approved, approved with minor changes, or rejected

with cause. When a registration is rejected with cause, it can be re-submitted if the concerns listed in the cause are addressed. Decisions made by the designated expert can be appealed to the IESG Applications Area Director, then to the IESG. They follow the normal appeals procedure for IESG decisions.

Once the registration procedure concludes successfully, IANA creates or modifies the corresponding record in the SCIM schema registry. The completed registration template is discarded.

An RFC specifying new schema URI MUST include the completed registration templates, which MAY be expanded with additional information. These completed templates are intended to go in the body of the document, not in the IANA Considerations section. The RFC SHOULD include any attributes defined.

10.3.2. Schema Registration Template

A SCIM schema URI is defined by completing the following template:

Schema URI: Schema URI: A unique URI for the SCIM schema extension.

Schema Name: A descriptive name of the schema extension (e.g. Generic Device)

Intended or Associated Resource Type: A value defining the resource type (e.g. "Device").

Purpose: A description of the purpose of the extension and/or its intended use.

Single-value Attributes: A list and description of single-valued attributes defined including complex attributes.

Multi-valued Attributes: A list and description of multi-valued attributes defined including complex attributes.

10.4. Initial SCIM Schema Registry

The IANA has created and will maintain the following registries for SCIM schema URIs with pointers to appropriate reference documents.

Note: the Schema URI broken into two lines for readability.

Schema URI	Name	Reference
urn:ietf:params:scim:schemas:core:2.0:User	User Resource	See Section 4.1
urn:ietf:params:scim:schemas:extension:enterprise:2.0:User	Enterprise User Extension	See Section 4.3
urn:ietf:params:scim:schemas:core:2.0:Group	Group Resource	See Section 4.2

SCIM Schema URIs for Data Resources

Schema URI	Name	Reference
urn:ietf:params:scim:schemas:core:2.0:ServiceProviderConfig	Service Provider Configuration	See Section 5
urn:ietf:params:scim:schemas:core:2.0:ResourceType	Resource Type Configuration	See Section 6
urn:ietf:params:scim:schemas:core:2.0:Schema	Schema Definitions	See Section 7
	Schema	

SCIM Server Related Schema URIs

[11.](#) References

[11.1.](#) Normative References

- [RFC2119] Bradner, S., "Key words for use in RFCs to Indicate Requirement Levels", [BCP 14](#), [RFC 2119](#), March 1997.
- [RFC2141] Moats, R., "URN Syntax", [RFC 2141](#), May 1997.
- [RFC3553] Mealling, M., Masinter, L., Hardie, T., and G. Klyne, "An IETF URN Sub-namespace for Registered Protocol Parameters", [BCP 73](#), [RFC 3553](#), June 2003.
- [RFC3629] Yergeau, F., "UTF-8, a transformation format of ISO 10646", STD 63, [RFC 3629](#), November 2003.
- [RFC3966] Schulzrinne, H., "The tel URI for Telephone Numbers", [RFC 3966](#), December 2004.

- [RFC3986] Berners-Lee, T., Fielding, R., and L. Masinter, "Uniform Resource Identifier (URI): Generic Syntax", STD 66, [RFC 3986](#), January 2005.
- [RFC4647] Phillips, A. and M. Davis, "Matching of Language Tags", [BCP 47](#), [RFC 4647](#), September 2006.
- [RFC5234] Crocker, D. and P. Overell, "Augmented BNF for Syntax Specifications: ABNF", STD 68, [RFC 5234](#), January 2008.
- [RFC5646] Phillips, A. and M. Davis, "Tags for Identifying Languages", [BCP 47](#), [RFC 5646](#), September 2009.
- [RFC6557] Lear, E. and P. Eggert, "Procedures for Maintaining the Time Zone Database", [BCP 175](#), [RFC 6557](#), February 2012.
- [RFC7159] Bray, T., "The JavaScript Object Notation (JSON) Data Interchange Format", [RFC 7159](#), March 2014.
- [RFC7231] Fielding, R. and J. Reschke, "Hypertext Transfer Protocol (HTTP/1.1): Semantics and Content", [RFC 7231](#), June 2014.

[11.2](#). Informative References

- [ISO3166] "ISO 3166:1988 (E/F) - Codes for the representation of names of countries - The International Organization for Standardization, 3rd edition", 08 1988.
- [Olson-TZ]
"Sources for Time Zone and Daylight Saving Time Data", .
- [PortableContacts]
Smarr, J., "Portable Contacts 1.0 Draft C - Schema Only", August 2008.
- [RFC2277] Alvestrand, H., "IETF Policy on Character Sets and Languages", [BCP 18](#), [RFC 2277](#), January 1998.
- [RFC4512] Zeilenga, K., "Lightweight Directory Access Protocol (LDAP): Directory Information Models", [RFC 4512](#), June 2006.
- [RFC6749] Hardt, D., "The OAuth 2.0 Authorization Framework", [RFC 6749](#), October 2012.
- [XML-Schema]
Biron, P. and A. Malhotra, "XML Schema Part 2: Datatypes Second Edition", October 2004.

[Appendix A](#). Acknowledgements

The editors would like to acknowledge the contribution and work of the past draft editors:

Chuck Mortimore, Salesforce

Patrick Harding, Ping

Paul Madsen, Ping

Trey Drake, UnboundID

The SCIM Community would like to thank the following people for the work they've done in the research, formulation, drafting, editing, and support of this specification.

Morteza Ansari (morteza.ansari@cisco.com)

Sidharth Choudhury (schoudhury@salesforce.com)

Samuel Erdtman (samuel@erdtman.se)

Kelly Grizzle (kelly.grizzle@sailpoint.com)

Chris Phillips (cjphillips@gmail.com)

Erik Wahlstroem (erik@wahlstromstekniska.se)

Phil Hunt (phil.hunt@yahoo.com)

Special thanks to Joeseeph Smarr, who's excellent work on the Portable Contacts Specification [[PortableContacts](#)] provided a basis for the SCIM schema structure and text.

[Appendix B](#). Change Log

[[This section to be removed prior to publication as an RFC]]

Draft 02 - KG - Addition of schema extensibility

Draft 03 - PH - Revisions based on following tickets:

09 - Attribute uniqueness

10 - Returnability of attributes

35 - Attribute mutability (replaces readOnly)

- 52 - Minor textual changes
- 53 - Standard use of term client (some was consumer)
- 56 - Make manager attribute consistent with other \$ref attrs
- 58 - Add optional id to ResourceType objects for consistency
- 59 - Fix capitalization per IETF editor practices
- 60 - Changed <eref> tags to normal <xref> and <reference> tags

Draft 04 - PH - Revisions based on the following tickets:

- 43 - Drop short-hand notation for complex multi-valued attributes
- 61 - Specify attribute name limitations
- 62 - Fix 'mutability' normative language
- 63 - Fix incorrect EnterpriseUser schema reference
- 68 - Update JSON references from [RFC4627](#) to [RFC7159](#)
- 71 - Made corrections to language tags in compliance with [BCP47](#) / [RFC5646](#)

Draft 05 - PH - Revisions based on the following tickets

- 23 - Clarified that the server is not required to preserve case for case insensitive strings
- 41 - Add IANA considerations
- 72 - Added text to indicate UTF-8 is default and mandatory encoding format per [BCP18](#)
- Typo corrections and removed some redundant text

Draft 06 - PH - Revisions based on the following tickets

- 63 - Corrected enterprise user URI in 14.2 and [section 7](#), URI namespace changes due to ticket #41
- 66 - Updated reference to final HTTP/1.1 drafts ([RFC 7230](#))
- 41 - Add IANA considerations

- Removed redundant text (e.g. SAML binding, replaced REST with HTTP)
- Reordered introduction, definitions and notation sections to follow typical format
- meta.attributes removed due to new PURGE command in draft 04 (no longer used)

Draft 07 - PH - Edits and revisions

- Dropped use of the term API in favour of HTTP protocol or just protocol.
- Clarified meaning of null and unassigned

Draft 08 - PH - Revised IANA namespace to urn:ietf:params:scim per [RFC3553](#)

Draft 09 - PH - Editorial revisions and clarifications

Removed duplicate text from Schema Schema section

Removed "operation" attribute from Multi-valued Attribute sub-attribute definitions. This was used in the old PATCH command and is no longer valid.

Revised some layout to make indentation and definition of attributes more clear (added vspace elements)

Draft 10 - PH - Editorial revisions

Simplified namespace definition for urn:ietf:params:scim

Clarified "schemas" attribute as representing the JSON body schema in an HTTP Req/Resp

Reduced use of confusing term "core" in "Core User" and "Core Group"

Added clarifications and security considerations for externalId

Re-worded descriptions SCIM schema extension model (sec 3) and core schema (sec 4) for improved clarity

Draft 11 - PH - Clarification to definition of externalId

Draft 12 - PH - Nits / Corrections

Corrected use of [RFC2119](#) words (e.g. MUST not to MUST NOT)

Corrected JSON examples to be 72 characters or less per line

Corrected enterprise User manager attribute to use sub-attribute value and make multi-valued

Corrected sec 8.7, make members multi-valued in JSON

Added missing definition for subattributes in sec 7, Schema Definition

Authors' Addresses

Phil Hunt (editor)
Oracle Corporation

Email: phil.hunt@yahoo.com

Kelly Grizzle
SailPoint

Email: kelly.grizzle@sailpoint.com

Erik Wahlstroem
Nexus Technology

Email: erik.wahlstrom@nexusgroup.com

Chuck Mortimore
Salesforce.com

Email: cmortimore@salesforce.com

