

Network Working Group  
Internet-Draft  
Intended status: Standards Track  
Expires: May 29, 2011

P. Mohapatra  
K. Patel  
Cisco Systems  
J. Scudder  
D. Ward  
Juniper Networks  
R. Bush  
Internet Initiative Japan, Inc.  
November 29, 2010

BGP Prefix Origin Validation State Extended Community  
[draft-ietf-sidr-origin-validation-signaling-00](#)

Abstract

As part of the origination AS validation process, it can be desirable to automatically consider the validation state of routes in the BGP decision process. The purpose of this document is to provide a specification for doing so. The document also defines a new BGP opaque extended community to carry the validation state inside an autonomous system to influence the decision process of the IBGP speakers.

Status of this Memo

This Internet-Draft is submitted in full conformance with the provisions of [BCP 78](#) and [BCP 79](#).

Internet-Drafts are working documents of the Internet Engineering Task Force (IETF). Note that other groups may also distribute working documents as Internet-Drafts. The list of current Internet-Drafts is at <http://datatracker.ietf.org/drafts/current/>.

Internet-Drafts are draft documents valid for a maximum of six months and may be updated, replaced, or obsoleted by other documents at any time. It is inappropriate to use Internet-Drafts as reference material or to cite them other than as "work in progress."

This Internet-Draft will expire on May 29, 2011.

Copyright Notice

Copyright (c) 2010 IETF Trust and the persons identified as the document authors. All rights reserved.

This document is subject to [BCP 78](#) and the IETF Trust's Legal Provisions Relating to IETF Documents

(<http://trustee.ietf.org/license-info>) in effect on the date of publication of this document. Please review these documents carefully, as they describe your rights and restrictions with respect to this document. Code Components extracted from this document must include Simplified BSD License text as described in Section 4.e of the Trust Legal Provisions and are provided without warranty as described in the Simplified BSD License.

This document may contain material from IETF Documents or IETF Contributions published or made publicly available before November 10, 2008. The person(s) controlling the copyright in some of this material may not have granted the IETF Trust the right to allow modifications of such material outside the IETF Standards Process. Without obtaining an adequate license from the person(s) controlling the copyright in such materials, this document may not be modified outside the IETF Standards Process, and derivative works of it may not be created outside the IETF Standards Process, except to format it for publication as an RFC or to translate it into languages other than English.

## Table of Contents

<a href="#">1.</a>	Introduction . . . . .	<a href="#">4</a>
<a href="#">1.1.</a>	Requirements Language . . . . .	<a href="#">4</a>
<a href="#">2.</a>	Origin Validation State Extended Community . . . . .	<a href="#">4</a>
<a href="#">3.</a>	Changes to the BGP Decision Process . . . . .	<a href="#">5</a>
<a href="#">3.1.</a>	Policy Control . . . . .	<a href="#">5</a>
<a href="#">4.</a>	Deployment Considerations . . . . .	<a href="#">5</a>
<a href="#">5.</a>	Acknowledgements . . . . .	<a href="#">5</a>
<a href="#">6.</a>	IANA Considerations . . . . .	<a href="#">5</a>
<a href="#">7.</a>	Security Considerations . . . . .	<a href="#">6</a>
<a href="#">8.</a>	References . . . . .	<a href="#">6</a>
<a href="#">8.1.</a>	Normative References . . . . .	<a href="#">6</a>
<a href="#">8.2.</a>	Informative References . . . . .	<a href="#">6</a>
	Authors' Addresses . . . . .	<a href="#">6</a>



community to BGP UPDATE messages sent to IBGP peers by mapping the computed validation state in the last octet of the extended community. Similarly on the receiving IBGP speakers, the validation state of an IBGP route SHOULD be derived directly from the last octet of the extended community, if present. Note that routers do not perform prefix origin validation (compute the validation state as defined in [I-D.ietf-sidr-pfx-validate]) for IBGP learnt routes.

### **3. Changes to the BGP Decision Process**

**If a BGP router supports prefix origin validation and is configured** for the extensions defined in this document, the validation step MUST be performed prior to any of the steps defined in the decision process of [RFC4271]. The validation step is stated as follows:

When comparing a pair of routes for a BGP destination, the route with the lowest "validation state" value is preferred.

In all other respects, the decision process remains unchanged.

#### **3.1. Policy Control**

**It MUST be possible to enable or disable the validation step as** defined in [Section 3](#) through configuration. The default SHOULD be for the validation step to be disabled.

### **4. Deployment Considerations**

**In deployment scenarios where not all the speakers in an autonomous** system are upgraded to support the extensions defined in this document, it is necessary to define policies that match on the origin validation extended community and set another BGP attribute [I-D.ietf-sidr-pfx-validate] that influences the best path selection the same way as what would have been enabled by an implementation of this extension.

### **5. Acknowledgements**

**The authors would like to acknowledge the valuable review and** suggestions from Wesley George and Roque Gagliano on this document.

### **6. IANA Considerations**

**IANA shall assign a new value from the "BGP Opaque Extended**

Internet-Draft                      BGP Origin Validation Extcomm                      November 2010  
Community" type registry from the non-transitive range, to be called  
"BGP Origin Validation State Extended Community".

## **7. Security Considerations**

**This document introduces no new security concerns beyond what is described in [I-D.ietf-sidr-pfx-validate].**

## **8. References**

### **8.1. Normative References**

- [[RFC2119](#)] Bradner, S., "Key words for use in RFCs to Indicate Requirement Levels", [BCP 14](#), [RFC 2119](#), March 1997.
- [[RFC4271](#)] Rekhter, Y., Li, T., and S. Hares, "A Border Gateway Protocol 4 (BGP-4)", [RFC 4271](#), January 2006.
- [[RFC4360](#)] Sangli, S., Tappan, D., and Y. Rekhter, "BGP Extended Communities Attribute", [RFC 4360](#), February 2006.

### **8.2. Informative References**

- [I-D.ietf-sidr-pfx-validate]  
Mohapatra, P., Scudder, J., Ward, D., Bush, R., and R. Austein, "BGP Prefix Origin Validation",  
[draft-ietf-sidr-pfx-validate-00](#) (work in progress),  
July 2010.

#### Authors' Addresses

Pradosh Mohapatra  
Cisco Systems  
170 W. Tasman Drive  
San Jose, CA 95134  
USA  
Email: pmohapat@cisco.com

Keyur Patel

Cisco Systems

170 W. Tasman Drive

San Jose, CA 95134

USA

Email: keyupate@cisco.com

John Scudder

Juniper Networks

1194 N. Mathilda Ave

Sunnyvale, CA 94089

USA

Email: jgs@juniper.net

David Ward

Juniper Networks

1194 N. Mathilda Ave

Sunnyvale, CA 94089

USA

Email: dward@juniper.net

Randy Bush

Internet Initiative Japan, Inc.

5147 Crystal Springs

Bainbridge Island, Washington 98110

USA

Email: randy@psg.com