

SIDR
Internet-Draft
Intended status: Standards Track
Expires: May 17, 2008

G. Huston
G. Michaelson
R. Loomans
APNIC
November 14, 2007

A Profile for X.509 PKIX Resource Certificates
draft-ietf-sidr-res-certs-09.txt

Status of this Memo

By submitting this Internet-Draft, each author represents that any applicable patent or other IPR claims of which he or she is aware have been or will be disclosed, and any of which he or she becomes aware will be disclosed, in accordance with [Section 6 of BCP 79](#).

Internet-Drafts are working documents of the Internet Engineering Task Force (IETF), its areas, and its working groups. Note that other groups may also distribute working documents as Internet-Drafts.

Internet-Drafts are draft documents valid for a maximum of six months and may be updated, replaced, or obsoleted by other documents at any time. It is inappropriate to use Internet-Drafts as reference material or to cite them other than as "work in progress."

The list of current Internet-Drafts can be accessed at <http://www.ietf.org/ietf/1id-abstracts.txt>.

The list of Internet-Draft Shadow Directories can be accessed at <http://www.ietf.org/shadow.html>.

This Internet-Draft will expire on May 17, 2008.

Copyright Notice

Copyright (C) The IETF Trust (2007).

Abstract

This document defines a standard profile for X.509 certificates for the purposes of supporting validation of assertions of "right-to-use" of an Internet Number Resource (IP Addresses and Autonomous System Numbers). This profile is used to convey the issuer's authorization of the subject to be regarded as the current holder of a "right-of-use" of the IP addresses and AS numbers that are described in the issued certificate.

Table of Contents

1.	Introduction	4
1.1.	Terminology	5
2.	Describing Resources in Certificates	5
3.	Resource Certificate Fields	6
3.1.	Version	6
3.2.	Serial number	6
3.3.	Signature Algorithm	6
3.4.	Issuer	7
3.5.	Subject	7
3.6.	Valid From	7
3.7.	Valid To	7
3.8.	Subject Public Key Info	8
3.9.	Resource Certificate Version 3 Extension Fields	9
3.9.1.	Basic Constraints	9
3.9.2.	Subject Key Identifier	9
3.9.3.	Authority Key Identifier	10
3.9.4.	Key Usage	10
3.9.5.	CRL Distribution Points	10
3.9.6.	Authority Information Access	11
3.9.7.	Subject Information Access	12
3.9.8.	Certificate Policies	13
3.9.9.	IP Resources	13
3.9.10.	AS Resources	13
4.	Resource Certificate Revocation List Profile	14
4.1.	Version	14
4.2.	Issuer Name	14
4.3.	This Update	14
4.4.	Next Update	15
4.5.	Signature	15
4.6.	Revoked Certificate List	15
4.6.1.	Serial Number	15
4.6.2.	Revocation Date	15
4.7.	CRL Extensions	15
4.7.1.	Authority Key Identifier	15
4.7.2.	CRL Number	16
5.	Manifest Profile	16
6.	Resource Certificate Request Profile	16
6.1.	PKCS#10 Profile	16
6.1.1.	PKCS#10 Resource Certificate Request Template Fields	16
6.2.	CRMF Profile	17
6.2.1.	CRMF Resource Certificate Request Template Fields	18
6.2.2.	Resource Certificate Request Control Fields	19
6.3.	Certificate Extension Attributes in Certificate Requests	19
7.	Resource Certificate Validation	21

7.1.	Trust Anchors for Resource Certificates	21
7.2.	Resource Extension Validation	22
7.3.	Resource Certificate Path Validation	23
8.	Security Considerations	24
9.	IANA Considerations	24
10.	Acknowledgements	24
11.	References	25
11.1.	Normative References	25
11.2.	Informative References	25
Appendix A.	Example Resource Certificate	26
Appendix B.	Example Certificate Revocation List	27
	Authors' Addresses	28
	Intellectual Property and Copyright Statements	30

1. Introduction

This document defines a standard profile for X.509 certificates for use in the context of certification of IP Addresses and AS Numbers. Such certificates are termed here "Resource Certificates." Resource Certificates are X.509 certificates that conform to the PKIX profile [[RFC3280](#)], and also conform to the constraints specified in this profile. Resource Certificates attest that the issuer has granted the subject a "right-to-use" for a listed set of IP addresses and Autonomous System numbers.

A Resource Certificate describes an action by a certificate issuer that binds a list of IP Address blocks and AS Numbers to the subject of the issued certificate. The binding is identified by the association of the subject's private key with the subject's public key contained in the Resource Certificate, as signed by the private key of the certificate's issuer.

In the context of the public Internet, and the use of public number resources within this context, it is intended that Resource Certificates are used in a manner that is explicitly aligned to the public number resource distribution function. Specifically, when a number resource is allocated or assigned by a number registry to an entity, this allocation is described by an associated Resource Certificate. This certificate is issued by the number registry, and the subject's public key that is being certified by the issuer corresponds to the public key part of a public / private key pair that was generated by the same entity who is the recipient of the number assignment or allocation. A critical extension to the certificate enumerates the IP Resources that were allocated or assigned by the issuer to the entity. In the context of the public number distribution function, this corresponds to a hierarchical PKI structure, where Resource Certificates are only issued in one 'direction' and there is a single unique path of certificates from a certificate authority operating at the apex of a resource distribution hierarchy to a valid certificate.

Validation of a Resource Certificate in such a hierarchical PKI can be undertaken by establishing a valid issuer-subject certificate chain from a certificate issued by a trust anchor certificate authority to the certificate [[RFC4158](#)], with the additional constraint of ensuring that each subject's listed resources are fully encompassed by those of the issuer at each step in the issuer-subject certificate chain.

Resource Certificates may be used in the context of the operation of secure inter-domain routing protocols to convey a right-to-use of an IP number resource that is being passed within the routing protocol,

allowing relying parties to verify legitimacy and correctness of routing information. Related use contexts include validation of Internet Routing Registry objects, validation of routing requests, and detection of potential unauthorised use of IP addresses.

This profile defines those fields that are used in a Resource Certificate that **MUST** be present for the certificate to be valid. Relying Parties **SHOULD** check that a Resource Certificate conforms to this profile as a requisite for validation of a Resource Certificate.

1.1. Terminology

It is assumed that the reader is familiar with the terms and concepts described in "Internet X.509 Public Key Infrastructure Certificate and Certificate Revocation List (CRL) Profile" [[RFC3280](#)], "X.509 Extensions for IP Addresses and AS Identifiers" [[RFC3779](#)], "Internet Protocol" [[RFC0791](#)], "Internet Protocol Version 6 (IPv6) Addressing Architecture" [[RFC4291](#)], "Internet Registry IP Allocation Guidelines" [[RFC2050](#)], and related regional Internet registry address management policy documents.

The key words "MUST", "MUST NOT", "REQUIRED", "SHALL", "SHALL NOT", "SHOULD", "SHOULD NOT", "RECOMMENDED", "MAY", and "OPTIONAL" in this document are to be interpreted as described in [RFC 2119](#).

2. Describing Resources in Certificates

The framework for describing an association between the subject of a certificate and the resources currently under the subject's control is described in [[RFC3779](#)].

There are three aspects of this resource extension that are noted in this profile:

1. [RFC 3779](#) notes that a resource extension **SHOULD** be a **CRITICAL** extension to the X.509 Certificate. This Resource Certificate profile further specifies that the use of this certificate extension **MUST** be used in all Resource Certificates and **MUST** be marked as **CRITICAL**.
2. [RFC 3779](#) defines a sorted canonical form of describing a resource set, with maximal spanning ranges and maximal spanning prefix masks as appropriate. All valid certificates in this profile **MUST** use this sorted canonical form of resource description in the resource extension field.

3. A test of the resource extension in the context of certificate validity includes the condition that the resources described in the immediate superior certificate in the PKI hierarchy (the certificate where this certificate's issuer is the subject) has a resource set (called here the "issuer's resource set") that must encompass the resource set of the issued certificate. In this context "encompass" allows for the issuer's resource set to be the same as, or a strict superset of, any subject's resource set.

A test of certificate validity entails the identification of a sequence of valid certificates in an issuer-subject chain (where the subject field of one certificate appears as the issuer in the next certificate in the sequence) from a trust anchor certificate authority to the certificate being validated, and that the resource extensions in this certificate sequence from the trust anchor's issued certificate to the certificate being validated form a sequence of encompassing relationships in terms of the resources described in the resource extension.

3. Resource Certificate Fields

A Resource Certificate is a valid X.509 v3 public key certificate, consistent with the PKIX profile [[RFC3280](#)], containing the fields listed in this section. Unless specifically noted as being OPTIONAL, all the fields listed here MUST be present, and any other field MUST NOT appear in a conforming Resource Certificate. Where a field value is specified here this value MUST be used in conforming Resource Certificates.

3.1. Version

Resource Certificates are X.509 Version 3 certificates. This field MUST be present, and the Version MUST be 3 (i.e. the value of this field is 2).

3.2. Serial number

The serial number value is a positive integer that is unique per Issuer.

3.3. Signature Algorithm

This field describes the algorithm used to compute the signature on this certificate. This profile specifies a minimum of SHA-256 with RSA (sha256WithRSAEncryption), and allows for the use of SHA-384 or SHA-512. Accordingly, the value for this field MUST be one of the OID values { pkcs-1 11 }, { pkcs-1 12 } or { pkcs-1 13 } [[RFC4055](#)].

It is noted that larger key sizes are computationally expensive for both the Certificate Authority and relying parties, indicating that care should be taken when deciding to use larger than the minimum key size.

[3.4.](#) Issuer

This field identifies the entity that has signed and issued the certificate. The value of this field is a valid X.501 name.

If the certificate is a subordinate certificate issued by virtue of the "cA" bit set in the immediate superior certificate, then the issuer name MUST correspond to the subject name as contained in the immediate superior certificate.

This field MUST be non-empty.

[3.5.](#) Subject

This field identifies the entity to whom the resource has been allocated / assigned. The value of this field is a valid X.501 name.

In this profile the subject name is determined by the issuer, and each distinct entity certified by the issuer MUST be identified using a subject name that is unique per issuer.

This field MUST be non-empty.

[3.6.](#) Valid From

The starting time at which point the certificate is valid. In this profile the "Valid From" time SHOULD be no earlier than the time of certificate generation. As per [Section 4.1.2.5 of \[RFC3280\]](#), Certificate Authorities (CAs) conforming to this profile MUST always encode the certificate's "Valid From" date through the year 2049 as UTCTime, and dates in 2050 or later MUST be encoded as GeneralizedTime. These two time formats are defined in [\[RFC3280\]](#).

In this profile, it is valid for a certificate to have a value for this field that pre-dates the same field value in any superior certificate. However, it is not valid to infer from this information that a certificate was, or will be, valid at any particular time other than the current time.

[3.7.](#) Valid To

The Valid To time is the date and time at which point in time the certificate's validity ends. It represents the anticipated lifetime

of the resource allocation / assignment arrangement between the issuer and the subject. As per [Section 4.1.2.5 of \[RFC3280\]](#), CAs conforming to this profile MUST always encode the certificate's "Valid To" date through the year 2049 as UTCTime, and dates in 2050 or later MUST be encoded as GeneralizedTime. These two time formats are defined in [\[RFC3280\]](#).

In this profile, it is valid for a certificate to have a value for this field that post-dates the same field value in any superior certificate. However, it is not valid to infer from this information that a certificate was, or will be, valid at any particular time other than the current time.

Certificate Authorities typically are advised against issuing a certificate with a validity interval that exceeds the validity interval of the CA certificate that will be used to validate the issued certificate. However, in the context of this profile, it is anticipated that a CA may have valid grounds to issue a certificate with a validity interval that exceeds the validity interval of the CA's certificate.

[3.8.](#) Subject Public Key Info

This field specifies the subject's public key and the algorithm with which the key is used. The public key algorithm MUST be RSA, and, accordingly, the OID for the public key algorithm is 1.2.840.113549.1.1.1. The key size MUST be a minimum size of 1024 bits. In the context of certifying resources it is recommended that the key size of keys that are intended to be used at the apex of a certificate issuance hierarchy, and their immediate subordinates, SHOULD use a minimum key size of 2048 bits. Immediate subordinates of these certificates, when used in the context of continued levels of high trust, SHOULD use a minimum key size of 2048 bits.

In the application of this profile to certification of public number resources, it would be consistent with this recommendation that the Regional Internet Registries use a key size of 2048 bits in their issued certificates, and that their immediate subordinate certificate authorities also use a key size of 2048 bits. All other subordinate certificates MAY use a key size of 1024 bits.

It is noted that larger key sizes are computationally expensive for both the CA and relying parties, indicating that care should be taken when deciding to use larger than the minimum key size.

[3.9.](#) Resource Certificate Version 3 Extension Fields

As noted in [Section 4.2 of \[RFC3280\]](#), each extension in a certificate is designated as either critical or non-critical. A certificate-using system MUST reject the certificate if it encounters a critical extension it does not recognise; however, a non-critical extension MAY be ignored if it is not recognised [[RFC3280](#)].

The following X.509 V3 extensions MUST be present in a conforming Resource Certificate, except where explicitly noted otherwise.

[3.9.1.](#) Basic Constraints

The basic constraints extension identifies whether the subject of the certificate is a CA and the maximum depth of valid certification paths that include this certificate.

The issuer determines whether the "cA" boolean is set. If this bit is set, then it indicates that the subject is allowed to issue resources certificates within this overall framework (i.e. the subject is permitted to be a CA).

The Path Length Constraint is not specified in this profile and MUST NOT be present.

The Basic Constraints extension field is a critical extension in the Resource Certificate profile, and MUST be present when the subject is a CA, and MUST NOT be present otherwise.

[3.9.2.](#) Subject Key Identifier

The subject key identifier extension provides a means of identifying certificates that contain a particular public key. To facilitate certification path construction, this extension MUST appear in all Resource Certificates. This extension is non-critical.

The value of the subject key identifier MUST be the value placed in the key identifier field of the Authority Key Identifier extension of immediate subordinate certificates (all certificates issued by the subject of this certificate).

The Key Identifier used here is the 160-bit SHA-1 hash of the value of the DER-encoded ASN.1 bit string of the subject public key, as described in [Section 4.2.1.2 of \[RFC3280\]](#).

[3.9.3.](#) Authority Key Identifier

The subject key identifier extension provides a means of identifying certificates that are signed by the issuer's private key, by providing a hash value of the issuer's public key. To facilitate path construction, this extension **MUST** appear in all Resource Certificates. The keyIdentifier sub field **MUST** be present in all Resource Certificates, with the exception of a CA who issues a "self-signed" certificate. The authorityCertIssuer and authorityCertSerialNumber sub fields **MUST NOT** be present. This extension is non-critical.

The Key Identifier used here is the 160-bit SHA-1 hash of the value of the DER-encoded ASN.1 bit string of the issuer's public key, as described in [Section 4.2.1.1 of \[RFC3280\]](#).

[3.9.4.](#) Key Usage

This describes the purpose of the certificate. This is a critical extension, and it **MUST** be present.

In certificates issued to Certificate Authorities only the keyCertSign and CRLSign bits are set to TRUE and **MUST** be the only bits set to TRUE.

In end-entity certificates the digitalSignature bit **MUST** be set and **MUST** be the only bit set to TRUE.

[3.9.5.](#) CRL Distribution Points

This field (CRLDP) identifies the location(s) of the CRL(s) associated with certificates issued by this Issuer. This profile uses the URI form of object identification. The preferred URI access mechanism is a single RSYNC URI ("rsync://") [[rsync](#)] that references a single inclusive CRL for each issuer.

In this profile the certificate issuer is also the CRL issuer, implying at the CRLIssuer sub field **MUST** be omitted, and the distributionPoint sub-field **MUST** be present. The Reasons sub-field **MUST** be omitted.

The distributionPoint **MUST** contain general names, and **MUST NOT** contain a nameRelativeToCRLIssuer. The type of the general name **MUST** be of type URI.

In this profile, the scope of the CRL is specified to be all certificates issued by this CA issuer using a given key pair.

The sequence of distributionPoint values MUST contain only a single DistributionPointName set. The DistributionPointName set MAY contain more than one URI value. An RSYNC URI MUST be present in the DistributionPointName set, and reference the most recent instance of this issuer's certificate revocation list. Other access form URIs MAY be used in addition to the RSYNC URI.

This extension MUST be present and it is non-critical. There is one exception; where a CA distributes its public key in the form of a "self-signed" certificate, the CRLDP MUST be omitted.

3.9.6. Authority Information Access

This field (AIA) identifies the point of publication of the certificate that is issued by the issuer's immediate superior CA, where this certificate's issuer is the subject. In this profile a single reference object to publication location of the immediate superior certificate MUST be used, except in the case where a CA distributes its public key in the form of a "self-signed" certificate, the authority key identifier SHOULD be omitted.

This profile uses a URI form of object identification. The preferred URI access mechanisms is "rsync", and an RSYNC URI MUST be specified with an accessMethod value of id-ad-caIssuers. The URI MUST reference the point of publication of the certificate where this issuer is the subject (the issuer's immediate superior certificate). Other access method URIs referencing the same object MAY also be included in the value sequence of this extension.

When an Issuer re-issues a CA certificate, the subordinate certificates need to reference this new certificate via the AIA field. In order to avoid the situation where a certificate re-issuance necessarily implies a requirement to re-issue all subordinate certificates, CA Certificate issuers SHOULD use a persistent URL name scheme for issued certificates. This implies that re-issued certificates overwrite previously issued certificates to the same subject in the publication repository, and use the same publication name as previously issued certificates. In this way subordinate certificates can maintain a constant AIA field value and need not be re-issued due solely to a re-issue of the superior certificate. The issuers' policy with respect to the persistence of name objects of issued certificates MUST be specified in the Issuer's Certificate Practice Statement.

This extension is non-critical.

3.9.7. Subject Information Access

This field (SIA) identifies the location of information and services relating to the subject of the certificate in which the SIA extension appears. Where the Subject is a CA in this profile, this information and service collection will include all current valid certificates that have been issued by this subject that are signed with the subject's corresponding private key.

This profile uses a URI form of location identification. The preferred URI access mechanism is "rsync", and an RSYNC URI MUST be specified, with an access method value of id-ad-caRepository when the subject of the certificate is a CA. The RSYNC URI must reference an object collection rather than an individual object and MUST use a trailing '/' in the URI.

Other access method URIs that reference the same location MAY also be included in the value sequence of this extension. The ordering of URIs in this sequence reflect the subject's relative preferences for access methods, with the first method in the sequence being the most preferred.

This field MUST be present when the subject is a CA, and is non-critical.

For End Entity (EE) certificates, where the subject is not a CA, this field MAY be present, and is non-critical. If present, it either references the location where objects signed by the key pair associated with the EE certificate can be accessed, or, in the case of single-use EE certificates it references the location of the single object that has been signed by the corresponding key pair.

When the subject is an End Entity, and it publishes objects signed with the matching private key in a repository, the directory where these signed objects is published is referenced the id-ad-signedObjectRepository OID.

id-ad OBJECT IDENTIFIER ::= { id-pkix 48 }

id-ad-signedObjectRepository OBJECT IDENTIFIER ::= { id-ad 9 }

When the subject is an End Entity, and it publishes a single object signed with the matching private key, the location where this signed objects is published is referenced the id-ad-signedObject OID.

id-ad-signedObject OBJECT IDENTIFIER ::= { id-ad 11 }

This profile allows the use of repository publication manifests to

list all signed objects that are deposited in the repository publication point associated with a CA or an EE. The publication point of the manifest for a CA or EE is placed in the SIA extension of the CA or EE certificate. This profile uses a URI form of manifest identification for the accessLocation. The preferred URI access mechanisms is "rsync", and an RSYNC URI MUST be specified. Other accessDescription fields may exist with this id-ad-Manifest accessMethod, where the accessLocation value indicates alternate URI access mechanisms for the same manifest object.

id-ad-rpkiManifest OBJECT IDENTIFIER ::= { id-ad 10 }

3.9.8. Certificate Policies

This extension MUST reference the Resource Certificate Policy, using the OID Policy Identifier value of "1.3.6.1.5.5.7.14.2". This field MUST be present and MUST contain only this value for Resource Certificates.

PolicyQualifiers MUST NOT be used in this profile.

This extension MUST be present and it is critical.

3.9.9. IP Resources

This field contains the list of IP address resources as per [\[RFC3779\]](#). The value may specify the "inherit" element for a particular AFI value. In the context of resource certificates describing public number resources for use in the public Internet, the SAFI value MUST NOT be used. All Resource Certificates MUST include an IP Resources extension, an AS Resources extension, or both extensions.

This extension, if present, MUST be marked critical.

3.9.10. AS Resources

This field contains the list of AS number resources as per [\[RFC3779\]](#), or may specify the "inherit" element. RDI values are NOT supported in this profile and MUST NOT be used. All Resource Certificates MUST include an IP Resources extension, an AS Resources extension, or both extensions.

This extension, if present, MUST be marked critical.

4. Resource Certificate Revocation List Profile

Each CA MUST issue a version 2 Certificate Revocation List (CRL), consistent with [[RFC3280](#)]. The CRL issuer is the CA, and no indirect CRLs are supported in this profile.

An entry MUST NOT be removed from the CRL until it appears on one regularly scheduled CRL issued beyond the revoked certificate's validity period.

This profile does not allow issuance of Delta CRLs.

The scope of the CRL MUST be "all certificates issued by this CA using a given key pair". The contents of the CRL are a list of all non-expired certificates issued by the CA using a given key pair that have been revoked by the CA.

The profile allows the issuance of multiple current CRLs with different scope by a single CA, with the scope being defined by the key pair used by the CA.

No CRL fields other than those listed here are permitted in CRLs issued under this profile. Unless otherwise indicated, these fields MUST be present in the CRL. Where two or more CRLs issued by a single CA with the same scope, the CRL with the highest value of the "CRL Number" field supersedes all other CRLs issued by this CA.

4.1. Version

Resource Certificate Revocation Lists are Version 2 certificates (the integer value of this field is 1).

4.2. Issuer Name

The value of this field is the X.501 name of the issuing CA who is also the signer of the CRL, and is identical to the Issuer name in the Resource Certificates that are issued by this issuer.

4.3. This Update

This field contains the date and time that this CRL was issued. The value of this field MUST be encoded as UTCTime for dates through the year 2049, and MUST be encoded as GeneralizedTime for dates in the year 2050 or later.

[4.4.](#) Next Update

This is the date and time by which the next CRL SHOULD be issued. The value of this field MUST be encoded as UTCTime for dates through the year 2049, and MUST be encoded as GeneralizedTime for dates in the year 2050 or later.

[4.5.](#) Signature

This field contains the algorithm used to sign this CRL. This profile specifies a minimum of SHA-256 with RSA (sha256WithRSAEncryption), and allows for the use of SHA-384 or SHA-512. This field MUST be present.

It is noted that larger key sizes are computationally expensive for both the CRL Issuer and relying parties, indicating that care should be taken when deciding to use larger than the minimum key size.

[4.6.](#) Revoked Certificate List

When there are no revoked certificates, then the revoked certificate list MUST be absent.

For each revoked resource certificate only the following fields MUST be present. No CRL entry extensions are supported in this profile, and CRL entry extensions MUST NOT be present in a CRL.

[4.6.1.](#) Serial Number

The issuer's serial number of the revoked certificate.

[4.6.2.](#) Revocation Date

The time the certificate was revoked. This time SHOULD NOT be a future date. The value of this field MUST be encoded as UTCTime for dates through the year 2049, and MUST be encoded as GeneralizedTime for dates in the year 2050 or later.

[4.7.](#) CRL Extensions

The X.509 v2 CRL format allows extensions to be placed in a CRL. The following extensions are supported in this profile, and MUST be present in a CRL.

[4.7.1.](#) Authority Key Identifier

The authority key identifier extension provides a means of identifying the public key corresponding to the private key used to

sign a CRL. Conforming CRL issuers MUST use the key identifier method. The syntax for this CRL extension is defined in [section 4.2.1.1 of \[RFC3280\]](#).

This extension is non-critical.

[4.7.2.](#) CRL Number

The CRL Number extension conveys a monotonically increasing sequence number of positive integers for a given CA and scope. This extension allows users to easily determine when a particular CRL supersedes another CRL. The highest CRL Number value supersedes all other CRLs issued by the CA with the same scope.

This extension is non-critical.

[5.](#) Manifest Profile

[6.](#) Resource Certificate Request Profile

A resource certificate request MAY use either of PKCS#10 or Certificate Request Message Format (CRMF). A CA Issuer MUST support PKCS#10 and a CA Issuer may, with mutual consent of the subject, support CRMF.

[6.1.](#) PCKS#10 Profile

This profile refines the specification in [\[RFC2986\]](#), as it relates to Resource Certificates. A Certificate Request Message object, formatted according to PKCS#10, is passed to a Certificate Authority as the initial step in issuing a certificate.

This request may be conveyed to the CA via a Registration Authority (RA), acting under the direction of a Subject.

With the exception of the public key related fields, the CA is permitted to alter any requested field when issuing a corresponding certificate.

[6.1.1.](#) PKCS#10 Resource Certificate Request Template Fields

This profile applies the following additional constraints to fields that may appear in a CertificationRequestInfo:

Version

This field is mandatory and MUST have the value 0.

Subject

This field is optional. If present, the value of this field SHOULD be empty, in which case the issuer MUST generate a subject name that is unique in the context of certificates issued by this issuer. If the value of this field is non-empty, then the CA MAY consider the value of this field as the subject's suggested subject name, but the CA is NOT bound to honour this suggestion, as the subject name MUST be unique per issuer in certificates issued by this issuer.

SubjectPublicKeyInfo

This field specifies the subject's public key and the algorithm with which the key is used. The public key algorithm MUST be RSA, and the OID for the algorithm is 1.2.840.113549.1.1.1. This field also includes a bit-string representation of the entity's public key. For the RSA public-key algorithm the bit string contains the DER encoding of a value of PKCS #1 type RSAPublicKey.

Attributes

[[RFC2986](#)] defines the attributes field as key-value pairs where the key is an OID and the value's structure depends on the key.

The only attribute used in this profile is the ExtensionRequest attribute as defined in [[RFC2985](#)]. This attribute contains X509v3 Certificate Extensions. The profile for extensions in certificate requests is specified in [Section 6.3](#).

This profile applies the following additional constraints to fields that MAY appear in a CertificationRequest Object:

signatureAlgorithm

This profile specifies a minimum of SHA-256 with RSA (sha256WithRSAEncryption), and allows for the use of SHA-384 or SHA-512. Accordingly, the value for this field MUST be one of the OID values { pkcs-1 11 }, { pkcs-1 12 } or { pkcs-1 13 } [[RFC4055](#)].

It is noted that larger key sizes are computationally expensive for both the CA and relying parties, indicating that care should be taken when deciding to use larger than the minimum key size.

[6.2](#). CRMF Profile

This profile refines the Certificate Request Message Format (CRMF) specification in [[RFC4211](#)], as it relates to Resource Certificates. A Certificate Request Message object, formatted according to the

CRMF, is passed to a Certificate Authority as the initial step in issuing a certificate.

This request MAY be conveyed to the CA via a Registration Authority (RA), acting under the direction of a subject.

With the exception of the public key related fields, the CA is permitted to alter any requested field when issuing a corresponding certificate.

6.2.1. CRMF Resource Certificate Request Template Fields

This profile applies the following additional constraints to fields that may appear in a Certificate Request Template:

Version

This field MAY be absent, or MAY specify the request of a Version 3 Certificate. It SHOULD be omitted.

SerialNumber

As per [[RFC4211](#)], this field is assigned by the CA and MUST be omitted in this profile.

SigningAlgorithm

As per [[RFC4211](#)], this field is assigned by the CA and MUST be omitted in this profile.

Issuer

This field is assigned by the CA and MUST be omitted in this profile.

Validity

This field MAY be omitted. If omitted, the CA will issue a Certificate with Validity dates as determined by the CA. If specified, then the CA MAY override the requested values with dates as determined by the CA.

Subject

This field is optional. If present, the value of this field SHOULD be empty, in which case the issuer MUST generate a subject name that is unique in the context of certificates issued by this issuer. If the value of this field is non-empty, then the CA MAY consider the value of this field as the subject's suggested subject name, but the CA is NOT bound to honour this suggestion, as the subject name MUST be unique per issuer in certificates issued by this issuer.

PublicKey

This field **MUST** be present.

extensions

This attribute contains X509v3 Certificate Extensions. The profile for extensions in certificate requests is specified in [Section 6.3](#).

[6.2.2](#). Resource Certificate Request Control Fields

The following control fields are supported in this profile:

Authenticator Control

It is noted that the intended model of authentication of the subject is a long term one, and the advice as offered in [[RFC4211](#)] is that the Authenticator Control field be used.

[6.3](#). Certificate Extension Attributes in Certificate Requests

The following extensions **MAY** appear in a PKCS#10 or CRMF Certificate Request. Any other extensions **MUST NOT** appear in a Certificate Request. This profile places the following additional constraints on these extensions.:

BasicConstraints

If this is omitted then the CA will issue an end entity certificate with the BasicConstraints extension not present in the issued certificate.

The Path Length Constraint is not supported in this Resource Certificate Profile, and this field **MUST** be omitted in this profile.

The CA **MAY** honour the SubjectType CA bit set to on. If this bit is set, then it indicates that the Subject is allowed to issue resource certificates within this overall framework.

The CA **MAY** honour the SubjectType CA bit set to off (End Entity certificate request), in which case the corresponding end entity certificate will not contain a BasicConstraints extension.

SubjectKeyIdentifier

This field is assigned by the CA and **MUST** be omitted in this profile.

AuthorityKeyIdentifier

This field is assigned by the CA and MUST be omitted in this profile.

KeyUsage

The CA MAY honor KeyUsage extensions of keyCertSign and cRLSign if present, as long as this is consistent with the BasicConstraints SubjectType sub field, when specified.

SubjectInformationAccess

This field MUST be present when the subject is a CA, and the field value SHOULD be honoured by the CA. If the CA is not able to honor the requested field value, then the CA MUST reject the Certificate Request.

This field (SIA) identifies the location of information and services relating to the subject of the certificate in which the SIA extension appears. Where the Subject is a CA in this profile, this information and service collection will include all current valid certificates that have been issued by this subject that are signed with the subject's corresponding private key.

This profile uses a URI form of location identification. An RSYNC URI MUST be specified, with an access method value of id-ad-caRepository when the subject of the certificate is a CA. The RSYNC URI MUST reference an object collection rather than an individual object and MUST use a trailing '/' in the URI. Other access method URIs that reference the same location MAY also be included in the value sequence of this extension. The ordering of URIs in this sequence reflect the subject's relative preferences for access methods, with the first method in the sequence being the most preferred by the Subject.

CRLDistributionPoints

This field is assigned by the CA and MUST be omitted in this profile.

AuthorityInformationAccess

This field is assigned by the CA and MUST be omitted in this profile.

CertificatePolicies

This field is assigned by the CA and MUST be omitted in this profile.

With the exceptions of the publicKey field and the SubjectInformationAccess field, the CA is permitted to alter any

requested field.

7. Resource Certificate Validation

This section describes the Resource Certificate validation procedure. This refines the generic procedure described in [section 6 of \[RFC3280\]](#):

To meet this goal, the path validation process verifies, among other things, that a prospective certification path (a sequence of n certificates) satisfies the following conditions:

1. for all x in $\{1, \dots, n-1\}$, the subject of certificate x is the issuer of certificate $x+1$;
2. certificate 1 is issued by a trust anchor;
3. certificate n is the certificate to be validated; and
4. for all x in $\{1, \dots, n\}$, the certificate is valid.

7.1. Trust Anchors for Resource Certificates

The trust model that may be used in the resource certificate framework in the context of validation of assertions of public number resources in public-use contexts is one that readily maps to a top-down delegated CA model that mirrors the delegation of resources from a registry distribution point to the entities that are the direct recipients of these resources. Within this trust model these recipient entities may, in turn, operate a registry and perform further allocations or assignments. This is a strict hierarchy, in that any number resource and a corresponding recipient entity has only one 'parent' issuing registry for that number resource (i.e. there is always a unique parent entity for any resource and corresponding entity), and that the issuing registry is not a direct or indirect subordinate recipient entity of the recipient entity in question (i.e. no loops in the model).

The more general consideration is that selection of a trust anchor CA is a task undertaken by relying parties. The structure of the resource certificate profile admits potentially the same variety of trust models as the PKIX profile. There is only one additional caveat on the general applicability of trust models and PKIX frameworks, namely that in forming a validation path to a trust anchor CA, the sequence of certificates MUST preserve the resource extension validation property, as described in [Section 7.2](#), and the validation of the first certificate in the validation path not only

involves the verification that the certificate was issued by a trust anchor CA, but also that the resource set described in the certificate MUST be encompassed by the trust anchor CA's resource set, as described in [Section 7.2](#).

The trust anchor information, describing a CA that serves as a trust anchor, includes the following:

1. the trusted issuer name,
2. the trusted public key algorithm,
3. the trusted public key,
4. optionally, the trusted public key parameters associated with the public key, and
5. a resource set, consisting of a set of IPv4 resources, IPv6 resources and AS number resources.

The trust anchor information may be provided to the path processing procedure in the form of a self-signed certificate.

[7.2](#). Resource Extension Validation

The IP resource extension definition [[RFC3779](#)] defines a critical extensions for Internet number resources. These are ASN.1 encoded representations of the IPv4 and IPv6 address range (either as a prefix/length, or start-end pair) and the AS number set.

Valid Resource Certificates MUST have a valid IP address and/or AS number resource extension. In order to validate a Resource Certificate the resource extension must also be validated. This validation process relies on definitions of comparison of resource sets:

more specific: Given two IP address or AS number contiguous ranges, A and B, A is "more specific" than B if range B includes all IP addresses or AS numbers described by range A, and if range B is larger than range A.

equal: Given two IP address or AS number contiguous ranges, A and B, A is "equal" to B if range A describes precisely the same collection of IP addresses or AS numbers as described by range B. The definition of "inheritance" in [[RFC3779](#)] is equivalent to this "equality" comparison.

encompass: Given two IP address and AS number sets X and Y, X "encompasses" Y if, for every contiguous range of IP addresses or AS numbers elements in set Y, the range element is either more specific than or equal to a contiguous range element within the set X.

Validation of a certificate's resource extension in the context of an

ordered certificate sequence of {1,2, ... , n} where '1' is issued by a trust anchor and 'n' is the target certificate, and where the subject of certificate 'x' is the issuer of certificate 'x' + 1, implies that the resources described in certificate 'x' "encompass" the resources described in certificate 'x' + 1, and the resources described in the trust anchor information "encompass" the resources described in certificate 1.

[7.3.](#) Resource Certificate Path Validation

Validation of signed resource data using a target resource certificate consists of assembling an ordered sequence (or 'Certificate Path') of certificates ({1,2,...n} where '1' is a certificate that has been issued by a trust anchor, and 'n' is the target certificate) verifying that all of the following conditions hold:

1. The certificate can be verified using the Issuer's public key and the signature algorithm
2. The current time lies within the certificate's Validity From and To values.
3. The certificate contains all fields that MUST be present and contains field values as specified in this profile for all field values that MUST be present.
4. No field value that MUST NOT be present in this profile is present in the certificate.
5. The Issuer has not revoked the certificate by placing the certificate's serial number on the Issuer's current Certificate Revocation List, and the Certificate Revocation List is itself valid.
6. That the resource extension data is "encompassed" by the resource extension data contained in a valid certificate where this Issuer is the Subject (the previous certificate in the ordered sequence)
7. The Certificate Path originates with a certificate issued by a trust anchor, and there exists a signing chain across the Certificate Path where the Subject of Certificate x in the Certificate Path matches the Issuer in Certificate x+1 in the Certificate Path.

A certificate validation algorithm may perform these tests in any chosen order.

Certificates and CRLs used in this process may be found in a locally maintained cache, maintained by a regular top-down synchronization pass, seeded with the CAs who operate at the apex of the resource distribution hierarchy, via reference to Issued certificates and their SIA fields as forward pointers, plus the CRLDP. Alternatively, validation may be performed using a bottom-up process with on-line certificate access using the AIA and CRLDP pointers to guide the certificate retrieval process.

There exists the possibility of encountering certificate paths that are arbitrarily long, or attempting to generate paths with loops as means of creating a potential DOS attack on a certificate validator. Some further heuristics may be required to halt the certificate path validation process in order to avoid some of the issues associated with attempts to validate such structures. It is suggested that implementations of Resource Certificate validation MAY halt with a validation failure if the certificate path length exceeds a pre-determined configuration parameter.

8. Security Considerations

The Security Considerations of [[RFC3280](#)] and [[RFC3779](#)] apply to Resource Certificates as defined by this profile, and their use.

A Resource Certificate PKI cannot in and of itself resolve any forms of ambiguity relating to uniqueness of assertions of rights of use in the event that two or more valid certificates encompass the same resource. If the issuance of resource certificates is aligned to the status of resource allocations and assignments then the information conveyed in a certificate is no better than the information in the allocation and assignment databases.

9. IANA Considerations

[Note to IANA, to be removed prior to publication: there are no IANA considerations stated in this version of the document.]

10. Acknowledgements

The authors would like to acknowledge the valued contributions from Stephen Kent, Robert Kisteleki, Randy Bush, Russ Housley, Ricardo Patara and Rob Austein in the preparation and subsequent review of this document. The document also reflects review comments received from Sean Turner.

11. References

11.1. Normative References

- [RFC0791] Postel, J., "Internet Protocol", STD 5, [RFC 791](#), September 1981.
- [RFC2050] Hubbard, K., Kesters, M., Conrad, D., Karrenberg, D., and J. Postel, "INTERNET REGISTRY IP ALLOCATION GUIDELINES", [BCP 12](#), [RFC 2050](#), November 1996.
- [RFC3280] Housley, R., Polk, W., Ford, W., and D. Solo, "Internet X.509 Public Key Infrastructure Certificate and Certificate Revocation List (CRL) Profile", [RFC 3280](#), April 2002.
- [RFC3779] Lynn, C., Kent, S., and K. Seo, "X.509 Extensions for IP Addresses and AS Identifiers", [RFC 3779](#), June 2004.
- [RFC4055] Schaad, J., Kaliski, B., and R. Housley, "Additional Algorithms and Identifiers for RSA Cryptography for use in the Internet X.509 Public Key Infrastructure Certificate and Certificate Revocation List (CRL) Profile", [RFC 4055](#), June 2005.
- [RFC4211] Schaad, J., "Internet X.509 Public Key Infrastructure Certificate Request Message Format (CRMF)", [RFC 4211](#), September 2005.
- [RFC4291] Hinden, R. and S. Deering, "IP Version 6 Addressing Architecture", [RFC 4291](#), February 2006.

11.2. Informative References

- [RFC2985] Nystrom, M. and B. Kaliski, "PKCS #9: Selected Object Classes and Attribute Types Version 2.0", [RFC 2985](#), November 2000.
- [RFC2986] Nystrom, M. and B. Kaliski, "PKCS #10: Certification Request Syntax Specification Version 1.7", [RFC 2986](#), November 2000.
- [RFC4158] Cooper, M., Dzambasow, Y., Hesse, P., Joseph, S., and R. Nicholas, "Internet X.509 Public Key Infrastructure: Certification Path Building", [RFC 4158](#), September 2005.
- [rsync] Tridgell, A., "rsync", April 2006, <<http://samba.anu.edu.au/rsync/>>.

[Appendix A.](#) Example Resource Certificate

The following is an example Resource Certificate.

Certificate Name: hu9fdDBq60mrk7cPRuX2DYuXSRQ-3.cer

Data:

Version: 3

Serial: 3

Signature Algorithm: Hash: SHA256, Encryption: RSA

Issuer: CN=Demo Production APNIC CA - Not for real use,
E=ca@apnic.net

Validity:

Not Before: Thu Jul 27 06:34:04 2006 GMT

Not After: Fri Jul 27 06:34:04 2007 GMT

Subject: CN=APNIC own-use network resources

Subject Key Identifier:

86:ef:5f:74:30:6a:eb:49:ab:93:b7:0f:46:e5:f6:0d:
8b:97:49:14

Subject Key Identifier g(SKI):

hu9fdDBq60mrk7cPRuX2DYuXSRQ

Subject Public Key Info:

Public Key Algorithm: rsaEncryption

RSA Public Key: Modulus:

c1:25:a1:b0:db:89:83:a0:fc:f1:c0:e4:7b:93:76:c1:
59:b7:0d:ac:25:25:ed:88:ce:00:03:ea:99:1a:9a:2a:
0e:10:2e:5f:c0:45:87:47:81:7b:1d:4d:44:aa:65:a3:
f8:07:84:32:ea:04:70:27:05:2b:79:26:e6:e6:3a:cb:
b2:9a:65:6c:c1:4e:d7:35:fb:f6:41:1e:8b:1c:b8:e4:
5a:3a:d6:d0:7b:82:9a:23:03:f8:05:4c:68:42:67:fe:
e7:45:d9:2c:a6:d1:b3:da:cf:ad:77:c5:80:d2:e3:1e:
4d:e8:bf:a2:f2:44:10:b2:2f:61:bc:f4:89:31:54:7c:
56:47:d5:b1:c3:48:26:95:93:c9:6f:70:14:4d:ac:a5:
c2:8e:3d:1f:6d:f8:d4:93:9d:14:c7:15:c7:34:8e:ba:
dd:70:b3:c2:2b:08:78:59:97:dd:e4:34:c7:d8:de:5c:
f7:94:6f:95:59:ba:29:65:f5:98:15:8f:8e:57:59:5d:
92:1f:64:2f:b5:3d:69:2e:69:83:c2:10:c6:aa:8e:03:
d5:69:11:bd:0d:b5:d8:27:6c:74:2f:60:47:dd:2e:87:
24:c2:36:68:2b:3c:fd:bd:22:57:a9:4d:e8:86:3c:27:
03:ce:f0:03:2e:59:ce:05:a7:41:3f:2f:64:50:dd:e7

RSA Public Key: Exponent: 65537

Basic Constraints: CA: TRUE

Subject Info Access:

caRepository - rsync://repository.apnic.net/APNIC/
pvpjvwUeQix2e54X8fGbhmdYMo0/
q66IrWSGuBE7jqx8PAUHA1HCqRw/
hu9fdDBq60mrk7cPRuX2DYuXSRQ/

Key Usage: keyCertSign, cRLSign

CRL Distribution Points:

rsync://repository.apnic.net/APNIC/
pvpjvwUeQix2e54X8fGbhmdYMo0/
q66IrWSGuBE7jqx8PAUHALHCqRw/
q66IrWSGuBE7jqx8PAUHALHCqRw.crl

Authority Info Access: caIssuers -

rsync://repository.apnic.net/APNIC/
pvpjvwUeQix2e54X8fGbhmdYMo0/
q66IrWSGuBE7jqx8PAUHALHCqRw.cer

Authority Key Identifier: Key Identifier:

ab:ae:88:ad:64:86:b8:11:3b:8e:ac:7c:3c:05:07:02:
51:c2:a9:1c

Authority Key Identifier: Key Identifier g(AKI):

q66IrWSGuBE7jqx8PAUHALHCqRw

Certificate Policies: 1.3.6.1.5.5.7.14.2

IPv4: 192.0.2.0/24,

IPv6: 2001:DB8::/32

ASNum: 4608, 4777, 9545, 18366-18370

Signature:

c5:e7:b2:f3:62:cb:e3:bc:50:1e:6b:90:13:19:f4:5b:
4a:1c:1c:ab:b5:de:b1:a4:22:e0:28:f5:3b:d0:8c:59:
0f:85:f2:06:a6:ae:22:e6:d0:99:fe:cb:eb:1d:6a:e2:
a3:f1:a2:25:95:ec:a7:7d:96:35:dc:16:a7:2f:f5:b7:
11:ba:97:05:57:5f:5d:07:5a:c8:19:c8:27:d3:f7:a3:
92:66:cb:98:2d:e1:7f:a8:25:96:ab:af:ed:87:02:28:
f5:ae:b6:e3:0c:f7:18:82:70:82:f4:76:54:06:b9:9f:
e1:a5:f7:ae:72:dd:ee:f0:d4:d2:78:bb:61:73:cf:51:
26:9f:ea:e8:20:49:06:ba:0c:ac:1d:f6:07:b8:63:a0:
4d:3d:8e:12:84:3a:d0:ec:94:7e:02:db:d4:85:cf:12:
5c:7b:12:1a:52:ab:3c:ba:00:f2:71:e7:f0:fd:b3:f4:
81:e8:a7:cb:07:ca:3a:a4:24:fe:dc:bb:51:16:6a:28:
33:40:a4:64:60:75:0e:c8:06:c8:5f:e5:98:be:16:a3:
bc:19:e7:b3:4f:00:0a:8e:81:33:dd:4c:a0:fb:f5:1c:
1f:1d:3f:b5:90:8b:ec:98:67:76:95:56:8a:94:45:54:
52:3d:1c:69:4c:6f:8a:9f:09:ec:ef:b0:a9:bc:cf:9d

[Appendix B](#). Example Certificate Revocation List

The following is an example Certificate Revocation List.

CRL Name: q66IrWSGuBE7jqx8PAUHALHCqRw.crl

Data:

Version: 2

Signature Algorithm:

Hash: SHA256, Encryption: RSA

Issuer: CN=Demo Production APNIC CA - Not for real use,
E=ca@apnic.net

This Update: Thu Jul 27 06:30:34 2006 GMT

Next Update: Fri Jul 28 06:30:34 2006 GMT

Authority Key Identifier: Key Identifier:

ab:ae:88:ad:64:86:b8:11:3b:8e:ac:7c:3c:05:
07:02:51:c2:a9:1c

Authority Key Identifier: Key Identifier g(AKI):
q66IrWSGuBE7jqx8PAUHALHCqRw

CRLNumber: 4

Revoked Certificates: 1

Serial Number: 1

Revocation Date: Mon Jul 17 05:10:19 2006 GMT

Serial Number: 2

Revocation Date: Mon Jul 17 05:12:25 2006 GMT

Serial Number: 4

Revocation Date: Mon Jul 17 05:40:39 2006 GMT

Signature:

b2:5a:e8:7c:bd:a8:00:0f:03:1a:17:fd:40:2c:46:
0e:d5:64:87:e7:e7:bc:10:7d:b6:3e:39:21:a9:12:
f4:5a:d8:b8:d4:bd:57:1a:7d:2f:7c:0d:c6:4f:27:
17:c8:0e:ae:8c:89:ff:00:f7:81:97:c3:a1:6a:0a:
f7:d2:46:06:9a:d1:d5:4d:78:e1:b7:b0:58:4d:09:
d6:7c:1e:a0:40:af:86:5d:8c:c9:48:f6:e6:20:2e:
b9:b6:81:03:0b:51:ac:23:db:9f:c1:8e:d6:94:54:
66:a5:68:52:ee:dd:0f:10:5d:21:b8:b8:19:ff:29:
6f:51:2e:c8:74:5c:2a:d2:c5:fa:99:eb:c5:c2:a2:
d0:96:fc:54:b3:ba:80:4b:92:7f:85:54:76:c9:12:
cb:32:ea:1d:12:7b:f8:f9:a2:5c:a1:b1:06:8e:d8:
c5:42:61:00:8c:f6:33:11:29:df:6e:b2:cc:c3:7c:
d3:f3:0c:8d:5c:49:a5:fb:49:fd:e7:c4:73:68:0a:
09:0e:6d:68:a9:06:52:3a:36:4f:19:47:83:59:da:
02:5b:2a:d0:8a:7a:33:0a:d5:ce:be:b5:a2:7d:8d:
59:a1:9d:ee:60:ce:77:3d:e1:86:9a:84:93:90:9f:
34:a7:02:40:59:3a:a5:d1:18:fb:6f:fc:af:d4:02:
d9

Authors' Addresses

Geoff Huston
Asia Pacific Network Information Centre

Email: gih@apnic.net
URI: <http://www.apnic.net>

George Michaelson
Asia Pacific Network Information Centre

Email: ggm@apnic.net
URI: <http://www.apnic.net>

Robert Loomans
Asia Pacific Network Information Centre

Email: robertl@apnic.net
URI: <http://www.apnic.net>

Full Copyright Statement

Copyright (C) The IETF Trust (2007).

This document is subject to the rights, licenses and restrictions contained in [BCP 78](#), and except as set forth therein, the authors retain all their rights.

This document and the information contained herein are provided on an "AS IS" basis and THE CONTRIBUTOR, THE ORGANIZATION HE/SHE REPRESENTS OR IS SPONSORED BY (IF ANY), THE INTERNET SOCIETY, THE IETF TRUST AND THE INTERNET ENGINEERING TASK FORCE DISCLAIM ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY THAT THE USE OF THE INFORMATION HEREIN WILL NOT INFRINGE ANY RIGHTS OR ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

Intellectual Property

The IETF takes no position regarding the validity or scope of any Intellectual Property Rights or other rights that might be claimed to pertain to the implementation or use of the technology described in this document or the extent to which any license under such rights might or might not be available; nor does it represent that it has made any independent effort to identify any such rights. Information on the procedures with respect to rights in RFC documents can be found in [BCP 78](#) and [BCP 79](#).

Copies of IPR disclosures made to the IETF Secretariat and any assurances of licenses to be made available, or the result of an attempt made to obtain a general license or permission for the use of such proprietary rights by implementers or users of this specification can be obtained from the IETF on-line IPR repository at <http://www.ietf.org/ipr>.

The IETF invites any interested party to bring to its attention any copyrights, patents or patent applications, or other proprietary rights that may cover technology that may be required to implement this standard. Please address the information to the IETF at ietf-ipr@ietf.org.

Acknowledgment

Funding for the RFC Editor function is provided by the IETF Administrative Support Activity (IASA).