

Network Working Group
Internet-Draft
Intended status: Experimental
Expires: August 19, 2017

A. Bittau
Google
D. Boneh
D. Giffin
M. Hamburg
Stanford University
M. Handley
University College London
D. Mazieres
Q. Slack
Stanford University
E. Smith
Kestrel Institute
February 15, 2017

Cryptographic protection of TCP Streams (tcpcrypt)
draft-ietf-tcpinc-tcpcrypt-05

Abstract

This document specifies tcpcrypt, a TCP encryption protocol designed for use in conjunction with the TCP Encryption Negotiation Option (TCP-ENO) [[I-D.ietf-tcpinc-tcpeno](#)]. Tcpcrypt coexists with middleboxes by tolerating resegmentation, NATs, and other manipulations of the TCP header. The protocol is self-contained and specifically tailored to TCP implementations, which often reside in kernels or other environments in which large external software dependencies can be undesirable. Because the size of TCP options is limited, the protocol requires one additional one-way message latency to perform key exchange before application data may be transmitted. However, this cost can be avoided between two hosts that have recently established a previous tcpcrypt connection.

Status of This Memo

This Internet-Draft is submitted in full conformance with the provisions of [BCP 78](#) and [BCP 79](#).

Internet-Drafts are working documents of the Internet Engineering Task Force (IETF). Note that other groups may also distribute working documents as Internet-Drafts. The list of current Internet-Drafts is at <http://datatracker.ietf.org/drafts/current/>.

Internet-Drafts are draft documents valid for a maximum of six months and may be updated, replaced, or obsoleted by other documents at any time. It is inappropriate to use Internet-Drafts as reference material or to cite them other than as "work in progress."

Internet-Draft

tcpcrypt

February 2017

This Internet-Draft will expire on August 19, 2017.

Copyright Notice

Copyright (c) 2017 IETF Trust and the persons identified as the document authors. All rights reserved.

This document is subject to [BCP 78](#) and the IETF Trust's Legal Provisions Relating to IETF Documents (<http://trustee.ietf.org/license-info>) in effect on the date of publication of this document. Please review these documents carefully, as they describe your rights and restrictions with respect to this document. Code Components extracted from this document must include Simplified BSD License text as described in Section 4.e of the Trust Legal Provisions and are provided without warranty as described in the Simplified BSD License.

This document may contain material from IETF Documents or IETF Contributions published or made publicly available before November 10, 2008. The person(s) controlling the copyright in some of this material may not have granted the IETF Trust the right to allow modifications of such material outside the IETF Standards Process. Without obtaining an adequate license from the person(s) controlling the copyright in such materials, this document may not be modified outside the IETF Standards Process, and derivative works of it may not be created outside the IETF Standards Process, except to format it for publication as an RFC or to translate it into languages other than English.

Table of Contents

1.	Requirements language	3
2.	Introduction	3
3.	Encryption protocol	3
3.1.	Cryptographic algorithms	4
3.2.	Protocol negotiation	5
3.3.	Key exchange	6
3.4.	Session ID	8
3.5.	Session caching	8
3.6.	Data encryption and authentication	11
3.7.	TCP header protection	12
3.8.	Re-keying	12
3.9.	Keep-alive	13

4.	Encodings	14
4.1.	Key exchange messages	14
4.2.	Application frames	16
4.2.1.	Plaintext	16
4.2.2.	Associated data	17

4.2.3.	Frame nonce	17
5.	Key agreement schemes	18
6.	AEAD algorithms	19
7.	IANA considerations	19
8.	Security considerations	20
9.	Design notes	21
9.1.	Asymmetric roles	21
9.2.	Verified liveness	21
10.	Acknowledgments	22
11.	References	22
11.1.	Normative References	22
11.2.	Informative References	23
Appendix A.	Protocol constant values	23
	Authors' Addresses	24

[1.](#) Requirements language

The key words "MUST", "MUST NOT", "REQUIRED", "SHALL", "SHALL NOT", "SHOULD", "SHOULD NOT", "RECOMMENDED", "MAY", and "OPTIONAL" in this document are to be interpreted as described in [[RFC2119](#)].

[2.](#) Introduction

This document describes tcpcrypt, an extension to TCP for cryptographic protection of session data. Tcpcrypt was designed to meet the following goals:

- o Meet the requirements of the TCP Encryption Negotiation Option (TCP-ENO) [[I-D.ietf-tcpinc-tcpeno](#)] for protecting connection data.
- o Be amenable to small, self-contained implementations inside TCP stacks.
- o Minimize additional latency at connection startup.
- o As much as possible, prevent connection failure in the presence of

NATs and other middleboxes that might normalize traffic or otherwise manipulate TCP segments.

- o Operate independently of IP addresses, making it possible to authenticate resumed sessions efficiently even when either end changes IP address.

[3.](#) Encryption protocol

This section describes the tcpcrypt protocol at an abstract level. The concrete format of all messages is specified in [Section 4](#).

[3.1.](#) Cryptographic algorithms

Setting up a tcpcrypt connection employs three types of cryptographic algorithms:

- o A `_key agreement scheme_` is used with a short-lived public key to agree upon a shared secret.
- o An `_extract function_` is used to generate a pseudo-random key from some initial keying material, typically the output of the key agreement scheme. The notation `Extract(S, IKM)` denotes the output of the extract function with salt `S` and initial keying material `IKM`.
- o A `_collision-resistant pseudo-random function (CPRF)_` is used to generate multiple cryptographic keys from a pseudo-random key, typically the output of the extract function. We use the notation `CPRF(K, CONST, L)` to designate the output of `L` bytes of the pseudo-random function identified by key `K` on `CONST`.

The `Extract` and `CPRF` functions used by default are the `Extract` and `Expand` functions of HKDF [\[RFC5869\]](#). These are defined as follows in terms of the PRF "`HMAC-Hash(key, value)`" for a negotiated "`Hash`" function:

```
HKDF-Extract(salt, IKM) -> PRK
PRK = HMAC-Hash(salt, IKM)
```

```
HKDF-Expand(PRK, CONST, L) -> OKM
```

```

T(0) = empty string (zero length)
T(1) = HMAC-Hash(PRK, T(0) | CONST | 0x01)
T(2) = HMAC-Hash(PRK, T(1) | CONST | 0x02)
T(3) = HMAC-Hash(PRK, T(2) | CONST | 0x03)
...

OKM = first L octets of T(1) | T(2) | T(3) | ...

```

Figure 1: The symbol | denotes concatenation, and the counter concatenated to the right of CONST is a single octet.

Lastly, once tcpcrypt has been successfully set up and encryption keys have been derived, an algorithm for Authenticated Encryption with Associated Data (AEAD) is used to protect the confidentiality and integrity of all transmitted application data. AEAD algorithms use a single key to encrypt their input data and also to generate a cryptographic tag to accompany the resulting ciphertext; when decryption is performed, the tag allows authentication of the encrypted data and of optional, associated plaintext data.

[3.2.](#) Protocol negotiation

Tcpcrypt depends on TCP-ENO [[I-D.ietf-tcpinc-tcpeno](#)] to negotiate whether encryption will be enabled for a connection, and also which key agreement scheme to use. TCP-ENO negotiates the use of a particular TCP encryption protocol or `_TEP_` by including protocol identifiers in ENO suboptions. This document associates four TEP identifiers with the tcpcrypt protocol, as listed in Table 1. Each identifier indicates the use of a particular key-agreement scheme. Future standards may associate additional identifiers with tcpcrypt.

An active opener that wishes to negotiate the use of tcpcrypt includes an ENO option in its SYN segment. That option includes suboptions with tcpcrypt TEP identifiers indicating the key-agreement schemes it is willing to enable. The active opener MAY additionally include suboptions indicating support for encryption protocols other than tcpcrypt, as well as global suboptions as specified by TCP-ENO.

If a passive opener receives an ENO option including tcpcrypt TEPs it supports, it MAY then attach an ENO option to its SYN-ACK segment, including `_solely_` the TEP it wishes to enable.

To establish distinct roles for the two hosts in each connection, tcpcrypt depends on the role-negotiation mechanism of TCP-ENO. As one result of the negotiation process, TCP-ENO assigns hosts unique roles abstractly called "A" at one end of the connection and "B" at the other. Generally, an active opener plays the "A" role and a passive opener plays the "B" role; but in the case of simultaneous open, an additional mechanism breaks the symmetry and assigns different roles to the two hosts. This document adopts the terms "host A" and "host B" to identify each end of a connection uniquely, following TCP-ENO's designation.

ENO suboptions include a flag "v" which indicates the presence of associated, variable-length data. In order to propose fresh key agreement with a particular tcpcrypt TEP, a host sends a one-byte suboption containing the TEP identifier and "v = 0". In order to propose session resumption (described further below) with a particular TEP, a host sends a variable-length suboption containing the TEP identifier, the flag "v = 1", and an identifier for a session previously negotiated with the same host and the same TEP.

Once two hosts have exchanged SYN segments, TCP-ENO defines the `_negotiated TEP_` to be the last valid TEP identifier in the SYN segment of host B (that is, the passive opener in the absence of simultaneous open) that also occurs in that of host A. If there is no such TEP, hosts MUST disable TCP-ENO and tcpcrypt.

If the negotiated TEP was sent by host B with "v = 0", it means that fresh key agreement will be performed as described below in [Section 3.3](#). If it had "v = 1", the key-exchange messages will be omitted in favor of determining keys via session-caching as described in [Section 3.5](#), and protected application data may immediately be sent as detailed in [Section 3.6](#).

Note that the negotiated TEP is determined without reference to the "v" bits in ENO suboptions, so if host A offers resumption with a particular TEP and host B replies with a non-resumption suboption with the same TEP, that may become the negotiated TEP and fresh key agreement will be performed. That is, sending a resumption suboption also implies willingness to perform fresh key agreement with the indicated TEP.

As required by TCP-ENO, once a host has both sent and received an ACK segment containing a valid ENO option, encryption MUST be enabled and plaintext application data MUST NOT ever be exchanged on the connection. If the negotiated TEP is among those listed in Table 1, a host MUST follow the protocol described in this document.

[3.3.](#) Key exchange

Following successful negotiation of a tcpcrypt TEP, all further signaling is performed in the Data portion of TCP segments. Except when resumption was negotiated (described below in [Section 3.5](#)), the two hosts perform key exchange through two messages, "Init1" and "Init2", at the start of the data streams of host A and host B, respectively. These messages may span multiple TCP segments and need not end at a segment boundary. However, the segment containing the last byte of an "Init1" or "Init2" message SHOULD have TCP's PSH bit set.

The key exchange protocol, in abstract, proceeds as follows:

```
A -> B: Init1 = { INIT1_MAGIC, sym-cipher-list, N_A, PK_A }
B -> A: Init2 = { INIT2_MAGIC, sym-cipher, N_B, PK_B }
```

The concrete format of these messages is specified in [Section 4.1](#).

The parameters are defined as follows:

- o "INIT1_MAGIC", "INIT2_MAGIC": constants defined in Table 3.
- o "sym-cipher-list": a list of symmetric ciphers (AEAD algorithms) acceptable to host A. These are specified in Table 2.

- o "sym-cipher": the symmetric cipher selected by host B from the "sym-cipher-list" sent by host A.
- o "N_A", "N_B": nonces chosen at random by hosts A and B, respectively.
- o "PK_A", "PK_B": ephemeral public keys for hosts A and B, respectively. These, as well as their corresponding private keys,

are short-lived values that SHOULD be refreshed periodically. The private keys SHOULD NOT ever be written to persistent storage.

The ephemeral secret ("ES") is the result of the key-agreement algorithm (see [Section 5](#)) indicated by the negotiated TEP. The inputs to the algorithm are the local host's ephemeral private key and the remote host's ephemeral public key. For example, host A would compute "ES" using its own private key (not transmitted) and host B's public key, "PK_B".

The two sides then compute a pseudo-random key ("PRK"), from which all session keys are derived, as follows:

$$\text{PRK} = \text{Extract}(\text{N_A}, \text{eno-transcript} \mid \text{Init1} \mid \text{Init2} \mid \text{ES})$$

Above, "|" denotes concatenation; "eno-transcript" is the protocol-negotiation transcript defined in TCP-ENO; and "Init1" and "Init2" are the transmitted encodings of the messages described in [Section 4.1](#).

A series of "session secrets" are then computed from "PRK" as follows:

$$\begin{aligned} \text{ss}[0] &= \text{PRK} \\ \text{ss}[i] &= \text{CPRF}(\text{ss}[i-1], \text{CONST_NEXTK}, \text{K_LEN}) \end{aligned}$$

The value "ss[0]" is used to generate all key material for the current connection. The values "ss[i]" for "i > 0" can be used to avoid public key cryptography when establishing subsequent connections between the same two hosts, as described in [Section 3.5](#). The "CONST_*" values are constants defined in Table 3. The length "K_LEN" depends on the tcpcrypt TEP in use, and is specified in [Section 5](#).

Given a session secret "ss", the two sides compute a series of master keys as follows:

$$\begin{aligned} \text{mk}[0] &= \text{CPRF}(\text{ss}, \text{CONST_REKEY}, \text{K_LEN}) \\ \text{mk}[i] &= \text{CPRF}(\text{mk}[i-1], \text{CONST_REKEY}, \text{K_LEN}) \end{aligned}$$

[Section 3.8.](#)

Finally, each master key "mk" is used to generate keys for authenticated encryption for the "A" and "B" roles. Key "k_ab" is used by host A to encrypt and host B to decrypt, while "k_ba" is used by host B to encrypt and host A to decrypt.

```
k_ab = CPRF(mk, CONST_KEY_A, ae_keylen)
k_ba = CPRF(mk, CONST_KEY_B, ae_keylen)
```

The value "ae_keylen" depends on the authenticated-encryption algorithm selected, and is given under "Key Length" in Table 2.

After host B sends "Init2" or host A receives it, that host may immediately begin transmitting protected application data as described in [Section 3.6](#).

If host A receives "Init2" with a "sym-cipher" value that was not present in the "sym-cipher-list" it previously transmitted in "Init1", it MUST abort the connection and raise an error condition distinct from the end-of-file condition.

[3.4.](#) Session ID

TCP-ENO requires each TEP to define a `_session ID_` value that uniquely identifies each encrypted connection.

As required, a tcpcrypt session ID begins with the negotiated TEP identifier along with the "v" bit as transmitted by host B. The remainder of the ID is derived from the session secret, as follows:

```
session_id[i] = TEP-byte | CPRF(ss[i], CONST_SESSID, K_LEN)
```

Again, the length "K_LEN" depends on the TEP, and is specified in [Section 5](#).

[3.5.](#) Session caching

When two hosts have already negotiated session secret "ss[i-1]", they can establish a new connection without public-key operations using "ss[i]". A host signals willingness to resume with a particular session secret by sending a SYN segment with a resumption suboption: that is, an ENO suboption containing the negotiated TEP identifier from the original session and part of an identifier for the session.

The resumption identifier is calculated from a session secret "ss[i]" as follows:

```
resume[i] = CPRF(ss[i], CONST_RESUME, 18)
```

To name a session for resumption, a host sends either the first or second half of the resumption identifier, according to the role it played in the original session with secret "ss[0]".

A host that originally played role A and wishes to resume from a cached session sends a suboption with the first half of the resumption identifier:




Figure 2: Resumption suboption sent when original role was A. The TEP-byte contains a tcpcrypt TEP identifier and $v = 1$.

Similarly, a host that originally played role B sends a suboption with the second half of the resumption identifier:




Figure 3: Resumption suboption sent when original role was B. The TEP-byte contains a tcpcrypt TEP identifier and $v = 1$.

If a passive opener recognizes the identifier-half in a resumption suboption it has received and knows "ss[i]", it SHOULD (with exceptions specified below) agree to resume from the cached session by sending its own resumption suboption, which will contain the other half of the identifier.

If it does not agree to resumption with a particular TEP, the passive opener may either request fresh key exchange by responding with a non-resumption suboption using the same TEP, or else respond to any other received suboption.

If an active opener receives a resumption suboption for a particular TEP and the received identifier-half does not match the "resume[i]" value whose other half it previously sent in a resumption suboption for the same TEP, it MUST ignore that suboption. In the typical case

that this was the only ENO suboption received, this means the host

Internet-Draft

tcpcrypt

February 2017

MUST disable TCP-ENO and tcpcrypt: that is, it MUST NOT send any more ENO options and MUST NOT encrypt the connection.

When a host concludes that TCP-ENO negotiation has succeeded for some TEP that was received in a resumption suboption, it MUST then enable encryption with that TEP, using the cached session secret, as described in [Section 3.6](#).

The session ID ([Section 3.4](#)) is constructed in the same way for resumed sessions as it is for fresh ones. In this case the first byte will always have "v = 1". The remainder of the ID is derived from the cached session secret.

In the case of simultaneous open where TCP-ENO is able to establish asymmetric roles, two hosts that simultaneously send SYN segments with compatible resumption suboptions may resume the associated session.

In a particular SYN segment, a host SHOULD NOT send more than one resumption suboption, and MUST NOT send more than one resumption suboption with the same TEP identifier. But in addition to any resumption suboptions, an active opener MAY include non-resumption suboptions describing other key-agreement schemes it supports (in addition to that indicated by the TEP in the resumption suboption).

After using "ss[i]" to compute "mk[0]", implementations SHOULD compute and cache "ss[i+1]" for possible use by a later session, then erase "ss[i]" from memory. Hosts SHOULD retain "ss[i+1]" until it is used or the memory needs to be reclaimed. Hosts SHOULD NOT write a cached "ss[i+1]" value to non-volatile storage.

When proposing resumption, the active opener MUST use the lowest value of "i" that has not already been used (successfully or not) to negotiate resumption with the same host and for the same pre-session key "ss[0]".

A host MUST NOT resume with a session secret if it has ever successfully negotiated resumption in the past, in either role, with the same secret. In the event that two hosts simultaneously send SYN

segments to each other that propose resumption with the same session secret but the two segments are not part of a simultaneous open, both connections will have to revert to fresh key-exchange. To avoid this limitation, implementations MAY choose to implement session caching such that a given pre-session key "ss[0]" is only used for either passive or active opens at the same host, not both.

When two hosts have previously negotiated a tcpcrypt session, either host may initiate session resumption regardless of which host was the active opener or played the "A" role in the previous session.

However, a given host must either encrypt with "k_ab" for all sessions derived from the same pre-session key "ss[0]", or with "k_ba". Thus, which keys a host uses to send segments is not affected by the role it plays in the current connection: it depends only on whether the host played the "A" or "B" role in the initial session.

Implementations that perform session caching MUST provide a means for applications to control session caching, including flushing cached session secrets associated with an ESTABLISHED connection or disabling the use of caching for a particular connection.

[3.6](#). Data encryption and authentication

Following key exchange (or its omission via session caching), all further communication in a tcpcrypt-enabled connection is carried out within delimited `_application frames_` that are encrypted and authenticated using the agreed keys.

This protection is provided via algorithms for Authenticated Encryption with Associated Data (AEAD). The particular algorithms that may be used are listed in Table 2. One algorithm is selected during the negotiation described in [Section 3.3](#).

The format of an application frame is specified in [Section 4.2](#). A sending host breaks its stream of application data into a series of chunks. Each chunk is placed in the "data" portion of a "plaintext" value, which is then encrypted to yield a frame's "ciphertext" field.

Chunks must be small enough that the ciphertext (whose length depends on the AEAD cipher used, and is generally slightly longer than the plaintext) has length less than 2^{16} bytes.

An "associated data" value (see [Section 4.2.2](#)) is constructed for the frame. It contains the frame's "control" field and the length of the ciphertext.

A "frame nonce" value (see [Section 4.2.3](#)) is also constructed for the frame but not explicitly transmitted. It contains an "offset" field whose integer value is the zero-indexed byte offset of the beginning of the current application frame in the underlying TCP datastream. (That is, the offset in the framing stream, not the plaintext application stream.) Because it is strictly necessary for the security of the AEAD algorithm, an implementation **MUST NOT** ever transmit distinct frames with the same nonce value under the same

encryption key. In particular, a retransmitted TCP segment **MUST** contain the same payload bytes for the same TCP sequence numbers, and a host **MUST NOT** transmit more than 2^{64} bytes in the underlying TCP datastream (which would cause the "offset" field to wrap) before re-keying.

With reference to the "AEAD Interface" described in [Section 2 of \[RFC5116\]](#), tcpcrypt invokes the AEAD algorithm with the secret key "K" set to `k_ab` or `k_ba`, according to the host's role as described in [Section 3.3](#). The plaintext value serves as "P", the associated data as "A", and the frame nonce as "N". The output of the encryption operation, "C", is transmitted in the frame's "ciphertext" field.

When a frame is received, tcpcrypt reconstructs the associated data and frame nonce values (the former contains only data sent in the clear, and the latter is implicit in the TCP stream), and provides these and the ciphertext value to the AEAD decryption operation. The output of this operation is either a plaintext value "P" or the special symbol FAIL. In the latter case, the implementation **MUST** either ignore the frame or abort the connection; but if it aborts, the implementation **MUST** raise an error condition distinct from the end-of-file condition.

[3.7](#). TCP header protection

The "ciphertext" field of the application frame contains protected versions of certain TCP header values.

When "URGp" is set, the "urgent" value indicates an offset from the current frame's beginning offset; the sum of these offsets gives the index of the last byte of urgent data in the application datastream.

When "FINp" is set, it indicates that the sender will send no more application data after this frame. When the TCP FIN flag differs from "FINp", a receiving host MUST either ignore the segment altogether or abort the connection and raise an error condition distinct from the end-of-file condition.

[3.8.](#) Re-keying

Re-keying allows hosts to wipe from memory keys that could decrypt previously transmitted segments. It also allows the use of AEAD ciphers that can securely encrypt only a bounded number of messages under a given key.

We refer to the two encryption keys (k_{ab}, k_{ba}) as a `_key-set_`. We refer to the key-set generated by mk[i] as the key-set with `_generation number_ "i"` within a session. Each host maintains a

`_local generation number_` that determines which key-set it uses to encrypt outgoing frames, and a `_remote generation number_` equal to the highest generation used in frames received from its peer. Initially, these two values are set to zero.

A host MAY increment its local generation number beyond the remote generation number it has recorded. We call this action `_initiating re-keying_`.

When a host has incremented its local generation number and uses the new key-set for the first time to encrypt an outgoing frame, it MUST set "rekey = 1" for that frame. It MUST set this field to zero in all other cases.

When a host receives a frame with "rekey = 1", it increments its record of the remote generation number. If the remote generation number is now greater than the local generation number, the receiver MUST immediately increment its local generation number to match and

send a frame (with empty application data if necessary) with "rekey = 1".

A host SHOULD NOT initiate more than one concurrent re-key operation if it has no data to send; that is, it should not initiate re-keying with an empty application frame more than once while its record of the remote generation number is less than its own.

When retransmitting, implementations must always transmit the same bytes for the same TCP sequence numbers. Thus, a frame in a retransmitted segment MUST always be encrypted with the same key as when it was originally transmitted.

Implementations SHOULD delete older-generation keys from memory once they have received all frames they will need to decrypt with the old keys and have encrypted all outgoing frames under the old keys.

[3.9.](#) Keep-alive

Instead of using TCP Keep-Alives to verify that the remote endpoint is still responsive, tcpcrypt implementations SHOULD employ the re-keying mechanism for this purpose, as follows. When necessary, a host SHOULD probe the liveness of its peer by initiating re-keying and transmitting a new frame immediately (with empty application data if necessary).

As described in [Section 3.8](#), a host receiving a frame encrypted under a generation number greater than its own MUST increment its own generation number and immediately transmit a new frame (with zero-length application data, if necessary).


Implementations MAY use TCP Keep-Alives for purposes that do not require endpoint authentication, as discussed in [Section 9.2](#).

[4.](#) Encodings

This section provides byte-level encodings for values transmitted or computed by the protocol.

[4.1.](#) Key exchange messages

The "Init1" message has the following encoding:




The constant "INIT1_MAGIC" is defined in Table 3. The four-byte field "message_len" gives the length of the entire "Init1" message, encoded as a big-endian integer. The "nciphers" field contains an integer value that specifies the number of one-byte symmetric-cipher

identifiers that follow. The "sym-cipher" bytes identify cryptographic algorithms in Table 2. The length "N_A_LEN" and the length of "PK_A" are both determined by the negotiated key-agreement scheme, as described in [Section 5](#).

When sending "Init1", implementations of this protocol MUST omit the field "ignored"; that is, they must construct the message such that its end, as determined by "message_len", coincides with the end of the field "PK_A". When receiving "Init1", however, implementations MUST permit and ignore any bytes following "PK_A".

The "Init2" message has the following encoding:




The constant "INIT2_MAGIC" is defined in Table 3. The four-byte field "message_len" gives the length of the entire "Init2" message, encoded as a big-endian integer. The "sym-cipher" value is a selection from the symmetric-cipher identifiers in the previously-received "Init1" message. The length "N_B_LEN" and the length of "PK_B" are both determined by the negotiated key-agreement scheme, as described in [Section 5](#).

When sending "Init2", implementations of this protocol MUST omit the field "ignored"; that is, they must construct the message such that its end, as determined by "message_len", coincides with the end of the "PK_B" field. When receiving "Init2", however, implementations MUST permit and ignore any bytes following "PK_B".


[4.2.](#) Application frames

An `_application frame_` comprises a control byte and a length-prefixed ciphertext value:



The field "clen" is an integer in big-endian format and gives the length of the "ciphertext" field.

The byte "control" has this structure:





The seven-bit field "cres" is reserved; implementations MUST set these bits to zero when sending, and MUST ignore them when receiving.

The use of the "rekey" field is described in [Section 3.8](#).

[4.2.1.](#) Plaintext

The "ciphertext" field is the result of applying the negotiated authenticated-encryption algorithm to a "plaintext" value, which has one of these two formats:



Internet-Draft

tcpcrypt

February 2017

(Note that "clen" in the previous section will generally be greater than "plen", as the ciphertext produced by the authenticated-encryption scheme must both encrypt the application data and provide a way to verify its integrity.)

The "flags" byte has this structure:

```

      bit    7    6    5    4    3    2    1    0
          +-----+-----+-----+-----+-----+-----+-----+
          |               fres               | URGp | FINp |
          +-----+-----+-----+-----+-----+-----+-----+

```

The six-bit value "fres" is reserved; implementations MUST set these six bits to zero when sending, and MUST ignore them when receiving.

When the "URGp" bit is set, it indicates that the "urgent" field is present, and thus that the plaintext value has the second structure variant above; otherwise the first variant is used.

The meaning of "urgent" and of the flag bits is described in [Section 3.7](#).

[4.2.2](#). Associated data

An application frame's "associated data" (which is supplied to the AEAD algorithm when decrypting the ciphertext and verifying the frame's integrity) has this format:

```


      byte    0          1          2
          +-----+-----+-----+
          | control |      clen      |
          +-----+-----+-----+

```

It contains the same values as the frame's "control" and "clen" fields.

[4.2.3](#). Frame nonce

Lastly, a "frame nonce" (provided as input to the AEAD algorithm) has this format:



The 4-byte magic constant is defined in Table 3. The 8-byte "offset" field contains an integer in big-endian format. Its value is specified in [Section 3.6](#).

5. Key agreement schemes


The TEP negotiated via TCP-ENO may indicate the use of one of the key-agreement schemes named in Table 1. For example, "TCPCRYPT_ECDHE_P256" names the tcpcrypt protocol with key-agreement scheme ECDHE-P256.

All schemes listed there use HKDF-Expand-SHA256 as the CPRF, and these lengths for nonces and session keys:

N_A_LEN: 32 bytes
N_B_LEN: 32 bytes
K_LEN: 32 bytes

Key-agreement schemes ECDHE-P256 and ECDHE-P521 employ the ECSVDP-DH secret value derivation primitive defined in [[ieee1363](#)]. The named curves are defined in [[nist-dss](#)]. When the public-key values "PK_A" and "PK_B" are transmitted as described in [Section 4.1](#), they are encoded with the "Elliptic Curve Point to Octet String Conversion Primitive" described in Section E.2.3 of [[ieee1363](#)], and are prefixed

by a two-byte length in big-endian format:



Implementations SHOULD encode these "pubkey" values in "compressed format", and MUST accept values encoded in "compressed", "uncompressed" or "hybrid" formats.

Key-agreement schemes ECDHE-Curve25519 and ECDHE-Curve448 use the functions X25519 and X448, respectively, to perform the Diffie-Helman protocol as described in [\[RFC7748\]](#). When using these ciphers,

public-key values "PK_A" and "PK_B" are transmitted directly with no length prefix: 32 bytes for Curve25519, and 56 bytes for Curve448.

A tcpcrypt implementation MUST support at least the schemes ECDHE-P256 and ECDHE-P521, although system administrators need not enable them.

6. AEAD algorithms

Specifiers and key-lengths for AEAD algorithms are given in Table 2. The algorithms "AEAD_AES_128_GCM" and "AEAD_AES_256_GCM" are specified in [\[RFC5116\]](#). The algorithm "AEAD_CHACHA20_POLY1305" is specified in [\[RFC7539\]](#).

7. IANA considerations

Tcpcrypt's TEP identifiers will need to be incorporated in IANA's TCP-ENO encryption protocol identifier registry, as follows:

cs	Spec name
0x21	TCPCRYPT_ECDHE_P256
0x22	TCPCRYPT_ECDHE_P521
0x23	TCPCRYPT_ECDHE_Curve25519
0x24	TCPCRYPT_ECDHE_Curve448

+-----+-----+-----+-----+-----+-----+

Table 1: TEP identifiers for use with tcpcrypt

A "tcpcrypt AEAD parameter" registry needs to be maintained by IANA as in the following table. The use of encryption is described in [Section 3.6](#).

AEAD Algorithm	Key Length	sym-cipher
AEAD_AES_128_GCM	16 bytes	0x01
AEAD_AES_256_GCM	32 bytes	0x02
AEAD_CHACHA20_POLY1305	32 bytes	0x10

Table 2: Authenticated-encryption algorithms corresponding to sym-cipher specifiers in Init1 and Init2 messages.

8. Security considerations

Public-key generation, public-key encryption, and shared-secret generation all require randomness. Other tcpcrypt functions may also require randomness, depending on the algorithms and modes of operation selected. A weak pseudo-random generator at either host will compromise tcpcrypt's security. Many of tcpcrypt's cryptographic functions require random input, and thus any host implementing tcpcrypt MUST have access to a cryptographically-secure source of randomness or pseudo-randomness.

Most implementations will rely on system-wide pseudo-random generators seeded from hardware events and a seed carried over from the previous boot. Once a pseudo-random generator has been properly seeded, it can generate effectively arbitrary amounts of pseudo-random data. However, until a pseudo-random generator has been seeded with sufficient entropy, not only will tcpcrypt be insecure, it will reveal information that further weakens the security of the pseudo-random generator, potentially harming other applications. As

required by TCP-ENO, implementations MUST NOT send ENO options unless they have access to an adequate source of randomness.

The cipher-suites specified in this document all use HMAC-SHA256 to implement the collision-resistant pseudo-random function denoted by "CPRF". A collision-resistant function is one on which, for sufficiently large L , an attacker cannot find two distinct inputs " K_1 ", "CONST_1" and " K_2 ", "CONST_2" such that $\text{CPRF}(K_1, \text{CONST}_1, L) = \text{CPRF}(K_2, \text{CONST}_2, L)$ ". Collision resistance is important to assure the uniqueness of session IDs, which are generated using the CPRF.

All of the security considerations of TCP-ENO apply to tcpcrypt. In particular, tcpcrypt does not protect against active eavesdroppers unless applications authenticate the session ID. If it can be established that the session IDs computed at each end of the connection match, then tcpcrypt guarantees that no man-in-the-middle attacks occurred unless the attacker has broken the underlying cryptographic primitives (e.g., ECDH). A proof of this property for an earlier version of the protocol has been published [[tcpcrypt](#)].

To gain middlebox compatibility, tcpcrypt does not protect TCP headers. Hence, the protocol is vulnerable to denial-of-service from off-path attackers just as plain TCP is. Possible attacks include desynchronizing the underlying TCP stream, injecting RST or FIN segments, and forging rekey bits. These attacks will cause a tcpcrypt connection to hang or fail with an error, but not in any circumstance where plain TCP could continue uncorrupted. Implementations MUST give higher-level software a way to distinguish

such errors from a clean end-of-stream (indicated by an authenticated "FINp" bit) so that applications can avoid semantic truncation attacks.

There is no "key confirmation" step in tcpcrypt. This is not required because tcpcrypt's threat model includes the possibility of a connection to an adversary. If key negotiation is compromised and yields two different keys, all subsequent frames will be ignored due to failed integrity checks, causing the application's connection to hang. This is not a new threat because in plain TCP, an active attacker could have modified sequence and acknowledgement numbers to hang the connection anyway.

Tcpcrypt uses short-lived public keys to provide forward secrecy. All currently specified key agreement schemes involve ECDHE-based key agreement, meaning a new key can be efficiently computed for each connection. If implementations reuse these parameters, they SHOULD limit the lifetime of the private parameters, ideally to no more than two minutes.

Attackers cannot force passive openers to move forward in their session caching chain without guessing the content of the resumption identifier, which will be difficult without key knowledge.

[9.](#) Design notes

[9.1.](#) Asymmetric roles

Tcpcrypt transforms a shared pseudo-random key (PRK) into cryptographic session keys for each direction. Doing so requires an asymmetry in the protocol, as the key derivation function must be perturbed differently to generate different keys in each direction. Tcpcrypt includes other asymmetries in the roles of the two hosts, such as the process of negotiating algorithms (e.g., proposing vs. selecting cipher suites).

[9.2.](#) Verified liveness

Many hosts implement TCP Keep-Alives [[RFC1122](#)] as an option for applications to ensure that the other end of a TCP connection still exists even when there is no data to be sent. A TCP Keep-Alive segment carries a sequence number one prior to the beginning of the send window, and may carry one byte of "garbage" data. Such a segment causes the remote side to send an acknowledgment.

Unfortunately, tcpcrypt cannot cryptographically verify Keep-Alive acknowledgments. Hence, an attacker could prolong the existence of a session at one host after the other end of the connection no longer

exists. (Such an attack might prevent a process with sensitive data from exiting, giving an attacker more time to compromise a host and extract the sensitive data.)

Thus, tcpcrypt specifies a way to stimulate the remote host to send

verifiably fresh and authentic data, described in [Section 3.9](#).

The TCP keep-alive mechanism has also been used for its effects on intermediate nodes in the network, such as preventing flow state from expiring at NAT boxes or firewalls. As these purposes do not require the authentication of endpoints, implementations may safely accomplish them using either the existing TCP keep-alive mechanism or tcpcrypt's verified keep-alive mechanism.

[10](#). Acknowledgments

We are grateful for contributions, help, discussions, and feedback from the TCPINC working group, including Marcelo Bagnulo, David Black, Bob Briscoe, Jana Iyengar, Tero Kivinen, Mirja Kuhlewind, Yoav Nir, Christoph Paasch, Eric Rescorla, and Kyle Rose.

This work was funded by gifts from Intel (to Brad Karp) and from Google; by NSF award CNS-0716806 (A Clean-Slate Infrastructure for Information Flow Control); by DARPA CRASH under contract #N66001-10-2-4088; and by the Stanford Secure Internet of Things Project.

[11](#). References

[11.1](#). Normative References

[I-D.ietf-tcpinc-tcpeno]

Bittau, A., Boneh, D., Giffin, D., Handley, M., Mazieres, D., and E. Smith, "TCP-ENO: Encryption Negotiation Option", [draft-ietf-tcpinc-tcpeno-07](#) (work in progress), January 2017.

[ieee1363]

"IEEE Standard Specifications for Public-Key Cryptography (IEEE Std 1363-2000)", 2000.

[nist-dss]

"Digital Signature Standard, FIPS 186-2", 2000.

[RFC2119]

Bradner, S., "Key words for use in RFCs to Indicate Requirement Levels", [BCP 14](#), [RFC 2119](#), DOI 10.17487/RFC2119, March 1997, <<http://www.rfc-editor.org/info/rfc2119>>.

- [RFC5116] McGrew, D., "An Interface and Algorithms for Authenticated Encryption", [RFC 5116](#), DOI 10.17487/RFC5116, January 2008, <<http://www.rfc-editor.org/info/rfc5116>>.
- [RFC5869] Krawczyk, H. and P. Eronen, "HMAC-based Extract-and-Expand Key Derivation Function (HKDF)", [RFC 5869](#), DOI 10.17487/RFC5869, May 2010, <<http://www.rfc-editor.org/info/rfc5869>>.
- [RFC7539] Nir, Y. and A. Langley, "ChaCha20 and Poly1305 for IETF Protocols", [RFC 7539](#), DOI 10.17487/RFC7539, May 2015, <<http://www.rfc-editor.org/info/rfc7539>>.
- [RFC7748] Langley, A., Hamburg, M., and S. Turner, "Elliptic Curves for Security", [RFC 7748](#), DOI 10.17487/RFC7748, January 2016, <<http://www.rfc-editor.org/info/rfc7748>>.

[11.2.](#) Informative References

- [RFC1122] Braden, R., Ed., "Requirements for Internet Hosts - Communication Layers", STD 3, [RFC 1122](#), DOI 10.17487/RFC1122, October 1989, <<http://www.rfc-editor.org/info/rfc1122>>.
- [tcpcrypt] Bittau, A., Hamburg, M., Handley, M., Mazieres, D., and D. Boneh, "The case for ubiquitous transport-level encryption", USENIX Security , 2010.

[Appendix A.](#) Protocol constant values

Value	Name
0x01	CONST_NEXTK
0x02	CONST_SESSID
0x03	CONST_REKEY
0x04	CONST_KEY_A
0x05	CONST_KEY_B
0x06	CONST_RESUME
0x15101a0e	INIT1_MAGIC
0x097105e0	INIT2_MAGIC
0x44415441	FRAME_NONCE_MAGIC

Table 3: Protocol constants

Internet-Draft

tcpcrypt

February 2017

Authors' Addresses

Andrea Bittau
Google
345 Spear Street
San Francisco, CA 94105
US

Email: bittau@google.com

Dan Boneh
Stanford University
353 Serra Mall, Room 475
Stanford, CA 94305
US

Email: dabo@cs.stanford.edu

Daniel B. Giffin
Stanford University
353 Serra Mall, Room 288
Stanford, CA 94305
US

Email: dbg@scs.stanford.edu

Mike Hamburg
Stanford University
353 Serra Mall, Room 475
Stanford, CA 94305
US

Email: mike@shiftright.org

Mark Handley
University College London
Gower St.
London WC1E 6BT

UK

Email: M.Handley@cs.ucl.ac.uk

Bittau, et al.

Expires August 19, 2017

[Page 24]

Internet-Draft

tcpcrypt

February 2017

David Mazieres
Stanford University
353 Serra Mall, Room 290
Stanford, CA 94305
US

Email: dm@uun.org

Quinn Slack
Stanford University
353 Serra Mall, Room 288
Stanford, CA 94305
US

Email: sqs@cs.stanford.edu

Eric W. Smith
Kestrel Institute
3260 Hillview Avenue
Palo Alto, CA 94304
US

Email: eric.smith@kestrel.edu

Bittau, et al.

Expires August 19, 2017

[Page 25]